JoAnn Zerwekh • Ashley Zerwekh Garneau

# NURSING TODAY

Transition and Trends

EIGHTH EDITION





# CONTENTS

# UNIT I PROFESSIONAL GROWTH AND TRANSITION

- 1 Role Transitions, 2
- 2 Personal Management: Time and Self-Care Strategies, 24
- 3 Mentorship, Preceptorship, and Nurse Residency Programs, 49

# UNIT II CAREER DEVELOPMENT

- 4 Employment Considerations: Opportunities, Resumes, and Interviewing, 67
- 5 NCLEX-RN® Examination and the New Graduate, 96

# UNIT III NURSING: A DEVELOPING PROFESSION

- 6 Historical Perspectives: Influences on the Present, 126
- 7 Nursing Education, 149
- 8 Nursing Theory, 170
- 9 Image of Nursing: Influences of the Present, 188

# UNIT IV NURSING MANAGEMENT

- 10 Challenges of Nursing Management and Leadership, 207
- 11 Building Nursing Management Skills, 237

- 12 Effective Communication and Team Building, 256
- 13 Conflict Management, 286
- 14 Delegation in the Clinical Setting, 304

# UNIT V CURRENT ISSUES IN HEALTH CARE

- 15 The Health Care Organization and Patterns of Nursing Care Delivery, 327
- 16 Economics of the Health Care Delivery System, 355
- 17 Political Action in Nursing, 376
- 18 Collective Bargaining: Traditional (Union) and Nontraditional Approaches, 396
- 19 Ethical Issues, 419
- 20 Legal Issues, 446

# UNIT VI CONTEMPORARY NURSING PRACTICE

- 21 Cultural and Spiritual Awareness, 489
- 22 Quality Patient Care, 502
- 23 Nursing Informatics, 531
- 24 Using Nursing Research in Practice, 559
- 25 Workplace Issues, 574
- 26 Emergency Preparedness, 596

This page intentionally left blank

# NURSING TODAY

# Transition and Trends

# JoAnn Zerwekh, EdD, RN

President/CEO
Nursing Education Consultants, Inc.
Chandler, Arizona;
Nursing Faculty
Online Campus
University of Phoenix
Phoenix, Arizona

# Ashley Zerwekh Garneau, PhD, RN

Nursing Faculty GateWay Community College; Nursing Faculty Online Campus University of Phoenix Phoenix, Arizona





3251 Riverport Lane St. Louis, Missouri 63043

NURSING TODAY: TRANSITION AND TRENDS, EIGHTH EDITION ISBN: 978-1-4557-3203-6 Copyright © 2015, 2012, 2009, 2006, 2003, 2000, 1997, 1994 by Saunders, an imprint of Elsevier Inc.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or -mechanical, including photocopying, recording, or any information storage and retrieval system, without permission in writing from the publisher. Details on how to seek permission, further information about the -Publisher's permissions policies and our arrangements with organizations such as the Copyright Clearance -Center and the Copyright Licensing Agency, can be found at our website: www.elsevier.com/permissions.

This book and the individual contributions contained in it are protected under copyright by the Publisher (other than as may be noted herein).

### Notice

Knowledge and best practice in this field are constantly changing. As new research and experience broaden our knowledge, changes in practice, treatment and drug therapy may become necessary or appropriate. Readers are advised to check the most current information provided (i) on procedures featured or (ii) by the manufacturer of each product to be administered, to verify the recommended dose or formula, the method and duration of administration, and contraindications. It is the responsibility of the practitioner, relying on their own experience and knowledge of the patient, to make diagnoses, to determine dosages and the best treatment for each individual patient, and to take all appropriate safety precautions. To the fullest extent of the law, neither the Publisher nor Authors assumes any liability for any injury and/or damage to persons or property arising out of or related to any use of the material contained in this book.

The Publisher

### Library of Congress Cataloging in Publication Data

Nursing today (Zerwekh)

Nursing today: transition and trends / [edited by] JoAnn Zerwekh, Ashley Zerwekh Garneau. -- Eighth edition. p.; cm.

Includes bibliographical references.

ISBN 978-1-4557-3203-6 (pbk.: alk. paper)

I. Zerwekh, JoAnn Graham, editor of compilation. II. Garneau, Ashley Zerwekh, editor of compilation. III Title.

[DNLM: 1. Nursing. 2. Vocational Guidance. WY 16.1]

RT82

610.7306'9--dc23

2013049271

Senior Content Strategist: Sandra Clark Associate Content Development Specialist: Jennifer Wade Publishing Services Manager: Jeff Patterson Design Direction: Ashley Miner

Printed in Canada



# **CONTRIBUTORS**

### Susan Ahrens, PhD, RN

Associate Professor Indiana University—Purdue University of Fort Wayne (IPFW) Department of Nursing Fort Wayne, Indiana Chapter 25: Workplace Issues

### Nikki R. Austin, JD, RN

Consultant Phoenix, Arizona Chapter 20: Legal Issues

Professor and Director

# Sharon Decker, PhD, RN, ANEF, FAAN

The F. Marie Hall SimLife Center;

Covenant Health System Endowed
Chair in Simulation and Nursing
Education
Texas Tech University
Health Sciences Center
Lubbock, Texas
Chapter 2: Personal Management:
Time and Self-Care Strategies

# Julie V. Darmody, PhD, RN, ACNS-BC

DNP Program Director College of Nursing University of Wisconsin-Milwaukee Milwaukee, Wisconsin Chapter 16: Economics of the Health Care Delivery System

# Michael L. Evans, PhD, RN, NEA-BC, FACHE, FAAN

Dean and Professor Health Sciences Center Texas Tech University School of Nursing Lubbock, Texas Chapter 17: Political Action in Nursing

### Ashley Zerwekh Garneau, PhD, RN

Nursing Faculty
GateWay Community College;
Nursing Faculty
Online Campus
University of Phoenix
Phoenix, Arizona
Chapter 1: Role Transitions
Chapter 3: Mentorship, Preceptorship,
and Nurse Residency Programs
Chapter 8: Nursing Theory

### Ruth Hansten, RN, BSN, MBA, PhD

Principal Consultant Hansten Healthcare PLLC Port Ludlow, Washington Chapter 14: Delegation in the Clinical Setting

# Peter G. Melenovich, PhD, RN, CCRN, CNE

Nursing Faculty
GateWay Community College
Phoenix, Arizona
Chapter 19: Ethical Issues
Chapter 21: Cultural and Spiritual
Awareness

# Mary Mackenburg-Mohn, PhD, RN, CNP Associate Professor and Program

Director
Brandman University
Irvine, California
Chapter 24: Using Nursing Research in
Practice

# Tess (Theresa) M. Pape, PhD, RN, CNOR, CNE

Adjunct Faculty
Lamar University
Beaumont, Texas;
Adjunct Graduate Faculty
Indiana Wesleyan University
Marion, Indiana
Chapter 22: Quality Patient Care

# Cheryl D. Parker, PhD, RN-BC, FHIMSS

Chief Nursing Informatics Officer Rubbermaid Healthcare Dallas, Texas; Contributing Faculty MSN/DNP Programs School of Nursing Walden University Minneapolis, Minnesota Chapter 23: Nursing Informatics

### Jessica Maack Rangel, MS, RN

Southwest Zone Director—
Performance Improvement
Texas Health Resources
Arlington, Texas
Chapter 11: Building Nursing Management Skills

# Margi J. Schultz, PhD, RN, CNE, PLNC

Administrator, MaricopaNursing
Director, GateWay Community
College
Phoenix, Arizona
Chapter 9: Image of Nursing: Influences
of the Present

# Susan Sportsman, RN, PhD, ANEF, FAAN

Academic Consulting Group: A Service of Elsevier Forestburg, Texas Chapter 15: The Health Care Organization and Patterns of Nursing Care Delivery

Director

# Gayle P. Varnell, PhD, APRN, CPNP-PC

Nursing Consultant for Education Texas Board of Nursing Austin, Texas Chapter 7: Nursing Education

### Joann C. Wilcox, RN, MSN, LNC

Continuing Education Director
Creative Training Solutions
Kansas City, Missouri
Chapter 10: Challenges of Nursing
Management and Leadership
Chapter 18: Collective Bargaining:
Traditional (Union) and Nontraditional Approaches

### JoAnn Zerwekh, EdD, RN

President/CEO Nursing Education Consultants, Inc. Chandler, Arizona; Nursing Faculty Online Campus University of Phoenix Phoenix, Arizona Chapter 1: Role Transitions Chapter 4: Employment Considerations: Opportunities, Resumes, and Interviewing Chapter 5: NCLEX-RN® Examination and the New Graduate Chapter 6: Historical Perspectives: *Influences on the Present* Chapter 12: Effective Communication and Team Building Chapter 13: Conflict Management Chapter 26: Emergency Preparedness

# Tyler Zerwekh, MPH, DrPH, REHS

Administrator, Environmental Health Services Bureau Shelby County Health Department Memphis, Tennessee Chapter 26: Emergency Preparedness

# **REVIEWERS**

### Jackie Bonham, MSN, RN

Nursing Professor Health and Education Division American River College Sacramento, California

### Kelly Crum, RN, MSN

Chair, Department of Nursing Assistant Professor Maranatha Baptist Bible College Watertown, Wisconsin

### L. Susan Hudson, RN, MSN, MS

Associate Professor of Nursing Health Sciences Division Baker College of Flint Flint, Michigan

### Fran Leibfreid, RN, BSN, Med

Assistant Vice President of Instructional Affairs Board of Directors National Organization of Associate Degree Nursing Cumberland, Maryland

# Rose Miller, MSN, MPA, RN, CNE, RMA, LNC

Professor of Nursing Health Sciences Division College of Southern Maryland Leonardtown, Maryland

### Jennifer E. Smith, MSN, MBA

Assistant Professor Career Programs, Nursing William Rainey Harper College Palatine, Illinois

### Amy Szoka, RN, MSN

Assistant Professor of Nursing Daytona State College Daytona Beach, Florida

# **PREFACE**

Nursing Today: Transition and Trends evolved out of the authors' experiences with the nursing student in his or her final semester and the student's transition into the realities of nursing practice. With the changes in health care and the practice of nursing, there is even more emphasis on the importance of assisting the new graduate through the transition from education to practice. Nursing education and the transition process are experiencing a tremendous impact from changes in the health care delivery system.

In this eighth edition, we would like to provide several new features that we feel are vital to the professional development and success of our future generation of nurses! We have continued to provide the graduate nurse with information on nursing informatics and management and have continued to increase the focus on the use of information technology for the transitioning graduate by including information on point-of-care electronic documentation and HIPAA Privacy and Security Rules. Given today's technological age and the increased use of social media, in Chapter 19, Ethical Issues, we have provided strategies for safeguarding patient privacy and confidentiality. Chapters related to current issues in health care, such as Chapter 15, The Health Care Organization and Patterns of Nursing Care Delivery; Chapter 18, Collective Bargaining: Traditional (Union) and Nontraditional Approaches; Chapter 19, Ethical Issues; Chapter 20, Legal Issues; Chapter 25, Workplace Issues; and Chapter 26, Emergency Preparedness, have been expanded. We kept the same easy reading style to present timely information, along with updated information on the NCLEX-RN® Detailed Test Plan and samples of the alternate item format test items appearing on the NCLEX-RN® Exam. One of our goals with this book is to provide the graduating nurse with practical guidelines that can be implemented in his or her transition from nursing student to effective nursing practice at entry level.

For this reason, we have included additional nursing research-based concepts on research question development using the PICOT format and have introduced key differences among quantitative, qualitative, and mixed-methods research methodologies in Chapter 24, Using Nursing Research in Practice. In concert with nursing research, in Chapter 8, Nursing Theory, we have added the different levels of nursing theory and how they might serve as a framework for directing research. Information relating to nurse residency programs and strategies for experiencing preceptorship success have been included in Chapter 3, Mentorship, Preceptorship, and Nurse Residency Programs. The classic findings and experience of Marlene Kramer and her research on reality shock, and Patricia Benner's work on performance characteristics of beginning and expert nurses, continue to affect the need for transition courses in nursing education programs. These courses focus on trends and issues to assist the new graduate to be better prepared to practice nursing in today's world. With the increased demands and realities of the health care system, it is necessary for the new graduate to make the transition rapidly to an independent role. We have written this book for use in these transition courses and to assist individual students in anticipating encounters in a rapidly changing, technologically oriented work environment.

We have revised and updated each chapter regarding the changes in the health care delivery system and have included recommendations from the 2010 Institute of Medicine *Future* 

PREFACE

of Nursing report. To illustrate this, recommendations from the Future of Nursing (2010) report have been included in Chapter 15, The Health Care Organization and Patterns of Nursing Care Delivery; strategies for supporting health and preventing illness in today's redesigned health care system have been highlighted in Chapter 22, Quality Patient Care; and initiatives focusing around providing emergency preparedness education and training, developing partnerships with health care providers involved in emergency care, and improving workforce planning have been discussed in Chapter 26, Emergency Preparedness. Some of the lengthy tables and figures have been moved to Evolve Resources to keep the material intact and to make the reading easier. We have maintained and added additional cartoons drawn by C.J. Miller, BSN, RN. We feel they add a smile, and perhaps make the difficult information a little easier to comprehend.

Each chapter begins with Student Objectives and a quote as an introduction to the content. Within each chapter, there is a practical application of the concepts discussed. Critical Thinking boxes in the text highlight information to facilitate the critical thinking process. Using a question approach, material is presented in a logical, easy-to-read manner. There are also opportunities to respond to thought-provoking questions and student exercises to facilitate self-evaluation. Research for Best Practice boxes have been incorporated to provide implications for nursing practice and opportunities for discussion on how to incorporate the information into practice. An additional feature of this book includes online resources and relevant websites for each chapter. This new element aligns to today's technologically driven classroom and clinical settings.

The student receives an overall view of the nursing profession from historical events that influenced nursing to the present-day image, and also the legal, ethical, political, and on-the-job issues confronting today's nurse. Communication in the workplace, time management, how to write an effective resume, interviewing tips, guidelines for using social media as a professional, employee benefits, and self-care strategies are among the sound career advancement tools provided.

### FOR NURSING FACULTY

Our key goal in developing this book has been to provide timely information that is applicable to current practice and is fun to read. An Instructor's TEACH for Nurses lesson plan manual, which is web-based, is available from the publisher on *Evolve* to assist faculty in planning and promoting a positive transition experience. This valuable website contains suggestions for classroom and clinically based student activities. Additionally, we have included the 2013 Accreditation Commission for Education in Nursing (ACEN) Standards throughout each TEACH for Nurses lesson plan manual among other curriculum standards, i.e., QSEN, BSN Essentials.

At the request of nursing faculty using our book, we have continued to provide a secure, updated web-based Test Bank and have developed more than 300 new questions, with detailed rationales included on higher-order level test questions; text page references indicating where the correct answer can be obtained in the chapter have been provided for all test items. Additional alternate-format test items have also been added to the Test Bank. We have provided students with 130 brand new NCLEX-style questions that test their knowledge of the chapter content. We have also provided suggested responses for selected critical thinking questions threaded throughout each chapter. We have included accompanying textbook appendixes and have expanded

the content within *Evolve*, which supports the textbook that includes PowerPoint presentations, audience-response questions, sample NCLEX-style questions, including alternate item format, and 10 new case studies. The *Evolve* website will continue to provide updated information as new trends and issues affect the practice of nursing. Please consult your local Elsevier representative for more details.

JoAnn Zerwekh Ashley Zerwekh Garneau

# **ACKNOWLEDGMENTS**

The success of previous editions of this book is a result of the contributions and efforts of our chapter contributors, who provided their expertise and knowledge, and to our book reviewers for their insight and suggestions on pertinent issues in nursing practice. This new edition is no exception. We thank the staff at Elsevier for their assistance and guidance during the revision of the eighth edition: Sandy Clark, Senior Content Specialist, and Jennifer Wade, Associate Content Developmental Specialist. We also extend our gratitude to Jeanne Genz, Senior Project Manager, for monitoring the production of this book to ensure its delivery on schedule.

I would like to thank my children, Tyler and Ashley (my coauthor!); their spouses (Cassi Zerwekh and Brian Garneau); and my grandchildren (Maddie and Harper Zerwekh, Ben Garneau, Alexis and Brooklyn Parks) for putting a smile on my face and coaxing me to step away from the computer during those challenging times in the revision process. Also, a thank you is due to Matt and Becky Masog and Carrie and Scott Parks for welcoming my family and me to your family. Our blended family has enriched us all with great friendships.

Finally we thank our spouses John Masog and Brian Garneau for their unending support, patience, and sense of humor during the revision of the eighth edition. We appreciate your willingness to complete the additional "honey-do" lists we managed to compile for you while we were entrenched in the book revision. We love you all!

# CONTENTS

# UNIT I PROFESSIONAL GROWTH AND TRANSITION 1 Role Transitions, 2 Transitions, 3 What Are Transitions? 3 What Are Important Factors Influencing Transitions? 3 Transitions in Nursing, 4 Reality Shock, 6

What is Reality Shock? 6
What Are the Phases of Reality
Shock? 6

Role Transformation, 10
When Does the Role Transition to
Graduate Nurse Begin? 12
How Can I Prepare Myself for This
Transition Process? 13

# 2 Personal Management: Time and Self-Care Strategies, 24

Managing Your Time, 24
Balance Is the Key, 25
What Are Your Biological Rhythms,
and How Do You Use Them? 25
What Is Meant by Right- and LeftBrain Dominance, and Where Is
My Brain, 25
Which Are You? 27
How Can I Manage My Physical
Environment? 27
What About Managing the
Telephone? 29
What About All That E-Mail, Texting,
or Social Media? 29

How Can I Manage My Time? 30

Managing Tasks, 31 How Do I Deal with Procrastination? Consider the Consequences, 31 The Earlier, the Better, 32 Managing Others, 33 What About Delegation and Time Management? 34 Managing Your Goals, 34 Begin by Listing, 35 Prioritize with the ABCD System, 35 Keep It Going, 36 Self-Care Strategies, 36 Is Burnout Inevitable for Nurses? 37 Empowerment and Self-Care, 38 3 Mentorship, Preceptorship, and Nurse Residency Programs, 49 Historical Background, 50 What Mentoring Is and Is Not, 50 What Is Preceptorship? 51 What Happens If I Experience a Challenge During My Preceptorship? 52 What Is a Nurse Residency Program? How to Find a Mentor, 57 What Are the Characteristics of a Successful Mentor? 57 What Is a Mentoring Moment? 58 When Do We Need Mentors? 59 What Is the Role of the Mentee? 60 What Are the Characteristics of a Mentee? 60 What Are the Types of Mentoring Relationships? 60 Mentoring Through Reality Shock, 60 What Does the Future Hold? 62

CONTENTS xii

# UNIT II CAREER DEVELOPMENT

4 Employment Considerations: Opportunities, Resumes, and Interviewing, 67

What Is Happening in the Job Market?

Self-Assessment, 70

What Are My Clinical Interests? 70 What Are My Likes and Dislikes? 70 What Are My Personal Needs and Interests? 73

What Are My Career Goals? 73

Researching Prospective Employers, 74
What Employment Opportunities Are
Available? 74

What About Advanced Degrees in Nursing? 75

How Do I Go About Researching Prospective Employers? 76

Employment Considerations: How Do You Decide on an Employer?

What Do I Need to Know to Assess the Organization? 78

How Do You Go About Assessing an Organization to Find What You Want? 78

Resume Writing, 79

How Do I Write an Effective Resume? 79

What Information Is Necessary for a Resume? 80

What Else Should I Submit with My Resume? 82

What Are the Methods for Submitting Resumes? 83

The Interview Process, 84

How Do I Plan My Interview Campaign? 84

Strategies for Interview Success, 87 Critical First 5 Minutes! 87 Phases of the Interview, 88
How Do I Handle Unexpected
Questions or Situations? 89
Now Can We Talk About Benefits? 90
Job Offers and Possible Rejection, 90
Postinterview Process, 91
Follow-up Communication, 92
What If I Do Not Like My First
Position? 93
What If It Is Time for Me to Change

What If It Is Time for Me to Change Positions? 93

5 NCLEX-RN® Examination and the New Graduate, 96

The NCLEX-RN Examination, 97
Who Prepares It and Why Do We
Have to Have it? 97
How Will the Nurse Licensure

Compact Affect Your License? 97
What Is the NCLEY PN Examination

What Is the NCLEX-RN Examination Test Plan? 98

What Does CAT Mean? 99

What Kind of Questions Will Be on the NCLEX Examination? 102

What Are Some of the Other Things I Really Need to Know About the NCLEX Examination? 103

Preparing for the NCLEX-RN Examination, 103

Where and When Should I Start? 103 How Do I Select an NCLEX

Examination Review Course? 106 NCLEX-RN Examination Review

Books: Which One Is Right for You? 109

Test Anxiety: What Is the Disease? How Do You Get Rid of It? 112

What Kind of Questions Can I Expect on the NCLEX Examination? 113

What Difference Do Test-Taking Strategies Make? 117

What Are Strategies for Answering Multiple-Choice Questions? 120 NCLEX Examination Testing Tips, 121

# UNIT III NURSING: A DEVELOPING PROFESSION

6 Historical Perspectives: Influences on the Present, 126

Nursing History: People and Places, 127 Where Did It All Begin? 127 Why Deacons, Widows, and Virgins? 127

How Did Knighthood Contribute to Nursing? 128

What About Revolts and Nursing? 129

Florence Nightingale: The Legend and the Lady, 130

American Nursing: Critical Factors, 134 What Was It Like in Colonial Times? 134

What Happened to Nursing During the U.S. Civil War? 134

How Did the Roles of Nurses and Wives Compare During the Victorian Era? 134

Who Were the Reformers of the Victorian Era? 135

What Were the Key Challenges and Opportunities in Twentieth Century Nursing? 135

How Did the Symbols (Lamp, Cap, and Pin) of the Profession Evolve? 138

What Are the Key Events and Influences of the Twenty-First Century? 138

What Is the History of Diploma Nursing? 139

What Is the History of Associate Degree Nursing? 139

What Is the History of Baccalaureate Nursing? 140

What Is the History of Graduate Nursing Education? 140

The Nurse's Role: The Struggle for Definitions, 140

What Do Nurses Do? 140

What Is the Traditional Role of a Nurse? 140

Did You Know You Would Be a Teacher? 141

When Did the Nurse Become an Advocate? 142

Why Are Nurses Managers? 143

Can Nurses Be Colleagues? 144

Where Does This Leave the Role of Colleague? 144

What About Experts? 145

7 Nursing Education, 149

Path of Diploma Education, 150

What Is the Educational Preparation of the Diploma Graduate? 150

Path of Associate Degree Education, 151

What Is the Educational Preparation of the Associate Degree
Graduate? 151

Path of Baccalaureate Education, 152 What Is the Educational Preparation of the Baccalaureate Graduate? 152

Other Types of Nursing Education, 153

What Are the Other Available Educational Options? 153

What Is a BSN/MSN Completion Program? 154

Nontraditional Paths for Nursing Education, 156

What About a Master's Degree as a Path to Becoming an RN? 156

What About a Doctoral Path to Becoming an RN? 156

**Graduate Education, 156** 

What About Graduate School? 156 Why Would I Want A Master's Degree? 157

**CONTENTS** 

XV

	How Do I Know Which Master's
	Degree Program Is Right for Me?
	158
	Why Would I Want a Doctoral
	Degree? 160
	How Do I Know Which Doctoral
	Program Is Right for Me? 160
	Credentialing: Licensure and
	Certification, 161
	What Is Credentialing? 161
	What Are Registration and Licensure?
	161
	What Is Certification? 161
	What is Accreditation? 162
	Nursing Education: Future Trends, 163
	The Changing Student Profile, 163
	Educational Mobility, 164
	A Shortage of Registered Nurses, 164
	A Shortage of Qualified Nursing
	Faculty, 165
	Technology and Education, 166
	Changing Health Care Settings, 166
	The Aging Population, 166
8	Nursing Theory, 170
	Nursing Theory, 171
	What Is Theory? 171
	What Nursing Theory Is Not, 172
	Why Theory? 172
	What Is the History of Nursing
	Theory? 173
	Who Are the Nursing Theorists, 175
	Selected Nursing Theorists, 175
9	Image of Nursing: Influences of the
	Present, 188
	Professional Image of Nursing, 189
	What Do We Mean by the "Image" of
	Nursing? 189
	What Constitutes a Profession? 192
	Is Nursing a Profession? 194
	Nursing Organizations, 198
	What Should I Know About
	Professional Organizations? 198
	What Organizations Are Available to

the Recent Graduate? 200

# UNIT IV NURSING MANAGEMENT

# 10 Challenges of Nursing Management and Leadership, 207

Management Versus Leadership, 208
What Is the Difference Between
Management and Leadership? 208
What Are the Characteristics and
Theories of Management? 210
What Is Meant by Management
Style? 211
What Are the Characteristics and

What Are the Characteristics and Theories of Leadership? 213

The Twenty-First Century: A Different Age for Management and for Leadership, 216

The Silent or Veteran Generation, 217 The Baby Boomers, 217 Generation X, 218 Generation Y, 218 Generation Now, 219

Power and Authority in Nursing Management, 222

Do You Know the Difference Between Power and Authority? 222 What Are the Different Types of

What Are the Different Types of Power? 222

Management Problem Solving, 224
How Are Problem-Solving Strategies
Used in Management? 224
Evidence-Based Management
Protocols and Interventions, 225
How Are Problem Solving and
Decision-Making Related? 226
What Effect Does the Leader Have on
the Group? 228

The Challenge of Change, 229
Who Initiates Change and Why? 231
Building Nursing Management Skills,
237

Communication and Patient Safety, 238 How Can I Improve My Verbal Communication for Patient Safety? 239

in Writing? 263

	How Can I Improve My Written	How Can I Learn to Speak
	Communication for Patient	Effectively? 264
	Safety? 240	What Listening Skills Do I Need to
	Communicating When It Is Critical—	Develop? 265
	What Do You Need to Do? 243	How Can I Use Nonverbal
	Critical Patient Tests, 243	Communication Effectively?
	Critical Hand-Off Communication, 243	267
	Shift Change—So Much to SaySo	How Can I Communicate Effectively
	Little Time, 245	by Using Technology? 268
	How Can I Deal with All the	Group Communication, 269
	Interruptions? 246	What Is Group Process? 269
	What Skills Do I Need to Use the	How Can You Improve
	Telephone Effectively? 247	Communications in Group
	Managing Time in the Clinical Setting,	Meetings? 272
	248	Team Building, 275
	Get Organized Before the Change-of-	What Is Team Building? 275
	Shift Report, 249	When Nurses Work as a True
	Prioritize Your Care, 249	Team, Everyone Involved
	Organize Your Work by Patient, 250	Benefits! 275
	Managing Others, 251	Assertive Styles of Communication,
	What About Delegating and Time	278
	Management? 251	Why Are Nurses Not More Assertive?
	Supervising and Evaluating the Care	279
	Provided by Others, 253	What Are the Benefits of
12	Effective Communication and Team	Assertiveness? 280
	Building, 256	What Are My Basic Rights as a
	Communication in the Workplace, 257	Person and as a Nurse? 280
	How Can I Communicate Effectively	How Can I Begin to Practice
	with My Supervisor? 257	Assertive Communication? 280
	How Can I Communicate Effectively	What Are the Components of
	with Other Nursing Personnel?	Assertive Communication? 281
	258	When to Use Assertive
	What Does My Image Communicate to	Communication, 282
	Others? 259	13 Conflict Management, 286
	How Do Gender Differences Influence	Conflict, 287
	Communication Styles? 260	What Causes Conflict? 287
	What Should I Know About the	Conflict Resolution, 288
	"Grapevine"? 261	What Are Ways to Resolve Conflict?
	How Can I Handle Cultural Diversity	288
	at Work? 262	What Are Some Basic Guidelines for
	Components of Effective	Choosing the Technique to Use?
	Communication, 263	292
	How Can I Communicate Effectively	
	=== ::	

xvii

Dealing with Difficult People, 292
What Are Some Techniques for
Handling Difficult People? 292
What Is Anger? 296
What Is the Solution for Handling
Anger? 297

Sexual Harassment in the Workplace, 300 What Is Sexual Harassment? 301 What Can I Do About It? 302

14 Delegation in the Clinical Setting, 304 What Does Delegation Mean? 305 Who Is Accountable Here? 307 The Right Task, 308 What Can I Delegate? 309

Is There Anything I Cannot Delegate?
311

The Right Circumstances, 312

How Can I Determine the Strengths and Weaknesses of Team Members? 312

What Are the Causes of Performance Weaknesses? 315

The Right Person, 316

How Can I Use Outcomes in Delegating? 316

The Right Direction and Communication, 319

How Can I Get the Delegate to Understand What I Want? 319

The Right Supervision and Evaluation, 321

How Can I Give and Receive Feedback Effectively? 321

# UNIT V CURRENT ISSUES IN HEALTH CARE

15 The Health Care Organization and Patterns of Nursing Care Delivery, 327

What Are Some Important Challenges Currently Facing Health Care? 328 Cost of Health Care, 328 Managed Care, 328 What Impact Has Managed Care Had on Costs? 329

Strategies to Control Costs, 329

Case Management, 330

Disease Management, 331

Do Disease-Management Programs Reduce the Cost of Health Care? 331

What Tools Are Used to Support Care Coordination? 332

Pay for Performance, 333

Evidence-Based Practice, 333

How Do We Know that Critical Pathways and Disease-Management Protocols Reflect the Latest and Best Practice? 333

Shortage of Nurses, 334

How Can Health Care Organizations Retain Nurses? 334 Magnet Hospitals, 335

The Impact of the 2010 Institute for Medicine Future of Nursing Report, 336

Patient Safety, 337

Institute for Healthcare Improvement, 338

Evaluation of Safety Initiatives, 340

The Effects of Various Patterns of Nursing Care Delivery: A Historical Perspective, 341

What Is the Total Patient Care or Private Duty Model? 341

What Is Functional Nursing? 342

What Is Team Nursing? 343

What Is Primary Nursing? 343

What Is Patient-Focused Care? 344

What Is Telehealth? 345

What Is the Most Effective Model of Nursing Care? 345

What Is the Impact of Staffing Patterns on the Quality of Care? 346

How Are Nursing Work Assignments Determined? 348

	What About Scheduling Patterns? 350
	What About the Use of Overtime? 350
16	<b>Economics of the Health Care Delivery</b>
	System, 355
	What Are the Trends Affecting the
	Rising Costs of Health Care? 356
	Intrinsic Factors, 357
	Extrinsic Factors, 357
	What Is the Effect of the Changing
	<b>Economic Environment on Clinical</b>
	Practice? 358
	Introduction to Economics, 358
	What Are the Choices About Amount
	of Spending? 358
	The Affordable Care Act of 2010, 359
	What Are the Choices Regarding the
	Services Provided? 359
	What Are the Choices About Methods
	to Produce Health Care? 360
	What Are the Choices About
	Allocation? 360
	Budgets, 363
	What Are the Basic Concepts of
	Budgets? 364
	What Are the Types of Budgets? 364
	Fiscal Responsibility to the Patient, 368
	Fiscal Responsibility to the
	Employing Organization, 370
	Fiscal Responsibility to the Payer of
	Care, 372
<b>17</b>	Political Action in Nursing, 376
	What Exactly Is Politics? 378
	What Other Strategies Would You
	Suggest? 379
	What Are the Skills that Make Up a
	Nurse's Political Savvy? 380
	What Is Power, and Where Does It
	Come From? 381
	Law 1: Power Invariably Fills Any
	Vacuum, 381
	Law 2: Power Is Invariably Personal,
	382
	Law 3: Power Is Based on a System of

Ideas and Philosophy, 382

Law 4: Power Is Exercised Through and Depends on Institutions, 382 Law 5: Power Is Invariably Confronted with and Acts in the Presence of a Field of Responsibility, 382 Another Way to Look at Power and Where to Get It, 382 Networking Among Colleagues, 383 **Building Coalitions, 384** What About Trade-Offs, Compromises, Negotiations, and Other Tricks of the Trade? 384 How Do I Go About Participating in the Election Process? 385 What Is a Political Action Committee? 386 After Getting Them Elected, Then What? 387 **Controversial Political Issues Affecting** Nursing, 390 **Uniform Core Licensure** Requirements, 390 Nursing and Collective Bargaining, 392 Equal Pay for Work of Comparable Value or Comparable Worth? 393 Legislative Campaign for Safe Staffing, 393 18 Collective Bargaining: Traditional (Union) and Nontraditional Approaches, 396 When Did the Issues Leading to Collective Bargaining Begin? 398 The Evolution of Collective Bargaining in Nursing, 399 Who Represents Nurses for Collective Bargaining? 400 Traditional and Nontraditional Collective Bargaining, 400 ANA and NNU: What Are the Common Issues? 401 The Debate About Collective Bargaining, 403

CONTENTS

Collective Bargaining: Perspectives
Regarding the Traditional
Approach, 403
How Can Nurses Control Their Own
Practice? 411
Collective Bargaining: Perspectives of
the Nontraditional Approach, 412
Future Trends, 414
Ethical Issues, 419
Understanding Ethics, 420
What Are Your Values? 420
Moral/Ethical Principles, 421 Controversial Ethical Issues
Confronting Nursing, 432
Legal Issues, 446
Sources of Law, 447
Where Does "The Law" Come From?
447
Court Actions Based on Legal
Principles, 449
Legal Control Over Nursing Practice, 450
What Are the Legal Aspects of
Licensure? 451
What About the Impaired Nurse? 452
Who Knows About the Disciplinary
Actions Against Nurses? 453
Torts, 454
Nursing Malpractice, 454
Legal Commentary, 454
Basic Elements of Malpractice, 455
Applying "Causation" to Case Study
3, 459
Who Might Have Liability
(Responsibility) in a Claim? 461
What Defenses Might Be Available in
Malpractice Claims? 463
What Evidence Can Help Me in a
Lawsuit? 464
How Can I Avoid a Malpractice
Claim? 466
Intentional Torts, 472
•
Invasion of Privacy and Breaches of
Privilege and Confidentiality, 473

19

20

Miscellaneous Intentional Torts and Other Civil Rights Claims Involved with Employment, 474 What Is a Defense to Intentional **Torts? 475** Criminal Actions, 477 What Criminal Acts Pose a Risk to the Nurse? 477 **Risk Management and Quality** Improvement, 478 How Do I Protect Myself and My Patient From All These Risks? 478 Malpractice Insurance, 480 What About Individual Malpractice Insurance? 480 What Is Institutional Coverage? 480 What Should I Ask About Institutional Coverage? 481 What Happens When I Go to Court? 481 **Controversial Legal Issues Affecting** Nursing, 482 Health Care Costs and Payment

Issues, 482 Health Care Delivery Issues, 483 Issues About Life-and-Death Decisions, 484

### UNIT VI **CONTEMPORARY NURSING PRACTICE**

21 Cultural and Spiritual Awareness, 489 Culture and Spirituality, 489 What Is Meant by Cultural Competence? 489 What Practice Issues Are Related to Cultural Competence? 490 Office of Minority Health and Disaster Preparedness, 492 Culturally Diverse Work Force, 492 What Is the Meaning of Spirituality?

493

22

Cultural and Spiritual Assessment, 494	23 Nursing Informatics, 531
What Are Cultural and Spiritual Beliefs	Nursing Informatics, 532
About Illness and Cures? 494	Nursing Informatics—Why Do I
How Do You Address Spiritual Need?	Care? 532
497	What Is Nursing Informatics? 533
Quality Patient Care, 502	Experience and Education, 534
Standards of Quality Health Care	Role of the IN/INS, 534
Management, 503	The Certification Process, 535
9	Professional Practice, Trends, and
What Is Root Cause Analysis? 503	Issues, 535
History and Evolution of Quality in	
Health Care, 505	What Are Regulatory and
Who Are Edward Deming, Joseph M.	Accreditation Requirements? 535
Juran, and Philip Crosby? 506	Models and Theories, 538
What Are Core Measures? 507	Clinical Information Systems, 539
What is HCAHPS? 507	The e-World is ComingWait, It's
What is Hospital Compare? 508	Here, 540
Just What Is The Joint Commission? 508	Electronic Medical Record (EMR) and
What Are Patient Safety Goals? 508	Electronic Health Record (EHR),
Monitoring the Quality of Health Care,	541
508	Personal Health Record, 543
What Is Quality Improvement? 510	Technology Changing Workflow
How Do We Monitor Quality? 511	for the Better—Medication
What Is an Indicator and a Metric?	Fulfillment, 543
512	CPOE and Clinical Decision Support,
What Are Core Measures? 513	544
What Is Performance Improvement?	Technology-Enabled Medication
514	Administration, 544
What Are the Barriers to Quality	e-Prescribing, 545
Improvement? 514	What Is Meaningful Use? 545
What Are Some Other Agencies	Barriers Still Remain, 545
Influencing Patient Safety? 515	Trends, 546
Quality Improvement Methods, 516	Using the Internet: The Next
<b>Tools and Processes for Continuous</b>	Generation of Health Care
Quality Improvement, 517	Delivery, 546
What is Six Sigma? 518	Electronic Communication, 548
How Do We Use DMAIC? 519	Data Access at the Point of Care, 548
The Define Phase, 520	Computers in the Nurses' Station,
The Measure Phase, 523	548
The Analyze Phase, 524	Mobility in the Clinical World, 549
The Improve Phase, 525	Smartphones, 550
The Control Phase, 526	Evaluating Internet Resources, 550
Health Care Provider Credentialing	What Do I Need to Know to Evaluate
for Quality Improvement, 527	an Internet Resource? 550

CONTENTS XX

	Nursing Informatics and You, 553 Informatics Competencies for the Practicing Nurse, 553
24	Using Nursing Research in Practice, 559
	The Need for Nursing Practice Based on Research, 559
	What Is Nursing Research Utilization? 560
	What Are the Steps for Nursing
	Research Utilization? 560
	Research Utilization: What Is It Not? 564
	Research Utilization Compared with
	Nursing Research and the Conduct of Research, 565
	How Is the Use of Research
	in Practice Different from
	Conducting Research? 565
	What Is the Relationship Between
	Nursing Theory and Research
	Utilization? 566
	<b>Defining Your Practice Context, 567</b>
	What Are the Health, Social, and
	Cultural Characteristics of the
	Patient Population Being Served? 568
	What Are the Health Care Delivery
	Characteristics of Your Setting?
	What Are the Motivators and
	Barriers for Incorporating
	Nursing Research Into Your
	Practice, 568
	What is Evidence-Based Practice?
	569
	The National Institute of Nursing
	Research, 571
	What Is Its Function? 571
	The Agency for Health Care Research and Quality, 571
	What Is Its Function? 571

# 25 Workplace Issues, 574 Questions to Ask When Starting a New Position, 575 **Ergonomic Hazards for Health Care** Workers, 575 Back Injury, 576 Ergonomic Workstations, 578 Repetitive Motion Disorders, 579 Workplace Violence: A Growing Concern in Health Care, 579 Horizontal Violence (Bullying) and Other Forms of Workplace Harassment, 580 Other Workplace Issues, 584 Needlestick and Sharps Safety, 584 Handling Staffing Shortages, 584 Mandatory Overtime, 588 Floating—What Do I Do Now? 589 Making a Mistake—What Do I Do Now? 591 26 Emergency Preparedness, 596 What Is Public Health Preparedness? 597 Clinical Preparedness, 597 What Are Biological Agents? 597 What Are Chemical Agents? 597 What Are Radiological/Radioactive Agents? 599 What Is a Pandemic? 602 What Is Personal Protective Equipment in Disaster Response? 602 What Is Disaster Nursing? 604 What Is Triage? 606 **Public Health Preparedness and** Administrative Efforts, 607 Community Health Nurse Issues and Public Health Preparedness, 608 Epidemiological Aspects, 608 What Is the Strategic National Stockpile? 609 What Is CHEMPACK? 610

What Is ESAR-VHP? 610

Medical Reserve Corps, 610 Disaster Medical Assistance Teams, 611

What Do I Need to Know About Community Preparedness Issues? 611

What Do I Need to Know About Disaster Mental Health? 611 Individual and Family Preparedness Issues, 613

Emerging Trends and Issues in Emergency Preparedness, 614 The 2010 Institute of Medicine Report, 617 The following Appendixes can be found on the Evolve website:

Appendix A: State Boards of Nursing

Appendix B: National Nursing Organiza-

Appendix C: American Nurses Association Constituent Member Associations

Appendix D: Associate Members

UNIT

# **Professional Growth** and Transition

# **CHAPTER**

# 1

# **Role Transitions**

# JoAnn Zerwekh, EdD, RN and Ashley Zerwekh Garneau, PhD, RN

When you're finished changing, you're finished.

Benjamin Franklin



Role transition can be a complex experience.

After completing this chapter, you should be able to:

- Discuss the concept of transitions.
- Identify the characteristics of reality shock.
- Compare and contrast the phases of reality shock.
- Identify times in your life when you have experienced a reality shock or role transition.
- Describe methods to promote a successful transition.

Welcome to the profession of nursing! This book is written for nursing students who are in the midst of transitions in their lives. As a new student, you are beginning the transition to becoming indoctrinated into nursing, and sometimes it is not an easy transition. For those of you who are in the middle of nursing school, do you wonder if life even exists outside of nursing school? To the student who will soon graduate, hang on; you are almost there! For whatever transition period you are encountering, our goal is to help make your life easier during this period of personal and professional adjustment into nursing. We have designed this book to help you keep your feet on the ground and your head out of the clouds as well as to boost your spirits when the going gets rough.

As you thumb through this book, you will notice that there are cartoons and critical thinking questions that encourage your participation. Do not be alarmed; we know you have been overloaded with "critical thinking" during nursing school! These critical thinking questions are not meant to be graded; instead, their purpose is to encourage you to begin thinking about your transition, either into nursing school or into practice, and to guide you through the book in a practical, participative manner. Our intention is to add a little humor here and there while giving information on topics we feel will affect your transition into nursing practice. We want you to be informed about the controversial issues affecting nursing today. After all, the future of nursing rests with **you!** 

Are you ready to begin? Then let's start with the real stuff. You are beginning to experience transitions—for some of you, just getting into nursing school has been a long struggle—and you are there! For others, you can see the light at the end of the tunnel, as graduation becomes a reality. Nursing is one of the most rewarding professions you can pursue. However, it can also be one of the most frustrating. As with marriage, raising children, and the pursuit of happiness, there are ups and downs. We seldom find the world or our specific situation the exact way we thought it would or should be. Often your fantasy of what nursing *should* be is not what you will find nursing to be.

You will cry, but you will also laugh.

You will share with people their darkest hours of pain and suffering, but

You will also share with them their hope, healing, and recovery.

You will be there as life begins and ends.

You will experience great challenges that lead to success.

You will experience failure and disappointment.

You will never cease to be amazed at the resilience of the human body and spirit.

### **TRANSITIONS**

### What Are Transitions?

Transitions are passages or changes from one situation, condition, or state to another, which occur over time. They have been classified into the following four major types: developmental (e.g., becoming a parent, midlife crisis), situational (e.g., graduating from a nursing program, career change, divorce), health/illness (e.g., dealing with a chronic illness), and organizational (e.g., change in leadership, new staffing patterns) (Schumacher and Meleis, 1994).

Transitions are complex processes, and a lot of transitions may occur at the same time.

# What Are Important Factors Influencing Transitions?

Understanding the transition experience from the perspective of the person who is experiencing it is important, because the meaning of the experience may be positive, negative, or neutral, and the expectation may or may not be realistic. The transition may be desired (e.g., passing the NCLEX® Exam) or undesirable (e.g., the death of a family member, after which you have to assume a new role in your family).

Often, when you know what to expect, the stress associated with the change or transition is reduced.

### **BOX 1-1**

### Stresses Reported by New Graduates\*

- 1. Not feeling confident and competent
- 2. Making mistakes because of increased workload and responsibilities
- 3. Encountering new situations, surroundings, and procedures
- 4. Inconsistent preceptors
- 5. Getting to know the staff
- 6. Encounters with unhappy nurses and other personnel
- 7. Short staffing
- 8. Staff nurses who were unwilling to help

From Oermann MH, Garvin MF: Stresses and challenges for new graduates in hospitals, *Nurse Educ Today* 22:225, 2002.

Another factor in the transition process is the new level of knowledge and skill required, as well as the availability of needed resources within the environment. Handling new knowledge and skills can be challenging and stressful, and can lead to a variety of different emotions (Box 1-1). This will resolve as your confidence grows and you have more understanding of the concept of how to "think like a nurse."

Transitions are a part of life and certainly a part of nursing. Although the following discussions on role transition and reality shock focus on the graduate nurse experience, there are many applicable points for the new student as well. As you learn more about transitions, reality shock, and the graduate nurse experience, think about how this information may also apply to your transition experience into and through nursing school (Critical Thinking Box 1-1).



## **CRITICAL THINKING BOX 1-1**

What is your greatest concern about your transition? Is it personal or work transitions because you are a student nurse, or is it your transition from school to practice?

Looking back, what transitions have you experienced? What transitions are occurring in your life now? Has your entry into, as well as progress through, nursing school caused transitions in your personal life? Has your anticipated job search caused transitions in your professional as well as personal life?

# **Transitions in Nursing**

The paradox of nursing will become obvious to you early in your nursing career. This realization may occur during nursing school, but it frequently becomes most obvious during the first 6 months of your first job.

Health care organizations are very concerned about your transition experience and job satisfaction during that first 6 months of employment. Have you been hearing about "evidence-based practice?" Well, it is working for you now! During the first 6 months of employment, new graduates need time to develop their skills in a supportive environment. Employee retention and job satisfaction are key issues for the hospital; confidence in performing skills and procedures, nurse residency programs, and dependence versus independence are key graduate nurse issues driving this research. The well-being of the

<sup>\*</sup>Listed in order of frequency.

graduate nurse and the ability to deliver quality nursing care during the transition period has sparked research to validate the need for special considerations of the graduate nurse experiencing transition (Casey et al, 2004; Godinez et al, 1999, Lavoie-Tremblay et al, 2002; Steinmiller et al, 2003; Duchscher, 2008, 2009; Varner and Leeds, 2012). With identification of the basic problems encountered by new graduates during this first 6 months, there is a concerted effort to begin to meet the special needs of the graduate nurse (Research for Best Practice Box 1-1).

The role-transition process that occurs on entry into nursing school and the process from student to graduate nurse do not take place automatically. Experiencing the optimal experience during role transition requires a great deal of attention, planning, and determination on your part. How you perceive and handle the transition will determine how well you progress through the process. The challenges and rewards of clinicals, tests, and work situations will cause your emotions to go up and down, but that is okay. It is expected, and you will be able to deal with it effectively. The wide range of emotions experienced during the transition process can often affect your *emotional and physical well-being*; check out the discussion of self-care strategies in Chapter 2.

# Q

### **RESEARCH FOR BEST PRACTICE** BOX 1-1

### Role Transition: Think Like a Nurse

### **Practice Issue**

Students report that when they first entered their nursing courses they were unaware of the complexity of thinking and problem solving that occurs in the clinical setting. They often are unable to "think on their feet" and change a planned way of doing something based on what is happening with a specific patient at any given moment. Research supports the finding that the beginning nursing graduate continues to have difficulty making clinical judgments (i.e., thinking like a nurse). Graduates with baccalaureate degrees in nursing were interviewed three times in 9 months to determine their perceptions of how they learned to think like nurses.

# Implications for Nursing Practice

### Clinical Judgments - Thinking Like a Nurse

- Nursing students and new graduates are often unaware of the level of responsibility required of nurses and lack confidence in their ability to make clinical judgments.
- The process of learning to think like a nurse is characterized by building confidence, accepting responsibility, adapting to changing relations with others, and thinking more critically.
- Multiple clinical experiences, support from faculty and experienced nurses, and sharing experiences with peers
  were critical in the transition from student nurse to beginning practitioner.
- Nursing education must assist nursing students to engage with patients and to act on a responsible vision for
  excellent care of those patients and with a deep concern for the well-being of patients and families. Clinical
  reasoning must arise from this engaged, concerned stance.

### **Considering This Information:**

What characteristics have you observed in staff members who effectively "think like a nurse?" How can you begin to incorporate these aspects into your practice?

### References

Etheridge SA: Learning to think like a nurse: stories from new nurse graduates, *J Contin Educ Nurs* 38(1):24–30, 2007

Tanner CA: Thinking like a nurse: a research-based model of clinical judgment in nursing, *J Nurs Educ* 45(6): 204–211, 2006. Retrieved from www.ahn.mnsu.edu/nursing/facultyformsandinfo/thinkinglikeanurse.pdf.

So, let's get started. Reality shock is often one of the first hurdles of transition to conquer in your new role as a graduate nurse or registered nurse (RN, or Real Nurse ③).

### REALITY SHOCK

# What Is Reality Shock?

Reality shock is a term often used to describe the reaction experienced when one moves into the work force after several years of educational preparation. The recent graduate is caught in the situation of moving from a familiar, comfortable educational environment into a new role in the work force in which the expectations are not clearly defined or may not even be realistic. For example, as a student you were taught to consider the patient in a holistic framework, but in practice you often do not have the time to consider the psychosocial or teaching needs of the patient, even though they must be attended to and documented.

The recent graduate in the workplace is expected to be a capable, competent nurse. That sounds fine. However, sometimes there is a hidden expectation that graduate nurses should function as though they have 5 years of nursing experience. Time management skills, along with the increasing acuity level of patients, are common problems for the new graduate. This situation may leave you with feelings of powerlessness, depression, and insecurity because of an apparent lack of effectiveness in the work environment. There are positive ways to handle the problems. You are not alone! Reality shock is not unique to nursing. It is present in many professions as graduates move from the world of academia to the world of work and begin to adjust to the expectations and values of the work force.

# What Are the Phases of Reality Shock?

Kramer (1974) described the phases of reality shock as they apply to nursing (Table 1-1). Although she identified this process in 1974, these phases remain the basis for understanding the implications of reality shock and successfully progressing through the process. In our current world of nursing, we are still dealing with this same process. Adjustments begin to take place as the graduate nurse adapts to the reality of the practice of nursing. The first phase of adjustment is the honeymoon phase (Figure 1-1). The recent graduate is thrilled with completing school and accepting a first job. Life is a "bed of roses," because everyone knows nursing school is more difficult than nursing practice. There are no more concept care maps to create, no more nursing care plans to write, and no more burning the midnight oil for the next day's examination. No one is watching over your shoulder while you insert a catheter or administer an intravenous medication. You are not a "student"

TABLE 1-1 PHASES	OF REALITY SHOCK	
HONEYMOON	SHOCK AND REJECTION	RECOVERY
Sees the world of nursing looking quite rosy Often fascinated with the thrill of "arriving" in the profession	Has excessive mistrust  Experiences increased concern over minor pains and illness  Experiences decrease in energy and feels excessive fatigue  Feels like a failure and blames self for every mistake  Bands together and depends on people who hold the same values  Has a hypercritical attitude  Feels moral outrage	Beginning to have sense of humor (first sign) Decrease in tension Increase in ability to be objective

anymore; now you are a nurse! During this exciting phase, your perception of the situation may feel unreal and distorted, and you may not be able to understand the overall picture.

### **HONEYMOON PHASE**

I just can't believe how wonderful everything is! Imagine getting a paycheck—money, at last! It's all great. Really, it is.

The honeymoon phase is frequently short-lived as the graduate begins to identify the conflicts between the way she or he was taught and the reality of what is done. Every graduate nurse will have a unique way of coping with the situations; however, some common responses have been identified. The graduate may cope with this conflict by withdrawing or rejecting the values learned during nursing school. This may mark the end of the honeymoon phase of transition. The phrase "going native" was used by Kramer and Schmalenberg (1977) to describe recent graduates as they begin to cope and identify with the reality of the situation by rejecting the values from nursing school and beginning to function as everyone else does.

### **SHOCK AND REJECTION PHASE**

Mary was assigned 10 patients for the morning. There were numerous medications to be administered. It was difficult to carry all of the medication administration records to each room for patient identification. Because she "knew the patients," and because the other experienced nurses did not check identification, she decided she no longer needed to check a patient's identification before administering medication. Later in the day, she gave insulin to Mrs. James, a patient she "knew"; unfortunately, the insulin was for Mrs. Phillips, another patient she "knew."



FIGURE 1-1 Reality shock. The honeymoon's over.

With experiences such as this during transition, graduates may feel as though they have failed and begin to blame themselves for every mistake. They may also experience moral outrage at having been put in such a position. When the bad days begin to outnumber the good days, the graduate nurse may experience frustration, fatigue, and anger and may consequently develop a hypercritical attitude toward nursing. Some graduates become very disillusioned and drop out of nursing altogether. This is the period of shock and rejection.

I had just completed orientation in the hospital where I had wanted to work since I started nursing school. I immediately discovered that the care there was so bad that I did not want to be a part of it. At night, I went home very frustrated that the care I had given was not as I was taught to do it. I cried every night and hated to go to work in the morning. I did not like anyone with whom I was working. My stomach hurt, my head throbbed, and I had difficulty sleeping. It was hard not to work a double shift because I was worried about who would take care of those patients if I was not there.

A successfully managed transition period begins when the graduate nurse is able to evaluate the work situation objectively and predict the actions and reactions of the staff effectively. Prioritization, conflict management, time management, and support groups (peers, preceptors, and mentors) can make a significant difference in promoting a successfully managed transition period.

Nurturing the ability to see humor in a situation may be the first step. As the graduate begins to laugh at some of the situations encountered, the tension decreases, and the perception increases. It is during this critical period of recovery that conflict resolution occurs. If this resolution occurs in a positive manner, it enables the graduate nurse to grow more fully as a person. This growth also enables the graduate to meet the work expectations to a greater degree and to see that she or he has the capacity to change a situation. If the conflict is resolved in a less positive manner, however, the graduate's potential to learn and grow is limited.

Kramer (1974) described four groups of graduate nurses and the steps they took to resolve reality shock. The graduates who were considered most successful at adaptation were those who "made a lot of waves" within both their job setting and their professional organizations. Accordingly, they were not content with the present state of nursing but worked to effect a better system. This group of graduates was able to take worthwhile values learned during school and integrate them into the work setting. Often they returned to school—but not too quickly. Since Kramer's original work, students are now encouraged to go back to school fairly quickly, especially with the emphasis from the Institute of Medicine (IOM) report of encouraging more advanced degrees in nursing.

### **RECOVERY PHASE**

I am really glad that I became a nurse. Sure, there are plenty of hassles, but the opportunities are there. Now that I am more confident of my skills, I am willing to take risks to improve patient care. Just last week my head nurse, who often says jokingly, "You're a thorn in my side," appointed me to the Nursing Standards Committee. I feel really good about this recognition.

Another group limited their involvement with nursing by just putting in the usual work-day. Persons in this group seldom belonged to professional organizations and cited the following reasons for working: "to provide for my family," "to buy extra things for the house," and "to support myself." Typically, this group's negative approach to conflict resolution

leads to burnout, during which time the conflict is turned inward, leading to constant griping and complaining about the work setting.

I was so happy, at first. Gee, I was able to buy my son all those toys he wanted. But things here always seem to be the same—too many patients, not enough help. I get so upset with the staff, especially the nursing assistants, and the care that is given to patients. I wonder whether I will ever get the opportunity to practice nursing as I was taught. Well, I'll hang on until my husband finishes graduate school; then I'll quit this awful job!

Another group of graduates seemed to have found their niche and were content within the hospital setting. However, their positive attitude toward the job did not extend to nursing as a profession; in fact, it was the opposite. Rather than leave the organization during conflict, these "organization nurses" would change units or shifts—anything to avoid increasing demands for professional performance.

During those first few months as I was just getting started, I sure had a tough time. It was difficult learning how to delegate tasks to the aides and practical nurses. But now that I have started working for Dr. Travis, everything is under my control. I just might go back to school someday.

The last group of graduates frequently changed jobs. After a short-lived career in hospital nursing, this group would pirouette off to graduate school, where they could "do something else in nursing" (meaning, "I can't nurse the way I've been taught, so I might as well teach others how to do things right"). Achieving a high profile in professional nursing organizations was common for these graduates, along with seeking a safer, more idealistically structured environment in which the values learned in school prevail.

Finally, I got so frustrated with my head nurse that I just resigned. What did she expect from a recent graduate? I couldn't do everything! Cost containment; early discharge; no time for teaching; rush, rush, rush, all the time. Well, I've made up my mind to look into going back to school to further my career.

The job expectations of the hospital administration or the employing community agency and the educational preparation of the graduate nurse are not always the same. This discrepancy is considered to be the basis of reality shock. Relationships among the staff, nursing professionalism, job satisfaction, and employee alienation were studied by Roche and colleagues (2004); Casey and colleagues (2004), and Varner and Leeds (2012). What is interesting is that the issues of reality shock and role transition described by Kramer in the early 1970s are still around. We (nurses) have entered the 21st century with many of the same issues we had in the 20th century.

It might seem to you right now, after reading all of this information, that reality shock is a life-threatening situation. Be assured, it is not. You may, however, experience some physical and psychological symptoms in varying degrees of intensity. For example, you may feel stressed out or have headaches, insomnia, gastrointestinal upset, or a bout of poststudent blues. Just remember that it takes time to adjust to a new routine and that sometimes, even after you have become familiar with it, you still may feel overwhelmed, confused, or

# 8

# **CRITICAL THINKING BOX 1-2**

### **Reality Shock Inventory**

All students, as well as new graduates, experience reality shock to some extent. The purpose of this exercise is to make you aware of how you feel about yourself and your particular life situation.

*Directions:* To evaluate your views and to determine your self-evaluation of your particular life situation, respond to the statements with the appropriate number.

1 Strongly agree 3 Slightly agree 5 Disagree 2 Agree 4 Slightly disagree 6 Strongly disagree

- 1. I am still finding new challenges and interests in my work.
- 2. I think often about what I want from life.
- My own personal future seems promising.
- 4. Nursing school and/or my work has brought stresses for which I was unprepared.
- **5.** I would like the opportunity to start anew knowing what I know now.
- 6. I drink more than I should.
- 7. I often feel that I still belong in the place where I grew up.
- 8. Much of the time my mind is not as clear as it used to be.
- 9. I have no sense of regret concerning my major life decision of becoming a nurse.
- 10. My views on nursing are as positive as they ever were.
- 11. I have a strong sense of my own worth.
- 12. I am experiencing what would be called a crisis in my personal or work setting.
- 13. I cannot see myself as a nurse.
- 14. I must remain loyal to commitments even if they have not proven as rewarding as I had expected.
- 15. I wish I were different in many ways.
- 16. The way I present myself to the world is not the way I really am.
- 17. I often feel agitated or restless.
- 18. I have become more aware of my inadequacies and faults.
- 19. My sex life is as satisfactory as it has ever been.
- 20. I often think about students and/or friends who have dropped out of school or work.

To compute your score, reverse the number you assigned to statements 1, 3, 9, 10, 11, and 19. For example, 1 would become a 6, 2 would become a 5, 3 would become a 4, 4 would become a 3, 5 would become a 2, and 6 would become a 1. Total the number. The higher the score, the better your attitude. The range is 20 to 120.

Modified from White E: Doctoral dissertation, *Chronicle of Higher Education*, 23 April 1986, p 28. Reprinted with permission.

anxious. The good news is that there are various ways to get through this critical phase of your career while establishing a firm foundation for future professional growth and career mobility. Try the assessment exercise in Critical Thinking Box 1-2.

# **ROLE TRANSFORMATION**

Remember when you first started nursing school? The war stories everybody told you? The changes that occurred in your family as a result of your starting nursing school? Are you in the midst of that now, or does that seem like a long time ago? Can you really believe where you are now and where you were when you first began nursing school, those first nursing courses, and clinicals? It has taken a lot of work and sacrifice to get to where you are now. Believe it or not, you have already experienced a role transition—you successfully transitioned to a student nurse. Now, as you draw nearer to the successful completion of

# **? CRITICAL THINKING** BOX 1-3

### Survival Techniques from One Who Has Survived

You finally did it; you have decided nursing is what you want to do for the rest of your life. After all, who would go through all this anguish if you only wanted to do this as a pastime? If you are taking this like everyone else, you are probably going to do this by trial and error, "war" stories, or by helpful hints from the nursing staff.

You need to prioritize your time. This is a familiar and much-used term that you will hear often. It is also easier said than done. If you are single, you have an advantage—maybe. You can decide right now that single is "where it's at" and stay that way for the duration. Of course, this means literally living the "single" life. There are no "dinners for two," no telephone conversations, no movies at the cinema (rarely any TV)—in other words, no physical contact with the opposite sex. I know you were not thinking about it anyway, but in case you are studying anatomy and physiology, and hormonal thoughts pervade your consciousness, dismiss them.

If you are married, I am not suggesting divorce, just abstinence. We hope you kissed your spouse good-bye when you came to school for your first day of class, because your next chance will be on your breaks or when you graduate.

If you happen to be a parent, do as I did. I put pictures of myself in all rooms of my house when I started school so that the kids would not forget me. My children, in return, helped me by plastering their faces in my fridge (they know I'll look there) or on my mirror (another sure spot). I have acquired a son-in-law, a daughter-in-law, and five grandchildren in the past 21/2 years, and I usually do not recognize them if I run into them on the rare occasions when I go to the store for essentials (like food) or out to pay our utility bills. Christmas is fun, though, because each year I get to spend a few days getting to know the family again. But we all must wear name tags for the first day!

If your children are small, buy them the Fisher-Price Kitchen and teach them how to "cook" nourishing "hot" cereal on the stove that does not heat up. For the infant, hang a TPN (hint: Total Parental Nutrition) of Similac with iron formula at 40 mL/h that the baby can control by sound! Crying should do it! Instead of a needle, use a nipple...

Diapers—what would we do without those disposable diapers that stay dry for 2 weeks at a time? You can even buy the kind that, when you touch the waistband, Mickey Mouse and his friends jump off to entertain your baby.

Some of you may feel guilty about not fixing those delicious meals your family once enjoyed. Do not! We get two "breaks" a year, and during those times, fix barrels of nourishing liquid (you can add a few veggies). When your family gets hungry, just take out enough to keep fluids and lytes balanced. Remind them that this is only going to last another year or two.

Have I covered everything? Oh I forgot dust... Dust used to bother me, but not anymore. I use it to write notes to my 17-year-old, to let him know what time I am going to be in the house, so he will not mistake me for a burglar, and to say "I Love You."

On a serious note, each semester you will get regrouped with new classmates. They will become your family, your support group. You will form a chain, and everyone is a strong link. This is a group effort. These are people who will laugh with you and cry with you. You will form friendships that will last a lifetime. Take advantage of these opportunities.

On a closing note, do not listen to all the "war stories" that go around—just to the credible ones like mine!

From Beagle B: Survival techniques, AD Clinical Care May/June, 1990, p 17. Reprinted with permission.

that experience, you are ready to embark on a new one. Take a minute to read the thoughts of one of your peers about her transition into nursing. I'm sure you will smile at her satire (Critical Thinking Box 1-3).

Give yourself a well-deserved pat on the back for what you have accomplished thus far. It is important to learn early in your practice of nursing to take time to reflect on your accomplishments. Now, back to the present. Let's look at the current role-transition process at hand, from student to graduate nurse RN.

# When Does the Role Transition to Graduate Nurse Begin?

Does the transition begin at graduation? No. It started when you began to move into the novice role while in your first nursing course (Table 1-2). According to Benner (1984, p 20):

Beginners have no experience of the situation in which they are expected to perform. To get them into these situations and allow them to gain experience also necessary for skill development, they are taught about the situation in terms of objective attributes, such as weight, intake/output, temperature, blood pressure, pulse, and other objective, measurable parameters of a patient's conditions—features of the task world that can be recognized without situational experience.

For example, the instructor gives the novice or student nurse specific directions on how to listen for bowel sounds. There are specific rules on how to guide their actions—rules that

STAGE	CHARACTERISTICS
Novice Nursing student Experienced nurse in a new setting	<ul> <li>No clinical experience in situation where performance is expected</li> <li>Needs rules to guide performance</li> <li>Experiences difficulty in applying theoretical concepts to patient care</li> </ul>
Advanced Beginner	
Last-semester nursing student Graduate nurse	<ul> <li>Demonstrates ability to deliver marginally acceptable care</li> <li>Requires previous experience in an actual situation to recognize it</li> <li>Begins to understand the principles that dictate nursing interventions</li> <li>Continues to concentrate on the rules and absorbs minimum information regarding a situation</li> </ul>
Competent	
2 to 3 years' clinical experience	<ul> <li>Conscientious, deliberate planning</li> <li>Begins to see nursing actions in light of patients' long-term plans</li> <li>Demonstrates ability to cope with and manage different and unexpected situations that occur</li> </ul>
Proficient	
Nurse clinicians Nursing faculty	<ul> <li>Demonstrates ability to recognize and understand the situation as a whole</li> <li>Demonstrates ability to anticipate events in a given situation</li> <li>Holistic understanding enhances decision making</li> </ul>
Expert	
Advanced practice nurse clinicians and faculty	<ul> <li>Demonstrates an understanding of the situation and is able to focus on the specific area of the problem</li> <li>Operates from an in-depth understanding of the total situation</li> <li>Demonstrates highly skilled analytical ability in problem solving; performance becomes masterful</li> </ul>

Modified from Benner P: The Dreyfus Model of Skill Acquisition Applied to Nursing. In *From novice to expert, commemorative edition, Menlo Park, Calif, 2001, Addison-Wesley.* 

are very limited and fairly inflexible. Remember your first clinical nursing experiences? Your nursing instructor was your shadow for patient care. As nursing students enter a clinical area as novices, they have little understanding of the meaning and application of recently learned textbook terms and concepts. Students are not the only novices; any nurse may assume the novice role on entering a clinical setting in which he or she is not comfortable functioning or has no practical experience. Consider an experienced medical-surgical nurse who floats to the postpartum unit; she would be a little uncomfortable in that clinical setting.

By graduation, most nursing students are at the level of advanced beginner. According to Benner (1984, p 22):

Advanced beginners are ones who can demonstrate marginally accepted performance, ones who have coped with enough real situations to note (or to have pointed out to them by a mentor) the recurring meaningful situation components...

To be able to recognize characteristics that can be identified only through experience is the signifying trait of the advanced beginner. Thus, when directed to perform the procedure of checking bowel sounds, the students at this level are learning how to discriminate bowel sounds and to understand their meaning. They do not need to be told specifically how to perform the procedure.

Let's look at what you and your nursing instructors can do to promote your well-being and success during the role-transition experience. These activities reinforce your progress and movement along the continuum from advanced beginner to competent nurse (see Table 1-2).

# **How Can I Prepare Myself for This Transition Process?**

During the last semester of nursing school, it is advantageous to have as much clinical experience as possible (Research for Best Practice Box 1-2). The most productive area for experience is a general medical-surgical unit, which will have a variety of patient cases. This will help you ground your assessment and communication skills, as well as help you to apply principles that are most often tested on the NCLEX Exam. This is also the area in which you will most likely be able to obtain some much needed experience with basic nursing skills.

# No More "Mama Management"

It is time to have your nursing instructor cut the umbilical cord and allow you to function more independently during the last semester of clinical experience.

# **More Realistic Patient-Care Assignments**

Start taking care of increasing numbers of patients to help you with time management and work organization. Evaluate the nursing staff's assignments to determine what a realistic workload is for a recent graduate.

# **Clinical Hours That Represent Realistic Shift Hours**

Obtain experience in receiving shift reports, closing charts, completing patient care, and communicating with the oncoming staff. As a recent graduate, you will be in for a rude awakening if you have never had the opportunity to work a full shift.

# **RESEARCH FOR BEST PRACTICE** BOX 1-2

#### **Role Transition**

#### Practice Issue

With the increased complexity of the health care environment, new graduates struggle with the transition into clinical practice. This matter is related to several issues: the shortened gap between taking NCLEX and being licensed, variable transition experiences, increased patient workload because of the nursing shortage, high job stress and turnover rates in new graduate RNs, and practice errors.

#### **Implications for Nursing Practice**

- Transition experiences of new RNs vary across practice settings.
- New graduate RNs are more competent in patient care and less competent in clinical reasoning and recognizing limits and seeking help.
- During the first 3 months of practice, new RNs who had a primary preceptor practiced at higher competency levels.
- Without the assistance of preceptors, new RNs practiced at less competent levels during the 3 to 6 months
  of their initial phase of independent practice.
- New RNs with preparation for specialty practice in transition programs made fewer errors.
- Less competent and/or more stressed new RNs made more practice errors.
- New RNs who had an internship experience were less likely to leave their current position within the next 6 months.

#### **Considering This Information:**

What can you do to ease your transition process?

#### References

Li S: The impact of transition experience on practice of newly licensed registered nurses, Chicago, 2007, National Council State Boards of Nursing. Retrieved from www.ncsbn.org/363.htm.

NCSBN: Transition evidence grid, 2009. Retrieved from www.ncsbn.org/Evidence\_Grid\_2009.pdf.

Rider L: Transition to professional practice in baccalaureate nursing: a multiple case study approach using the middle range theory of transition, 2009. Retrieved from ProQuest Dissertations & Theses.

# **Perform Nursing Procedures Instead of Observing**

Take an inventory of your nursing skills and be sure to have this available for potential employers, so they can see the skills you are familiar with. If there are nursing skills you lack or procedures you are uncomfortable with, take this opportunity while you are still in school to gain the experience. Identify your clinical objectives to meet your personal needs. Request opportunities to practice from your instructor and staff nurses. Casey and colleagues (2004) identified skills that were challenging for the graduate nurses in the first year of practice. These skills included code blues, chest tubes, intravenous skills, central lines, blood administration, and patient-controlled analgesia (PCA). Make an effort to gain experience in these areas while you are still in school; you will be more comfortable in your nursing care as a graduate.

# More Truth About the Real Work-Setting Experience

Identify resource people with whom you can objectively discuss the dilemmas of the work-place. Talk to graduates: Ask them what they know now that they wish they had known the last semester of school.

### **Look for Opportunities to Problem-Solve and to Practice Critical Thinking**

No more "spoon feeding" from instructors who tell you what to do and how to do it. Now is the time to stand on your own two feet while there is still a backup—your instructor—available. Look for opportunities to communicate with members of the multidisciplinary team.

#### **Request Constructive Feedback from Staff and Instructors**

Stop avoiding evaluation and constructive criticism. Find out now how you can improve your nursing care. Ask questions and clarify anything that is not understood. Evaluate your progress on a periodic basis. The consequences may be less severe now than later with your new employer.

#### Request Clinical Experience in an Area or Hospital of Interest

If you have some idea of where you would like to work, it is very beneficial to have some clinical experiences in that facility the last semester of school. This gives you the opportunity to become involved with staff nurses, identify workload on the unit, and evaluate resources and support people. It also gives the employing institution an opportunity to evaluate you—Are you someone that institution would like to have work for them?

Attitude is the latitude between success and failure

#### Think Positively!

Be prepared for the reality of the workplace environment, including both its positives and negatives. You may have encountered by now the "ole' battle ax" who has a grudge against new nursing graduates.

I do not know why you ever decided to be a nurse. Nobody respects you. It's all work, low pay. I guess as long as you've got a good back and strong legs, you'll make it. Boy, do you have a lot to learn! I wouldn't do it over again for anything!

When you find these nurses, tune them out and steer out of their way! They have their own agenda, and it does not include providing supportive assistance to you. Eventually, you will learn how to work with this type of individual (see Chapter 12), but for now, you should concentrate on identifying nurses who share your philosophy and are still smiling.

Surround yourself with nurses who have a positive attitude and are supportive in your learning and growing transition.

Another way to maintain a positive perspective is to focus on the good things that have happened during the shift rather than on the frustrating events. When you feel yourself climbing onto the proverbial "pity pot," ask yourself "Who's driving this bus?" and turn it around!

Anticipate small irritations and disappointments, and keep them in perspective. Do not let them mushroom into major problems. Turn disappointments and unpleasant situations into learning experiences. After you have encountered an unpleasant situation, the

next time it occurs you will recognize it sooner, anticipate the chain of events, and be better able to handle it.

Do not major in a minor activity.

#### Be Flexible!

Procedures, policies, and nursing supervisors are not going to be the same as those you experienced in school. Be prepared to do things differently than you learned as a student. You do not have to give up all the values you learned in school, but you will need to reexamine them in light of the reality of the workplace setting. Flexibility is one of the most important qualities of a good nurse!

**School-Learned Ideal.** Sit down with the patient before surgery, and provide preoperative teaching.

**Workplace Reality.** One of your home care patients is receiving daily wound care for an extensive burn. You receive a pager message that the patient has been scheduled for grafting in the outpatient surgery department and is to be a direct admit at 6 AM the next morning. You have two more home visits to make: one to hang an intravenous preparation of vancomycin and the other a new hospice admission, which you know will take considerable time.

**Compromise.** You delegate to one of the home care practical nurses the task of taking the preoperative teaching and admission instructions to your patient. Later, you make a telephone call to your preoperative patient and go over the preoperative care teaching information from the home care practical nurse. You make arrangements to meet this patient at home immediately after the grafting procedure is complete.

# **Get Organized!**

Does your personal life seem organized or chaotic, calm or frantic? Sit back and take a quick inventory of your personal life. How do you expect to get your professional life in order when your personal life is in turmoil? For some helpful tips on organizing your personal life, check out the Personal Management chapter (see Chapter 2).

# Stay Healthy!

Have you become a "couch potato" while in school? Are you too tired, or do you lack the time to exercise when you get home from work? Candy bars during breaks, pepperoni pizza at midnight, and Twinkies PRN? How have your eating habits changed during your time in school? Your routine should include exercise, relaxation, and good nutrition. Becoming aware of the negative habits that can have detrimental effects on your state of mind and overall physical health is important in developing a healthy lifestyle.

#### Find a Mentor!

Negotiating this critical transition as you begin your nursing career should not be done in isolation. Evidence suggests that close support relationships, mentors, and preceptors are key, if not essential, ingredients in the career development of a successful, happy graduate (Casey et al, 2004; Roche et al, 2004). For additional tips on finding a mentor as you begin your professional practice, take a look at the Mentoring chapter (see Chapter 3). In addition to your family and close nursing school friends, it will be important to develop professional support relationships.

#### Find Other New Graduates!

Frequently, several new graduates are hired at the same time. Some of them may even be your classmates. Find them and establish a peer support group. Sharing experiences and problems and knowing that someone else is experiencing the same feelings you are can be a great relief!

#### **Have Some Fun!**

Do something that makes you feel good. This is life, not a funeral service! Nursing has opportunities for laughter and for sharing life's humorous events with patients and coworkers. Surround yourself with people and friends who are lighthearted and merry and who bring those feelings out in you. Remember, the return of humor is one of the first signs of a healthy role transition. Loosen up a little bit. Go ahead, have some fun! Check out the information in Chapter 3 for more on selection of mentors and preceptors.

#### **Know What to Expect!**

Plan ahead. Plan your employment interviews; ask to talk to nurses on the units and find out how nursing care is delivered in the institution. The length of orientation, staffing patterns, opportunity for internship, areas where positions are open, and resources for new graduates are all important to establish before employment. This helps you know what to expect when you go to work. Work satisfaction is a positive predictor of a successful role transition during the first year (Roche, 2004). Know what is expected of you on your work unit. How can you expect to do a job correctly if you do not know what the expectations are? Learn the "rules of the road" early. This may be in the hospital, doctor's office, or community setting. While still in school, you may find it helpful to interview nurse managers to determine their perspectives on the role of the graduate nurse during his or her first 6 months of employment. This will give you a base of reference when you interview for your first job. How do you measure up to some of the common expectations nurse managers may be looking for in a graduate nurse?

#### Are you:

- Excited and sincere about nursing?
- Open minded and willing to learn new ideas and skills?
- Comfortable with your basic nursing skills?
- Able to keep a good sense of humor?
- Receptive to constructive criticism?
- Able to express your thoughts and feelings?
- Able to evaluate your performance and request assistance?
- Comfortable talking with your patients regarding their individual needs?

#### What Is the Future of Role Transition?

At the August 2008 annual meeting of the National Council of State Boards of Nursing (NCSBN), the Practice and Education Committee reported "there was adequate evidence to support a regulatory model for transitioning new graduates to practice" (NCSBN, 2008a, p 259). The committee noted that the need for a transition regulatory model has grown from the changes occurring in health care during the past 20 years, not as a result of deficiencies in nursing education and/or unrealistic expectations of the workplace. In the report from the committee to the NCSBN, the goal for the transition

to practice a regulatory model is "to promote public safety by supporting newly licensed nurses in their critical entry and progression into practice" (NCSBN, 2008b, p 262). In 2009, the NCSBN finalized the design of an evidence-based "transition to practice" regulatory model (Figure 1-2) that includes modules on communication and teamwork, patient-centered care, evidence-based practice, quality improvement, informatics, and an additional module of preceptor training. The NCSBN is now in the process of conducting a research study with three participating states (Illinois, North Carolina, and Ohio) and should have data analysis complete and submitted for membership




FIGURE 1-2 Transition to practice model.

#### **BOX 1-2 ADDITIONAL JOURNAL ARTICLES**

Anderson G, Todero C: Nurse residency programs: an evidence-based review of theory, process, and outcomes, J Prof Nurs 28(4):203–212, 2012. doi: http://dx.doi.org/10.1016/j.profnurs.2011.11.020.

Clark C, Springer P: Nurse residents' first-hand accounts on transition to practice, *Nurs Outlook* 60(4):e2–e8, 2012. doi: http://dx.doi.org/10.1016/j.outlook.2011.08.003.

Kramer DS, Lindgren CL, High C, Ocon S, Sanchez R: The clinical practice collaborative support model for the graduate nurse, *J Contin Educ Nurs* 43(7):315–323, 2012. doi: http://dx.doi.org/10.3928/00220124-20120315-16.

review in August 2014. Because of individual state's rights, the NCSBN encourages states to adopt this model; however, they do not have the authority to mandate adoption of the model. What is happening in your state regarding the transition to practice model?

The transition to practice model recommends a 6-month internship followed by 6 months of continued support. In order for the transition process to be effective, it should occur across all settings and at all education levels. This would include both the RN and the LPN/LVN. To promote safer nursing practice through a regulatory transition period, practice, education and regulation, all participants must work together on the development of a model that will effectively support the new nurse in his or her transition to safe practice (NCSBN, 2009a).

In response to the 2010 Institute of Medicine (IOM) Report, the Robert Wood Johnson Foundation (2011) has developed the Initiative on the Future of Nursing to address the IOM recommendations for the nursing profession. Included as a recommendation is to implement nurse residency programs for new graduate nurses to acquire skills and to develop competency as a nurse in providing care to today's complex and diverse health care population. Since the IOM report appeared, state boards of nursing, nursing education programs, and health care institutions have joined together to develop nurse residency programs to prepare the future nurse—that's you! For additional resources and research on nurse residency programs, check out the mentoring, preceptorship, and nurse residency program chapter (see Chapter 3 and Box 1-2).

#### CONCLUSION

What will the direction for role transition of graduate nurses be? Will your state adopt the "transition to practice" regulatory model? How will preceptors be selected, and will they be credentialed? As you progress through the chapters in this book, you will find references to the Institute of Medicine (IOM), The Joint Commission (TJC), and other health care resources concerned with the safety of patients, the reduction of errors, and the economic impact of errors, the retention of nurses, and the cost of health care. These are key players and important considerations in the new nurse's transition to safe nursing practice.

As you progress through your own personal transition into nursing practice, the "rules of the road" for transition can be likened to traffic signs (Figure 1-3). Check out the following signs that will help direct your transition experience. Figure 1-4 provides additional advice from graduates who have successfully made the transition.




FIGURE 1-3 "Rules of the road" for transition.



FIGURE 1-4 Advice for the new grad.

#### RULES OF THE ROAD



**Stop.** Take care of yourself. Take time to plan your transition. Get involved with other recent graduates; they can help you. Do not be afraid to ask questions, and do not be afraid to ask for help.



**Detour.** You will make mistakes. Recognize them, learn from them, and put them in the past as you move forward. Regardless of how well you plan for change, there are always detours ahead. Detours take you on an alternate route. They can be scenic, swampy, or desolate, or they can bog you down in heavy traffic. Do not forget to look for the positive aspects—the detour may open your eyes to new horizons and new career directions.



*Curve Ahead.* Get your personal life in order. Anticipate changes in your schedule. Be adaptable, because the transition process is not predictable.



**Yield.** You do not always have to be right. Consider alternatives, and make compromises within your value system.



**Resume Speed.** Maintain a positive attitude. As you gain experience, you will become better organized and begin really to enjoy nursing. Be aware; sometimes as you resume speed, you may be experiencing another role transition as your career moves in a different direction.



*Exit.* Pay attention to your road signs; do not take an exit you do not really want. Before you exit your job, critically evaluate the job situation. "Look before you leap" by making sure the change will improve your work situation.



**Slow Traffic, Keep Right.** You may be more comfortable in the slower traffic lane with respect to your career direction. Take all the time you need; it is okay for each person to travel at a different speed. Do not get run over in the fast lane.



**School Zone.** Plan for continuing education, whether it is an advanced degree program or one to maintain your clinical skills or license. Allow yourself sufficient time in your new job before you jump back into the role of full-time student.



**Slow Speed Zone.** Take time to organize before you resume full speed! Have a daily organizational sheet that fits your needs and works for you in both your job and in your personal life.



**Caution.** Do not commit to anything with which you are not professionally or personally comfortable. Think before you act. Do not react. Do not panic. If in doubt, check with another nurse.



**Roadside Park Ahead.** Take a break, whether it is 15 minutes or 30 minutes a day to indulge yourself—or a week to do something you really want to do.

Look for the humor in each day, and take time to laugh. You will be surprised by how good it makes you feel!



# **RELEVANT WEBSITES AND ONLINE RESOURCES**

#### **NCSBN (2013)**

*Transition to practice*. https://www.ncsbn.org/363.htm.

#### **Robert Wood Johnson Foundation (2011a)**

Initiative on the future of nursing campaign. IOM Recommendations.

http://www.thefutureofnursing.org/recommendations.

#### **Robert Wood Johnson Foundation (2011b)**

Value of nursing education and nurse residency programs.

http://www.thefutureofnursing.org/resource/detail/value-nurse-education-and-residency-programs.

# University HealthSystem Consortium (UHC) & American Association of Colleges of Nursing (AACN) (2012)

Nurse residency program participants. http://www.aacn.nche.edu/education-resources/NRPParticipants.pdf.

### **BIBLIOGRAPHY**

Benner, P. (1984). *From novice to expert*. Menlo Park, Calif, Addison-Wesley; Commemorative edition. Upper Saddle River, NJ: Prentice-Hall 2001.

Casey, K., et al. (2004). The graduate nurse experience. JONA, 34(6), 303–311.

Duchscher, J. E. B. (2008). A process of becoming: the stages of new nursing graduate professional role transition. *The Journal of Continuing Education in Nursing*, 39(10), 441–450.

Duchscher, J. E. B. (2009). Transition shock: the initial stage of role adaptation for newly graduated Registered Nurses. *Journal of Advanced Nursing*, 65(5), 1103–1113.

Kramer, M. (1974). Reality shock. St. Louis: Mosby.

Kramer, M., & Schmalenberg, C. (1977). Path to biculturalism. Rockville, Md: Aspen.

Lavoie-Tremblay, M., et al. (2002). How to facilitate the orientation of new nurses into the workplace. *Journal for Nurses in Staff Development*, 18(2), 80–85.

National Council of State Boards of Nursing. (NCSBN). (2008a). 2008 business book. Report from Transitions to Practice Committee, pp 259–295. Annual meeting, Nashville, Tenn, 2008. Retrieved from www.ncsbn.org/2008\_BusinessBook\_Section2.pdf.

NCSBN. (2008b). NCSBN transition to practice report. Retrieved from www.ncsbn.org/388.htm.

NCSBN. (2008c). *Transition to practice: promoting public safety: the fact sheet*. Retrieved from www.ncsbn.org/Transition\_factsheet\_final.pdf.

NCSBN. (2009a). *Goals of NCSBN's transition to practice model*. Retrieved from www.ncsbn.org /TransitiontoPractice\_goals\_042409.pdf.

NCSBN. (2009b). NCSBN's transition to practice model: frequently asked questions. Retrieved from www.ncsbn.org/TransitiontoPractice\_whitepaper\_FAQs.pdf.

NCSBN. (2009c). *Transition evidence grid*. Retrieved from www.ncsbn.org/Evidence\_Grid\_2009 .pdf.

NCSBN. (2013). *Transition to practice & timeline*. Retrieved from https://www.ncsbn.org/363.htm. Polifroni, C., et al. (1995). Activities and interaction of baccalaureate nursing students in clinical practice. *Journal of Professional Nursing*, 11, 161–169.

Robert Wood Johnson Foundation. (2011). *Value of nursing education and nurse residency programs*. Retrieved from http://www.thefutureofnursing.org/resource/detail/value-nurse-education-and-residency-programs.

Roche, J., Lamoureux, E., & Teehan, T. (2004). A partnership between nursing education and practice, *JONA*, *34*(1), 26–32.

Schumacher, K. L., & Meleis, A. I. (1994). Transitions: a central concept in nursing. *Image*, 26, 119–127.

Spector, N. (2008). *Toward an evidence-based regulatory model for transitioning new nurses to practice*. Retrieved from www.ncsbn.org/Pages\_from\_Leader-to-Leader\_FALL08.pdf.

Steinmiller, E., Levonian, C., & Lengetti, E. (2003). Rx for success. *American Journal of Nursing*, 103(11), 64A–66A.

Varner, K. D., & Leeds, R. A. (2012). Transition within a graduate nurse residency program. *Journal of Continuing Education in Nursing*, 43(11), 491–499.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.


# 2

# Personal Management: Time and Self-Care Strategies

Sharon Decker, PhD, RN, ANEF, FAAN

Gain control of your time, and you will gain control of your life.

Anonymous



Is time managing you, or are you managing time?

After completing this chapter, you should be able to:

- Identify your individual time style and personal time-management strategies.
- Discuss strategies that increase organizational skills and personal priority setting.
- Describe early signs of burnout and how it affects nurses.
- Discuss the importance of caring for yourself.
- Identify strategies for self-care.

There are so many activities that individuals need to accomplish at any one time that deciding "how to get it all done" and "what to do when" is a daily challenge—one that can sometimes be overwhelming. Nursing school complicates the daily routine. This relentless competition for our attention is described by the term timelock (Keyes, 1991).

# **MANAGING YOUR TIME**

Regrettably, there is no way to alter the minutes in an hour or the hours in a day. Although we cannot create more actual time, we can alter how we use the time we have available.

Employers of new graduates have identified lack of organizational and time-management skills as areas in which new nurses frequently need the most improvement and assistance. The methods and strategies identified by time-management experts can help you cope with timelock.

This section introduces you to the principles of effective time management. You will learn how to gain control of your time, increase your organizational skills, and reduce wasted time to your advantage. You will learn strategies for using those newly acquired hours to achieve your personal and professional goals.

### Balance Is the Key

Making time to meet your individual, family, and professional needs and goals is vital to your overall success. If you neglect your health maintenance needs, completing school may be jeopardized. Integrating the principles of time management into your daily life can help you achieve both your personal and professional goals.

### What Are Your Biological Rhythms, and How Do You Use Them?

Individuals have different biorhythms that affect their energy levels during the day and can even vary from season to season. Rest and sleep are essential for optimal health and emotional and physical responsiveness.

Whenever possible, schedule difficult activities at your high-energy times.

When possible, get eight solid hours of sleep. Maintaining a regular sleep-wake rhythm (circadian rhythm) with adequate hours of sleep has both physiological and psychological restorative effects. Disruption of this rhythm causes chronic fatigue and decreases one's coping abilities and performance. Factors affecting rest and sleep include anxiety, work schedules, diet, and the use of caffeine, alcohol, and nicotine.

Fatigue, which can lead to impaired decision making, can occur with changes in the circadian rhythm and sleep deprivation. Physiological, psychological, and emotional problems have also been correlated to sleep deprivation; these include ischemic disease, increased peptic ulcers, indigestion, increased susceptibility to viral and bacterial infections, weight gain, sleep disturbances, and mood disorders. Therefore, if situations occur that interfere with your normal circadian rhythm, it is important to take measures to prevent these possible complications. Self-care tips to prevent complications caused by interferences in the normal circadian rhythm are presented in Box 2-1. Try these strategies, tossing out those that do not work for you.

Engage in a relaxing activity 1 hour before going to bed; for example, take a warm bath, read an interesting novel, or learn to initiate progressive relaxation techniques.


# What Is Meant by Right- and Left-Brain Dominance, and Where Is My Brain?

People think about and manage time differently, depending on their characteristic brain dominance—left, right, or both (Figure 2-1).

Left-brain-dominant people process information and approach time in a linear, sequential manner. Their thinking structures time by minutes and hours. They tend to schedule

# BOX 2-1 SELF-CARE TIPS WHEN CIRCADIAN RHYTHMS ARE DISRUPTED

- · Reserve the bedroom for sleeping.
- · Avoid watching television or using the computer while in bed.
- Leave your stressors at the door, and pamper yourself just before sleeping by reading; stretching; meditating; or taking a warm, scented bath.
- Establish and maintain a bedtime routine.
- Decrease noise or create "white noise" in the bedroom.
- Turn off the telephone.
- · Sleep with earplugs.
- · Use a bedroom fan.
- Darken and cool down your sleeping environment.
- · Use eye shields.
- Maintain a diet high in protein and low in carbohydrates to support your immune system.



**FIGURE 2-1** Are you right- or left-brain-dominant?

activities in time segments and perform them in an ordered sequence. Left-brain-dominant people like to know the rules and play by them. They are usually able to meet their goals, but if this behavior is carried to an extreme, the individual is in danger of overwork at the expense of creative, artistic, and relaxing activities.

Right-brain—dominant people resist rules and schedules. They prefer to look at a project as a whole and to complete it in their own way and time. These are creative, flexible thinkers. However, if their behaviors are taken to an extreme, they can fail to meet needed completion times, which can induce guilt.

Some people are neither left-brain-dominant nor right-brain-dominant; hence they are more mixed in their behaviors. In fact, everyone uses both sides of the brain to some extent, thus tapping into the benefits of the brain's full capacities. The use of lists and calendars

engages the left brain, whereas techniques such as the use of colored folders and whimsical office supplies helps individuals to use right-brain holistic thinking to solve problems.

#### Which Are You?

(Check out The Brain-Dominance Questionnaire at www.scs.sk.ca/cyber/present/brain.htm.)

- I am left-brain-dominant.
- I am right-brain-dominant.
- I am left-brain-dominant and right-brain-dominant.

In addition to assessing your own dominant time style, it is helpful to be aware of the time styles of the people with whom you live and work. Heaping rigid rules on a right-brain—dominant person will lead to increased resistance and frustration for everyone. Better to assign them cleanup of the kitchen or utility room to be completed by a specific time and inform them of the consequences of it not being done. It would be appropriate to have some right-brain—dominant persons on the recruitment and retention committee and some left-brain—dominant persons on the policy and procedures committee.

Knowing your time style can help you maximize your strengths and modify your weaknesses. Individual time styles can be modified, but it is wasted energy to fight or work against natural inclination. After you are aware of your time style, you can begin to create more time for what you want to do and need to do by increasing your organizational skills.

# **How Can I Manage My Physical Environment?**

A place for everything and everything in its place.

Organizing and maintaining your physical environment at home, school, and work can dramatically reduce hours of time and the emotional frustration associated with "looking for stuff" (Figure 2-2).

At home, set up a specific work area for such things as school supplies, papers, and books. A separate area or corner should be established where you can pay bills, send letters, order take-out food, and take care of other household chores. When studying or working on major projects, find a space that provides a comfortable, but not too cozy area. This space should have adequate lighting and be as free from distractions as possible. If you are studying, break your time into 50-minute segments followed by 10-minute breaks. Before beginning each study session, gather the appropriate tools—textbooks, paper, pens, highlighters, laptop, smartphone or handheld device, and reference material—to avoid wasting time after you begin your work.

# Compartmentalize

Place pens, notebooks, your smartphone or handheld device, or other reference materials in a designated holder or in a specific compartment of your backpack for quick access.

#### Color-Code

Do this for your files, keys, and whatever you can. Office supply stores are good sources of color-coded items. For example, color-coding keys with a plastic cover enables you immediately to pick out your car key, house key, or locker key.



**FIGURE 2-2** Ten suggestions for organizing yourself.

#### Convenience

Move and keep frequently used items nearest to where they are used.

#### Declutter the Clutter

At work, as well as at home, regularly clear your study and work areas.

# What About All the Paperwork and/or Electronic Requests—How Can I Manage It?

Handling each piece of paper or electronic request only one time is a great time-saver. Whenever possible, spend 30 seconds filing important information in the appropriate folder. This technique can save you time when you need the information again. Five ways to handle paper follow: Read each item then:

- File it.
- · Forward it.
- Respond to it—on the same sheet if possible.
- Delegate it.
- · Discard it.

One time-management principle is, "Don't agonize. Organize!"

# What About Managing the Telephone?

Polite comments at the beginning and end of a telephone conversation are necessary to maintain positive interpersonal communications. However, when time limits are necessary, focus the conversation on the business at hand. Some possible phrases to move things along include "How can I help you?" or "I called to..." To end the conversation, summarize the actions to be followed through: "I understand. I am to find out about... and get back to you by the end of the week. Thanks for calling." Professional courtesy demands that you turn off your cellular phone while at work, in the classroom, during clinical rotation, and while attending a workshop.

Allocate a specific time during the day for business- or school-related telephone calls. Plan these calls by identifying key points that need to be discussed during the conversation. If you need to leave a message, provide enough detail, with the time and date, and a time when the individual can contact you. When making a call: (1) introduce yourself and your business or relationship to the individual, (2) relax—speak as if the individual is sitting in the room beside you, (3) smile—smiling will modify the tone of your voice, (4) keep the conversation short and to the point, and (5) summarize the conversation, review any action items, and thank the individual for his or her time.

Having conversations to maintain friendships, to touch base with a relative, to relax yourself, to vent your emotions, or to serve similar social purposes can be combined with routine housekeeping duties. Who has not swept the floor, put away dishes, sorted mail, or cleaned out a drawer while chatting with a friend?

# What About All That E-Mail, Texting, or Social Media?

Restrict work- or school-related communications to one account, with another account designated for personal use. Turn off the notification chime, and set aside a specific time during the day to read and answer your e-mail or texts instead of answering each one as it

#### BOX 2-2 TIPS FOR EFFECTIVE ELECTRONIC COMMUNICATION

- · Turn off those constant alerts.
- · Check e-mail and texting at specific time rather than constant monitoring.
- Take control—access an App that pushes messages at a designated time, or explore features available through
  your current system that allow you to manage your inbox.
- Before sending, texting, or posting (committing)—THINK—could what you say be misinterpreted? Could it result in a misunderstanding?
- . If it is in writing, you are accountable.
- Communication through electronic media (e-mail, texting) is not necessarily confidential.
- Use the "SUBJECT" line when appropriate.
- · Proofread before you send or post.
- Follow the same principles of courtesy as you expect in face-to-face communication.
- · Respect others' time and bandwidth.
- · Keep flaming responses under control.
- Send responses to appropriate individuals only.
- · Be brief, and always close with a farewell.
- Social media can drain your time—be aware of "friends" who are negative.

arrives. This could be the first task in the morning while you are enjoying your coffee. Do not let e-mail pile up in your Inbox. Read it, answer it, and, if important, transfer it to a designated folder. Activate the junk e-mail function of your computer or read the subject line, determine whether a message is "junk," and delete it without even taking the time to read it. Your e-mail program may have parameters that allow you to designate specific messages to be sent directly into a special file. This helps move information out of the Inbox and keeps you organized. Spend some time investigating your e-mail program. Look at all of the functions and find out what the program can do. Use your e-mail program to your best advantage—it can become your best friend in terms of helping you organize your messages in folders. Specific tips for effective use of e-mail are provided in Box 2-2.

When communicating with your instructor by e-mail, be sure that you include your class number or title in the subject line. Many instructors manage their e-mail by sorting messages according to class, so a standardized subject line saves your instructor time.

Use your delete key aggressively, and eliminate junk e-mail without reading it.

# **How Can I Manage My Time?**

Time management is a skill and involves planning and practice. Multiple time management worksheets are available to assist in completing a personal analysis of your time. For example, the website *Mind Tools Essential Skills for an Excellent Career*, at <a href="http://www.mindtools.com/index.html">http://www.mindtools.com/index.html</a>, provides multiple tools, worksheets, and strategies to assist in developing and refining time-management skills. Rutgers University has a time management worksheet and instructions available at <a href="http://coewww.rutgers.edu/osp/MoI/TimeManagement.pdf">http://coewww.rutgers.edu/osp/MoI/TimeManagement.pdf</a>.

Calendars are available to schedule to-do activities by the month, week, and day. You gain control of your life by completing a schedule (Table 2-1). Scheduling provides you with a method to allocate time for specific tasks and is a constant reminder of your tasks,

TABLE 2-1 WEEKLY PERSONAL CALENDAR				
MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
Cleaners 9 AM workout	Pick up health-insurance forms 3:30 рм carpool	4 PM workout	4-7 PM professional organization meeting	9 AM workout

due dates, and deadlines. Schedule only what can realistically be accomplished, and leave extra time before and after every major activity. Tasks, meetings, and travel can take longer than anticipated, so give yourself some time to transition from one project to another. Schedule personal time in your calendar. If someone wants to meet with you during this time, just say, "I'm sorry; I've got an important appointment. When would be another convenient time?" Or ask, "Could we meet tomorrow afternoon?" Color-code your appointments according to priorities or specific roles to stimulate the right side of your brain.

Leave white space (nothing) in your schedule so you will have time for yourself and family, or schedule uninterruptible time for both.

At the beginning of each week, review the week's activities to avoid unexpected "surprises." Overscheduling of more tasks than any human being can do in a single day inevitably leads to frustration. Build in some flexibility. It will not always be possible to follow your schedule exactly. However, when you do get "derailed," having a plan will help you get back on track with a minimum of time and effort (Critical Thinking Box 2-1).

**Strategy:** Leave some extra time before and after every major event to allow for transition.



#### **CRITICAL THINKING BOX 2-1**

Develop your time calendar—will it be a week-at-a-glance or a month-at-a-glance? Think about what works the best for you.

# **MANAGING TASKS**

#### **How Do I Deal with Procrastination?**

Everyone procrastinates, especially when a task is unpleasant, overwhelming, or cannot be done perfectly. Procrastination can lead to last-minute rushes that cause unnecessary stress. The time spent stressing about doing something takes more time than actually doing it! The anticipation itself can also be worse than the actuality, draining your energy and accomplishment. Here are some tips for getting started.

# **Consider the Consequences**

Ask yourself what will happen if you do something and what will happen if you do not. If there are no negative outcomes of not doing something, there is no point in spending time doing it. You can eliminate that activity!

If something will happen because you don't do it, then, of course, you need to get started.

#### The Earlier, the Better

Most projects take longer than planned, and glitches happen; for example, coffee spills all over your study notes the night before the test, your computer crashes, or your dog eats your notes. To compensate for the inevitable delays and to avoid crises, start in advance and plan for your project to take three times longer than you think. Be realistic and use your common sense in scheduling this time frame.

Schedule times to work on your project, and track your progress on a calendar.

#### "By the Inch, It's a Cinch"

Break projects into small, manageable pieces; gather all the resources required to finish the project; and plan to do only the first step initially. For example, to study for a test, first collect all the related notes and books in one place. Next, review the subjects likely to be tested. If you are having difficulty getting started, plan to work on these steps for only 5 to 10 minutes. (Anybody can do just about anything for 5 to 10 minutes, eh?) Frequently, this will create enough momentum to get you going. When you have to stop, leave yourself a note regarding what the next steps should be. Here are some hints for effective studying.

- · Study difficult subjects or concepts first.
- Study in short "chunks" of 50 minutes each.
- Take a brief 10-minute break after every 50 minutes of studying.
- Schedule study time when you are at your best (be aware of your internal clock).
- Use waiting times. (Compile and carry 3 × 5 note cards or use Notes on your cell phone to organize critical information that you can review wherever you go—even when you are standing in that long line at the checkout counter.)
- Keep a calendar for the semester that includes all of your assignments, tests, and papers. Use a different color for entering deadlines for each course.
- · Make a weekly to-do list. Prioritize this list and cross off each task as you complete it.
- Before beginning a project, know what you are doing. Determine the goals, benefits, costs, and timetable for the endeavor. If you are working in a group, at the beginning of the project, make sure everyone understands his or her responsibilities. You should also designate someone to be in charge of organizing group meetings. Leave time during the project for unexpected delays and to revisit and modify your goals. Be flexible.

If you are taking an online or web-enhanced course, remember these courses take as much, if not more time, than traditional face-to-face classes.

Here are some hints to assist with your time management related to online courses:

- Print the syllabus and place deadlines on your calendar before the first course meeting.
- Identify how to contact your instructor and schedule online office hours in your calendar.
- Schedule weekly times for logging into the class website.
- Schedule a time for class work and select a specific site.
- Cultivate collegial support groups with individuals who provide support and are good listeners.
- Be active in the course by participating appropriately in discussion groups.

- Establish an evidence-based file to download important articles (pdf format).
- Bookmark websites (but before bookmarking these, review the information—Don't assume all sites are up-to-date and evidence-based).
- There are online sites that offer online storage and retrieval of documents and files.
   Check out the following link for more information on storing files via the Internet: www.dropbox.com.

#### **Reward Yourself**

Bribing yourself with a reward can help you get started and keep going: "If I concentrate well for 1 hour on reading the assigned chapter, then I can watch my favorite television show guilt-free." Often, the stress reduction that comes from working on the project that has been put off is a reward in itself! (Critical Thinking Box 2-2.)

Schedule a time for celebration and self-reward with all of your projects.



# **CRITICAL THINKING BOX 2-2**

What do you do to reward yourself for a job done well?

# Avoid the Myth of Perfection

Many of us were brought up with the well-intentioned philosophy that "Anything worth doing is worth doing well." Unfortunately, this is often interpreted as "Anything worth doing is worth doing *perfectly*." The fear of not doing something well enough or perfectly also feeds the tendency to procrastinate.

Certainly, everyone needs to make the best effort possible, but not everything needs to be done perfectly. Consider what the expected standard is—not the standard of perfection possible—and how you can meet it with a minimum amount of time and effort. Effective procrastination (i.e., procrastination that is used appropriately) is recognizing when a task should be purposefully postponed. This technique is a conscious decision and is used when time is needed to accomplish a task with a higher priority. Priority setting, delegating tasks when possible, eliminating wasted time by avoiding excessive social telephone calls, breaking tasks into separate small steps, and establishing realistic short-term goals are some strategies for managing procrastination.

### **MANAGING OTHERS**

Communicating and getting along with other people can be challenging. Most people are straightforward, supportive, and easy to be with. They add to your energy and ability to function effectively, and they contribute to your goal attainment. However, some individuals drain energy from you and jeopardize organizational accomplishment through their whining, criticizing, negative thinking, chronic lateness, poor crisis management, overdependency, aggression, and similar unproductive behaviors. Avoid those individuals both online (through social media, texting, and e-mail) and in person. Occasional exhibitions of such behavior in relation to a personal crisis can be understood. Even in the best of human relationships, conflict and extreme emotions are inevitable. However, when people use these behaviors as their

#### BOX 2-3 TIPS FOR MANAGING TIME AND MANAGING OTHERS

- · Analyze how you spend your time.
- Maintain a "to-do" list.
- · Organize material into files.
- Use an activity planner or calendar (paper copy or on your smartphone)—review it daily.
- · Prioritize your activities.
- Make use of "mini" or waiting-time periods.
- AVOID PERFECTIONISM.
- Take "mini" vacations throughout the day to refresh your brain.
- Be aware of your internal clock—do critical tasks when you are most alert.
- Minimize the time spent with individuals who constantly complain and criticize.
- Use assertive communication with individuals with whom you are having a problem.
- Develop rituals (such as changing clothes) when you get home that say "I'm off duty."
- Avoid always saying yes—before agreeing—take a deep breath—think about the real expectation of the project.
- · Delegate when appropriate.
- Use technology.
- Don't let your e-mail, social media, and the cell phone manage you and your time.
- Recognize "multitasking" as an excuse for "poor planning"—no one can do multiple tasks successfully and exceptionally.

everyday *modus operandi* (method of operating), they interfere with attainment of individual and organizational goals. To protect your time and achieve your goals, it may be necessary to limit your time with such individuals. Avoidance is one strategy. Learning to say "no" and practicing assertive communication can help as well. Chapters 12 and 13 provide assistance in learning these communication skills. Box 2-3 provides some hints for managing others.

# **What About Delegation and Time Management?**

You do not have to handle everything personally. Use your delegation skills at home to identify tasks and activities that can be completed by others, leaving you more time to study and concentrate on important projects. The website, *Mind Tools: Essential Skills for an Excellent Career*, at <a href="http://www.mindtools.com/index.html">http://www.mindtools.com/index.html</a>, provides multiple strategies related to delegation and a delegation worksheet to assist in determining whether a task can be delegated and to whom (see Chapter 14).

# MANAGING YOUR GOALS

Goals are the incremental steps required to achieve long-term success. Personal and professional goals are critical to lifestyle management. Keeping your goals in mind enables you to plan and perform activities that contribute to your goals and eliminate or reduce those that do not. Be realistic when setting your goals: allow enough time to complete them appropriately. Activities that contribute to goals are your high-payoff, high-priority activities; those that do not are low-payoff, low-priority activities. Your goals should be demanding enough that completion provides a feeling of satisfaction.

Many goal-directed activities need to be scheduled with completion times. This is sometimes called *deadlining* the to-do list; the use of the term *completion times* may seem less stress-producing than the use of *deadlines*. All kinds of calendars are available to schedule

to-do activities by the month, week, and day. There are organizer notebooks and computerized organizers. It is also easy to make your own forms. Knowing your goals and priorities promotes flexible rescheduling, resulting in more effective time management and successful accomplishment.

# **Begin by Listing**

It will be helpful to list all your goal-related activities on a master to-do list. Using all of the features of Microsoft Outlook by identifying tasks in the e-mail and/or calendar program and setting up reminders will be helpful for both tasks that are listed and tasks based on e-mails received or sent (e.g., assignments). Another approach, which is also a useful learning exercise, is to record all your activities in a time log as they occur (e.g., record them every day for several days or a week). This will give you an overview of how you are using your time and provide a baseline for a to-do list. Either way, decide the order in which to do the activities in your list. You will have to decide the order in which your activities need to be completed—in other words, you will have to prioritize.

Cross out items on your to-do list, your cards, and your schedule as you do them. This will give you immediate, positive feedback—an instant reward for your efforts and progress. When the inevitable interruptions occur, scan the to-do list and reevaluate your priorities in relation to your remaining time.

Reward yourself as you cross out items on your to-do list.

# **Prioritize with the ABCD System**

Other people are constantly demanding your time and energy; therefore you need to establish priorities but also be flexible. Being flexible will allow you to change your priorities throughout the day as situations change. Additionally, as you work, always try to combine activities (multitask) or delegate tasks in an effort to manage your time appropriately.

Scan your to-do list and decide which are A, B, C, or D items (Box 2-4). The activities that are most closely related to your goals are the high-payoff ones; these are A priorities. Effective use of your time-management skills demands that you focus most of your energy on A-priority items. List these according to the urgency of the time limits. Train yourself to do the hardest task first. Attending to the most difficult activity first reduces the nagging,

#### BOX 2-4 PRIORITIZATION USING THE ABCD SYSTEM

- A Absolute (immediate priority)—do it now or as soon as possible
- Better (as soon as possible)—necessary, but it can be done later
- **C** Can wait until later—or when you get around to it
- **D** Don't worry about it—let someone else take care of it

OR...the 4 Ds

Do it.

**D**elay it (to a specific time).

**D**ump it (unimportant—doing it just wastes your time).

Delegate it.

anxiety-provoking thought that you "should be doing \_\_\_\_ instead" and helps you make early progress in identifying, gaining control of, and possibly preventing additional problems. This is an example of the classic time-management principle known as Pareto's 80/20 Rule.

According to Pareto, an early 1900s economist, 20% of the effort produces 80% of the results. For example, spending 20% of your time studying the most difficult course can produce 80% success. In your home, 80% of what needs to be cleaned is in the kitchen and bathroom; spend 20% of your cleaning time on these two rooms and 80% of the cleaning will be done. Likewise, 80% of your nursing care will be with 20% of your patients. This illustrates that there are proportionally greater results in concentrating at least 20% of your efforts on higher-payoff priorities. You will need to balance your priorities, because it is impossible to achieve our best at all times.

The B items on your list also contribute to goal achievement; thus they are high-payoff items but are generally less urgent than A times and can be delayed for a while. Eventually, many B items become A items, especially as completion times approach. It is also possible to "squeeze in" some B items in short periods of time—for instance, reading an article as you wait in a long line or as you "waste" time waiting for someone.

Items that do not substantially contribute to goals or do not have to be accomplished within a specific time frame are C items. These activities really can wait until you get around to them; they are things to be done when, or if, time permits. Of course, some C items become B or A priorities. However, many C items will fit the "nothing will happen if you do not do something" category and become D items. D items are those "nice to do" but not necessary. Some of these items could be classified as time wasters and can be ignored when you have only a limited amount of time.

Develop daily (or more frequent) benchmarks that allow you to assess your daily progress in relation to the time spent on a specific project.

# **Keep It Going**

Continuously review your lists, schedules, and outcomes, and reward yourself for achieving your goals. As you evaluate and revise accordingly, ask yourself: "Did I have a plan with priorities in writing?" "Was I doing high-payoff activities that pertain to my goals?" "Was I doing the right job at the right time?"

No one is perfect. Omissions and errors will occur, and these are good learning experiences. Do not waste time regretting failure or feeling guilty about what you did not do; consider these as learning experiences of "what not to do" and opportunities for learning "what to do." Remind yourself that there is always time for important things and that if it is important enough, you will find the time to do it.

# **SELF-CARE STRATEGIES**

"I will use words which emanate power, strong words to guide me. My words today will be strong and powerful. I will choose words that convey a sense of mastery, competence, and ability: I can. I will. I am. I do..."



FIGURE 2-3 How do I take care of my physical self?

Role strain theory states that demands and stress for one role take time and energy away from our other roles. Research has demonstrated a direct link between: (1) work stressors and family function, and (2) job satisfaction and turnover. Results demonstrated the higher the job satisfaction the lower the work–family conflict; the higher the spousal support the lower the work–family conflict; the higher the spousal support the higher the job satisfaction (Patel et al, 2008).

For nurses to care for their patients effectively, they must first care for themselves (Figure 2-3). As a nursing student or a new graduate, you need to make "taking care of yourself" a top priority. Many nurses do not practice the self-care strategies that would help them handle the stress resulting from the work environment. The work environment will be demanding; you will be exposed to learning opportunities and be introduced to multiple professional responsibilities. How you perceive yourself and respond to these stressors often determines how effective you are as a nurse. The way you feel about yourself and respond will be influenced by your values, actions, successes, and failures.

Self-care, the practice of engaging in activities that promote a healthy lifestyle, is the foundation that will assist you in thriving in nursing instead of just surviving. Engaging in the practice of self-care requires knowledge, motivation, time, and effort, but it is mandatory in your ability to manage stress. Self-care practices that decrease stress-related illness can be learned. Physical illnesses correlated to stress include cardiovascular problems, migraine headaches, irritable bowel syndrome, and muscle and joint pain. Mental health problems include unresolved anxiety, depression, and insomnia. Finally, stress and burnout among nursing personnel can contribute to organizational problems and attrition.

#### Is Burnout Inevitable for Nurses?

Much has been written about the concept of burnout in nurses. In early research, burnout was thought to be a problem within a nurse or a problem inherent in the nursing

#### BOX 2-5 EARLY WARNING SIGNS OF BURNOUT

- Irritability
- Weight changes
- · Frequent headaches and gastrointestinal disturbances
- · Chronic fatigue
- Insomnia
- Depression
- · Feeling of helplessness
- Negativity
- Cynicism
- · Angry outbursts
- Self-criticism

profession. However, the stressors in the current workplace caused by staffing shortages, along with an increase in patient acuity and the accelerated rate of change in the health care environment, have increased the potential for burnout among nurses. Nurses have learned to recognize and manage burnout related to caring too much for their patients. What nurses are currently struggling with is that they may be working in environments that are not congruent with their personal philosophies of nursing care.

Burnout associated with job stress can leave nurses vulnerable to depression, physical illness, and alcohol and drug abuse. Symptoms include a loss of energy, weariness, gloominess, dissatisfaction, increased illness, decreased efficiency, absenteeism, and self-doubt. Burnout typically progresses through five stages that are particularly notable within the work setting: an initial feeling of enthusiasm for the job, followed by a loss of enthusiasm, continuous deterioration, crisis, and finally devastation and the inability to work effectively. Box 2-5 lists early warning signs of burnout.

The increase in patient acuity, coupled with shortened hospital stays, is not compatible with the emphasis on high-quality, safe patient care and consumer satisfaction. These opposing philosophies create conflict for nurses and lead to burnout that is not as easily remedied as burnout caused by internal factors. Therefore, it is important to recognize clearly the mission of the hospital or corporation when you apply for your first job. Is their mission similar to yours? Will you be able to give the quality care that you want to deliver, or will you be required to compromise your values to fit into the system?

There are many strategies designed to combat burnout, and many of them are detailed in this chapter. However, nurses need to determine whether their burnout is caused by internal or external factors. A nurse who neglects his or her own needs can develop feelings of low self-esteem and resentment. These feelings could affect the care you provide to others. Therefore, by taking care of yourself, you are ultimately able to provide better care for others. In some cases, it may be necessary for the nurse to relocate to a place of employment that is more in line with her or his personal belief system.

# **Empowerment and Self-Care**

Learning about self-care is really about empowerment. The word *power* comes from the French word *powoir*, which means "to be able." To empower means to enable—enable self and others to reach their greatest potential for health and well-being. However, the concept of "enabling" is seen in a negative light, because it refers to doing things for others that they

# BOX 2-6 **EXAMPLES OF TIMES WHEN ONE FEELS POWERLESS**OR POWERFUL

#### I Feel Powerless When

- · I'm ignored.
- · I get assigned to a new hospital unit.
- I can't make a decision.
- · I'm exhausted.
- I'm being evaluated by my instructor.
- I have no choices.
- · I'm being controlled or manipulated.
- · I have pent-up anger.
- I don't think or react quickly.
- I don't speak loudly enough.
- I don't have control over my time.

#### I Feel Powerful When

- I'm energetic.
- I receive positive feedback.
- I know I look good.
- I tell people I'm a nurse.
- I have clear goals for my career.
- I stick to decisions.
- · I speak out against injustice.
- I allow myself to be selfish without feeling guilty.
- · I tell a good joke.
- · I work with supportive people.
- I'm told by a patient or family that I did a good job.

Adapted from Josefowitz N: Paths to power, Menlo Park, Calif, 1980, Addison-Wesley, p 7. Reprinted with permission.

can do for themselves. Actually, preventing friends and loved ones from dealing with the consequences of their behavior is very disempowering.

With empowerment comes a feeling of well-being and effectiveness. There are times and situations in our lives when we feel more or less powerful. Examples of occasions when one feels powerful or powerless are listed in Box 2-6. You may find as you read through these lists that there are some situations in your life in which you do feel powerful and some in which you do not. Self-assessment of our sense of well-being and self-esteem helps us to know where to begin. Because change is a constant, and all of us are in varying states of emotional, physical, and mental change at any given time, it is important to assess ourselves on a regular basis. As a matter of fact, knowing one's self is the very first step in learning to care for one's self. Empowerment in all spheres of our being is very important. Examine the Holistic Self-Assessment Tool (Critical Thinking Box 2-3), which includes measures of our emotional, mental, physical, social, spiritual, and choice potentials.

Emotional wholeness is about our ability to feel. The ability to express a wide range of emotions is indicative of good mental health. Nurses are often very good at helping their patients "feel" their feelings but often have a difficult time feeling and expressing their own. Nurses frequently neglect their physical health. We make certain that our patients receive excellent health education and discharge instructions and worry when they are noncompliant. As nurses, however, we do not always follow through when it comes to such things as physical examinations, mammograms, and dental health for ourselves. We work long hours and do not plan adequate time for physical recuperation.

Because our profession is such a demanding one, we often do not take the time to cultivate our social potential. When we do spend time with friends, it is because they "need" us. When we get together with friends who are also nurses, we spend the time together talking about work. Spiritual potential simply means that we have a daily awareness that there is something more to living than mere human existence. With spiritual potential, nurses' lives have meaning and direction.

The ability to know that we have choices in life is the final area of the assessment tool. Nurses without "choice power" see life as black-and-white, with little gray in the middle.

# **PROOF OF THE PROOF OF THE PROO**

# Holistic Self-Assessment Tool

Emotional Potential  I push my thoughts and feelings out of conscious awareness (denial).  I feel I have to be in control.  I am unable to express basic feelings of sadness, joy, anger, and fear.  I see myself as a victim.  I feel guilty and ashamed a lot of the time.  I frequently take things personally.
Social Potential  I am overcommitted to the point of having no time for recreation.  I am unable to be honest and open with others.  I am unable to admit vulnerability to others.  I am attracted to needy people.  I feel overwhelmingly responsible for others' happiness.  My only friends are nurses.
Physical Potential  I neglect myself physically—overweight/underweight, lack of adequate rest and exercise.  I feel tired and lack energy.  I am not interested in sex.  I do not engage in regular physical and dental check-ups.  I have seen a doctor in the past 6 months for any of the following conditions: migraine headaches, backaches, gastrointestinal problems, hypertension, or cancer.  I am a workaholic—work is all-important to me.
Spiritual Potential  I see that events that occur in my life are controlled by external choices.  I find the world a basically hostile place.  I lack a spiritual base for working through daily problems.  I live in the past or the future.  I have no sense of power greater than myself.
Mental Potential  I read mostly professional literature.  I spend most waking hours obsessing over people, places, or things.  I am no longer able to dream or fantasize about my future.  I can't remember much of my childhood.  I can't see much change happening for myself, either personally or professionally.
Choice Potential  I have difficulty making decisions, I am prone to procrastination, and I am frequently late for personal and professional appointments.  I find it difficult to say no.  I find myself unwilling to take reasonable risks.  I find it difficult to take responsibility for myself.

From Zerwekh J, Michaels B: Co-dependency: assessment and recovery, *Nurs Clin North Am* 24(1):109–120, 1989.

Awareness of our choices eliminates the black-and-white extremes and enables us to act rather than react in situations. Nurses with choice power are able to make decisions, take risks, and feel good about it.

Remember to use this tool not only to assess the negatives in your life, but also to assess areas in which you are experiencing growth. You cannot survive nursing school, for example, without experiencing growth in all areas.

# Suggested Strategies for Self-Care That Are Based on the Holistic Self-Assessment Tool

Not having life in a state of balance and not having a vision for the future often reflect a state of poor self-esteem. Nathaniel Branden (1992), who is often referred to as the "father of the self-esteem movement," has identified several factors found in individuals with healthy self-esteem. These include the following:

- A face, manner, and way of talking and moving that project the pleasure one takes in being alive
- Ease in talking of accomplishments or shortcomings with directness and honesty
- An attitude of openness to and curiosity about new ideas, new experiences, and new possibilities of life
- Openness to criticism and comfortable about acknowledging mistakes, because one's self-esteem is not tied to an image of perfection
- An ability to enjoy the humorous aspects of life in one's self and others (Branden, 1992, p 43)

The key to developing a healthy self-esteem is to become aware of the areas that need the most repair and to work on them. However, it is essential to maintain a sense of balance; going overboard in one or two areas is counterproductive. For example, a nurse who exercises five times a week, follows a healthy diet, and sleeps well, but is emotionally numb and does not have a clear vision for her future, is out of balance.

### Am I Emotionally Healthy/Emotionally Intelligent?

Being emotionally healthy means that you are aware of your feelings and are able to acknowledge them in a healthy way. In the best-selling book *Emotional Intelligence*, Goleman (1995) states that emotional intelligence consists of the following five domains: knowing one's emotions, managing emotions, motivating one's self, recognizing emotions in others, and handling relationships. It is certainly best when parents who are good emotional coaches teach the basics of emotional intelligence. However, it is never too late to learn.

Nurses who have good emotional health know when they are feeling fearful, angry, sad, ashamed, happy, guilty, or lonely, and they are able to distinguish these feelings. They have found appropriate ways to express their feelings without offending others. When feelings are not expressed or at least acknowledged, they frequently build up, which results in emotional binging. Sometimes our bodies take the brunt of unacknowledged feelings in the form of headaches, gastrointestinal problems, anxiety attacks, and so on.

Feelings or emotions are neither good nor bad. They are indications of some of our self-truths, our desires, and our needs. Critical Thinking Box 2-4 is an exercise to help access and acknowledge feelings.

# **CRITICAL THINKING** BOX 2-4

#### Exercises to Help Access and Acknowledge Feelings

- 1. Turn your attention to how you are feeling. What part of your body feels what?
- 2. Acknowledge that this is how you are feeling, and give it a name. If you hear an inner criticism for feeling this way, just set it aside. Any feeling is acceptable.
- Allow yourself to experience the sensations you are having. Separate acknowledging these feelings from having to do anything about them.
- 4. Ask yourself whether you want to express your feelings now or some other time. Do you want to take some other action now or later? Remind yourself that you have choices.

#### **BOX 2-7**

#### Some Pleasurable Activities

- Go on a picnic with friends.
- Invite friends over for a potluck dinner.
- · Go to a movie.
- Plan celebrations after exams or completion of a project.
- Introduce yourself to three new people.
- · Visit a museum.

- Call an old friend.
- Play with your children.
- "Borrow" someone else's children for play.
- · Volunteer for a worthwhile project.
- Get involved in religious or spiritual activities.
- · Spend some time people-watching.
- Take up a new hobby.
- Invite humor into your life.

### What About Friends and Fun? How Do I Find the Time?

An occupational hazard of nursing is overcommitting, both personally and professionally. Nurses who do this frequently have difficulty in meeting their social potential.

Student nurses often say they do not engage in recreational activities because of the cost and that all their money goes toward living expenses. First, it is important to include some money in your monthly budget for fun. Depriving yourself of time for recreation on a regular basis may lead to impulsive recreational spending, such as a shopping binge with credit cards or with money allotted for something else. Second, there are many pleasurable things to do and fun places to go that do not cost a lot of money. Several examples are found in Box 2-7.

Another social area in which many nurses have difficulty is in forming relationships outside of nursing. If you spend all your free time with nurses, chances are that you will "talk shop." Nursing curricula are very science-intensive, because there is so much to learn in such a short time. Cultivate some friends who have a liberal arts or fine arts background. Choose friends who have different political opinions or come from a different part of town, a different culture, or a different socioeconomic class.

# **How Do I Take Care of My Physical Self?**

Nurses are great when it comes to patient education; it is one of the strengths of the nursing profession. Sometimes, though, we have difficulty applying this information to ourselves. Taking care of ourselves physically is extremely important. Our profession is both mentally and physically challenging. This physical self-care entails getting the proper nutrition, maintaining a healthy weight, obtaining adequate sleep, quitting smoking, limiting alcohol consumption to one drink daily, and exercising on a regular



FIGURE 2-4 Learn to take care of yourself.

# **CRITICAL THINKING BOX 2-5**

What am I doing that interferes with my health and well-being?

basis (Figure 2-4; Critical Thinking Box 2-5). Engaging in some form of relaxation will trigger the relaxation response, which prevents chronic stress from harming your health (Stark et al, 2005). According to Kernan and Wheat (2008), health and learning are linked; optimal learning cannot be achieved unless the environment is supportive and promotes the development of effective learning skills. They identified mental health concerns (stress, anxiety), respiratory tract infections, interpersonal concerns, and sleep difficulties as the greatest threats to academic success.

#### **Self-Care Activities**

**Physical Exercise.** Incorporate 30 minutes or more of moderate-intensity physical activity, such as walking, into your schedule (preferably daily). A good exercise program is one that includes activities that foster aerobic activity, flexibility, and strength. A very important part of an exercise program is that it be a regular habit. To be effective, the program should take 3 to 6 hours a week. And it does not have to cost money. You do not need to belong to a gym or invest in exercise equipment. Aerobic activities include walking, jogging, swimming, bicycling, and dancing. Minimal fitness consists of raising your heart rate to 100 beats/min and keeping it there for 30 minutes. Other strategies to increase your physical activity could include the following:

- Park your car farther away from the entrance door.
- Use the stairs instead of the elevator whenever possible.

- Stretch during your breaks from homework or housework.
- Take your dog for a walk (or volunteer to walk someone else's pet).

**Laughter.** Seek 20 minutes of laughter every day. Laughing promotes deep breathing and releases neuropeptides that decrease stress and lower blood pressure. (Check out www.laughteryoga.org for inspiring thoughts and affirmations.)

**Mental Exercise.** Engage in some activity daily for at least 30 minutes that challenges your way of thinking. This activity will increase the number of connections between your brain cells (rewiring your brain). Activities that could promote brain function include:

- Take a walk in the park to stimulate all your senses.
- Try out a new restaurant.
- · Listen to new music.
- Try puzzles or word games (see www.sudokupuzz.com).

**Motivate Yourself.** In the morning, read an inspiring quote, listen to upbeat music, or do stretching exercises. Take time for a balanced breakfast, and visualize your day. Take periodic breaks or switch activities throughout your day to maintain a high energy level. Tension can be released by simple stretching exercises and laughter.

**Schedule Idle Time.** We live in a time in which any moment can be interrupted by individuals, e-mail, texting, or phone calls. We need to give ourselves permission to relax—to unwind. Take care of your physical and mental health by scheduling idle time. Idle time is time you schedule away from interruptions—no phone calls—no e-mail—no texting. This is time in which you disconnect from technology to think and reflect. Take a walk in the park, just sit in your backyard and listen to the birds, or get a massage, but turn all your electronic devices off.

Alternate mental and physical tasks. This strategy includes taking periodic breaks from studying to engage in a short game of basketball or a short run with the vacuum cleaner.

# Strategies to Foster My Spiritual Self: Does My Life Have Meaning?

People who have a sense of spiritual well-being find their lives to be positive experiences, have relationships with a power greater than themselves, feel good about the future, and believe there is some real purpose in life. If we find that our lives lack meaning and our spiritual health is lacking, how do we go about finding spiritual well-being?

Daily prayer and meditation are very important in maintaining a spiritual self. M. Scott Peck (1978) states that the process of spiritual growth is an effortful and difficult one, because it is conducted against a natural resistance, a natural inclination to keep things the way they were, to cling to the old maps and old ways of doing things, to take the easy path. Reading religious or philosophical material and studying the great religions are two examples of ways to foster spiritual growth.

In addition to reading what others have written about the subject, many people access their spiritual selves with the practice of meditation. Meditating allows us time to become quiet, heal our thoughts and bodies, and be grateful. The engagement of daily prayer or meditation allows for a time of self-reflection. Reflection, according to Johns (2004), is "being mindful of self"; it is the "window through which the practitioner can view and focus self within the context of a particular experience, in order to confront, understand and move toward resolving contradiction between one's vision and actual practice" (p 3). The conscious practice of reflection has been correlated to a heightened perception of self-awareness,

self-empowerment (Teekman, 2000), enhanced self-confidence, and empathy (Gustafsson and Fagerberg, 2004).

#### How Do I Increase My Mental Potential? Is It Okay to Daydream?

Nursing students are afforded considerable opportunity to exercise their mental potential while they are in nursing school. This activity, however, is primarily in the form of formal education. There are many other ways to exercise this potential. One of the first ways is to concentrate on removing negative thoughts or self-defeating beliefs from our minds. Here are some examples of statements that nursing students frequently make:

- "I must make As in nursing school."
- "I must have approval from everyone, and if I don't, I feel horrible and depressed."
- "If I fail at something, the results will be catastrophic."
- "Others must always treat me fairly."
- "If I'm not liked by everyone, I am a failure."
- "Because all my miseries are caused by others, I will have no control over my life until they change."

If you relate to any of these statements, you have some work to do on your belief system. You are setting yourself up for failure by having extremely high expectations of yourself. You are also giving other people power over your destiny. Remember, you cannot change others. The only person you can change is yourself.

One way that we can change these internal beliefs is to learn how to give ourselves daily affirmations—or daydream a little (Figure 2-5). Simply put, affirmations are powerful, positive statements concerning the ways we would like to think, feel, and behave. Some examples are "I am a worthwhile person"; "I am human and capable of making mistakes"; and "I am able to freely express my emotions." Always begin affirmative statements with



FIGURE 2-5 Daydream: Send up your brain balloons!

#### **BOX 2-8**

#### **Affirmations**

- I am a worthwhile person.
- I am a child of God.
- I am willing to accept love.
- · I am willing to give love.
- I can openly express my feelings.
- I deserve love, peace, and serenity.
- · I am capable of changing.
- I can take care of myself without feeling guilty.
- · I can say no and not feel guilty.
- · I am beautiful inside and out.
- I can be spontaneous and whimsical.
- I am human and capable of making mistakes.

- I can recognize shame and work through it.
- I forgive myself for hurting myself and others.
- I freely accept nurturing from others.
- I can be vulnerable with trusted others.
- I am peaceful with life.
- I am free to be the best me I can.
- I love and comfort myself in ways that are pleasing to me.
- I am automatically and joyfully focusing on the positive.
- I am giving myself permission to live, love, and laugh.
- I am creating and singing affirmations to create a joyful, abundant, fulfilling life.

"I" rather than "you." This practice keeps the focus on self rather than others and encourages the development of inner self-worth.

The power of affirmation exercises lies in consistency—repetition encourages ultimate belief in what is being said. Begin each day with some affirmations. Try some of the examples in Box 2-8. These enable us to feel better about ourselves and consequently raise our self-esteem. Stand in front of a mirror and tell yourself that you are a special person and worthy of self-love and the love of others. Another suggestion is to record some positive affirmations on your telephone answering machine and call your telephone number in the middle of the day or when you are having a slump or attack of self-pity; hearing you own voice say you are okay can have a very positive effect. For example, "Hello—Glad you're having a great day, please leave a message" (Critical Thinking Box 2-6).



# **CRITICAL THINKING BOX 2-6**

What are some positive affirmations that work for you? How can you increase the effectiveness of these affirmations?

# What Are My Choices, and How Do I Exercise Them?

Many of us negotiate our way through life never realizing that we have many choices. We remain victims, waiting for life to happen, rather than taking a proactive stance. In his best-selling book *Seven Habits of Highly Effective People*, Stephen Covey (1989, 2004) states that the very first habit we must develop is to be proactive. We stop thinking in black-and-white and come to realize that in every arena of our lives, we have choices about how to respond and react. Covey differentiates between people who are proactive and people who are reactive. Examples of proactive versus reactive language are included in Box 2-9. Pay attention to your own language patterns for the next few weeks. Are there times when you could say "I choose"? You can choose to respond to people and situations rather than react. Exercising our choice potential also entails that we act responsibly toward others. We recognize

BOX 2-9 <b>EXAMPLES OF REACTIVE AND PROACTIVE LANGUAGE</b>			
REACTIVE	PROACTIVE		
There's nothing I can about do about it.	Let's look at our alternatives.		
That's just the way I am.	I can choose a different approach.		
He makes me so mad.	I control my own feelings.		
They won't allow that.	I can create an effective presentation.		
I have to do that.	I will choose an appropriate response.		
I can't.	I choose.		
I must.	I prefer.		
If only.	l will.		

that other people have the right to choose for themselves and to be accountable for their own behavior.

#### CONCLUSION

Before we can act responsibly toward others, we must first act responsibly toward ourselves. This involves self-acceptance and self-love. In his book *Born for Love: Reflections on Loving,* Leo Buscaglia (1992) states this very eloquently:

Being who we are, people who feel good about themselves are not easily threatened by the future. They enthusiastically maintain a secure image whether everything is falling apart or going their way. They hold a firm base of personal assuredness and self-respect that remains constant. Though they are concerned about what others think of them, it is a healthy concern. They find external forces more challenging than threatening. Perhaps the greatest sign of maturity is to reach the point in life when we embrace ourselves—strengths and weaknesses alike—and acknowledge that we are all that we have; that we have a right to a happy and productive life and the power to change ourselves and our environment within realistic limitations. In short, we are, each of us, entitled to be who we are and become what we choose (p 177).

When you get your personal life organized, you will become effective in getting priorities accomplished at home. When you get your school activities organized, you will study more effectively, be less stressed, and be able to prioritize more effectively. With these two areas organized, there will be more time for you to spend on yourself! You will find that after you get organized with your clinical schedule, you will become a more effective nurse and begin to have the time to perform the type of nursing care that you were taught. Often you will hear nurses complain about not having enough time in clinicals to provide the type of bath or teaching they would like to do because of the lack of time. Check them out; often they are the most guilty of wasting time (e.g., taking time to gossip after report, wasting time complaining that they do not have enough time, not delegating effectively, allowing unnecessary interruptions, not organizing their patient care, or not delegating when appropriate). Wow, all the things that this chapter is about!



# **RELEVANT WEBSITES AND ONLINE RESOURCES**

#### **Dartmouth College (2013)**

Managing your time. http://www.dartmouth.edu/~acskills/success/time.html.

#### MindTools.com (2013)

http://www.time-management-training.com/.

#### WorldWideLearn (2013)

Top 50 apps for time management.

http://www.worldwidelearn.com/education-articles/top-50-apps-for-time-management.html.

# **BIBLIOGRAPHY**

Branden, N. (1992). The power of self-esteem. Deerfield, Fla, Health Communications.

Buscaglia, L. (1992). Born for love: reflections on loving. Thorofare, NJ: Random House.

Covey, S. (1989, 2004). Seven habits of highly effective people. New York: Simon & Schuster.

Goleman, D. (1995). Emotional intelligence. New York: Bantam Books.

Hanson, T. L., Drumheller, K., Mallard, J., & Schlegel, P. (2011). Cell phones, text messaging, and faceboook: Competing time demands for today's college students. *College Teaching*, 59, 23–30.

Homisak, L. (2012). Time and efficiency redux: how do you take better control of your time? *Podiatry Management*, 31(3), 41–44.

Johns, C. (2004). Becoming a reflective practitioner. Malden, Mass: Blackwell Publishing.

Kernan, W. D., & Wheat, M. E. (2008). Nursing students' perceptions of the academic impact of various health issues. *Nurse Educator*, *33*(5), 215–219.

Keyes, R. (1991). *Timelock: how life got so hectic and what you can do about it.* New York: HarperCollins.

Knox, K. C. (2013). Getting a handle on email. *Information Today*, 30(1), 21.

Lerner, R. (1985). Daily affirmations. Pompano Beach: Fla, Health Communications.

Patel, C. J., et al. (2008). Work-family conflict, job satisfaction and spousal support: an exploratory study of nurses' experience. *Curationis*, 31(1), 8–44.

Peck, M. S. (1978). The road less traveled. New York: Simon & Schuster.

Shattell, M. M. (2010). Rethinking idleness, productivity, and time management: a call to do nothing, more. *Issues in Mental Health Nursing*, *31*, 368–369.

Shekut, S. (2012). Beyond time management: life management. Massage Magazine, 189, 58-62.

Stark, M. A., Maning-Walsh, J., & Vliem, S. (2005). Caring for self while learning to care for others: a challenge for nursing students. *Journal of Nursing Education*, 44(6), 260–270.

Teekman, B. (2000). Exploring reflective thinking in nursing practice. *Journal of Advanced Nursing*, 31(5), 1125–1135.

Terry, M. (2011). Getting a grip on time. *Podiatry Management*, 30(4), 75–78.

Walker, S., Wysocki, A., & Kepner, K. (2012). *Managing time in the workplace*. University of Florida IFAS Extension. Retrieved from.




Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# Mentorship, Preceptorship, and Nurse Residency Programs

Ashley Zerwekh Garneau, PhD, RN

Mentoring is a brain to pick, an ear to listen, and a push in the right direction. **John Crosby** 



Mentoring is one of the broadest methods of encouraging human growth and potential.

After completing this chapter, you should be able to:

- Describe the difference between mentoring, coaching, and precepting.
- Identify characteristics of effective mentors, mentees, and preceptors.
- Implement strategies for finding a mentor.
- Discuss the types of mentoring relationships.
- Examine components of a nurse residency program.

### ■ Ashley

It was my first day as a nurse extern in a busy medical intensive care unit. As I walked into my new place of work, I observed nurses on the phones, talking with doctors, and running in and out of patients' rooms with stern looks on their faces. So many questions were going through my head. Which one of these nurses was my preceptor? What would my preceptor expect from me? Would he or she be receptive to helping me develop into my role as a nurse? I entered the room where the nurses receive report from the night staff. It was there that I had my first encounter with Julie, who would become my preceptor, nursing role model, and mentor in the months ahead.

### HISTORICAL BACKGROUND

Did you ever wonder where the word mentor originated? It originated from Greek mythology. Mentor was the name of a wise and faithful advisor to Odysseus. When Odysseus (or Ulysses, as the Romans called him) left for his long voyage during the Trojan War, he entrusted the direction and teaching of his son, Telemachus, to Mentor. According to mythology, through Mentor's guidance, Telemachus became an effective and beloved ruler (Shea, 1999). Mentor's job was not merely to raise Telemachus, but to develop him for the responsibilities he was to assume in his lifetime. Mentoring is one of the broadest methods for encouraging human growth and potential.

### WHAT MENTORING IS AND IS NOT

Mentoring is often confused with coaching or precepting. Coaching is an approach to assisting an individual's growth through partnership with a colleague or other individual who is an equal. In coaching, one person focuses on the unique and internal qualities observed within the other person that may not be recognized or appreciated. In the business world, executives often refer to themselves as coaches rather than managers, thus fostering a collaborative team-oriented approach. The International Coach Federation (2008) defines coaching as, "partnering with patients in a thought-provoking and creative process that inspires them to maximize their personal and professional potential." From a nursing perspective, Yoder (2007) asserts that coaching is geared to all nursing staff to promote their professional growth and development. She refers to coaching as an ongoing two-way process in which the nurse manager and staff nurse are willing to invest time and energy in the development of the staff nurse. Coaches help individuals find new ways to solve problems, reach goals, and design plans of action to motivate people to perform at the "top of their game." According to Guest, "The strength of mentoring lies in the mentor's specific knowledge and wisdom, in coaching it lies in the facilitation and development of personal qualities. The coach brings different skills and experience and offers a fresh perspective, a different viewpoint. In both cases one-to-one attention is the key" (1999, p 7). Based on these definitions, "A good coach will mentor; and, a good mentor will coach, according to the situation. In considering the best fit, therefore, the two approaches should be regarded as synergistic and complementary, rather than mutually exclusive" (Guest, 1999, p 4).

What about preceptors? The term preceptor simply means "tutor" and generally refers to a more formal arrangement that pairs a novice with an experienced person for a set time period, with a focus on policies, procedures, and skill development. Preceptors serve as role models and precept during their regularly scheduled work hours, which is part of their work assignment, in contrast with mentors, who are chosen, not assigned, and focus




FIGURE 3-1 Mentor versus preceptor.

on fostering the mentee's individual growth and development during an extended period. Mentors develop a professionally based, nurturing relationship, which generally occurs during personal time (Figure 3-1).

# What Is Preceptorship?

A preceptorship is a clinical teaching model in which a student is assigned to a preceptor, usually during the student's last semester of nursing school (Billings and Halstead, 2009). Nursing schools sometimes use the term capstone course synonymously with the term preceptorship. In a capstone course, the senior-level student works one-on-one with a preceptor who is a competent and experienced registered nurse (Figure 3-2). The preceptor guides, observes, and evaluates the student's ability to perform clinical skills with competency and to begin applying critical thinking and organization skills in managing a group of patients in a specific setting. The preceptor and the nursing student identify goals and work in a collaborative fashion toward meeting the goals. Typically, the nursing student undertakes the preceptorship in an area of interest that he/she anticipates working in following nursing school, as it provides an opportunity for the student to acquire and master nursing skills common to the specialization area and to begin practicing clinical decision making and prioritization (Emerson, 2007). The preceptorship experience promotes role transition and socialization for the nursing student while fostering professional leadership skills in the preceptor. For example, a student may begin to role-model characteristics of prioritizing patient care based on observations of how the preceptor



FIGURE 3-2 Capstone course.

plans and prioritizes patient-care activities. In turn, the preceptor gains leadership traits by communicating and role-modeling professional behaviors. Preceptors have also been referenced in the literature as clinical coaches where they foster critical thinking, safe practice, and socialization during the first year of practice for the new nurse (Bratt, 2009).

# What Happens If I Experience a Challenge During My Preceptorship?

When the time arrives for you to complete your preceptorship at the end of your nursing education program, rest assured that those feelings of uncertainty and anxiety that you experienced on your first day of nursing school are normal and will subside with time. As you establish a professional relationship with your preceptor, it is important to understand your role and responsibilities as preceptee as well as the preceptor's role and responsibilities. But, what happens when you are placed with a preceptor who doesn't share the same excitement and interest as you do in participating in the preceptorship? Or, what happens when your personalities do not blend well? What do you do?

First, it is important to identify the issues you are having with your preceptor. It may be helpful to write down what is concerning you and share this information with your clinical site supervisor before communicating your concerns to the preceptor. A word of advice: Never approach an issue with anyone (this includes your preceptor) when your emotions are running high. Give yourself a little time to cool off.

After you have discussed your concerns with the clinical supervisor, arrange a time to meet with your preceptor to communicate your concerns in a professional tone, while also providing suggestions for a possible solution to the issues you are having with your preceptor. Oftentimes, expressing your concerns to your preceptor will help the preceptor recognize and see your perspective on an issue. Equally important is for you to provide

an opportunity for the preceptor to provide feedback to you on any concerns or issues related to the preceptorship experience. If neither you nor the preceptor are able to resolve the issue(s), then reach out to your clinical site supervisor for guidance and support. For additional conflict resolution strategies, refer to Chapter 13, Conflict Management.

A preceptorship has also been identified as a partnership between an experienced nurse and a new graduate nurse in which the graduate nurse receives training and orientation to the unit that he or she is working in for a specified amount of time. Considering this, a regulatory transition to practice model for new graduate nurses is being proposed by the National Council State Boards of Nursing (NCSBN), and it would be required that newly licensed nurses complete this model during the first 6 months after they begin working. After 6 months, the nurse will show evidence supporting his or her completion of the transition program in order to remain licensed (NCSBN, 2008b). Nurse residency programs are now being implemented across many practice settings to assist new graduate nurses with their transition into the workplace.

### WHAT IS A NURSE RESIDENCY PROGRAM?

The moment has finally arrived; you have passed the NCLEX-RN® and obtained your RN license. Now the next step in your professional career path as a nurse begins as you land your first job. Making this step (what might feel like a big leap!) in your nursing career is like a moment of passage. Gone are the days of nursing school; you are no longer a student, but a competent professional nurse. The expectations that your employer expects from you, are high—as they should be. To that end, it is no surprise that you might be feeling a little bit scared or anxious as you start your first day working on the unit at your new place of employment. Remember your first day of nursing school? Similar feelings are sure to surface again as you begin working as a new graduate nurse.

In an effort to ease the transition into the clinical practice setting and reduce job-turnover rates of new graduate nurses, nurse residency programs are now being employed by many health care organizations as a mandate for all newly hired graduate nurses. You might be asking yourself, what exactly is a nurse residency program? A nurse residency program is a formalized orientation that varies in length (anywhere between 5 and 16 months, but usually for about 1 year), where a new graduate nurse works full-time on the unit where he/she will be working following completion of the residency program. Nurse residency programs vary at each institution, but essentially serve the same purposes, which are to assist the new graduate nurse with transitioning into the new role by providing orientation to the unit to which the new graduate nurse is hired, and working with a dedicated and experienced nurse throughout the residency who serves as both a mentor and a coach. In addition, residency programs provide additional specialty training, certification, and courses that may be a unit specific requirement for the newly hired graduate nurse. Twibell et al (2012) added that nurse residency programs include a focus on curriculum and specific clinical experiences grounded in evidence-based practice as well as offer new graduate nurses an opportunity for professional growth and socialization as a member of the health care team (see the end of the chapter for a list of relevant websites and online resources). Following completion of a nurse residency program, you will work on the unit where you completed your residency. The American Association of Colleges of Nursing offers a listing of nationally accredited nurse residency programs.

Further support for requiring all new graduate nurses to complete a nurse residency program following completion from a prelicensure degree program has been proposed by the Institute of Medicine (IOM). The IOM in collaboration with the Robert Wood Johnson Foundation conducted a 2-year initiative examining how nursing practice and education will transform the delivery of health care. In the 2010 IOM report, *The Future of Nursing: Leading Change, Advancing Health*, the IOM recommended that the following actions should be taken to implement and support nurse residency programs:

- State boards of nursing, in collaboration with accrediting bodies such as The Joint Commission and the Community Health Accreditation Program, should support nurses' completion of a residency program after they have completed a prelicensure or advanced practice degree program or when they are transitioning into new clinical practice areas.
- The Secretary of Health and Human Services should redirect all graduate medical education funding from diploma nursing programs to support the implementation of nurse residency programs in rural and critical access areas.
- Health care organizations, the Health Resources and Services Administration and Centers for Medicare and Medicaid Services, and philanthropic organizations should fund the development and implementation of nurse residency programs across all practice settings.
- Health care organizations that offer nurse residency programs and foundations should evaluate the effectiveness of the residency programs in improving the retention of nurses, expanding competencies, and improving patient outcomes (IOM, 2010, p 12).

In 2008, the American Association of Colleges of Nursing (AACN), in collaboration with the University HealthSystem Consortium (UHC), developed a nurse residency program for postbaccalaureate nurses following completion of their educational programs (UHC/AACN, 2012). The UHC/AACN nurse residency program is 1 year long and uses an evidence-based curricular framework for preparing new graduate nurses to transition from their role of novice to competent practitioner. At the time of this publication, 89 practice sites in 29 states currently offer the UHC/AACN nurse residency program (Research for Best Practice Box 3-1).

As you begin your career as a professional nurse, here are a few questions you may want to ask your employing institution or agency:

- Are a formalized orientation program, preceptorship, internship, and/or nurse residency program available to graduate nurses? If so, what is the duration of the nurse residency program?
- Will I be paired with one or several preceptors?
- What is the structure of the nurse residency program? Face-to-face? Online? Hybrid? Simulation?
- Is the nurse residency program nationally accredited?

### Ashley

When I was in nursing school, I thought that *preceptor* was just a fancy term for *mentor*. However, I found out that these two terms are very different from each other.

In nursing, the word mentor has become synonymous with trusted advisor, friend, teacher, guide, and wise person. There have been many attempts at deriving a single definition of mentoring. Gibbons (2004) provides a detailed listing of 16 (yes, 16!) different

# **RESEARCH FOR BEST PRACTICE** BOX 3-1

### Nurse Residency Program

### **Practice Issue**

The clinical environment presents an engaging and rewarding experience for nursing students to begin applying nursing concepts and skills learned in the classroom setting to the practice setting. However, changes impacting health care, decreased clinical site availability, increased student enrollment, and faculty shortages have required key stakeholders in both academe and practice to develop alternative models of clinical education that will prepare tomorrow's professional nurse to practice competently and safely. Nurse residency programs are a move in that direction, where a graduate nurse participates in a 1-year program that fosters role transition and clinical decision-making skills grounded in evidence-based practice. Providing a smooth transition into practice has also contributed to increased retention of new graduate nurses and decreased job burnout following completion of the nurse residency program (UHC/AACN, 2012).

### **Implications for Nursing Practice**

- Health care organizations consider adopting a nurse residency program where new graduate nurses are required to participate at the beginning of their employment.
- Implement an evidence-based curriculum under the nurse residency program that focuses on development of critical thinking behaviors and aligns to established core competencies implemented by the health care institution.

- Collaborate with academic institutions to align nurse residency program objectives with nursing educational program outcomes.
- New graduate nurses who have completed the 1-year nurse residency program reported an increase in confidence, competence, organization and prioritization, communication, leadership, and a reduction in stress levels (UHC/AACN, 2008, para 4).
- Since its inception, UHC facilities have a 94.3% retention rate for first-year employed nurses (UHC/AACN, 2008, para 4).

### **Considering This Information:**

What are your thoughts on completing a nurse residency program as a requirement of your employer following graduation from nursing school?

### References

University HealthSystem Consortium (UHC), American Association of Colleges of Nursing (AACN): Nurse Residency Program. 2012. Retrieved from http://www.aacn.nche.edu/education-resources/nurse-residency-program.

University HealthSystem Consortium (UHC), American Association of Colleges of Nursing (AACN): Executive Summary. 2008. Retrieved from http://www.aacn.nche.edu/leading-initiatives/education-resources/NurseResidencyProgramExecSumm.pdf.

definitions for *mentor*. What makes mentoring so different, so "special," and more encompassing than precepting and coaching?

- Mentoring requires a primary focus on the needs of the mentee and an effort to fulfill
  the most critical of these needs.
- Mentoring requires going the extra mile for someone else. The rewards of mentoring are enormous: a sense of personal achievement, mentee appreciation, and a sense of building a better organization.
- Mentoring is a partnership created between two people; the mentor possesses the educational degree to which the mentee aspires (Shea, 1999).

As you read through this chapter, begin to develop your own definition of a mentor.

Since the beginning of time, storytelling has been an important way to teach one another. A story about a starfish follows:

A beachcomber is walking along the beach one morning when he sees a young man running up and down by the water's edge throwing something into the water. Curious, he walks toward the runner and watches him picking up the starfish stranded by the tide and tossing them back into

the ocean. "Young man," he says, "there are so many starfish on the beach. What difference does it make to save a few?" Without pausing, the young man picks up another starfish and, flinging it into the sea, replies, "It made a difference for this one."

That is what mentors do. They make a difference for one person at a time.

According to Peddy, the process of mentoring can be described in eight words, "Lead, follow, and get out of the way" (2001, p 16). What does this mean?

### Lead

Mentors are leaders. They encourage another's growth and development, professionally and personally. Mentors help and inspire mentees by acting as role models. The focus is on wisdom and judgment. The mentor plays a very active role: teaching, coaching, and explaining, while supporting and shaping critical thinking skills, providing invaluable advice when asked, and introducing the mentee to committees, advancements, and honors.

### **Follow**

This is where mentees need to "get their feet wet." At this stage, the mentor and mentee walk the path together, but the advisor (mentor) assumes a more passive role. It is now up to the learner (mentee) to seek actively the advice or listening ear of the mentor.

### **Get Out of the Way**

This means knowing when it is time to let go. If you have ever taught a child to swim or ride a bike, you know how hard it is to "let go" and let the child soar on his or her own. A helping relationship is a freeing relationship. This does not mean the relationship has to end; you share common values and beliefs in lifelong learning.

This process of mentoring is dynamic, not static. A mentor's task of self-development, learning, and mastery is never done. Each person in the mentoring process has a role. Mentors generally have more experience and are dedicated to helping mentees advance in their careers, especially in work and/or life skill issues. Mentoring is a two-way street, a partnership, with both parties freely contributing to the relationship as equals—working together in mutual respect.

### **■** JoAnn

On a personal note, when I think about mentors that I have had, one person comes to mind: Satora. She was my first mentor when I started working in the ICU after graduating with my diploma in nursing. She personified all that a new graduate would want in a mentor. She was understanding, patient, and compassionate, and she possessed extensive experience. She made an important, long lasting impact on my nursing career. She nurtured me and encouraged me to reach within myself to become the nurse that I am today. I will never forget her.

Approximately 25 years after I left the ICU, I had the opportunity to talk with Satora by phone. It was one of those coincidences or synchronistic moments in which I was able, via a mutual friend, to find out where she was working. I had lost contact with her over the years in the several moves that I had made to different places. She was so surprised that I had called, and I

shared with her how important our mentoring relationship had been to me. It made me feel good to pass along my gratitude for her willingness to mentor me.

### How to Find a Mentor

The key to finding a mentor is having an open mind, being flexible, and remaining optimistic. As you finish nursing school and while you are in school, write down the goals you feel a mentor might help you achieve. Keep this list of goals with you while you are working, and try to get a feel for the different personality types that you will see as a nurse among your coworkers.

### Ashley

During my orientation program as a newly licensed professional registered nurse, my mentor Julie shared with me a saying that I will share with you: "Always remember, the patient comes first." This stuck with me because it helped me gain greater awareness of the profound impact that we, as nurses, have in our patients' lives and in assisting them to an optimal level of wellness.

As you progress through your nursing program, consider establishing a mentoring relationship. Having the feeling of comfort and building trust with this person is crucial to the process of mentoring. Here are some ideas and strategies to think about:

- Look for common background in either nursing education or an area of expertise/ practice or interest.
- Tell the person about yourself. When you disclose something about yourself, it is especially helpful if you can laugh about yourself in a given situation. This sets the tone of the interaction. It is helpful to keep it light, friendly, and positive.
- Find out the best mode for communicating (e.g., in person, by e-mail, phone) with your mentor.
- Ask broad, open-ended questions such as, "How are things going?" that stimulate open discussion rather than direct questions such as, "Do you like working here?" or "What kind of problems are you having?" that may make the other person feel vulnerable.
- By starting out with these basic questions, you can begin to determine a level of comfort about the person. Next, let us examine the characteristics of a successful mentor.

### What Are the Characteristics of a Successful Mentor?

When I think about the desired characteristics or competencies of a successful mentor, the following qualities come to mind:

- A mentor communicates high expectations. Mentors push mentees and provide avenues and opportunities for them to grow. They allow the mentees to learn through many of their own failures. The mentee grows and develops through active listening, role modeling, and open communication with the mentor. When mentors act as sources of intellectual stimulation and encouragement, they encourage their mentees to trust their own abilities and skills. Mentors open doors and encourage their mentees to search out and seek professional avenues that mentees might not have known about or would have taken longer to discover on their own. Rather than being the "sage on the stage," the mentor is the "guide on the side."
- A mentor is also a good listener. Mentors provide a nonjudgmental, listening ear (without taking on the mentee's problems, giving advice, or joining the mentee in a

- game of "Ain't it awful?"). This can serve as a powerful aid to a mentee. Many mentors believe that respectful listening is the premier mentoring act. When two people really listen to each other, a wonderful sense of synergy is created.
- A mentor has empathy. A mentor possesses a degree of sensitivity and perception
  about the needs of the mentee and has an ability to teach others in an unselfish,
  respectful way that does not blame, but stays neutral. Mentors know what it is like to
  be the "new kid on the block."
- A mentor offers encouragement. By providing subtle guidance and reassurance
  regarding decisions made by the mentee, the mentor values the mentee's experience,
  ideas, knowledge of how things work, and special insights into problems. Mentors
  strive to promote independence in their mentees by offering suggestions, but not
  pushing—mentors know that growth depends on the mentee solving his or her own
  problems.
- A mentor is **generous.** Mentors are willing to share their time and knowledge with others. Much of what the mentor offers is personal learning or insight (Shea, 1999) (Critical Thinking Box 3-1; Figure 3-3).

### What Is a Mentoring Moment?

Have you ever experienced a flash of insight or revelation? Peddy (2001) calls this a "mentoring moment." How do you know when that moment arrives? Someone once said,



### **CRITICAL THINKING BOX 3-1**

- · Which of these traits appeal to you the most?
- Which ones would be the most important for your mentor to have?



FIGURE 3-3 Expectations of a mentor.

"When the student is ready, the teacher appears" (Peddy, 2001, p 52). According to Peddy, mentoring is often built on a just-in-time principle, whereby the mentor offers the right help at the right time. A potential mentor must recognize when the mentee feels free to expose a deep-felt need, thereby enabling the mentor to provide the right help at the right time to the best of the mentor's ability.

### When Do We Need Mentors?

A mentor is an established professional (selected by you) who takes a long-term personal interest in your nursing career. The mentor not only serves as a role model or counselor for you but also actively advises, guides, and promotes you in your career. A mentor can be any successful, experienced nurse who is committed to a professional career and to being a key figure in your life for a number of years while you are going through school, as well as when you graduate. Mentors should have your best interest at heart and should bolster your self-confidence. Mentors should be able to give feedback in a highly constructive, supportive atmosphere. As a result, trust and caring are hallmarks of the bonding that occurs between mentor and mentee. In short, a mentor is "a wise and trusted adviser" who can serve you well as you progress through school (Figure 3-4).

A mentoring relationship is an evolving, personal experience for both mentor and mentee. It involves a personal investment of the mentor in the direction of the mentee's professional development. The mentor also benefits from the association by gaining an awareness and perspective of the recent mentee's role in nursing. Take note of the characteristics of successful mentors listed in Box 3-1.



FIGURE 3-4 The mentor role.

### **BOX 3-1 CHARACTERISTICS OF SUCCESSFUL MENTORS**

- Make a personal commitment to be involved with mentee for an extended period of time
- · Be trustworthy and sincere
- Show mutual respect
- Do not be in a position of authority over the mentee
- Promote an easy, give-and-take relationship and be flexible and open
- · Listen and accept different points of view
- Be experienced
- Have values and goals compatible with those of the mentee
- Be able to empathize with mentee's struggles
- Be nurturing
- · Have a good sense of humor, and enjoy nursing

# **CRITICAL THINKING** BOX 3-2

- What are my objectives for developing this mentoring relationship?
- What are my goals?
- How can a mentor help me achieve my goals?
- What is the best way for me to approach a possible mentor to gain his or her interest in developing a mentoring relationship?

### What Is the Role of the Mentee?

As a mentee, you will be learning and absorbing the useful information that the mentor provides. Before seeking a mentor, there are a few questions you may want to ask yourself that may help you get exactly what you need from the mentoring relationship (Critical Thinking Box 3-2) (Shea, 1999).

### What Are the Characteristics of a Mentee?

Just exactly what are important characteristics that you, as a mentee, should project in your interpersonal communications with your mentor? Use the checklist in Table 3-1 to answer the questions in the table.

How did you score? Are there areas in which you need to improve your interpersonal skills to make you a better mentee?

# What Are the Types of Mentoring Relationships?

There are several types of mentoring relationships that you may experience when you develop an active relationship with your mentor (Table 3-2). Formal, informal, and situational mentoring relationships are three types that are commonly encountered (Shea, 1999).

# **Mentoring Through Reality Shock**

The hospital setting is the largest setting where nurses work. In this setting, formal preceptorship programs are usually established, and a mentoring environment is fostered so the new graduate can address the issues of reality shock. This type of mentoring setting appeals to many new graduates, because it provides support from other health care team members.

### TABLE 3-1 MENTEE CHECKLIST

# WHEN MEETING WITH YOUR MENTOR, DO YOU...

ALWAYS FREQUENTLY USUALLY SELDOM NEVER SCORE

Communicate clearly

Welcome your mentor's input (express

appreciation or tell him or her how it will

benefit you)

Accept constructive feedback

Practice openness and sincerity

Take initiative to maintain the relationship

with your mentor

Actively explore options with your mentor

Share results with your mentor

Listen for the whole message, including

mentor's feelings

Be alert for mentor's nonverbal communica-

tion, and use it as data

Score yourself as follows: *Always*, 10; *frequently*, 8; *usually*, 6; *seldom*, 4; *never*, 2. According to Shea, a score of 80 or better means you are among the limited group of individuals who have good mentee interaction skills (Shea, 1999, p 46). Adapted from Shea GF: *Making the most of being mentored: how to grow from a mentoring relationship*, Lanham, Md, 1999, Crisp Publications.

TABLE 3-2 TYPES OF MENTORING RELATIONSHIPS									
	FORMAL	INFORMAL	SITUATIONAL						
Structure	Traditional/structured	Voluntary/very flexible	Brief contact/often casual						
Characteristic	Driven by organizational needs	Mutual acceptance of roles	A one-time event						
Effectiveness	Results measured by organiza- tion frequently	Periodic check-ups by supervisors	Results assessed later						

Adapted from Shea GF: *Making the most of being mentored: how to grow from a mentoring partner-ship,* Lanham, Md, Crisp Publications, 1999, pp 73-75.

Remember Kramer's phases of reality shock in Chapter 1? Let us see how an effective mentorship relationship could address each of the phases.

### **Honeymoon Phase**

The mentor can be supportive by listening and understanding when the mentee shares the excitement of starting the new position and passing the NCLEX Exam. The mentor can act as an intermediary with other staff members and as a role model.

### **Shock or Rejection Phase**

Mentors can encourage mentees to discuss their feelings of disillusionment and frustration, as well as share their own personal transition processes through this phase. Asking mentees to write down their feelings (keep a reflection journal) or discuss ideas to make changes to the situation can be helpful in mitigating the feelings associated with this phase.

### **Recovery Phase**

The mentor's role during this phase, as mentees begin to accept the reality of the situation and put issues in perspective, is to maintain an open channel of communication and encourage mentees to "step outside their comfort zone" and try new things.

### **Resolution Phase**

Mentors are very instrumental during this phase to reinforce positive qualities that the mentee possesses and to encourage the mentee in solving problems related to any issues involving the desire either to change nursing positions or to stay put. It is important to remember that any nurse may experience reality shock throughout her or his career when she or he enters a new work area (Brunt, 2005).

### What Does the Future Hold?

The future of mentoring programs is changing. Because of technological advancements that have made it possible to offer nursing programs online, a new wave of mentoring has evolved, known as e-mentoring. The term *e*-mentoring simply means any type of mentoring partnership that takes place in an online modality (NHLBI [National Heart Lung and Blood Institute], 2012). The NHLBI has launched an e-mentoring program for all college students and graduate students continuing their education in a science-related field (NHLBI, 2012). An advantage of e-mentoring is that mentoring can occur at any time; there are no time or physical constraints that may occur in a face-to-face mentoring partnership (Research for Best Practice Box 3-2).

# RESEARCH FOR BEST PRACTICE BOX 3-2

### E-Mentoring

### **Practice Issue**

Formalized orientation programs traditionally are offered onsite at the new graduate nurses' employing institution following their hire. Throughout the orientation, the new nurse is paired with a preceptor and begins to acquire increased confidence and problem-solving abilities by working with the preceptor in delivering patient care, performing nursing skills, delegating, and communicating with other members of the health care team for a set period of time. A shortage of nursing staff, coupled with an increase in the number of nurses retiring from the workforce and limited educational resources, pose as a myriad of factors affecting the new graduate nurse's transition into practice.

### **Implications for Nursing Practice**

- Develop or adapt an e-mentoring model where a portion of the new graduate nurse's orientation program occurs in a blended learning environment consisting of both an online component and onsite at the institution.
- The online component would consist of the new graduate nurse and mentor. Seek mentors for the online course who possess leadership skills and are committed to communicating with the

- new nurse in an online environment, who maintain professionalism, and who are familiar with using the technology (e.g., e-mail, posting discussions in an online discussion thread).
- Miller and colleagues (2008) conducted a study on the effectiveness
  of e-mentoring in public health nursing by evaluating experiences
  gained both of students and of mentors, and they concluded that
  the students (practicing nurses completing a public health nursing
  course) gained greater confidence in understanding populationbased practice and developed skills "in problem-solving, coordinating, and identifying best practices" (p 397) in public health nursing.

### **Considering This Information:**

What are your thoughts on e-mentoring? What strategies would you use to maintain a consistent and open line of communication with your e-mentor? What do you feel will benefit you the most as a mentee using an e-mentoring approach?

### Reference

Miller L, et al: E-mentoring in public health nursing practice, *J Contin Educ Nurs* 39(9):394–399, 2008. Retrieved from http://dx.doi.org/10.3928/00220124-20080901-02.

# RESEARCH FOR BEST PRACTICE BOX 3-3

### **Peer Mentoring**

#### **Practice Issue**

Peer mentoring involves a shared learning experience where a senior nursing student mentors a beginning or freshmen nursing student in fine-tuning nursing skills, assisting with test-taking strategies and study tips, and in sharing strategies for success in nursing school. According to Dennison (2010), peer mentoring has the potential to address the looming clinical site shortage and decreased number of faculty by having a component of the senior nursing student's clinical experience include a peer mentoring role in the nursing laboratory where he/she works with first- and second-semester nursing students in learning how to operate medical equipment and perform nursing skills.

### **Implications for Nursing Practice**

- The mentors (senior nursing students) gain leadership skills and professional role development behaviors by mentoring other nursing students in the nursing program.
- The mentor maintains competency with nursing skills as he/ she is continually teaching the skills to mentees in the nursing laboratory.

- The mentees (beginning or second-year nursing students) gain experience in learning nursing skills and may be more comfortable performing these skills in front of a student than a clinical instructor (Dennison, 2010).
- The mentee can take advantage of working one-on-one with a mentor in the nursing lab.
- Including peer mentoring as a component of the student's capstone course addresses decreased clinical site availability.

### **Considering This Information:**

What attributes would you look for in a peer mentor to assist you in performing various nursing functions in the skills lab? What do you feel might be a potential challenge(s) in working with a peer mentor? How will you plan to overcome these challenges?

### Reference

Dennison S: Peer mentoring: untapped potential, J Nurs Educ 49(6): 340–342, 2010. Retrieved from http://dx.doi.org/10.3928/014848 34-20100217-04.

Peer mentoring programs are developing on campuses throughout the United States. These programs allow senior-level nursing students to mentor entering freshman nursing students. Peer mentoring can be an effective collaborative clinical teaching model for use as a capstone course or preceptorship for senior-level nursing students (Research for Best Practice Box 3-3).

### CONCLUSION

Here is one final note about mentorship: There is a short anecdotal story about "Everybody, Somebody, Anybody, and Nobody" that has become part of Internet lore. I think you will understand that Everybody has to realize the importance of advancing the field of nursing through mentorship; your task will be to find that Somebody who is willing to extend a hand to guide you through the process.

There was an important job to be done, and Everybody was sure that Somebody would do it. Anybody could have done it, but Nobody did it. Somebody got angry about that, because it was Everybody's job. Everybody thought Anybody could do it, but Nobody realized that Everybody wouldn't do it. It ended up that Everybody blamed Somebody when Nobody did what Anybody could have.

Mentoring is a complex, interpersonal, emotional relationship. All parties involved in a mentoring relationship benefit from a mutual exchange of information, life experiences, and diversity. Mentoring is defined as a developmental, empowering, and nurturing relationship that extends over time (Vance and Olson, 1998). It involves mutual sharing,

learning, and growth that occur in an atmosphere of respect and affirmation (Bower, 2000). A mentor has been described as a role model and guide who encourages and inspires. We leave you with this thought...

"There are two ways of spreading light: to be the candle or the mirror that receives it."

-Edith Wharton

# RELEVANT WEBSITES AND ONLINE RESOURCES

### American Association of Colleges of Nursing (AACN) (2012)

Accredited nurse residency programs. http://apps.aacn.nche.edu/CCNE/reports\_residency/resaccprog.asp.

### Institute of Medicine of the National Academies (IOM) (2010)

The future of nursing: leading change, advancing health (consensus report). http://www.iom.edu/Reports/2010/The-Future-of-Nursing-Leading-Change-Advancing-Health.aspx.

### NHLBI (National Heart Lung and Blood Institute) (2012)

eMentoring: an online mentoring initiative. http://www.nhlbi.nih.gov/ementoring/index.htm.

# University HealthSystem Consortium (UHC) and American Association of Colleges of Nursing (AACN) (2012)

Nurse Residency Program. http://www.aacn.nche.edu/education-resources/nurse-residency-program.

### U.S. Department of Health & Human Services (2012)

HHS mentoring program: become a mentor/mentee. https://mentoring.hhs.gov/mentors.aspx.

### **BIBLIOGRAPHY**

Billings, D., & Halstead, J. (2009). *Teaching in nursing: a guide for faculty* (3rd ed.). St. Louis: Saunders.

Bower, E. (2000). Mentoring others. In E. L. Bower (Ed.), *Nurses taking the lead* (pp. 11–14). Philadelphia: Saunders.

Bratt, M. (2009). Retaining the next generation of nurses: the Wisconsin Nurse Residency Program provides a continuum of support. *Journal of Continuing Education in Nursing*, 40(9), 416–425.

Brunt B: Beyond precepting: developing mentor skills. Retrieved from www. nursce.com/courses/ 1067/1067.htm.

Emerson, R. J. (2007). Nursing education in the clinical setting. St. Louis, MO: Elsevier.

Gibbons, A. (2004). Mentoring definitions. Retrieved from www.coachingnetwork. org.uk/Resource Centre/Articles/ViewArticle.asp?artId=54.

Guest, A. B. (1999). A coach, a mentor...a what? Success Now 13.

Institute of Medicine of the National Academies. (IOM). (2010). The Future of Nursing: Leading Change, Advancing Health (Consensus report). Retrieved from http://www.iom.edu/Reports/2010/The-Future-of-Nursing-Leading-Change-Advancing-Health.aspx.

International Coach Federation. (2008). What is coaching? Retrieved from www.coachfederation. org.

NCSBN. (National Council of State Boards of Nursing). (2008a). NCSBN transition to practice report. Retrieved from www.ncsbn.org/388.htm.

NCSBN. (National Council of State Boards of Nursing). (2008b). NCSBN Transition to practice model. Retrieved from www.ncsbn.org/TransitiontoPractice RegulatoryModel\_100209.pdf.

NHLBI. (National Heart Lung and Blood Institute). (2012). *eMentoring: an online mentoring initiative*. Retrieved from http://www.nhlbi.nih.gov/ementoring/index.htm.

Peddy, S. (2001). The art of mentoring. Houston: Bullion Books.

Shea, G. (1999). *Making the most of being mentored: how to grow from a mentoring relationship.* Lanham, Md: Crisp Publications.

Vance, C., & Olson, R. K. (1998). Discovering the riches in mentor connections. *Reflections on nursing leadership: Sigma Theta Tau International Honor Society of Nursing*, 26(3), 24–25.
Yoder, L. H. (2007). Coaching makes nurses' careers grow. *NurseWeek*, 14(10), 36–38.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# UNIT II

# Career Development

4

# **Employment Considerations: Opportunities, Resumes, and Interviewing**

JoAnn Zerwekh, EdD, RN

School is almost finished, and the dream of being paid as an RN (Real Nurse) will soon come true!



Nursing offers more job possibilities than any other aspect of health care. So if your first choice doesn't work out, select another specialty!

After completing this chapter, you should be able to:

- Assess trends in the job market.
- Identify the primary aspects of obtaining employment.
- Describe the key aspects of a resume.
- Describe the essential steps involved in the interviewing process.
- Discuss the typical questions asked by interviewers.
- · Analyze your own priorities and needs in a job.
- Develop short-term career goals.

With graduation in sight, you are excited but probably a little anxious about moving into the workplace, looking for the perfect match to your hard-earned degree. As you consider possible employment opportunities, prepare for the upcoming job search as you would any graded class assignment: Do your homework! Careful preparation is the key to finding a job you really want. Very few worthwhile job offers come to someone who just happens to walk into the human resource department. The continued expansion of the health care

field and the growing nursing shortage has created tremendous opportunities for recent graduates. You have developed marketable skills that are in demand, but to sell yourself successfully to prospective employers and get the job you really want, you must do some "homework."

Take some time to brainstorm about a career—if you could go anywhere you wanted to go in nursing, where would it be?

In addition to evaluating the possibilities and limitations of the job market under consideration, give yourself plenty of time to consider what type of position you want and need, in addition to the possibilities and limitations of the job market under consideration. You can compare the process with the selection of a marriage partner, car, home, or any other major life choice. It is important for nurses to take the time to create a career plan. Your first professional position is a stepping-stone in a long nursing career; it will help define who you are and influence your career path. Only you can determine the path you want to travel, so it is important that you become informed and selective in the process. Too often, new graduates accept their first job without sufficient awareness of their own needs or knowledge about the employer they select. Your work is a major factor in your life. If you simply go to work every day, put in your time, and go home, then your job will manage you. If your work enriches your life, is exciting, and gives you a feeling of fulfillment, then you are in charge. As a graduate nurse, you have a choice—to do nothing or to take charge of the direction you want to go. However, as the Cheshire Cat was well aware, only Alice could make the choice as to the direction she should go (Figure 4-1). Although there is no guarantee that a job will be a perfect fit, career dissatisfaction and turnover can be decreased if careful consideration is given to possible job selection before you send out your resume and schedule an interview.



FIGURE 4-1 Choose carefully where you want to go.

This chapter provides some guidelines to a thorough background preparation for your job search. Critical Thinking Box 4-1 will help you identify your clinical interests and the possible reasons for these preferences. Hint: This will also help you answer interview questions about your professional interests.

### WHAT IS HAPPENING IN THE JOB MARKET?

For the last few years it has been impossible to read an article about the health field that does not mention the nursing shortage, the "looming nursing shortage," or the "worst nursing shortage in U.S. history," and, despite the current easing of the nursing shortage because of the recession, the U.S. nursing shortage is projected to lead to a shortfall of 260,000 registered nurses by 2025 (Buerhaus et al, 2009). The "2008 Registered Nurse Population," a survey conducted every 4 years by the Health Resources and Services Administration, noted that the average age of all licensed RNs increased to 47 years in 2008 from 46.8 in 2004, which represents a stabilization after many years of continuing large increases in average age. Nearly 45% of RNs were 50 years old or older in 2008, a dramatic increase from 33% in 2000 and 25% in 1980 (HRSA, 2010). According to Carlson (2009), the recession has changed retirement plans for many older nurses. This means that experienced nurses are staying in the workforce; however, Buerhaus et al (2009) point to a rapidly aging workforce as a primary contributor to the future projected shortage.

The graying of the American population will have a large impact on the health care industry. There will continue to be a substantial increase in the number of older patients,

# **CRITICAL THINKING** BOX 4-1

### Assess Your Wants and Desires, Likes and Dislikes

Identify your interests and the possible reasons for them.	
INTERESTS	REASONS
1. I prefer to work with patients whose age is	
2. I prefer to work in a small hospital versus a large medical center	
3. I prefer rotating shifts versus straight shifts	
4. I prefer an internship versus general orientation	
<b>5.</b> I prefer to have a set routine or a constantly changing environment	
6. I prefer these areas (e.g., geriatrics, pediatrics, community, home health, medical)	
7. Which of my religious or cultural beliefs or values might have an impact on where I work?	

and their levels of care will vary widely from assisted living settings to high-technology environments.

What will happen with nursing employment, the job market, and health care when a large percentage of nurses become part of the older generation? What effort will hospitals make to retain older nurses as the economic recession recovers? Who will mentor the new nurses and help them develop critical decision-making skills at the bedside? How will the role of simulation help to bridge the gap between textbook learning and clinical decision-making? According to the Bureau of Labor Statistics, 2012-2013 Occupational Outlook Handbook, "Employment of registered nurses is expected to grow 26 percent from 2010 to 2020, faster than the average for all occupations." The current and continuing shortage in nursing personnel in some areas of the country will dramatically heighten the need for increased efficiencies in clinical education for new graduates. How will the job market continue to evolve for the graduate nurse during the next 5 years? Only one thing is certain—everything will continue to change at an increased pace (Critical Thinking Box 4-2).



### **CRITICAL THINKING BOX 4-2**

What changes have you observed as a result of the nursing shortage? What impact has the shortage had on salaries and staffing in your community? If the signs of a nursing shortage were beginning to surface in the late 1990s, why haven't we (education, health care employers, government) yet created effective solutions to this growing problem?

### SELF-ASSESSMENT

# What Are My Clinical Interests?

Begin by jotting down possible settings where you could pursue your areas of clinical interest. Depending on your interests, there will be a number of possible paths to pursue. As you identify clinical areas that interest you, try to prioritize them. This step may seem like a nonissue if you tend to "eat, sleep, and drink" one nursing specialty; however, many people have two or more strong interests, and this step helps to outline some increased possibilities. Believe it or not, some graduating students confess to liking *every* clinical rotation and feel pulled in multiple directions when they consider where to begin a job search. If that description fits you, hang in there—you are not alone! Keep in mind that all nursing experiences, both negative and positive, can contribute to your career in a productive way. The more areas you sample, the broader your knowledge base as you gradually build a career.

Recruiters like to see flexibility in new graduates, but let us try to narrow your professional interests just a bit before your actual job search. Perhaps you can identify what you liked about each clinical rotation through reflective journaling and then prioritize possible interests or identify common experiences.

# What Are My Likes and Dislikes?

Another way to approach self-assessment involves identification of your likes and dislikes in the work setting. This is related to interests, but on a more personal level. The job you eventually select may have some drawbacks, but it should meet many more of your likes than dislikes in order to be a good "fit" (Figure 4-2).



FIGURE 4-2 Assessing personal needs and interests. Is the job a good fit?

Write out your responses to the following questions:

- 1. Do you enjoy an environment that provides a great deal of patient interaction, or do you thrive in a technically oriented routine? Think back to your clinical rotations and see if you can find a pattern to what was most enjoyable or disagreeable.
  - I liked opportunities for using many technical skills.
  - I was bored with slower-paced routines (e.g., mother-infant care).
  - I liked to see the results of care as soon as possible (e.g., post-anesthesia care unit [PACU]).
  - I disliked the constant turnover of patients every day (e.g., ED).
- 2. Do you enjoy caring intensively for one or two patients at a time with a high acuity level and a potential rapid change in patient status, or do you prefer a patient assignment less acute with opportunities for family education and observing increased patient independence? Why did you like or dislike one type or the other? Discuss your responses with some friends who may have had other experiences and get their opinions. Consider how you will explain your preferences to a nurse recruiter on the phone, in an online cover letter, or in person.
- 3. Do you learn best in a highly structured environment or in more informal on-the-job training situations? Knowing your learning style can guide your interest and narrow your selection of an internship or orientation program. For example, internships range from formal classes with lengthy preceptorships to more informal orientations of fairly short duration. Remember, a program that meets *your* needs may not be the answer for your best friend. Write down what you would like from an orientation or internship program. Look over your list and prioritize what you need and want most.
- 4. Do you feel comfortable functioning with a significant degree of autonomy, or do you want and need more direction and supervision at this point in your professional development? Shortly you will have completed nursing school, backed up by employment on a telemetry unit throughout your senior year. Are you ready to be a charge nurse

- on the 3 to 11 PM shift in a small rural hospital, or do you want a slower transition to such responsibility? If this situation were offered, would you be flattered, frightened, or flabbergasted? Write down your reaction and consider how you would respond to the recruiter who offers such a position to you.
- 5. How much physical energy are you able and willing to expend at work? Running 8 to 12 hours daily may or may not act as a tonic. Think back to the pace of your clinical rotations, and consider how your body reacted (minus the anxiety associated with instructor supervision, if you can!). Would you prefer a unit that has some predictable periods of frenzy and pause, or do you thrive on the unpredictable for your entire work shift?
- 6. Are you a day, evening, or night person? Are there certain times of the day when you are at your peak of performance? How about your worst? Be honest and realistic with your answers. Very few people are equally efficient and effective 24 hours a day. If your body shuts down at 10 pm, or you resist all efforts to wake up before 9 Am, a certain shift may need to be eliminated. However, if the job market is tight in your area of interest, the available positions may be on a less-desirable shift, and you may need to make adjustments in other areas of your life temporarily to acclimate better to a professional position.
- 7. Do you like rotating shifts, or, perhaps more realistically, can you work rotating shifts? One aspect of reality shock for many new graduates is the realization that working the day shift may have ended with the last clinical rotation in school. Hospital and long-term care staffing is 24 hours a day, 7 days a week. It is a "24/7 profession"—a possibly unpleasant aspect of nursing, but a real one nonetheless. Assess your ability to work certain shifts and try to strike a flexible approach before you speak with nurse recruitment. Working 12-hour shifts (7 AM to 7 PM or 7 PM to 7 AM) can be very demanding on the days assigned, but this option is very popular with many nurses because of the increased number of days off.
- 8. Consider the impact of these choices on your family, your social life, and other needs. If there are certain shifts you must rule out, recognize that this may limit your job choices, and plan accordingly. Giving some thought to your flexibility ahead of time will help you avoid committing to any and all shifts during an interview and will facilitate your job hunt. On the other hand, it is probably not realistic to request a Monday-through-Friday schedule in an acute-care setting unless the organization has a separate weekend staff or a high level of personnel who request to work only weekends. Shift patterns may vary significantly within a city—and in different areas of the country as well—so do your homework online or through job fairs about available shifts before you go in for an actual interview.
- 9. Can you work long hours (e.g., 12-hour shifts) without too much tension and fatigue? The 12-hour staffing option offers flexibility (e.g., six 12-hour workdays in an 80-hour pay period) but leaves some people exhausted and irritable. Consider your personal needs outside of work when you respond to this item. Can you climb into bed or put your feet up after a nonstop 12-hour shift, or do you need to pick up family responsibilities as soon as you walk in the door? The 4 days off may well compensate for 3 days of fatigue, but map out your needs before you begin your job search.
- 10. Do you like making decisions quickly or generally favor a more relaxed approach to clinical problems? In general, ICU and step-down units require more immediate reactions than an adolescent psych unit or orthopedics. Does the ICU environment excite or overwhelm you? Would you prefer a slower pace? Do not criticize yourself for your

- likes or dislikes. Slower-paced units require different strengths, not less knowledge. You have nothing to gain by working in an ICU if you dislike the setting. Meet your own needs, not someone else's. You will spend a great deal of your time at work. Make the choice for you, not someone else's idea of the perfect job.
- 11. What do you need in a job to be happy? This question does not mean money or benefits, but rather the sense that the job is worth becoming excited about. Think about your past employment, whether in health care or not. What did you like or dislike about the job? What made you stay? Possible answers include opportunities for growth, advancement, working with people you respect, or collegiality. Remember, your answers should include things that are important to you. These are the kinds of issues that make you eager to go to work or to help you work through difficult clinical days. You may want to compare your answers with those of others whose opinions you value to gain a broader perspective.

### What Are My Personal Needs and Interests?

A third aspect of self-assessment focuses on personal needs and interests. How much time and effort are you willing and able to give to your career at this point? Will work be a number-one priority in your life, or does family or continued education take precedence?

Is relocation a possibility? If you are considering relocation, decide how you will gather information on possible job opportunities in the area or areas under consideration. Include Internet websites, professional journals, and professional and family contacts as possible sources of information. In addition to reviewing online job possibilities, research the hospital's website for details about the organization's overall philosophy, its department of nursing, and a sense of "fit." Prospective employers want to know that applicants have taken the time to become knowledgeable about them and appreciate when applicants ask more informed questions about employment.

If this is a voluntary move, develop a list of pros and cons for each location under consideration. Include your personal interests in the decision (e.g., cost of living, commuting time, possible relocation allowance, access to recreational activities, opportunities for advanced education, and clinical opportunities).

What salary range are you willing to consider? Although starting salaries for new graduates are generally nonnegotiable, differentials for evenings, nights, and weekends create a range of salary possibilities. If you want an extended internship, a lower starting salary may be offered. Are you willing and able to trade this for the benefits of an extended internship? The quality of the internship may be worth a lower salary temporarily because of later advancement opportunities. Some areas of the country offer considerably higher salaries than others, but factor in the cost of living before you move out of town. You may be unpleasantly surprised by a monthly rent that swallows up a significant percentage of your salary.

# What Are My Career Goals?

The final step of your self-assessment is the development of career goals. Yes, you really do need to have some goals! You are the architect of your professional future, so take pen to paper or fingers to the keyboard and start designing. Consider your answers to the following questions.

What do you want from your first nursing position? Possible answers might include developing confidence in decision-making, more proficiency with technical skills, and increased organizational abilities.

What are your professional goals for the first year? Third year? Fifth year? If you cannot imagine your life, let alone your career, beyond 1 to 2 years, relax. Many people feel uneasy planning beyond their initial position and first paid vacation.

Develop a comfortable response to a question regarding your goals for the first year, and consider what you might want to do after that. Remember, it is far easier to gauge how your career is progressing if you have established some benchmark goals to which you can refer. This is also a favorite question posed during interviews, so spend some time thinking about it! Recruiters are interested in nurses with a plan.

### RESEARCHING PROSPECTIVE EMPLOYERS

### What Employment Opportunities Are Available?

You have a world of nursing to choose from; there are opportunities available to begin your practice as a graduate nurse. The largest employers are hospitals or acute-care facilities. In hospitals, a wide variety of positions are available, although new graduates are almost always placed in staff nurse positions. If it is a general hospital, you need to choose what areas interest you most. Your first position may not be exactly what you want, but remember, it is the first step toward your career goal. As you build your competence and self-esteem, you may find just the position you want. In many hospitals, staff positions represent different levels of proficiency, especially if the hospital participates in clinical or career ladders (Figure 4-3).

The staff nurse position can be one of the most challenging. It can also be like an "incubator" in which to develop your nursing career.




FIGURE 4-3 Ways to research prospective employers.

Charge positions may involve responsibility for a particular staff or a particular day, or they may involve managing staff for an entire unit. New graduates should not be placed in charge positions until they have mastered a staff nurse role, but influences within the marketplace may result in new graduates being offered the charge position, especially in more rural settings. If this is a situation that you will face soon after graduation, make sure that you identify your resources and consider whom you can contact for professional support and backup. Do not allow your ego to let you accept an unsafe position that could endanger patients and your hard-earned nursing license.

Entry-level positions in the hospital are usually staff nurse positions. Staff nurse positions in medical-surgical nursing are some of the most demanding—and rewarding—positions. Frequently, nurses begin their careers here with the intention of moving on to greener pastures; however, the rewards and challenges may more than fulfill their needs. It is important that your first position offers you an opportunity to develop your nursing skills further. Surely, you have heard at least one person in nursing school say, "You should get a year's experience in med-surg first." Is this a true statement? Yes and no. Yes, if you want to work in a medical-surgical field, and no, if you do not. Yes, the experience will help sharpen assessment skills and some technical skills, but every area of work has advantages and potential drawbacks. If you know in your heart that med-surg makes you miserable, turn around and go in a different direction. Life is too short to be miserable for 8 to 12 hours a day. Furthermore, chances are that you will not give your best to the patients if you are unhappy.

Whether it is working in the emergency department, day surgery, specialty units, or medical-surgical units, staff nurse positions give you a very valuable opportunity to polish your time management, patient care organization, and nursing skills. After you are confident with skills, procedures, and the overall practice of nursing, you may be ready to move on to new challenges. This may take 6 months for some recent graduates. For others, it may take a year or more. Take the time to reinforce your nursing competencies; it will prepare you for your future practice in nursing. Other areas in which nurses may find employment include community health, home health care, and nursing agencies. Working in the community in such positions as occupational health, school health, and the military may require a bachelor's degree in nursing and at least 1 year of hospital nursing. If you want to work in a community setting, concentrate initially on refining your assessment and critical thinking skills in the acute-care setting, because the autonomy of the community setting means more decision-making on your own without the immediate backup of experienced peers who are usually available in the acute-care setting.

# What About Advanced Degrees in Nursing?

There are many advantages to earning an advanced degree in nursing (review Chapter 7 for the different choices). One of the most important aspects of obtaining an advanced degree is using your experience as a nurse to help determine in what direction you want to go. If you have an associate's degree, you might want to consider the basic requirements for your bachelor's degree, including what schools are available and what their requirements are. This is an area you can begin to work on immediately after graduation. As you interview for jobs, ask whether the prospective employer will work with your schedule if you decide to go back to school and if the employer provides tuition reimbursement for continuing education.

### HOW DO I GO ABOUT RESEARCHING PROSPECTIVE EMPLOYERS?

### **Employment Considerations: How Do You Decide on an Employer?**

In your search for a job, it is important to look for organizations and hospitals that create a work environment that supports professional nursing practice. In 1980, the American Academy of Nursing identified criteria for the designation of "magnet hospitals." This designation recognized certain hospitals for their lower turnover rates, visionary leaders, value they placed on education, and ability to maintain open lines of communication. To identify magnet hospitals in your area, check the website www.nursecredentialing.org/magnet/searchmagnet.cfm (ANCC, 2010). In your search for a job, it is important to look for organizations and hospitals that create a work environment that supports professional nursing practice. In the current job market, locating magnet hospitals in your community is an important consideration in your job search.

### **Media Information**

**Newspapers.** Although many people no longer look at the newspaper for information, preferring the Internet for data, the newspaper still remains a good place to access useful information about jobs, as well as articles about hospitals or other health care employment opportunities. This will vary considerably depending on the area of the country where you are hoping to work. Scan the advertisements to see whether any are targeted specifically to graduating seniors. Focus on these initially, because they will include information about possible job fairs, internships, or specialized orientations, in addition to specific openings for graduate nurses.

**Online Searches.** Electronic job searches have replaced newspapers for many people as the top place to start looking for employment. This is an efficient way to search, because you can access information for both local and distant nursing opportunities with the ease of a few clicks, assuming that sites are kept current. As a new graduate, consider the value of looking at employer websites rather than generic nursing employment sites, because employer sites are better focused for new graduates. Additionally, many employer websites offer services for building a profile that allows you to customize based on the department or unit you are interested in working for. Using websites is also a terrific way to review the positions available within the entire organization. If you intend to use this method to follow up on a job posting, be prepared to submit your flawless resume electronically—and be sure to spell-check all of your correspondence before you click the "Send" button! Many organizations now require electronic applications, occasionally raising issues of software compatibility for applicants. Know and be prepared to comply with human resources requirements for submitting your resume and cover letter. Patience in the application process is essential for your professional success. With the availability of computer spell checking and editing support, there is no excuse for a poorly written resume or cover letter. Take time to review your documents for errors. Recruiters pay attention to these details.

**Social Networking.** Social networking is the way the twenty-first century seems to communicate with each other in online websites that consist of a community of individuals with similar interests. According to the February 2010 PEW Internet report, approximately 72% of young adults use social network sites and some 40% of adults 30 and older use some type of social sites, such as Facebook, MySpace<sup>TM</sup>, and Twitter<sup>TM</sup>. The survey results also reported that among adults 18 and older, Facebook has taken over as the social network

of choice; 73% of adult profile owners use Facebook, 48% have a profile on MySpace, and 14% use LinkedIn® (Lenhart et al, 2010).

In a 2009 CareerBuilder Survey, it was reported that 45% of employers use social networking online websites to screen future employees. So, if you are trying to make a good impression, then your appearance on the social networking website will be what an employer first sees. Be sure to use a professional photo, perhaps just a headshot, and make your Facebook account private to prevent employers from searching for you if you want to use the Facebook account for family and friends. Potential employers may dismiss you as a candidate after viewing inappropriate photographs or information. A recent study by ExecuNet found that 77% of recruiters run searches of candidates on the Web to screen applicants, and 35% of these same recruiters say they have eliminated a candidate based on the information they uncovered. As the amount of available personal information online grows via sources such as MySpace, Facebook, Twitter, and the like, first impressions are being formed long before the interview process begins, warns David Opton, ExecuNet CEO and founder. "Given the implications and the shelf-life of Internet content, managing your online image is something everyone should address—regardless of whether or not you're in a job search," he says (Lorenz, 2009).

LinkedIn (2013) is a site that operates the world's largest professional network on the Internet with 161 million members in over 200 countries and territories. Linked-In has become the place for reconnecting with colleagues and classmates, as well as powering your career with a vast network of contacts and employers looking for the right employee. Recruiters often search this site. As Copland (2007) says increasingly, if you're not LinkedIn, you may be "left out" finding the right type of position, if you do not have a profile. LinkedIn allows you to link to your professional Twitter or blog and upload your resume to your profile, which definitely comes in handy for interested employers.

**Job Fairs/Open Houses.** You may have the opportunity to attend a nursing job fair or hospital open house as a soon-to-be graduate nurse. Take advantage of these opportunities to collect information about specific employers and possibly to make initial contacts for later interviews. Leave your jeans and tennis shoes at home on these occasions, and put on your professional best. Take some time with your appearance, because first impressions are important! (Figure 4-4)

**Employee Contacts.** If you have a friend or family member—or simply know someone—who works at an organization you are considering for employment, make an effort to speak with him or her about the job environment. As an insider, this person may be able to provide you with a perspective about the employer that the advertisement, recruiter, or interview cannot. Possible questions you may want to ask such an insider include: "Why do you enjoy working there? What was orientation like? How is employee morale? What is the turnover rate for nursing or for other employees? Does management show appreciation for employee effort and welcome employee input?"

### **Recruitment Contacts**

**Letter-Writing Campaign**. Plan to send your resume with a cover letter, and triple-check both documents for grammatical errors. Your resume and cover letter are the first impression you will make with a prospective employer. Make it a positive one!

**Telephone Contact.** Before you pick up the telephone, get out your calendar and start planning likely dates for possible interviews, as well as the approximate date you want to begin



FIGURE 4-4 The first impression is a lasting one, so make it count for you, not against you.

working. Armed with this information, you can comfortably answer questions beyond the fact that you would like the employer to send you a brochure and an application. Depending on the organization you contact, the human resources or nurse recruitment department may want you first to submit a resume online or may ask you to set up an appointment for an interview. Do not commit to an interview if you are not ready.

**Personal Contact.** If you plan just to stop by human resources or nurse recruitment for a brochure and an application, make sure you give some thought to your appearance. Tee shirts, shorts, and jeans are not appropriate and have caused otherwise well-qualified applicants to be passed over for further consideration. Again, remember that first impression!

### WHAT DO I NEED TO KNOW TO ASSESS THE ORGANIZATION?

Now that you have described yourself and have thought about the kind of setting in which you work best, continue these exercises on a consistent basis. This ongoing analysis will help you make decisions about the kind of organization that is best for you and will put you in a position to determine what kind of organization fits you.

# How Do You Go About Assessing an Organization to Find What You Want? Talk to People in the Organization

One obvious answer is to ask the people who work in that organization. When you interview for a position, you can meet people who work in the specific setting in which you are interested. Ask questions that will help you learn about certain situations. Take some time to think about questions and situations you would like to present when you talk to people in various facilities. Keep in mind that the values of the organization will affect your work on a daily basis. If both patients and employees are valued, you will see this reflected in the quality of patient care and in the retention of nurses.

### **Read and Analyze the Recruitment Materials**

Organizations also present themselves to you through their documentation. Carefully analyze the materials presented to you—this is another way of determining the values the organization lives by and deems important. All of these materials are intended to make a statement about the organization's identity.

### **Review the Mission or Philosophy Statement**

There are other written documents to examine. For example, a specific nursing unit may have a mission statement that tells you who they are and what they are about. The department of nursing will have a philosophy statement or possibly a nursing theory that should be the organizing framework around which the members structure themselves in delivering nursing care. In some organizations, the staff knows what this mission statement says and how it provides direction to them. In other organizations, the staff will be unfamiliar with the statement of philosophy and may react with confusion when you ask them. All of these written materials should send a message to you about the organization. Do your observations during the interview process support the organization's mission/philosophy statements? (Critical Thinking Box 4-3)



### **CRITICAL THINKING BOX 4-3**

What are some observations that you could have during your interview process that would cause you to have second thoughts about accepting a position at the organization?

### **Evaluate the Reputation of the Leadership**

Organizations are guided by people at the top and take on the characteristics these people support. What do you know about the chief executive officer (CEO)? This person sets the stage and the direction for the organization. You can gather information about the CEO by checking the organization's website and asking people during the interview what this person is like. People in the community will also be familiar with this person and can give you insight into the values and characteristics that this person represents.

The same can be said for the chief nursing officer (CNO). This person sets the direction for the nursing organization, either by active design or benign neglect, and sets into motion an organization that structures the beliefs about patients, staff, and nursing. It is important to talk with nurses who are working with the CNO to determine how they feel about the leadership in the organization. Has he or she had a successful track record? Is this person well respected? Can people point to a strategic direction and philosophy this person has given to the organization?

### RESUME WRITING

### **How Do I Write an Effective Resume?**

Design your resume by using the KISS principle: Keep It Simple, Sincerely! (That is, use concise wording and make it easy to read, informational, and simple.)

### **BOX 4-1 RESUME GUIDELINES**

- · Catch all typos and grammatical errors. Have someone proofread your resume.
- Present a clear objective that emphasizes your skills and strengths.
- A good first impression is critical, so if written, your resume should be neat and printed on white or off-white paper.
- · Avoid using "I" or "me" in your resume.
- Keep the information concise, preferably limited to one or two pages.
- The rule of thumb on work experience is to show the most current work experience. This generally means the last 10 to 15 years unless there is something in your more distant background that is critical to note.
- Do not try to impress anyone with big words. Jargon specific to the profession is okay if everyone knows what
  it is.
- Do not inquire about salary or benefits in your resume. It is not the right time or place for that.
- Do not exaggerate what you can and cannot do, because the potential employer will check.
- Present yourself in a positive light.
- · Your resume should be neat and visually appealing.
- Do not list all of your references. Be prepared to provide them on a separate list when asked. You may want to have different references for different types of positions.

Your resume is the first introduction a prospective employer will have to you. It will give the employer a basic idea of who you are professionally and what your objectives are for your nursing career. While defining your strengths, it is important not to overstate your skills. Everything that you include on your resume should be true. Expect the employer to check all facts. Do not jeopardize a job possibility by intentional misstatements or careless attention to dates of previous employment or education.

Most employers are willing to train you on all or some of the components of the position for which you are applying. A resume is a concise, factual presentation of your educational and professional history (Box 4-1). Do not be surprised if a recruiter suggests other areas to you in addition to the area you have initially indicated on your resume or in your interview. Be open to suggestions; they may have some ideas or considerations you have not even thought about.

# What Information Is Necessary for a Resume?

Here are the components of a resume. Be sure to proofread what you write for correct spelling and grammar. Do not forget that this is the first impression someone may have of you.

# **Demographic Data: Who Are You?**

Your name, address, telephone number, and e-mail address should be at the top of the page. Be sure to give correct, current information so that the employer can easily contact you. If you need to give an alternate telephone number or e-mail address, provide the prospective employer with the contact person's name, and advise the person that a potential employer may be calling for you. Keep in mind that you never put personal information such as your social security number, marital status, number of children, or your picture on a resume. Your e-mail address conveys a message, so do not include anything that sends a "cutesy" or possibly offensive message to a prospective employer. Consider the image you want to convey.

### **Professional Objective: For What Position Are You Applying?**

There is a wide variety of ways to address this element. However, it is very important that you describe the position you are applying for and specify what department or area of nursing you are interested in. With the widespread use of the Internet, it is easy to view job openings and be more educated and decisive about what you are looking for. You can identify several areas if you have more than one preferred area. This is your short-term goal. You may also state a long-term goal (e.g., transport, quality improvement, case management, transplant team).

### **Education: Where Did You Receive Your Education?**

List your education in chronological order, beginning with the most recent. List the month and year of graduation and what degree you received, if any. If you have degrees other than nursing, include these in chronological order based on when you received them. This section will contain any certifications (BLS, ACLS, PALS) and special training you have received, where you received them, and the date you completed them. If you are currently enrolled in school, be sure to include that as well.

### Professional Experience: What Do You Know How to Do?

"Easy to read" is the goal. It is very important to put this section in chronological order beginning with the present. You want the prospective employer to see what you have been doing most recently. List your current or previous employer, position held, dates from and to, and a brief description of your responsibilities. This is a good place to highlight special skills that you may feel are important to your prospective employer. This section will differ for an experienced nurse versus a recent graduate nurse. However, it is important to list your employment history through the previous 7 years, including those areas of employment that may not be associated with nursing or the health care field. All the experiences you have had as an "employee" help to demonstrate your ability to work with people, handle stress, be flexible, and so forth. It is not necessary to list clinical rotations you have completed during nursing school, which are mostly standardized. If you have not had any work experience and this will be your first job, state that also. It is important for managers and staff educators to be aware of the levels of experience of recent graduates they consider. If you had an opportunity to take a clinical elective in a specialty area, include that information because it may enhance your application, especially if you apply for a position in that specialty.

### **Licensure: What Can You Do and Where Can You Do It?**

This is a very important area of information for nurses. With the implementation of the multistate Nurse Licensure Compact (see Chapters 5 and 20), you may only need to be licensed in one state. It is your responsibility to know which states will honor your license and which ones will require you to obtain a separate license. As a general rule, you will be required to be licensed in the state of your residence, then possibly in another state of practice, depending on the licensure compact of the states involved. List the state in which your license was issued and the expiration date. For security reasons, do not list your license number.

# **Professional Organizations: What Do You Belong To?**

You may list organizations in which you are a member or have held an office. You should list professional and community groups. Include any certifications that you have obtained (BLS, ACLS, PALS). This section is optional.




FIGURE 4-5 Resume.

### **Honors and Awards: For What Did You Receive Recognition?**

If you have received recognition for special skills or volunteer work, you may want to include it here. You may also include any scholarships you have received. This is also an optional section.

### References: Who Knows About You?

Be prepared to provide a separate typed sheet that lists at least three references. Provide the names and telephone numbers of three professionals with whom you have worked. These professionals need to be able to say something positive about you, so give careful consideration to your choices. Always notify your references that you have listed them and that they may receive a telephone call about you. Look at the example of a resume in Figure 4-5, and adapt it to what works best for you. Make every effort as a new graduate to keep your resume on one page, because recruiters generally scan the resume in less than 2 minutes. As you gain professional experience a longer resume may become necessary. If you need further examples of resumes or formats, check the Internet for samples (www.resume.monster.com). Many word processing programs also have resume templates or formats that you can access.

# What Else Should I Submit with My Resume?

Along with your resume, you should enclose a cover letter that serves as a brief introduction (Box 4-2). Summarize your important strengths or give information regarding a change of specialty, but remember that this letter should be brief—about three to five well-written paragraphs on one or two pages (www.csuchico.edu/plc/cover-letters.html). If you have spoken with a recruiter and have a specific name, address the letter to him or her. However, you do not have to address it to a specific person; it will be distributed to the recruiter who

### **BOX 4-2 REMINDERS FOR COVER LETTERS**

### **Content and Format**

Business letter format

Date

Employer's Name and Title

Company Name

Address

- Salutation: Use person's name and title (e.g., Mr. John Smith, Outpatient Supervisor)
- Opening Paragraph: Should state the position you are interested in and how you heard about it.
- Middle Paragraph: Should detail how you are qualified for the position based on experience, skills, and abilities. Discuss your interest in working for this agency. Carefully check for grammar, as the cover letter provides a short glimpse of your writing skills.
- Closing Paragraph: Refer the person to your resume, and focus on the steps or actions that need to be taken to
  initiate an interview.

#### If Mailed

- 8½- by 11-inch paper—white, off-white, or light blue
- Typed, with no mistakes (your first opportunity to wow them with professional style)
- · No smudges
- 1½- to 2-inch margins on all sides
- · Signed, usually in black ink
- No abbreviations
- Business letter format

### If E-mailed

- · Follow good writing skills.
- Create resume in a Word document using standard fonts (Times New Roman, Arial, Helvetica).
- Attach the cover letter and resume, or complete the forms on an agency's human resources website.
- Save files using your name and date (e.g., John-Adams\_resume, 5-2014; John-Adams\_coverletter\_5-2014.)

handles the units in which you have indicated an interest. Simply addressing it to "Nurse Recruitment" will usually ensure that it gets to the right person. Large organizations may have several recruiters, so a general address to recruitment will often suffice.

# What Are the Methods for Submitting Resumes?

There are a variety of ways to submit a resume: hand carry it, submit it electronically by means of e-mail or the hospital website, or mail it via the post office. Your prospective employer will likely have a preferred method for submission. If their website states that electronic submission is required, do not place a printed version in the mail; it is likely to be ignored. One of the most popular methods for nurses to send resumes is through the website of the medical organization where they are interested in obtaining an interview. This is an excellent way to submit your resume, but remember to follow up with a telephone call if you have not heard from a recruiter within 1 week. You can also directly e-mail your resume to a recruiter. E-mail addresses are readily available through business cards, websites, and word of mouth. But beware: Your e-mail first page will serve as the cover letter when you submit your resume using e-mail. The same resume-writing principles apply to all electronically submitted resumes, because your resume will be printed for review.

Employer Address and Phone Number	Interviewer and Title	Date Resume Sent	Date and Time of Interview	Inquiry of Application Letter	Application Submitted	"Thank You" Letter Sent After Interview	Job Offer Received	Confirmation of "No Thank You" Letter Sent	Comments or Notes

**FIGURE 4-6** Record of employer contacts and resumes sent.

There are also many large job-search websites available on the Internet. You can post your resume on any of these by using their specific formats, but remember that businesses must pay a fee to search for applicants. It is important to remember that not all of the organizations belong to every job-search website. Use discretion regarding where you want to post your resume; if you are interested in a specific organization, it is best to review their website directly for positions available and guidelines for submitting resumes.

Now that you have your resume ready to submit, you will need to identify prospective employers. Remember, one of the first things you can do is network. Networking is contacting everyone you know and even some people you do not know to obtain information about specific organizations or institutions. Places where you can network are at your facility during clinical, at nursing student organization programs, at career days at colleges, and at career opportunity fairs. Attend local chapter meetings of nursing organizations. Read nursing journal employment sections. When you have identified the organizations where you would like to discuss possible employment, send them your resume. If you have not heard from them within 7 to 10 days, give them a call to make sure your resume was received and to schedule an interview. Keep a record of contacts and resumes sent so that you will have easy access to all of this information (Figure 4-6). It will be important to document your follow-up actions and results—do not forget to keep copies of correspondence and notes about any conversations with potential employers. Date all entries, briefly note any information received, and indicate all interviews requested and granted, resumes sent, and job offers received. Box 4-3 presents a summary of the steps to finding the job you want.

### THE INTERVIEW PROCESS

# **How Do I Plan My Interview Campaign?**

### **Set Up Your Schedule**

Keep the following points in mind:

- Agencies usually have specific dates for orientations, internships, and preceptorships.
- Identify when you want to begin employment, and mark your calendar.
- Work backward from this date to plan dates and times for interviews.

### BOX 4-3 YOUR CHECKLIST FOR FINDING A JOB

- Define your goals.
- Develop your resume.
- · Identify potential employers.
- · Send your resume and cover letter.
- · Return a follow-up phone call.

- Schedule an interview.
- Send a follow-up letter.
- Keep a record of employer contacts (see Figure 4-6).
- Make an informed decision about where to work.
- Plan no more than two interviews in 1 day. If you do plan more, beware of information overload and the risk of being late for at least one interview. Have two or three possible dates available on your calendar before calling the human resources or nurse recruitment office. Advance planning will keep you from fumbling on the telephone when they tell you that your first choice is unavailable! It is also a good idea to get a contact name and phone number in the event that you need to reschedule the interview.

While you are on the telephone, ask questions about the interview process. How much time should you plan for the interview? It may range from under 1 hour to a half day. If you have not already read the job description in the newspaper or online, ask when you call where you can access it. Becoming familiar with both the job description and the prospective employer is critical to interview success.

What does the interview process involve? It may involve tours and multiple interviews including human resources, nurse recruitment, one or more clinical managers, and, possibly, staff nurses. If you are applying for an internship, it is not unusual to be interviewed by a panel of three or four people. Knowing this ahead of time may increase your anxiety, but it is less stressful than being surprised by this fact at the door.

Will more than one interview be required? Some organizations will use the first interview as a screening mechanism. You may be asked to come back for a follow-up interview.

How do you get to the human resources or nurse recruitment office? Ask for directions ahead of time if you are unfamiliar with the area. Have a good idea of the time involved for travel. Arriving late for an interview may create a very poor initial impression.

Will you be able to meet with clinical managers from different areas on the same day? Are there new graduates in the area with whom you can talk? This is important if you are interested in more than one clinical area. Will a tour of the unit be included? If this is not a standard part of the interview process, express interest in receiving one so that you can get a more realistic idea of the setting and possibly meet some of the staff.

# **Prepare to Show Your Best Side**

Develop your responses for probable interview questions. If you do not plan possible responses, you run the risk of looking wide-eyed as you fumble for an answer or ramble on around the subject. Despite the reality of a severe nursing shortage, organizations still give considerable weight to the interview, and an employment offer is far from automatic to anyone who walks in the door with a diploma or license in hand.

Critical Thinking Box 4-4 includes examples of interview questions with which you should be familiar. How would you answer these questions?

#### **CRITICAL THINKING** BOX 4-4

#### **Sample of Interview Questions**

The following is a sample listing of interview questions with which you should be familiar. Prepare your responses.

- 1. What area or areas of nursing are you interested in and why?
- 2. Tell me about your clinical experiences. Which rotations did you enjoy the most? Why?
- 3. What is the biggest mistake you ever made, and how was the problem resolved?
- 4. Tell me about yourself. What do you see as your strengths? Why?
- 5. How about your weaknesses? Why?
- 6. Tell me about a staff nurse who most impressed you and why.
- 7. How would your most recent nursing instructor describe your performance in the clinical setting?
- 8. Tell me about your most challenging clinical assignment and what you learned from it.
- 9. What skills do you feel you have gained from your past work experiences that may help you in this position?
- 10. Tell me a little about yourself. How would others describe you?
- 11. What are your future career plans? Where do you expect to be in 2 or 3 years? In 5 years?
- 12. We do not have any openings at the present time in the areas in which you have indicated an interest. Would you be willing to accept a position in another area? If so, what other areas interest you?
- 13. Tell me about a time when you had to establish priorities during one of your clinical experiences.
- 14. Tell me about a time when you went out of your way to assist a family or patient, even though you really did not have the time.

(Spend some time looking over your answers. Do they describe you accurately? Rework your answers until you feel comfortable with them, but do not try to memorize the words. They should serve as a guide for the upcoming interview.)

#### Rehearse the Interview

If you role-play a possible interview, it will probably increase your comfort level for the real thing. Following are some suggestions for a rehearsal:

- Dress for the part. It will add some authenticity to the situation.
- Choose a supportive friend, recently employed new graduate, or family member to role-play the interviewer.
- Practice your verbal responses to sample questions in front of the mirror.
- Ask for constructive feedback regarding your appearance, body language, and responses.

Many applicants say they have no questions at the end of the interview. This may be true, or it may reflect the urge to end the interview and relax! Some words of advice: Prepare a few questions! This will be your opportunity to gather important details and possibly impress the interviewer with your interest. The following is a sampling of possible questions:

- What are your expectations for recent graduates?
- What is your evaluation process like?
- Who will evaluate me, and how will I get feedback about my performance?
- I would like some more information about your preceptorship program. How long will I have a preceptor, and what can I expect from the preceptor?
- What is the nurse-to-patient ratio on each of the shifts I may be working?
- What is your policy regarding weekend coverage?
- What opportunities are there for professional and leadership development?
- When do you plan to fill the position?
- How will I be notified if I am offered the position?

### BOX 4-4 THE DOS AND DON'TS OF DRESSING FOR INTERVIEWS

#### Do

- Look over your wardrobe and select a conservative outfit. The tried-and-true rule for job interview attire is this:
   Dress conservatively and professionally. Although a nursing shortage may loosen the rules a bit, the impression you convey by your appearance is likely to be remembered. Also, remember that you may be touring the facility, so wear comfortable shoes.
- Cover any body art and remove any visible piercings jewelry.
- Women: If you own a suit, consider wearing it, but do not blow your budget buying something you will never
  wear again. Other acceptable outfits include a business-type dress or skirt with coordinated top. Dress pants
  and a conservative blouse are also acceptable.
- Be conservative with your perfume, makeup, and hairstyle.
- · Wear minimal jewelry; you do not want to jingle and rattle with every move.
- Wear hose with a skirt or a dress; bare legs may be fashionable, but they are not appropriate for a professional interview.
- Men: Consider wearing a suit or jacket with coordinated slacks and shirt, but do not blow your budget buying something you will never wear again. A tie is optional. A dress shirt and slacks are also acceptable. Be conservative with your cologne, after shave, and hairstyle.
- Take a few minutes to look yourself over in the mirror.

#### Don't

- Wear casual clothes such as tee shirts, jeans, tennis shoes, or sandals. They may reflect the "real" you, but this
  is not the place to show that aspect of your personality.
- Be guilty of poor grooming or hygiene.
- · Chew gum.
- Wear brand-new shoes, which may turn your day into a "painful" experience.
- Bring your children with you. You should leave them at home. Do not expect the staff to act as babysitters.
- · Wear wrinkled or revealing clothing.

#### **Strategies for Interview Success**

One of the most important strategies for successful interviewing is to dress for success (Box 4-4). Pay attention to your interviewing etiquette; your nursing instructors have taught you professional standards, and this is an opportunity to put that education to good use. Also, make sure you know the name and title of the individual who is scheduled to meet with you.

#### CRITICAL FIRST 5 MINUTES!

The decision to hire or not is usually made within the first 60 seconds. You will need to put your best foot forward from the start. Show up at least 10 to 15 minutes early. Smile at everyone you meet, and shake hands firmly (Restifo, 2002).

Arriving early may give you a chance to look over additional information about the organization or possibly give you more time for your interview. If you are delayed or cannot keep the appointment, call the interviewer as soon as possible to reschedule. Under no

circumstances should you present yourself for an interview with your children or spouse in tow. They do not belong at a job interview and will create a negative impression with the interviewer. Human resources cannot provide babysitting services, and the presence of children in the waiting area is a safety concern without adult supervision. If you experience a childcare emergency, call and reschedule the interview.

Be aware of your body language; establish eye contact with the interviewer and maintain reasonable eye contact during the interview. Try to avoid or minimize distracting nervous mannerisms. Keep your hands poised in your lap or in some other comfortable position. If you tend to "talk with your hands," try not to do this continually. If you cross your legs, do not shake your foot. If offered coffee or another drink, decide whether this will relax you or complicate your body language. Show enthusiasm in your voice and body language. Do not chew gum or have anything in your mouth. Give a winning smile when you are introduced, and offer to shake hands.

Demonstrate interest in what the interviewer has to say. Do not argue with or contradict the interviewer! Wait to ask about salary and benefits until all other aspects of the interview have been completed, including your other questions! Salary and benefits are important aspects, but they should not dominate your conversation. If the salary offer is lower than you expected, do not argue with the interviewer. You may point out that another organization is offering a higher starting salary, but do not try to use this information as a form of harassment or coercion. If you want to take some notes during the interview, ask the interviewer if he or she minds. This is generally quite acceptable. Bring along your list of questions, and if you cannot recall them when given the chance, ask to take out your list. Do not check off information during the interview as if you were grocery shopping!

#### PHASES OF THE INTERVIEW

The interview is generally divided into three areas, each of which serves a particular purpose. The first few minutes constitute the introduction. This is a "lightweight" section that is designed to help put you somewhat at ease. Some effort to "break the ice" will be made, and the communication may focus on the traffic, the weather, or the excitement you probably feel about your upcoming graduation. Take some slow, deep breaths and make a conscious effort to relax.

The second phase involves finding facts. Depending on the skill and style of the interviewer, you may be unaware of the subtle change in conversation, but questions about you will most likely now be asked. Your resume may be used as a source of questions, so make sure you can speak about its contents and that every item on the resume can be verified. Be prepared to offer your references and possibly to explain why you have selected these particular individuals. If you have a tendency to give short responses or avoid answering questions, a skilled interviewer will reword the question or possibly note that you do not answer questions well. Interviewers strive to have the applicant talk about 90% of the time, so consider this your audition. They are really interested in getting to know you as a prospective "fit" with their organization, so you should be both enthusiastic and honest. Although many organizations offer a prolonged internship or preceptorship to increase both your confidence level and practical skill set, the interviewer is looking for prospective employees who are capable of being assertive team players—people who can be flexible but persistent. Critical Thinking Box 4-4 offers sample questions that you can practice. Consider how you can best portray your background and experiences for the recruiter.

Explaining how you have gone the extra mile for patients in a challenging situation is what a recruiter and nurse manager want to hear.

Some organizations are asking students or recent graduates to bring in a portfolio reflecting their school experiences. Included in this portfolio might be your skills check-off sheet, exemplar nursing care plans/concept maps, and any educational materials that showcase your best work. This is particularly beneficial if it is signed by the faculty with occasional positive comments.

The closing is the last phase of the interview process. The interviewer may summarize what has been discussed and give you some ideas about the next step in the process (e.g., a tour, a meeting with clinical managers, or a follow-up interview). This is your time to ask questions. However, if you feel full of facts and unable to ask any questions at this time, leave the door open to future contacts by saying "I believe you answered all my questions at this time, but may I contact you if I have some questions later on?"

After the initial interview, you may have the opportunity to tour the area in which you will work. Show interest when this tour is offered, and use it as a chance to observe the surroundings for such things as professional behaviors as well as organizational and environmental factors. If you have the chance, interact with the staff, especially with recent graduates. Ask what they enjoy about their unit and job position. Before leaving, make sure you thank the interviewer for his or her time and interest.

#### HOW DO I HANDLE UNEXPECTED QUESTIONS OR SITUATIONS?

So, you did your homework and you are prepared for anything, but out of the blue you are asked a question you never expected. What should you do? Saying "No fair" is not a good answer! Take a deep breath, pause, and consider saying something like this: "That's an interesting question. I'd like to think about my answer for a minute if you don't mind. Can we come back to that subject later in the interview?" Given a temporary break, you will have time to develop your thoughts on the subject. Do not ignore the question, however, because a good interviewer will most likely bring it up again. Suppose you answer the question but feel your response was incomplete or off the mark. Look for an opportunity at the end of the interview to bring up the subject again, saying something like "I've had some time to think about an earlier question and want to add some additional information if you don't mind" (Box 4-5).

## BOX 4-5 **KEY POINTS TO REMEMBER ABOUT YOUR RESPONSES DURING AN INTERVIEW**

- Answer honestly.
- Do not brag or gloat about your achievements, but do show yourself in a positive light. It might be helpful to
  have your portfolio available from your prelicensure nursing program to showcase your clinical experiences,
  exposure to nursing skills, and other academic accomplishments.
- Remember that you are your best salesperson!
- Do not criticize past employers or instructors. It is more likely to reflect unfavorably on you than on them.
- Do not dwell on your shortcomings. Turn them into areas for future development: "I want to improve my organizational skills. Managing a group of patients will be a challenge, but I am looking forward to it."
- Demonstrate flexibility and a willingness to begin working in an area of second or third choice if the job market is limited in the area for which you are applying.

#### Now Can We Talk About Benefits?

At some point during the interview process, the interviewer might open the discussion of salary and the benefits the hospital has to offer. Salary, job responsibilities, and facility location are not the only major considerations in choosing an employer; do not forget to consider the total compensation package (that is, your benefits). Often, new graduates overlook benefits because their value is less visible than an exciting new salary. Some organizations spend as much as 40% of their total employee payroll to provide this extra compensation. You should consider benefits as your "hidden paycheck" (Box 4-6).

#### **Sign-on Bonuses**

This has become a marketing tool for some organizations. Be cautious: carefully read and evaluate what is connected with the sign-on bonus. How long will you have to work for the employer to receive any or all of the bonus, and when will it be paid? Is the sign-on bonus in any way tied to the area in which you will be working? If you originally wanted to work in an intensive care unit but decided after 6 months that was not the area for you, can you transfer to another unit without losing your sign-on bonus?

When doing your job search, reviewing benefits is a major part of your decision. Therefore, as a new graduate, be sure to familiarize yourself with all the options that are available to you. The human resources department of the hospital or organization will be able to answer your questions. The decisions you make soon after graduation and in the early months of employment will have a far-reaching effect on your future.

#### **JOB OFFERS AND POSSIBLE REJECTION**

Let us consider a positive outcome first. If you are offered a position during or at the end of the interview, you are likely to have one of three possible reactions:

- 1. You are not ready to say yes or no. This is your first interview, and you have two more interviews scheduled.
- 2. You would like very much to work here. The job offer is just what you are looking for.
- 3. You do not want the position. It is not what you thought it would be, or something about the organization has created a negative impression.

Whichever decision you make about the job offer, the following are helpful tips for forming a response:

- Be honest. If you have other interviews to complete, say so. Be prepared to tell the interviewer when you will make your decision about the job offer.
- Avoid being pressured to say yes if you are not ready to commit to the job or feel that the position does not meet your needs.

#### BOX 4-6 BENEFIT PACKAGE OPTIONS

Check with human resources regarding which benefits you are eligible to receive and when they are effective.

- · Health and life insurance
- Accidental death and dismemberment coverage
- · Sick or short-term disability pay
- Vacation pay
- · Retirement plan
- Long-term disability leave

- Dental and/or vision care
- Parking
- Tuition reimbursement
- Loan programs
- Dependent care programs
- · Health and wellness programs

- Be polite. Ask for some time to consider the offer if you are unsure of what you want to do at present.
- If you know the offer does not interest you, decline the offer graciously and express appreciation for the company's interest in you.
- Accept the offer and smile!

Suppose you receive a rejection or no job offer for the position, despite your interest and preparation. Before you leave in a state of dejection, find the courage to ask for a possible explanation if it has not been made clear at this point. If you do not find out about the rejection until later, consider calling the interviewer for this information. Check the following list for common reasons an organization may not offer you a job. Consider whether any of these factors might apply to you:

- *Lack of opening for your interests and skills.* They liked you but could not find a spot right now, or a more qualified candidate was selected for the position.
- Poor personal appearance, including inappropriate clothes. You stopped by for the interview on your way to the gym.
- Lack of preparation for the interview. You were unable to answer questions intelligently or showed lack of knowledge of, or interest in, the employer. Your answers were superficial or filled with "I don't know."
- *Poor attitude.* You conveyed an attitude of "What's in this for me?" instead of "How can I contribute to the organization?" Your first question focused on salary and perks.
- Your answers and behavior reflected conceit, arrogance, poor self-confidence, or lack of manners or poise. They should hire you just because you showed up! Or you submitted a resume and responses that did not reflect initiative, achievements, or a reliable work history.
- You have no goals or future orientation. After all, you just want a job, and they should hire you because there is a nursing shortage.
- Perceived lack of leadership potential. You like being a follower in all situations and do
  not want to make decisions. If this scenario sounds like you, rethink your approach.
  All nurses are expected to be leaders, whether in a formal or informal role. In your
  next interview, ask the interviewer how the organization supports the development
  of leadership in new graduates.
- Poor academic record without a reasonable explanation. You worked as hard as you could in school, but the teachers did not like you; you lacked appropriate references; or your references were not available or did not reflect favorably on you. All experiences provide us with an opportunity for growth, especially the negative ones. Avoid blaming others for your shortcomings, and look for ways to grow from the experience.
- Lack of flexibility. You were unwilling to begin work in an area that is not your first or second choice. Consider how rigid you can afford to be at this particular time or at this organization.

If at first you don't succeed, try, try again.

#### **Postinterview Process**

Now that the interview is finished, you may want to relax, celebrate, or jump in your car to make your next interview appointment. However, stop for a few minutes and jot down some notes about the interview. This is particularly important if you have another

interview the same day. Critique the interview you just had. Consider the following questions:

- 1. What do you think were your strengths and weaknesses?
- 2. Is there anything you wish you had or had not said? Why?
- 3. Were there any surprises?
- 4. How do you feel you handled the situation?
- 5. What can you do differently the next time?

Write down details about the job that will help you decide on its relative merits and drawbacks. If you do not do this, you may not be able to distinguish job A from job B by the time the interviews are finished. You may experience information overload after a number of interviews, but if you have taken notes about each, the sorting-out process will be easier.

After the interviews are finished, rank your job offers against your personal list of priorities to make an informed choice. This may be an unnecessary step for you if you were sold on a particular interview. However, it is a good idea to consider interviewing with at least two organizations, if only to strengthen your decision about the first interview. It will help eliminate possible doubts later about your choice. If there is a job you think you are really interested in, do a couple of other interviews first. This will give you some experience in interviewing. You may then be able to conduct a more positive interview for the position in which you are most interested. More interviews may also open your eyes to other possibilities.

#### **Follow-up Communication**

Remember how nice it is to receive a thank-you note in the mail or a telephone call of appreciation? Well, the same idea carries over to the work world: Write those letters!

#### **Follow-up Letter**

Take a few minutes to write a note of thanks to the interviewer for the time and interest spent on your behalf. You may want to include additional information in the note: your continuing interest in the position if you hope an offer will be made, the date you will be making your job decision, additional thanks for any special efforts extended to you (lunch, individualized tour), and any change in telephone numbers and appropriate times when you can be reached. Use plain thank-you note cards, not frilly or cute ones. This is a situation where a handwritten note is certainly acceptable; just make sure it is legible and neat. Recruiters frequently comment on the positive aspect of a follow-up letter, and this attention to interpersonal communication may serve to keep your name at the top of the list. This step also helps to "separate you from the pack of applicants."

An electronic note of thanks is acceptable (www.jobsearch.about.com/od/thankyouletters/a/samplethankyou.htm). However, in the blur of daily e-mail, a personal handwritten note will particularly stand out.

#### **Letters of Rejection**

As soon as you make up your mind regarding job offers, notify other prospective employers of your decision. Decline their job offers graciously, and include an expression of appreciation for their interest in you. The format for this letter should follow the standard rules of business letters. Remember, you have accepted a position elsewhere, but your career could take a turn in the future that may bring you back to the organization you are now declining. Leave a positive impression with human resources and recruitment.

#### **Telephone Follow-up**

Based on the interview, you should have a pretty clear idea of the "how" and "when" of further contact. A telephone call may be appropriate when you have not heard from a recruiter by an agreed-on date. You can contact a recruiter or interviewer by telephone to decline a job offer, but a personal letter is preferable to leaving a telephone message. Remember to be unfailingly polite to everyone you speak to on the telephone. Administrative assistants and other support personnel will remember and pass on unfavorable impressions to their superiors. Recruiters do not want to hire staff members who are rude or impatient. They know that this behavior is likely to be shown toward patients and families as well. Administrative assistants often act as gatekeepers for their bosses and can be counted on to report both positive and negative perceptions of the job applicants with whom they have contact.

#### What If I Do Not Like My First Position?

It is not uncommon to experience frustrations during your first work experience. Return to Chapter 1 on transitions and reality shock, and review it for some suggestions on how to handle your situation. You also need to keep in touch with the nurse recruiter who hired you. Nurse recruiters can offer further support and assistance. Recruiters know where other recent graduates are working in the organization and may provide you with a network of individuals who can offer suggestions and support to improve your situation. In addition, recruiters know the staffing needs of other areas in the hospital and may suggest transferring. A good way to get an idea of other areas where you may be interested in working is to "shadow" a staff nurse in that area. This means you would spend a day observing this staff nurse performing his or her job. This provides good insight about job requirements and working conditions of that area. When you take your first position, plan to stay there for at least a year. You want to avoid "job hopping," or changing jobs whenever you do not like what is going on with your current position. Remember, other positions have their benefits and problems; the grass may not be greener when you get to the other side of the fence.

Don't trade one set of problems for another set that may be even more difficult.

#### What If It Is Time for Me to Change Positions?

If you think it is time to change positions or explore other options, it is important to submit a letter of resignation (Figure 4-7). Give at least 2 weeks' notice. Check your contract to see whether you agreed to give more than that; if so, give 4 weeks' notice if possible. If you are leaving on less than amicable terms, do not express this in your resignation letter. You can always report grievances to the personnel or human resources department. As a means of improving retention, many organizations conduct an exit interview or call former employees sometime after resignation to explore reasons for leaving. If you are provided this opportunity, make every effort to provide objective feedback and avoid character assassination. Do not "burn bridges" since you may want to work at the organization again later in your career. Maintain a professional attitude as you develop a network of contacts. Always "take the high road" and avoid petty comments.

```
February 1, 2014
Linda Smith
101 Anywhere Street
Dallas, TX 77777
214-555-8888
Ms. Joan Winter
Assistant Vice President
Children's Medical Center of Dallas
Dallas, TX 75235
It is with regret that I must submit my resignation. I have been offered a position with
Hancock Hospital. My period of employment at Children's has been very positive.
I feel I have gained much experience that will be of great benefit to me in my career.
My last day of employment will be November 20, 2014.
Thank you for the opportunity to work at your facility and your kind consideration.
Sincerely.
Linda Smith
Linda Smith
```

FIGURE 4-7 Letter of resignation.

#### CONCLUSION

Searching for and finding your niche in the workplace can sometimes be overwhelming. Take the plunge and start looking. Keep a positive outlook, because the job you are looking for is out there. This is one of those situations in which a little preparation and investigation go a long way toward finding what you want. Get your resume together and start investigating what is out there for you. A basic understanding of the process of job hunting can minimize the frustrations and promote a positive first-job experience. Take a look at the box below for additional online resources for interviewing and securing a job position. Good luck with your job search!

Success lies not in achieving what you aim at, but in aiming at what you want to achieve.



#### **BIBLIOGRAPHY**

American Association of Colleges of Nursing. (2009). Fact sheet: nursing shortage, AACN. Retrieved from www.aacn.nche.edu/media/FactSheets/NursingShortage.htm.

American Nurses Association. (2010). *Nursing Career Center*. Retrieved www.nursingworld.org/careercenter.

American Nurses Credentialing Center. (2010). *Find a magnet organization*. Retrieved from www.nursecredentialing.org/Magnet/FindaMagnetFacility.aspx.

Borgatti, J. (2007). Plan a career, not just a job. Am Nurse Today, 47–48.

Buerhaus, P. I., Auerbach, D. I., Staiger, D. O. (2009). The recent surge in nurse employment: causes and implications. *Health Affairs*, 28(4), 657–668. Retrieved from www.specialtystaffinc.com/news/headline/85.

Bureau of Labor Statistics, U.S. Department of Labor, Occupational Outlook Handbook (2012-13 ed.). Registered nurses. Retrieved from http://www.bls.gov/ooh/healthcare/registered-nurses.htm.

Carlson, J. (2009). Nursing shortage eases. Modern Healthcare, 39(20), 8-9.

Copland, M. V. (2007). *The missing link*. Retrieved from http://money.cnn.com/magazines/business2/business2\_archive/2006/12/01/8394967/index.htm.

Doyle, A. *Thank you letter: job interview*. Retrieved from http://Jobsearch.about.com/cs/thankyou letters/qt/thank.htm.

Health Resources and Services Administration. (2010). *The registered nurse population: initial findings from the 2008 national sample survey of registered nurses*. Retrieved from http://bhpr.hrsa.gov/healthworkforce/rnsurvey/initialfindings2008.pdf.

LaMaster, M. A., & Larsen, R. A. (2010). Prepare for a behavioral interview, then ace it!. *American Journal of Nursing*, 10(1), 8–10.

Larson, S. E. (2006). Create a good impression: professionalism in nursing. *Imprint*, 53(5), 50–52.

Lenhart, A., et al. (2010). Social media and young adults. PEW Internet report. Retrieved www. pewinternet.org/Reports/2010/Social-Media-and-Young-Adults.aspx.

Linked-In. (2013). About us. Retrieved from http://www.linkedin.com/about-us.

Lorenz, K. (2009). Warning: social networking can be hazardous to your job search. Retrieved from www.careerbuilder.com.

Restifo, V. (2002). The successful interview how to market yourself for career advancement. *NSNA Imprint*, 37–41. 2002. Retrieved from www.nsna.org/Portals/0/Skins/NSNA/pdf/Career\_success int.pdf.

Thomas, D. O., & Grossman, V. G. A. (2007). Career compass. RN, 70, 18-24.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

## 5

# NCLEX-RN® Examination and the New Graduate

JoAnn Zerwekh, EdD, RN

The way I see it, if you want the rainbow, you gotta put up with the rain. Dollv Parton



Don't take any chances...understand the NCLEX Examination process.

After completing this chapter, you should be able to:

- Discuss the role of the National Council of State Boards of Nursing.
- Discuss the implications of computer adaptive testing.
- Identify the process and steps for preparing to take the National Council Licensure Examination for Registered Nurses (NCLEX-RN Examination).
- Identify criteria for selecting a NCLEX examination review book and review course.
- Identify the characteristics of the alternate item format questions on the NCLEX examination.

The National Council Licensure Examination for Registered Nurses (NCLEX-RN Examination)—this is the really big test for which you have been preparing since you entered nursing school. Consider the opportunity to take the NCLEX-RN Examination a privilege; it took a lot of hard work to achieve this level, and there are a lot of people who never get there! Your passage through the "NCLEX Gate" will begin your transition into professional nursing. As with other aspects of transition, planning begins early, before you graduate. Planning ahead will help you develop a comprehensive plan for how to attack that mountain of material to review. When you plan ahead and know what is expected, your anxiety about the examination will be decreased. Being prepared and knowing what to expect will help you maintain a positive attitude.

#### THE NCLEX-RN EXAMINATION

#### Who Prepares It and Why Do We Have to Have It?

The National Council of State Boards of Nursing (NCSBN) is the governing body for the committee that prepares the licensure examination. Each member board or state determines the application and registration process as well as deadlines within the state. The NCLEX examination is used to regulate entry into nursing practice in the United States. It is a national examination with standardized scoring; all candidates in every state are presented with questions based on the same test plan. Every state requires the same passing level or standard. There is no discrepancy in passing scores from one state to another. In other words, you cannot go to another state and expect the NCLEX examination to be any easier.

According to the NCSBN, the NCLEX examination is designed to test "knowledge, skills, and abilities essential to the safe and effective practice of nursing at the entry level" (NCSBN, 2013a). On successful completion of the examination, you will be granted a license to practice nursing in the state in which you applied for licensure. The status of state licensure continues to be in a transition process of its own. There are many nurses who maintain a current license in multiple states. The increase in nursing practice across state lines, the growth of managed care, and the advances in telehealth medicine prompted a research project conducted by the NCSBN in the late 1990s. Results of the research resulted in the development of the Mutual Recognition Model for Multistate Regulation. This is frequently referred to as the *Nurse Licensure Compact*. As of June 2010, the compact has been enacted through the legislatures of 24 states (NCSBN, 2013b).

#### **How Will the Nurse Licensure Compact Affect Your License?**

The nursing license in the participating compact states will function much like a driver's license. The individual holds one license issued in the state of residence but is also responsible for the laws of the state in which he or she is driving. The individual nurse will be licensed to practice in their state of residence, but may practice nursing in another state; however, the nurse must comply with the Nurse Practice Act of the state in which he or she practices. The transition process for the Nurse Licensure Compact began in 2002 and is continuing to progress. The Nurse Licensure Compact must be passed by the state legislature in each participating state. Watch your state nursing organization and Board of Nursing newsletters, or check the NCSBN website (www.ncsbn.org) to see where your state is in the process of implementing the Interstate Compact on Nurse Licensure (Critical Thinking Box 5-1).

#### Å

#### **CRITICAL THINKING** BOX 5-1

What is the status of the Nurse Licensure Compact in your state?

Before the Nurse Licensure Compact is implemented, the respective states will continue to require the nurse to be licensed in the individual state of practice. Transfer of nursing licenses between states is a process called "licensure by endorsement." If you wish to practice in a state in which you are not currently licensed, you must contact the State Board of Nursing in the state in which you wish to practice. The State Board of Nursing will advise you of the process to become licensed in that state (see Appendix A, State Boards of Nursing, on the Evolve website). Transferring your license to practice from one state to another

does not negate your successful completion of the NCLEX examination, nor do you have to take the examination again. All states recognize the successful completion of the NCLEX examination, regardless of the state in which you took the examination or where your initial license was issued. You can get the most recent list of State Boards of Nursing from the NCSBN website (www.ncsbn.org).

#### What Is the NCLEX-RN Examination Test Plan?

The content of the NCLEX examination is based on a test blueprint that is determined by the National Council. The blueprint reflects entry-level nursing practice as identified by research and the Practice Analysis Study of Newly Licensed Registered Nurses. The National Council conducts this research study every 3 years. The practice analysis research in 2011 indicated that the majority of new graduates were continuing to work in hospitals with approximately 20% working in long-term care and community-based facilities. A decreasing trend was noted in newly licensed RNs working in hospitals with a subsequent increase seen in longterm care and community-based facilities since the previous practice analysis study. Most entry-level nurses indicated that they cared for acutely ill clients. The majority of entry-level nurses indicated they cared for adult and geriatric clients who were acutely ill, as well as adults and geriatric clients with stable and unstable chronic conditions. The majority of the new graduates surveyed responded that they were receiving some form of formal orientation. Hospitals and long-term care facilities were the primary employers of new graduates. Respondents (50%) reported having a primary administrative position. Newly licensed RNs working in long-term care facilities were more likely to report having administrative responsibilities than those working in hospitals (61.2% in long-term care versus 6.5% in hospitals). The test plan in this chapter was implemented in April 2013 and will be used until April 2016. A new test plan is implemented every 3 years. This represents the time required to conduct the research, analyze the data, and implement the new test plan for the NCLEX examination.

The examination is constructed from questions that are designed to test the candidate's ability to apply the nursing process and to determine appropriate nursing responses and interventions to provide safe nursing care. The distribution of content is based on the areas of client needs. The nursing process is integrated throughout the exam. There are four levels of client needs identified in the 2013 NCLEX-RN Detailed Test Plan (NCSBN, 2013a). Each level of client need is assigned a percentage that reflects the weight of that category of client need on the NCLEX-RN examination. The approximate percentages of each area are as follows:

Safe, Effective Care Environment	
Management of care	17%-23%
Safety and infection control	9%-15%
Health Promotion and Maintenance	6%-12%
Psychosocial Integrity	6%-12%
Physiological Integrity	
Basic care and comfort	6%-12%
Pharmacological and parenteral therapies	12%-18%
Reduction of risk potential	9%-15%
Physiological adaptation	11%-17% (NCSBN, 2013a)

In April 1994, the NCSBN implemented computer-adaptive testing (CAT) for the NCLEX examination for both practical/vocational nurses (NCLEX-PN/VN) and registered nurses (NCLEX-RN). The information presented here is a brief introduction to the NCLEX-RN computer adaptive test (CAT). It is important that you download the NCLEX examination Candidate Bulletin for your testing year from www.ncsbn.org and carefully follow the instructions; you will receive additional information from your state board of nursing.

Pearson VUE is the company contracted by the NCSBN to schedule candidates, administer, and score the NCLEX examination. The NCSBN is responsible for the content and development of the test questions, the test plan, policies, and requirements for eligibility for the NCLEX examination. Pearson VUE will assist you in scheduling your examination and will provide a location and equipment for the administration of the examination.

#### What Does CAT Mean?

With CAT (computer adaptive test), each candidate receives a different set of questions via the computer. The questions are assembled interactively as the candidate progresses through the examination. The computer develops an examination based on the test plan and selects questions to be presented on the basis of the candidates' responses to the previous question. The number of questions each candidate receives and the testing time for each candidate will vary. As candidates answer questions correctly, the next question will be either a degree of difficulty equal to the previous question or a higher level of difficulty. All of the questions presented will reflect the categories of the NCLEX examination test plan (NCSBN, 2013a).

"Pretest" questions have been integrated into the examination in the past and will continue to be integrated into the current examination. The NCSBN Examination Committee evaluates the statistical information from each of these "pretest" questions to determine whether the question is valid and to identify the level of difficulty of the test item (NCSBN, 2013a). Do not be alarmed—these questions are not counted in the grading of your examination, and time has been allocated for you to answer these questions. It is impossible to determine which questions are "pretest" questions and which ones are "scored" test questions, so it is important that you answer every question to the best of your ability. These pretest items ensure that each question that counts toward your score has been thoroughly evaluated for content as well as statistically validated.

#### What Is the Application Process for the NCLEX Examination CAT?

In the beginning of the semester in which you will graduate, your school of nursing will have each student complete an application form and send it to the state board of nursing. When you complete the nursing program, the school will verify your graduate status with the state board of nursing. After the forms have been processed, you will receive an Acknowledgement of Receipt of Registration. You will then receive by e-mail the Authorization to Test (ATT) with instructions regarding how to schedule your examination with Pearson VUE. You cannot schedule your examination until you have received your ATT. Read your instruction packet and your *Candidate Bulletin* carefully (the *Candidate Bulletin* may be found at www.ncsbn.org, navigate to NCLEX Examination Candidates). Beginning in 2014, you will no longer be able to mail in your registration forms. All registrations must be processed via the Pearson VUE website or through the Pearson VUE call center. After you schedule your appointment, you will be sent a Confirmation of Appointment from Pearson VUE. First, verify that all information is correct. Then, call or go online to check that your appointment has been scheduled/rescheduled. If you do not receive a confirmation every time

that you schedule or reschedule an appointment, contact Pearson VUE NCLEX Candidate Services immediately to correct any errors to the appointment (NCSB, 2013c). Your ATT will contain your authorization number, candidate ID number, and an expiration date. The expiration date cannot be extended for any reason; *you must test within the dates on the ATT*. It is to your advantage to schedule your examination date shortly after receiving your ATT—even if you do not plan to take the test for several weeks. Testing centers tend to fill up early; if you wait too long you may not be able to get your desired testing date. Pearson VUE will send you a confirmation of your testing appointment (NCSBN, 2013d).

When you provide an e-mail address at the time you register for the NCLEX examination, all future correspondence from Pearson VUE will be via e-mail, regardless of whether you registered by telephone or via the Internet. As of January 1, 2014, the NCLEX program will be paperless. A paper copy of the ATT letter is no longer necessary for test admittance. To gain access to the NCLEX exam, the candidate must present one form of identification that matches exactly the name they provided when registering. The first and last name on your identification must match exactly the name you provided when registering (NCSBN, 2013e).

#### Where Do I Take the Test?

There are testing sites in every state. A candidate may take the test at any of the Pearson VUE testing sites listed in the *Candidate Bulletin*. However, the license to practice will be issued only in the state where the candidate's application was submitted. Information regarding the location of the centers can be found at the candidate area on the National Council website. There will be multiple testing stations at each center.

#### When Do I Take the Test?

After receiving the ATT, a candidate may contact the NCLEX examination Candidate Services at the phone number provided in the *Candidate Bulletin* or go to the NCLEX examination area of the Pearson VUE website (www.pearsonvue.com/nclex) to schedule the examination. The location and telephone numbers of the testing centers will be included in the information from the NCSBN. Remember, you *must* test within the dates on your ATT. You may schedule your examination as soon as you receive the e-mailed ATT. This means that you could receive the ATT on Wednesday, call or go online to the location of your choice, and if you wish, take the examination the next day, if there is space available. Or, you can call and/or go online and schedule your examination date within the next 2 to 3 weeks.

During the last 2 months of school, begin to make plans for when you would like to take the examination. The examination should be taken within approximately 4 to 6 weeks of graduation. Allow for some study time and consider whether you want to take a formal review course. It is important that you take the examination soon after graduation. If you wait too long, your level of comprehension of critical information will be decreased. Finish school, take a review course if you desire, obtain your ATT, and go take the examination. This is not a good time to plan a vacation, get married, or engage in other activities that could cause a crisis in your life (Critical Thinking Box 5-2).

#### Å

#### **CRITICAL THINKING BOX 5-2**

When do you want to take your NCLEX examination? Refer to this book's *Evolve* website for information on selecting an NCLEX examination review course to help you start thinking about this process and assist you in deciding how to select a review book.

#### **How Much Time Do I Have and How Many Questions Are There?**

Each candidate is scheduled for a 6-hour time slot. You should plan to be at the site for 6 hours. Each candidate must answer at least 75 questions. Within those first 75 questions, there are 15 pretest items that are not scored on your examination. The number of questions you answer and the length of time that you test are not indications of whether you will receive a pass or fail score. The length of your examination depends on how you answered the questions. When the computer indicates that you are finished, regardless of how long you have been testing or how far past 75 questions you have gone, it just means you have "turned your test in," and your test is completed. The examination will end when the student:

- Measures at a level of competence above or below the established standard of competency and at least 75 questions have been answered
- · Completes a maximum of 265 questions
- Has been testing for the maximum time of 6 hours (NCSBN, 2013f)

#### **Do I Have to Be Computer Literate?**

It is not necessary to study from a computer, nor is it necessary that you be "computer literate." Research has demonstrated that candidates who were not accustomed to working on a computer did as well as those who were very comfortable with the computer. So, previous computer experience is not a prerequisite to passing the NCLEX examination!

#### How Will I Keep the Computer Keys Straight and Deal with a Mouse?

At the testing site, each candidate is given a tutorial orientation to the computer. This tutorial will introduce you to the computer; demonstrate how to use the keyboard and the calculator, as well as how to use the mouse to record your answers (Figure 5-1). It will also explain how to record the answers for the alternate item format items (more about this later). If you need assistance with the computer after the examination starts, a test administrator will be available. Every effort is made to ensure that you understand and are comfortable with the testing procedure and equipment.



**FIGURE 5-1** As of 2002, the use of the computer mouse makes navigating the CAT easier. (From Zerwekh J: *Illustrated study guide for the NCLEX-RN exam*, ed 8, St. Louis, 2013, Mosby.)

There will be only one question on the screen at a time. You will read the question and select an answer. After the answer is selected, select "enter" from the lower right corner of the screen, and the computer will present another question. Previously answered questions are not available for review. There is an onscreen optional calculator built into the computer. The tutorial program will demonstrate the use of the calculator in calculating numeric answers.

#### What Is the Passing Score?

Every state has the same passing criteria. Specific individual scores will not be available to you, your school, or your place of employment. You cannot obtain your results from the testing center. Your score will be reported directly to you as pass or fail. A composite of student results will be mailed to the respective schools of nursing. There is no specific published score or number that represents passing.

#### How Will I Know I Have Passed?

The examination scores are compiled at the Pearson VUE center and are transmitted directly to state boards of nursing. Most boards of nursing can advise the candidates in writing of their results within 3 to 4 weeks of taking the examination. Check your *Candidate Bulletin*, as well as online verification from your state board of nursing, regarding the availability of results online or from an automated telephone verification system. *Do not call* the state board of nursing, NCLEX Examination Candidate Services, or the Pearson VUE Professional Centers to inquire about your pass or fail status; they cannot release information over the telephone.

#### What Kind of Questions Will Be on the NCLEX Examination?

Most of the questions are in multiple-choice format, with four options. Each question will stand alone and will not require information from previous questions to determine the correct answer. All of the information for the question will be available on the computer screen. You will be provided an erasable board for any notes or calculations you would like to make. You may not take calculators into the examination; the "drop-down" calculator will be available on the screen for math calculations. Everyone will be tested according to the same test plan, but candidates will receive different questions. There is only one correct answer to each question; you do not get any partial credit for another answer—it is either right or wrong. All questions must be answered, even if you have to make a wild guess. The computer selects the next question based on your response to the previous question. (You do not get another question until the one on the screen is answered.) You will not be able to go back to a previous question after that question is removed from the screen. (This means you cannot go back and change your answer to the wrong one!) There will be an optional 10-minute break after 2 hours of testing. If you need to take a break before the 2 hours, notify one of the testing center administrators. A second optional break is offered after 3½ hours of testing. The tutorial and all breaks are considered part of the 6 hours allowed for testing (NCSBN, 2013d).

There is not much storage space at the testing sites. There are some small lockers for your personal items. Therefore, do not take your textbooks, your notes from school, your lucky stuffed bear, or any other materials you have been carrying around in that pack for the past 2 years! As of March 2013, all electronic devices (cell/mobile/smart phones, tablets, pagers, etc.) are required to be sealed in a plastic bag provided by the Pearson VUE Testing Center (NCSBN, 2013g). If you refuse to store your mobile device(s) in the plastic bag provided, you will not be allowed to take the exam and will be required to repay a \$200.00 examination fee and reschedule to take the exam.

## What Are Some of the Other Things I Really Need to Know About the NCLEX Examination?

#### What If I Need to Change the Time or Date I Have Already Scheduled?

You can change your testing date and time if you advise NCLEX examination Candidate Services 24 hours or 1 full business day before your scheduled examination appointment. You may go to the NCLEX candidate website (www.Pearsonvue.com/nclex) to reschedule or you may speak with an agent at Pearson VUE and receive confirmation of the unscheduled/rescheduled appointment letter. The phone number will be listed in your *Candidate Bulletin*. You can then reschedule the test at no additional cost. If a candidate does not reschedule within this time frame or does not come at the scheduled testing time, the ATT is invalidated, and the candidate will be required to reregister and repay the \$200 registration fee. There are *no exceptions* to this policy (NCSBN, 2013d).

#### What About Identification at the Testing Site?

At the testing site, you will submit a digital signature and will be digitally fingerprinted and photographed. An additional security screening is the palm vein screening. It will be required for admission to the exam. You will also be required to provide one form of identification. All identification documents must be in the original form; no copies will be accepted. Be sure that the first and last name printed on your identification match exactly the first and last name printed on your ATT. The following are acceptable forms of identification (must be in English, valid and not expired, with a photograph and a signature):

- U.S. driver's license
- · U.S. state-issued identification
- Passport
- U.S. military identification (NCLEX, 2013d)

#### What Are the Advantages of CAT for the Candidate?

The environment is quiet and conducive to testing. The work surface is large enough to accommodate both right-handed and left-handed people, with adequate room for the computer. Each candidate can work at his or her own pace and is allowed to test up to 6 hours. Each candidate has his or her own testing station or cubicle. There should be a minimal amount, if any, of distraction by the other candidates who are testing at the same time. If a candidate has to retake the examination, the parameters for retesting are established by the respective state board of nursing. The National Council requires the candidate to wait at least 45 days before rescheduling the examination. Some individual boards of nursing require a waiting period of 90 days after the first examination before scheduling. Candidates who take the examination again will not receive the same questions (NCSBN, 2013f).

#### PREPARING FOR THE NCLEX-RN EXAMINATION

#### Where and When Should I Start?

#### Six Months Before the NCLEX Examination

Make Sure You Know the Dates and Deadlines in the State in Which You Are Applying for Licensure. Your school will advise you of the specific dates the forms are due to the state board of nursing. If you are registering individually, contact the state board of nursing in your state of residence (or in the state where you wish to file for licensure) and find out

the filing deadlines. Make sure you follow the directions exactly. State boards of nursing do not respond favorably to applications that are not submitted on time or are submitted in an incorrect format. A listing of the state boards of nursing can be found on the Evolve website. If you plan to apply for licensure in a state other than the one in which you are graduating, it is your responsibility to contact the board of nursing in that state to obtain your papers for application. Plan early (at least 6 months ahead) to investigate the feasibility of taking the examination in another state.

**Investigate Review Courses.** Review courses can be an excellent resource in your preparation for the NCLEX examination. Review courses will assist you in organizing your study materials and identifying areas in which you need to focus your study time. These courses will help you to understand the NCLEX-RN examination test plan. Understanding the test plan will help you to prioritize your studying.

**Plan an Expense Account for the End of School and for the NCLEX Examination.** Frequently, students face unexpected expenses at the end of school; one of these expenses may be the fees for the NCLEX examination. Start a small savings plan—maybe \$10 a week—to help defray these expenses. For family and friends who want to give you something for graduation, you might tell them of your "wish list," including those expenses incurred at graduation (Box 5-1).

## BOX 5-1 BUDGET FOR THE END OF SCHOOL AND THE NCLEX EXAMINATION

#### How Much Is It Going to Cost Me to Get Out of School?

Required Expenses
Graduation fees from college or university
Application fees for NCLEX-RN examination
Expenses to Take NCLEX-RN Examination
Travel (e.g., car, bus, airfare)
Hotel accommodations at NCLEX examination testing site
Miscellaneous (e.g., food, cab fare, parking)
Optional Expenses
School pin
Uniform or cap and gown for graduation
Graduation expenses passed on to graduate
Graduation pictures (class or individual)
Graduation invitations
Commercial exit testing
NCLEX-RN examination review course (need to plan this before school is out)
NCLEX-RN examination review books (get these early—they really help with the last year of nursing school!)
Expenses After Graduation (It's Not Over Yet!)
Professional organizations (most organizations will give a new membership discount to the graduate nurse)
Professional journals
Uniform, scrub suits, and shoes to begin new job
Professional liability insurance (check with the school regarding transfer from school policy to individual policy)

#### Two Months Before the NCLEX Examination: What Do I Need to Do Now?

If You Have a Job, Discuss Your Anticipated NCLEX-RN Examination Test Date with Your Employer. You can estimate your test date by checking your graduation date, determining from previous students or nursing faculty the approximate time to receive the ATT in your state, and then considering review courses and study time and how these might affect when you want to schedule your examination. Remember, you can change your testing appointment without penalty, as long as you do it within 24 hours (or one full business day) of your scheduled appointment and within the dates on the ATT. Submit your request for days off work in writing as soon as you have confirmed your examination date. This is something you want to make sure that your manager understands. Plan to take off the day or two before the examination and, if possible, the day after as well. This will allow you time to relax and, if necessary, travel to and from the testing site.

Decide How You Are Going to Get to the Test Site and Whether It Will Be Necessary for You to Stay Overnight. If the closest testing site is not easily accessible, is more than an hour's drive away, or involves driving through a heavily congested traffic area, you may consider staying overnight in a hotel close to the site. For some graduates, this will prevent unnecessary hassle and may alleviate anxiety on the day of the examination.

Are You Going with a Group or by Yourself? How will you feel if the group is finished and you are still working on your examination? Will you feel rushed because everyone is waiting for you? Do not create a situation that will increase your anxiety at one of the most important times of your nursing career. If you are okay with the group waiting for you, and everyone understands the situation, then it may be a source of support for you. If a group of graduates is traveling together, and everyone is able to schedule the examination on the same day, consider planning hotel accommodations if they are necessary. Do not have a crowd in your room. Five people in a room designed for two or four will not be conducive to sleep the night before the examination. If you are rooming with another person, select someone you like and can tolerate in close quarters for a short period of time. Surround yourself with people who have a positive attitude; you do not need complainers and negative thinkers.

**Develop a Plan for Studying.** Do you need to study alone, or do you benefit from group study time? Set yourself a study schedule that you can realistically achieve. About 2 to 3 hours a day for 2 or 3 days a week is realistic; 8 hours a day on your days off does not work. If you take a formal review course, plan your study time to gain the most from the course. A review course is not meant to be your only study time. When you finish a review course, you should have a much better idea of what is going to be tested, how it will be tested, and where you need to focus some study time. Priority areas to study are those in which you are the weakest; focus on those first.

#### The Day Before the BIG DAY

**Make Sure You Have Your Identification Required for Admission.** Read your *Candidate Bulletin* again. The information that you receive should have all of the necessary information and directions needed for the test site. Check whether there is anything else you will need to take with you to the site.

**Make a "Test Run" the Evening Before the Test.** Go to the site and evaluate traffic patterns and driving time. Find the parking area. If your hotel is within four to six blocks of the test site, walk to the site; this is a terrific way to help reduce anxiety and get the blood

circulating to your brain! Whether you drive or walk to the site, go the day before to make sure you know where you are going.

**Go to Bed Early; Do Not Study, Cram, or Party!** Plan to eat a light dinner, something that will not upset your stomach—you do not need to be up half of the night with heartburn and/or diarrhea!

#### The BIG DAY Is Here

**Eat a Well-Balanced Breakfast, Not Sweet Rolls and Coffee.** Protein and complex carbohydrates will help sustain you during the examination. Eat light, something that is nourishing, but not heavy. Do not drink a lot of coffee; you do not need to have the caffeine jitters or be distracted by frequent bathroom trips.

**Dress Comfortably, but Look Nice.** Anticipate that the temperature at the testing sites will be a little cool rather than too warm. Do not wear tight clothes that restrict your breathing when you sit down! Dress casually and comfortably; you may not wear hats, scarves, or jackets in the testing room. The National Council requests that you arrive at the testing site about 30 minutes early. This will allow you time to get checked in and prevent anxiety about being late. If you arrive more than 30 minutes after your scheduled appointment, you may be required to forfeit your examination appointment, as well as the examination fees (NCSBN, 2013d).

#### **How Do I Select an NCLEX Examination Review Course?**

There are many review courses available to assist the graduate nurse in preparing for the NCLEX examination. Before you sign up, evaluate which course will be most beneficial to you. In considering a review course, remember that the objective is review, not primary learning. (See Evolve website for selecting an NCLEX Examination Review Course.)

#### What Types of Review Courses Are Available?

Live (Face-to-Face) Review Courses. Evaluate your geographic location. Which review courses are easily accessible? Are you considering traveling to another city to attend a review course? If you have a prospective employer, check with the nurse recruiter to determine whether the facility provides a review course. Collect data on all of the courses; then compare them to see which one best meets your needs and budget. Also, check with the nurse recruiter or the nursing manager regarding time off and scheduling. Plan ahead and make an intelligent decision regarding review courses. Do not feel that you must sign up with the first review company that contacts you!

**NCLEX Examination Online Review Courses.** How well do you study at the computer? If you find studying at the computer is very easy for you, then you may want to consider an online review course. When investigating online review courses, determine whether the course provides an online book, study questions, additional online study materials, as well as the availability of a review faculty. Most students need a resource person or faculty to answer questions (either about nursing content or the NCLEX examination) and to assist in developing a study plan. Consider the length of time the online course is available—is it over several weeks, or is it an indefinite time? With online courses, it is critical to set aside study time, plan how you are going to progress through the course, and evaluate how long you think you will need to complete the course. Online review courses can be beneficial if you plan your study time, take advantage of the course resources available, and follow the suggested activities within the online course.

Carefully evaluate your need for a review course. Are you the type of student who can plan study time, establish a study review schedule, and stick to it? Were you in the top 25% of your graduating class? Have you had experience working in a hospital with adult medical-surgical clients, other than while you were in school? As a new graduate, do you feel prepared for this examination? If you can answer "yes" to all of these questions, you may not need to consider a review course in your preparation for the NCLEX-RN Examination. Most graduates can say "yes" to one or two of these questions, but not to all of them.

#### What Are the Qualifications of the Review Course Instructors?

To teach a review course effectively, the instructor needs to be familiar with the NCLEX examination. That ability is most often found in instructors who have teaching experience in a school of nursing. Some hospitals provide in-house review courses taught by excellent educators and clinical specialists. Determine whether these instructors are familiar with the NCLEX examination test plan. Information that is not a focus of the NCLEX examination test plan does not need to be included in a review course. It is also important to find out whether the review course instructor is from a school of nursing in your immediate area. It is possible that you will be paying for a review course to be taught by someone from your nursing school faculty. A review course may be more effective if someone other than your school faculty teaches it. You need to hear information from a different perspective. This helps to anchor information and reinforce previous learning. Look for a course that brings faculty in from areas outside your school.

#### What Type of Instructional Materials Are Used in the Course?

Are the materials required for the course an additional expense (or part of the registration fee)? Do you get to keep the materials after the course is finished? Can you print copies of the materials if you are taking an online course? Are handouts, workbooks, CDs, audiotapes, books, and other materials used to enhance learning? Be concerned if there are no course outlines, workbooks, handouts, or books; you might spend all of your time writing and miss listening to the necessary information. Do the course materials include practice test questions that are similar in format to the NCLEX examination? Ask about the format used to organize the material (e.g., integrated, blocked, systems). How does the format compare with the NCLEX examination plan of client needs and nursing process that is described in your *Candidate Bulletin* from the National Council?

#### Does the Course Include Instruction in Test-Taking Skills and Practice?

Test-taking skills and practice are very important aspects of a review course. Graduates need to practice test-testing strategies and use them in answering questions written by someone other than their nursing school faculty. This is important to evaluate in the face-to-face review as well as in the online review.

#### **How Much Does the Course Cost?**

Most review courses cost between \$250 and \$500. Frequently, there is a discount for early registration, and there may also be a discount for group registration. Make sure you understand and review company policy regarding deposit, registration fees, and the cancellation policy. Check out the possibility of organizing a group; some courses give a free review or a discount to the group organizer.

#### **How Long Does It Last?**

Is the face-to-face course 3, 4, or 5 consecutive days? Is it offered only in the evenings? Is it taught only on the weekend for 6 weeks? The answers to these questions are very important to determine early in your evaluation of review courses. Notify your employer as soon as possible if you need to fit the review course into your work schedule. Most hospitals will arrange the new graduate's schedule to allow attendance at a review course. It is important to provide adequate advance notice to your employer so that staffing schedules may be planned.

If you are considering an online course, how long will it take you to work through the course? Is the course set up in "real-time" similar to the face-to-face review, or is it self-paced? How long does the provider recommend that you spend in the course? Do you want to study for 2 to 3 hours every day for 4 weeks, or do you want to work faster and study 4 to 6 hours a day and complete it in 2 weeks? If you plan to study 4 to 6 hours in 1 day, you should not plan to work that day.

Some hospitals even provide a review course or reimburse the review course registration fee as a benefit to the graduate nurse employee! After you have determined which review course, as well as what type of review course, you wish to take, discuss it with your prospective employer or notify your current employer as soon as possible.

#### Where Is the Face-to-Face Course Held?

Are you going to have to drive for an hour every day? Will you need to arrange for a hotel room? Ask about parking. What is the availability of inexpensive restaurants in the area? These are additional expenses you must consider if you plan to take a live review course.

#### What Are the Statistics Regarding the Pass Rate for the Company?

It is appropriate to inquire how the review company determines the pass rate statistics. Check the NCSBN website (www.ncsbn.org/index.htm) to determine the most current statistics for passing the NCLEX examination. The review company must obtain NCLEX examination results directly from course participants or from schools of nursing. The National Council will not provide this information to review companies. Find out whether the advertised pass rate is based on actual responses from participants or on projected figures from the company.

#### **Does the Review Company Offer any Type of Guarantee?**

Some review companies will offer a guaranteed "refund," a free review course, or further assistance if you are not successful on the examination. Find out what the guarantee means and who is eligible for it. Sometimes the "guaranteed refund" is not easily obtainable. Make sure you obtain in writing what you must do to be eligible and to file for the benefit.

#### When Is the Course Offered?

Some graduates prefer to take a review course just before the examination so that the information is still fresh in their minds. Most graduates prefer to take the review within 1 to 2 weeks before the examination. This time frame generally works very well; the review course may be scheduled during the time you are waiting for your Authorization to Test (ATT). When you receive your authorization, you have completed your review course, and you are ready to schedule the examination. This schedule allows time to organize and study those areas that are your weakest. If you have only one review course available, how does

it fit with your plans for scheduling the examination? Another aspect to consider is your employment schedule. Arrange your review course time so that you can truly focus on the material. If you have to work nights or evenings during the course, you will not benefit as much from the review.

Call the review company for answers to your questions. Does the representative spend time on the telephone with you, or does he or she rush you off the telephone? Or do you get an automated response instead of a live conversation? Is the company representative friendly and knowledgeable, and does that person demonstrate concern for answering all of your questions?

The online review course eliminates the problem of scheduling a specific time for you to take a review course. However, you must still plan the time to spend working through the online course in order for the review to be beneficial. Ultimately, each graduate must decide whether to take a review course and what type of review course to take. The more informed you are regarding a review course, the more intelligent your decision.

#### NCLEX-RN Examination Review Books: Which One Is Right for You?

It is important to select a review book that meets your study needs. The first step is to check out your choices. Nursing faculty, friends who have review books, the school library, and the local bookstores that stock nursing textbooks are all sources of information regarding review books. There are two types of nursing review books: those with content review and those that consist totally of review test questions. Evaluate how you are going to use the book. Is it for study during school, or is it specifically for review for the NCLEX examination? For example, if you bought the review book to study pediatric nursing, you may be disappointed. The focus of the NCLEX examination is not on pediatrics; therefore, pediatrics is not often a strong component in review books. If you wish to use a review book to identify priority aspects of care in the medical-surgical client, a review book can be of great benefit. The following discussion of review book selection is directed primarily toward review books that contain content review. Take notes as you read the different selections; it is hard to remember all the positive and negative points of each book (Box 5-2) (see "Selecting a Review Book: Where Do I Start?" in Evolve resources). Frequently, students find the review books to be of great benefit during school in assisting them to organize and consolidate a large amount of information. Plan to purchase a review book while you are still in nursing school.

#### Scan the Table of Contents

Is the information presented in a logical sequence? How is the information organized? It is important that the information be organized in a manner that is logical to you. The NCLEX examination is based on an integrated format, with a focus on the nursing process and client needs. Read the introduction to see how these areas were considered in the organization of the text. Quickly scan the table of contents and check the number of pages in various areas of subject material. Where is the focus of the material?

#### **Evaluate Chapter Layout**

How well is the material organized within the chapter? Are there major headings and sub-headings to assist you in finding information quickly? Some texts use boxes or color to highlight divisions of content or priority information. These characteristics help to decrease the monotony of constant reading and they help increase interest in the material presented.

BOX 5-2 SELECTING AN NCLEX EXAMINATION REVIEW COURSE
Here are some questions to consider:
Where Am I Going to Work?  Will the institution pay for the review?  Will the institution pay the initial fee, or do I need to plan for reimbursement?
Does the Institution Provide an On-Site Review?  Who teaches it? Is it organized and presented by an independent company or by hospital employees?
is it organized and presented by an independent company or by hospital employees:
Review Course Instructors  Who will teach the class? Your faculty from school? Or review course faculty trained by the review company?
What Type of Instructional Material Is Used?
Does it cost extra beyond the registration fee?
If it is additional to the registration fee, where do I get it?
Can I keep all of the instructional materials (e.g., books, testing booklets, audiotapes, DVDs, CDs)?
Does the instructional material include practice test questions in the NCLEX examination format?
How Are the Classes Conducted?  How many days?
How many days? Are days consecutive or spread across several weeks?
What are the hours each day?
What is the teaching style (e.g., group work, lecture, home study, group participation, testing practice)?
What is the average size of the class for the area?
How Much Does It Cost? What is the total price?
Does this include all of the class materials?
Are there group rates? If yes, what are they?
Does the group organizer receive a special rate?
Are there early registration discounts? When does the money have to be in?
Are there any "extra incentives"?
How Do I Pay for It?
Is there a payment plan?
Can I make an early deposit to hold my space?
When is the deposit due? When is the final amount due?
If I change my mind after I make the deposit, can I get the deposit back?

BOX 5-2 SELECTING AN NCLEX EXAMINATION REVIEW COURSE—cont'd
Is There a Guarantee?  What is the guarantee?  Can I take the review again?  Does it have to be in the same location as the first time?  What do I have to do to qualify for the guarantee?
What Is the Pass Rate, and How Is It Determined?  How does the company determine the pass rate for the review course? (Remember—the review company does not have access to NCLEX examination results)
Is it based on all participants or only the first-time takers? Is it based on the company's projected success rate? Did the review company answer all of my questions in a courteous manner and did they seem interested in my business? Do you know anyone who has taken a review? What are their recommendations?
<del></del>

#### **Evaluate Content**

Select a topic or topics you would like to read about in each of the review books you are considering. Select the priority nursing concepts and interventions you want to identify (e.g., nursing care of a client with diabetes). Evaluate the information regarding the adult, pediatric, and obstetric client. How does the information compare in the review books you are considering? Is the material logically organized? Does it contain the major concepts of care for that particular example? The focus of the review book should be toward nursing concepts and delivery of safe nursing care. In evaluating the currency of content, keep in mind that you cannot expect information that came out last month to be reflected in any textbook. The purpose of the NCLEX examination is to determine whether a candidate can perform safely and effectively as an entry-level nurse. This is the content that should be included in the review book. Based on the detailed test plan and the areas where new graduates are employed, the NCLEX examination is more heavily weighted toward the medical-surgical adult client.

#### Evaluate the Index

Look up several common topics in the index. A good index is critical to finding information in a timely manner.

#### **Test Questions**

Are test questions included in the text? Questions may be found after each of the main chapters or grouped together at the end of the book. Check to see if a rationale for the correct answer is included for each question. Does a computer disk of questions or an online test bank come with the book? How many questions are available?

#### **Test-Taking Strategies**

Does the book include information on test-taking strategies for multiple-choice and alternate item format questions? Test-taking strategies help you to be more "test-wise." These

strategies can be of great benefit while you are still in school, in addition to practicing them as a method to prepare for the NCLEX examination.

#### Test Anxiety: What Is the Disease? How Do You Get Rid of It?

Frequently, students and graduates focus on their "test anxiety" as the reason for not doing well on examinations. Test anxiety is something that only you can change. You are the one allowing the anxiety to affect you in a negative way. The only person responsible for your test anxiety is you, and the only one who can do anything about it is you. Address your test anxiety while you are still in school. Look at some simple steps to decrease your anxiety regarding testing.

- Plan ahead. Do not wait until the last minute to read 150 pages in your textbook, all your classroom notes, and the 10 articles assigned for the test. Plan study time, and stick to it!
- Set aside study time for when you are at your best. Frequently, study time is squeezed in only after everything else (laundry, meals, housecleaning, yard work, and so on) has been completed. You are defeating your purpose and increasing your anxiety when you try to study at a time when you are tired and not receptive to learning.
- Study smart. Plan for 45 minutes to an hour of review on the day after a 90-minute class lecture. This will greatly enhance your retention of the classroom information. Plan for an hour to review/scan assigned reading or information before class so that you will know where information is located and what you will need for note-taking in class.
- Give yourself a break! Plan your study time to include a break about every hour. Your
  retention of information begins to decrease after about 30 minutes and is significantly
  decreased after an hour.
- Think positively! If your friends are "negative thinkers," do not plan to study with them. Go to the movies or play sports with them, but do not study with them. Anxiety and negative thinking are contagious—do not expose yourself to the disease!
- **Do not cram.** Whether you are studying for a unit examination in school or for the NCLEX examination, cramming is not an effective study method, and it will increase your anxiety. The NCLEX examination is not written to evaluate memory-based information. Test questions focus on the higher levels of cognitive ability. Application of principles and the analysis of information will be required to determine an appropriate nursing response or action. Do not jeopardize your critical thinking skills by staying up late and cramming.

Just thinking about an examination can cause some students an increase in anxiety. It seems as though during the last year of school, particularly the last semester, tests become a major source of anxiety. Everyone knows fellow students who become obsessed with the idea that they are going to fail an important examination. View an examination as a positive step—an opportunity to demonstrate your knowledge.

Put yourself in charge of your feelings.
Get rid of those negative thought "tapes"!
Replace negative thoughts and ideas with positive ones:
I WILL pass this test!

I will be so glad to get this test behind me.




FIGURE 5-2 Sample of a multiple-choice test question. (From Zerwekh J: *Illustrated study guide for the NCLEX-RN exam*, ed 8, St Louis, 2013, Mosby.)

Write down positive affirmations and put them on your bathroom mirror, on your refrigerator, anywhere you will see them often. Potential employers, state boards of nursing, your spiritual advisers, and your neighbors are not going to think less of you if you are not at the top of the class. Keep in mind that your employers and the state boards do not care what your grades were in school or on the NCLEX examination—they just want to know that you can pass the NCLEX examination and practice nursing safely. Give yourself permission to be in the middle—an average student on grades, but one who is concerned about professional, safe nursing practice.


#### What Kind of Questions Can I Expect on the NCLEX Examination?

On the NCLEX examination, it is anticipated that most of the questions will be in a multiple-choice format; they have a stem in which the question is presented and four options from which to choose an answer. Of these four options, three are meant to distract you from the correct answer. With the four-item, multiple-choice questions, there is only one correct answer. The multiple-choice NCLEX examination questions provide a choice of four answers, not a combination of the four options (Figure 5-2).

The focus of the NCLEX examination is on nursing care. The questions ask you to use nursing concepts and judgment in the situation presented.

#### What Are "Alternate Item Format" Questions and Why the Big Fuss About Them?

In October 2003, different types of questions (other than four-option multiple-choice questions) were introduced as "scored" questions on the NCLEX examination. These questions are frequently referred to as "alternate item format" questions and are included in the test bank of questions that will be used to select the test items for a candidate's examination.



**FIGURE 5-3** Fill-in-the-blank. (From Zerwekh J: *Illustrated study guide for the NCLEX-RN exam*, ed 8, St Louis, 2013, Mosby.)

There is no preset number of alternate item format questions that will be presented to a candidate; the question or items will be randomly selected as the adaptive testing process selects questions that meet the parameters of the test plan.


There is no special or additional nursing knowledge needed to answer the alternate item format questions. There is no attempt to hide or camouflage the questions; they are randomly selected to be included in a candidate's exam. The same nursing concepts are being tested, and the questions are based on the same test plan. The question is simply asked in a different format. You do not need to do anything differently with regard to the alternate item format questions; just be aware of types of alternate item format test questions, and implement good testing strategies to answer the question (NCSBN, 2013h).

#### What Are the Different Types of Alternate Item Format Questions?

**Fill-in-the-Blank**. A short answer is required for fill-in-the-blank questions. These may be questions that require a drug calculation, or an intake and output calculation, or an assessment scoring. In these questions, only the numbers should be entered in the space provided. No units of measurement can be included with the answer, because the unit of measurement is already on the screen (Figure 5-3).


**Multiple-Response Item.** This is a different type of multiple-choice question. There will be more than four options presented, and the question will very clearly ask you to select all of the options that correctly answer the question. With the mouse, you will select each option you want to include in the answer, and then click *enter* to confirm your answer and continue to the next question. There is only one correct combination of answers (Figure 5-4).

**Hot Spot.** These items present a diagram or a graphic and require you to select an area on the diagram to answer the question. For example, let's assume that the diagram is an illustration of the anterior thorax. The question for this diagram might ask you to click on the area



Answer: The answer is based on standard precautions, plus respiratory precautions for the pneumonia. Nothing should be removed from the room and the gown should be removed prior to leaving the room, not outside the room.

**FIGURE 5-4** Multiple response. (From Zerwekh J: *Illustrated study guide for the NCLEX-RN exam*, ed 8, St Louis, 2013, Mosby.)



**FIGURE 5-5** Hot spot. (From Zerwekh J. *Illustrated study guide for the NCLEX-RN exam*, ed 8, St Louis, 2013, Mosby.)

where you would place the stethoscope to listen for the apical heart rate or to click on the area where you would listen for the characteristic sounds of the mitral valve (Figure 5-5).

**Ordered Response** (**Drag-and-Drop**). For this type of question, you will be presented with a list of activities, clients, or steps in a procedure. The question will ask you to click on each item and "drag" it to another area of the screen, placing the items, for instance, in the


order in which they would be performed or in order of priority of care. Pay close attention to how the question asks you to rank the options. After you have determined how your answer should be ranked, click on the option you want to place first, "drag" that option over, and place it in the box. You will then select the next option you want to place second, "drag" that option over, and place it in the box. You will continue this process until you have used all of the options available. You can change your answer any time before you click the Next button. This type of question is called an "ordered response" (Figure 5-6).

**Chart/Exhibit Item.** These questions will present a problem, then provide exhibit information stored in tabs. You will click on each tab to find information that will assist you in solving the problem that is presented. The tabs frequently contain information from a chart or data collection from the client. There will still be four options from which to select the correct answer, but you will need to evaluate the data in each of the tabs to determine the correct answer. Do not attempt to select the correct answer without evaluating all of the information provided on each of the tabs (Figure 5-7).

**Audio Item.** In this type of item, you will be presented with a question that has an audio component. You will put on the headset provided and click the "Play button" to listen to the audio for the information required to answer the question. The volume may be adjusted and you can click the Play button to repeat the audio information. Listen carefully to the audio clip and select the option that best answers the question (Figure 5-8).

**Graphic Options.** The graphic option type of alternate item format presents you with graphics instead of text for the answer options. You will be required to select the correct answer from the graphics presented at the end of the question (Figure 5-9).

As the NCSBN continues to research the development of test items that evaluate the reasoning and nursing judgment of nursing graduates, other types of alternate item format questions will be developed. Don't be alarmed if you encounter one of these alternate item



**FIGURE 5-6** Drag and drop (ordered response). (From Zerwekh J: *Illustrated study guide for the NCLEX-RN exam*, ed 8, St Louis, 2013, Mosby.)


teaching is last. Remember Maslow when setting priorities.


dyspinea and chest pain are most likely a result of the client's pneumonia. Position is the first thing that you can do that will benefit the client the most, then begin the oxygen, administer the antipyretic medication, encourage clear liquids, and

format questions—focus on what the question is asking, follow the directions, and select the option that reflects the best client care.

#### What Difference Do Test-Taking Strategies Make?


Knowing how to take an examination is a skill that is developed through practice. Look back at the beginning of nursing school and your first nursing examination; you have come a long way from there! How many times during school have you reviewed a test and discovered you knew the right answer but marked the wrong one? Nursing faculty and those





**FIGURE 5-7** Exhibit. (From Zerwekh J: *Illustrated study guide for the NCLEX-RN exam*, ed 8, St Louis, 2013 Mosby.)

Continued






FIGURE 5-7, cont'd Exhibit.

responsible for the NCLEX examination are not sympathetic to your claim that you "really meant this answer and not the one I marked." How many times did you go back and change an answer from the correct response to the wrong one? If these are common errors you experience during nursing school, you need to incorporate test-taking strategies into your testing skills. Some of the testing practices you have developed through the years may be positive, whereas others may be negative. Information on test-taking strategies can be of benefit to you now and later. Start using testing strategies while you are still in school. This will help you with your current examinations, and the testing strategies will be second nature by the time you take the NCLEX examination. Take the time to implement good






FIGURE 5-7, cont'd Exhibit.



Answer 1: Bowel sounds are noted on the audio clip, which means that peristalsis has returned to the gastrointestinal tract and the client can begin a clear liquid diet. If bowel sounds are present, there is no need to notify the physician; keep the client NPO or reinsert the nasogastric tube. Laparoscopic procedures are associated with lower rates of postoperative complications, earlier diet progression, and shorter hospital stays.

**FIGURE 5-8** Audio. (From Zerwekh J: *Illustrated study guide for the NCLEX-RN exam*, ed 8, St Louis, 2013, Mosby.)



Answer 4: The nurse would need to immediately intervene if a client demonstrates ventricular fibrillation, which is indicative of a **life-threatening** dysrhythmia. The priority for this client will be defibrillation and CPR. Option 1 is normal sinus rhythm with multifocal premature ventricular contractions (PVCs). Option 2 is sinus tachycardia. Option 3 is sinus bradycardia.

**FIGURE 5-9** Graphic option. (From Zerwekh J: *Illustrated study guide for the NCLEX-RN exam*, ed 8, St Louis, 2013, Mosby; rhythm strips from Lewis SL et al: *Medical-surgical nursing*, ed 7, St Louis, 2007, Elsevier, pp 846, 851, 853, and 854, respectively.)

testing practices—get the question right the first time! Analyze where you are with testing skills, get rid of the negative, and retain the positive.

## What Are Strategies for Answering Multiple-Choice Questions? Read the Question (Stem) Carefully

Do not read extra meaning into the question. Avoid asking yourself, "What if the client should...?" Or, "What if the client does...?" Make sure you read the "stem" correctly and understand exactly what information is being requested. (Do you tend to make the client sicker than he really is by the time you finish the question?) Do not add information to the question or think about a client whom you cared for during clinicals or at your job. All the information you need to answer the question correctly is provided for you in the question.

#### Create a Pool of Information

What are the concepts of care regarding a client with the condition or problem presented? Get a general idea of the condition and type of care required before you read the options. Do not try to predict a correct answer.

#### **Look for Critical Words**

Evaluate the question for critical words that make a difference in what the question is asking. Watch for *priority, initial, first action, side effect,* and/or *toxic effect.* 

#### **Evaluate All the Options in a Systematic Manner**

Focus on what information is being requested, and then carefully go through each option. Do not stop with the first correct answer; the last option may be more correct or more inclusive of information.

#### **Eliminate Options You Know Are Not Correct**

And leave them alone! After you have eliminated an option, do not go back to it unless you have gained more insight into the question. Frequently, your initial response in evaluating an option is correct. Go through all of the options and eliminate incorrect ones. What is left is frequently the correct answer, even if it is not what you were looking for.

#### **Identify Similarities in the Options**

Look for an option that is unique from the rest. For example, in a question dealing with a low-residue diet, three of the options might contain a vegetable with a peel, but one might not—that one is probably the correct answer. Evaluate options that contain several suggested client activities. Are three of the activities similar and one different from the rest? The option that is different may be the correct answer.

#### **Evaluate Priority Questions Very Carefully**

Keep in mind the nursing process and Maslow's hierarchy of needs. You must have adequate assessment information before proceeding with the nursing process. If assessment information is presented in the stem of the question, then the answer may require a nursing intervention. If a client in the question is presented as experiencing severe chest pain, it would not be appropriate to conduct a cardiac assessment before putting the client to bed and starting the oxygen! (*If in distress, don't assess!*—If a client is presented in a distressed condition, then adequate assessment data have already been provided in the stem of the question, so you will need to look for an immediate nursing intervention to address the problem). According to Maslow, physical needs must be met before psychosocial needs—the physical needs of your mental health client must be met before you can focus on the mental health needs. When considering the physical needs, respiratory needs are a priority. (You've got to breathe first!) But as a word of caution—do not give a client a respiratory problem if he does not have one!

#### **Select Answers That Focus on the Client**

Choices that focus on hospital rules and policies are most often not correct. Consider that you have enough time and adequate staff to perform whatever action necessary for safe client care.

Analyze your testing skills so that you will know where to start to improve them. After you have identified your testing weaknesses, organize a plan to correct the problem areas. One of the most difficult things to do is to change the way you are used to doing something, even when the change makes life easier. Get an early start on evaluating testing skills; it can make a significant difference in the remaining examinations in nursing school.

#### **NCLEX Examination Testing Tips**

#### NCLEX Hospital

For the NCLEX examination to be appropriate to all candidates nationwide, it is important that there be a base for the vast knowledge that is to be tested. Therefore, when you are taking the NCLEX examination, consider yourself as working in the "NCLEX Hospital." It is a great place to work; everything you need is provided—great equipment that works the way it is supposed to, plenty of staff, and enough time to provide the best and safest nursing care possible. The clients (*patients* are most frequently referred to as *clients* on the NCLEX

examination) all have conditions that respond just as the book says they are supposed to respond. Study according to your textbooks. Your clinical experience is complementary with your academic study. Do not focus on the unusual, unexpected, or strange things that happened to you during clinical rotations.

#### **NCLEX Clients**

Focus on the client in the question you are working on. As far as the NCLEX Hospital is concerned, that is the only client you are to be concerned about. Do not worry about the five or six other clients you may have assigned to your care. In the NCLEX Hospital, you are taking care of one client at a time, unless it is stated otherwise. Your priority concern is the client in the current question you are trying to answer.

#### **Medication Administration**

Know the Six Rights and the common nursing implications of medications. The generic name will be in the question and the trade name in parentheses (NCSBN, 2013i). A good strategy is to study the medications according to the classification. For example, study the nursing implications regarding administration of corticosteroid medications and be able to identify common corticosteroid medications and their nursing implications.

#### **Calling for Assistance**

Be careful with questions for which the right answer appears to be to call someone else to take care of the problem. This is a nursing examination; therefore, identify the best nursing management. This includes questions that include calling the doctor, respiratory therapist, housekeeping, chaplain, or social worker. Be sure there is not something you need to do for the client before notifying someone else regarding the problem. If the client is experiencing difficulty, his condition is changing, and there is nothing you can do, call the doctor. This is particularly true in situations in which the client is experiencing a problem with circulatory compromise. However, if the client is having difficulty breathing, the priority focus may be to position the client to maintain an open airway, and/or to begin oxygen as well as to assess quickly the status of the client before calling the doctor.

#### **Positioning**

Watch for questions that have particular positions in the stem of the question or those that include positions in the options. Is the client's position necessary to prevent complications or to treat a current problem, or is it primarily for comfort? As you are reviewing, be aware of questions that include conditions that require a specific position in the care of that client.

#### **Delegation and Supervision**

The NCLEX examination includes questions in these areas. Check out the delegation decision tree developed by the Ohio Board of Nursing (www.ncsbn.org/delegationtree.pdf). Some common considerations to make when evaluating these questions include:

- Delegate to someone else the care of the most stable client with the most predictable response to care.
- Delegate tasks to the most qualified person to perform the task.
- Delegate to nursing assistants those tasks that have the most specific guidelines (e.g., collecting a urine sample, feeding, providing hygiene, ambulating).

#### **Setting Priorities with a Group of Clients**

A question may present a group of clients and ask you to determine which client you would take care of first or to rank the clients according to when you would take care of them. Determine the most unstable client who requires nursing care to prevent immediate problems—take care of this client first. Keep in mind Maslow's hierarchy of needs.

#### **Doctor's Orders**

For most of the questions, you can consider that you have a doctor's order to perform any of the options presented in the question. However, you should watch for questions that may specifically ask for a "dependent nursing action" where you will have to consider whether you need a doctor's order to perform the nursing action. It would be difficult to present questions while continuing to repeat that a physician's or health care provider's order was present. Standing orders and state nurse practice acts all have implications on orders. This is a standardized test that is administered nationally, and, therefore, there has to be consistency; consequently, unique aspects of nurse practice acts and standing orders are not tested.

Be aware that the answer you are looking for is frequently not included in the options! This is not uncommon on NCLEX examination questions. Consider the principles and concepts of care for a client with the problem presented. Eliminate the wrong answers and evaluate what is left.

#### CONCLUSION

Wow! NCLEX examination deadlines, review courses, testing skills, review books, money, license—and you thought all you needed to do was graduate from nursing school! A lot happens between graduating from nursing school and being successful on the NCLEX examination. The key to surviving it all with a smile is careful planning and implementing those plans during your role transition. (That sounds a lot like the nursing process, doesn't it?) The NCLEX-RN Examination is one of the most incredible opportunities of your life. This examination will open the doors for you as you begin one of the most fantastic experiences of a lifetime: a career in nursing. A listing of relevant websites and online resources follows.

Just say to yourself, "I can do it. I can pass the NCLEX examination!"

#### **( RELEVANT WEBSITES AND ONLINE RESOURCES**

#### **National Council of State Boards of Nursing**

http://www.ncsbn.org.

#### **Candidate Bulletin**

https://www.ncsbn.org/2013\_NCLEX\_Candidate\_Bulletin.pdf.

#### **Detailed Test Plan**

https://www.ncsbn.org/2013\_NCLEX\_RN\_Detailed\_Test\_Plan\_Candidate.pdf.

#### **Pearson VUE Testing**

This is also the location for the Online Tutorial for the NCLEX Exam.

http://www.pearsonvue.com/nclex/.

#### **BIBLIOGRAPHY**

National Council of State Boards of Nursing. (2012). 2011 Practice analysis: linking the NCLEX-RN examination to practice. Retrieved from https://www.ncsbn.org/12\_RN\_Practice\_Analysis\_Vol53.pdf.

National Council of State Boards of Nursing. (2013a). 2013 NCLEX-RN detailed test plan. Retrieved from https://www.ncsbn.org/2013\_NCLEX\_RN\_Detailed\_Test\_Plan\_Candidate.pdf.

National Council of State Boards of Nursing. (2013b). 2013 NCLEX examination candidate bulletin. Retrieved from https://www.ncsbn.org/2013 NCLEX Candidate Bulletin.pdf.

National Council of State Boards of Nursing. (2013c). *Registration*. Retrieved from https://www.ncsbn.org/1202.htm.

National Council of State Boards of Nursing. (2013d). *Alternate item formats frequently asked questions*. Retrieved from https://www.ncsbn.org/2334.htm.

National Council of State Boards of Nursing. (2013e). *Authorization to test*. Retrieved from https://www.ncsbn.org/1212.htm.

National Council of State Boards of Nursing. (2013f). *NCLEX candidate frequently asked questions*. Retrieved from https://www.ncsbn.org/2321.htm.

National Council of State Boards of Nursing. (2013g). *NCLEX exam development frequently asked questions*. Retrieved from https://www.ncsbn.org/2324.htm.

National Council of State Boards of Nursing. (2013h). *Nurse licensure compact*. Retrieved from https://www.ncsbn.org/nlc.htm.

National Council of State Boards of Nursing. (2013i). *Practice analysis frequently asked questions*. Retrieved from https://www.ncsbn.org/2322.htm.

National Council of State Boards of Nursing. (2013j). *The eight steps of the NCLEX examination process*. Retrieved from https://www.ncsbn.org/2013\_Eight\_Steps\_of\_NCLEX.pdf.

Pearson VUE. (2009). State of the art identification: palm vein pattern recognition for the NCLEX examination. Retrieved from www.pearsonvue.com/nclex/NCLEX\_PalmVeinFAQ.pdf.

Pearson VUE. (2013). The NCLEX examination. Retrieved from http://www.pearsonvue.com/nclex/.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# UNIT III

## Nursing: A Developing Profession

## 6

## **Historical Perspectives**

### Influences on the Present

JoAnn Zerwekh, EdD, RN

History repeats itself because each generation refuses to read the minutes of the last meeting. **Anonymous** 



Nursing has come a long way; it is not what it used to be.

After completing this chapter, you should be able to:

- Explain the early European contributions to nursing.
- Explain the forces that have affected the roles of American nurses.

So, you have to study the history of nursing. Generally, the topic is considered boring. Well, be prepared for a different approach to the topic. Knowing the history of our profession guides our understanding of why we do what we do today. This understanding can be useful to us as we set our professional goals. Threads of nursing history can be found throughout the book. Understanding the history can often help in deciding what changes are needed, what changes are helpful, and what changes may be unnecessary. Let us begin with a look at where nursing began.

#### **NURSING HISTORY: PEOPLE AND PLACES**

#### Where Did It All Begin?

Most nursing historians agree that nursing, or the care of the ill and injured, has been done since the beginning of human life and has generally been a woman's role. A mother caring for a child in a cave and someone caring for another ill adult by boiling willow bark to relieve fever are both examples of nursing. The word *nurse* is derived from the Latin word *nutricius*, meaning "nourishing."

Roman mythological figures included the goddess Fortuna, who was usually recognized as being responsible for one's fate and who also served as Jupiter's nurse (Dolan, 1969). Even before Greek and Roman times, ancient Egyptian physicians and nurses assembled voluminous pharmacopoeia with more than 700 remedies for numerous health problems. Great emphasis was placed on the use of animal parts in concoctions that were generally drunk or applied to the body. The physician prescribed and provided the treatments and usually had an assistant who provided the nursing care (Kalisch and Kalisch, 1986). Some ancient medicine was based on driving out the evil spirit rather than curing or treating the malady. The treatments were often very foul and frequently included fecal material. By now you may be thinking of the saying, "The treatment was successful, but the patient died."

Advancement of medical knowledge halted abruptly after the Roman Empire was conquered and the Dark Ages began. Any medical and health care knowledge that survived these dark times did so only through the efforts of Jewish physicians who were able to translate the Greek and Roman works (Kalisch and Kalisch, 1986). One bright spot was in Salerno, where a school of medicine and health was established for physicians and women to assist in childbirth. In fact, a midwife named Trotula wrote what may be considered the first nursing textbook on the cure of diseases of women (Dalton, 1900). Generally, nursing was performed by designated priestesses and was associated with some type of temple worship. Little information has survived about this early period. Historians have assumed that women assisted Hippocrates, but there is little information to support that. From these roots, nursing began to develop as a recognized and valued service to society (Jamieson and Sewall, 1949).

#### Why Deacons, Widows, and Virgins?

Paralleling the fall of the Roman Empire was the rise of Christianity. The early organization of the young Christian church, which was directly affected by the vision of Paul, included a governing bishop and seven appointed deacons. These individuals assisted the apostles in the work of the Church (the word *deacon* means "servant"). The deacon was directly responsible for distributing all the goods and property that apostles relinquished to the Church before they "took up the cross and followed." The apostles were required to give up all material resources to achieve full status in the Church.

Women sympathetic to the Christian cause of aiding the poor were encouraged in this work by the bishops and deacons. Eventually, the deacons relinquished this work to women and established the position of deaconess for that purpose. To maintain a pure heart, these women were required by the Church either to be virgins or widows. The stipulation for widows, however, was that they had to have been married only once (Jamieson and Sewall, 1949). The deaconesses carried nursing forward as they ministered to the sick and injured in their homes. Phoebe, a friend of Paul's and the very

first deaconess in the young Christian church, has been called the first visiting nurse (Dana, 1936).

Treatments continued to be a mixture of scientific fact, home remedies, and magic. Eventually, an order of widows evolved that was composed of women who were free from home responsibilities and thus able to commit fully to working among the poor. The widows, although not ordained, continued to do the same work as the deaconesses. This was soon followed by the creation of the Order of Virgins as the Church began placing greater value on purity of body. Although deaconess orders were abolished in the Mediterranean countries, they thrived in other European countries. The traditional commitment to care for the poor and sick became invaluable in a society that generally had neither the time nor the inclination to aid them. Eventually, these women became known as *nuns* (from *non nuptae*, meaning "not married").

This was a time of tremendous upheaval in the world. Wars, invasions, and battles were constant, and as a result of these encounters, the number of widows was significant. Society during this time did not have the sophistication or the means to handle the dependents of the soldiers killed in battle. As a means of survival, women joined the nuns as a form of protection from starvation and poverty. This was a dark and dreary time in which superstition, witchcraft, and folklore were predominant influences. Because of the need for physical protection, convents were built to shelter these women (Jamieson and Sewall, 1949). The convents became havens into which women could withdraw from ignorance and evil and be nurtured in traditional Christian beliefs (Donahue, 1985). The deaconesses, widows, and virgins continued to minister to and nurse the ill within the safety of the convent.

#### How Did Knighthood Contribute to Nursing?

The Holy Wars furthered the development of nursing in an interesting way. Because many Christian crusaders became ill while in Jerusalem, a hospital known as the Hospital of St. John was built to accommodate them. Those who fought in these Holy Wars had taken oaths of chivalry, justice, and piety and were known as knights. Often men trained in the healing arts accompanied the knights into battle. These male nurses cared for wounded or otherwise stricken knights. They usually wore a red cross emblazoned on their tunics so that in the heat of battle they could be easily identified and thus avoid injury or death (Bullough and Bullough, 1978).

The Hospital of St. John provided excellent nursing care. Many of the nurses who survived stayed to work with the hospital organizers. As the battles in the Holy Land continued, the nurses and knights organized a fighting force with a code of rules and a uniform consisting of a black robe with a white Maltese cross, the symbol of poverty, humility, and chastity. They ventured out to rescue the sick and wounded and transport them to the hospital for care; thus they became known as the Hospitalers (Kalisch and Kalisch, 1986). Male nurses dominated these orders. Other orders that emulated the Hospitalers developed in Europe, and more hospitals were opened based on the Hospital of St. John model (Donahue, 1985).

The altruistic spirit of nursing was also seen in the craftsmen's guilds. Although their primary purpose was to provide training and jobs through the practice of apprenticeship, the guilds provided care and aid for their members when they became old and could no longer work at their trade. The guilds also assisted members and their families in times of illness and injury. The apprenticeship system—in which experience is gained on the job but no

formal education is provided—once served as a model for the training of nurses (Donahue, 1985). This system is no longer used and is now considered to have been detrimental to the evolution of nursing.

What nursing gained during this period of history was status. The altruistic ideal of providing care as a service performed out of humility and love became the foundation for nursing. The recognition of the value of hospitals grew; all across Europe, cities were building their own hospitals. A general resurgence in the demand for trained doctors and nurses contributed to the building of medical schools and the development of university programs in the art and science of healing.

#### What About Revolts and Nursing?

Revolts—not the kind that led to battles, but revolts of a social nature—were common. There were battles, too; however, the social revolts had a more direct impact on nursing. The revolution of the spirit, more commonly known as the Renaissance, ushered in new concepts of the world: the discovery of the laws of nature by Newton, the exploration of unknown lands, and the growth of secular interests (humanism) over spiritual ones. In this era emerged several outstanding humanists who were to become saints (Donahue, 1985). Interestingly, these saints are shown in depictions as needing nursing care or as giving care to a wounded or injured person.

In Europe, the Protestant Reformation began primarily as a religious reform movement, but ended with revolt within the Church. Many hospitals in Protestant countries were forced to close, and those loyal to the Church that operated them were driven out of the country, resulting in a significant shortage of nurses (mostly nuns) to care for the ill and injured. The poor and ill were considered a burden to society, and those hospitals that remained operational in the Protestant countries became known as "pest houses." To fill the need for nurses, women (many of whom were alcoholics and former prostitutes) were recruited. Generally, during this period, a nurse was a woman serving time in a hospital rather than a prison (Donahue, 1985; Jamieson and Sewall, 1949).

The industrial and intellectual revolutions that followed the Reformation all had significant impacts on nursing. During the Industrial Revolution, as production of much-needed goods was streamlined through industrial innovation, craftsmen left the rural life to work in factories. The intellectual contributions of scientists, many of whom were physicians, combined with the inventions of the microscope, thermometer, and pendulum clock, advanced our knowledge and understanding of the world. The invention of the printing press allowed for easier sharing of information, which further contributed to experimentation. Finally, a disease that was feared worldwide was conquered when Edward Jenner (1749-1823) proved the effectiveness of the small-pox vaccination.

Throughout these revolutions, however, the maternal and infant death rates continued to be high. In fact, before his pioneering work in antisepsis in obstetrics, Ignaz Phillipp Semmelweis (1818-1865) observed that patients giving birth in hospitals under the care of educated physicians had significantly higher death rates than women giving birth at home or in clinics with the assistance of midwives.

Despite all the knowledge gained during this time of revolution, society was generally callous toward the plight of children. Children were abandoned without apparent remorse, and poor families who were desperate to reduce the number of mouths to feed

practiced infanticide. These families had no reliable form of birth control except abstinence. Because it was common practice for the woman hired as a wet nurse to sleep with the infant, many infants were inadvertently suffocated. Donahue (1985) reported that, during this period, 75% of all children baptized were dead before they reached the age of 5 years. Because of the persistence of these sad conditions, children's and foundlings' hospitals were established. Eventually, laws were enacted to aid these unfortunate victims (Donahue, 1985).

Existing health care conditions for the ill and injured continued to contribute to high mortality rates. Some sources reported hospital mortality rates as high as 90%. Conditions in the armies were no better. In any military action, mortality rates were high. Reports from the battlefront during the Crimean War suggested that battles were postponed because there were too few able-bodied soldiers to fight. Dysentery and typhoid were the military's nemeses. If a soldier was wounded, infection invariably resulted. Hospitals generally offered no guarantee of survival. In any event, these occurrences had a serious effect on military strategies. If men are ill or injured, battles cannot be won.

Upon this scene entered Florence Nightingale.

#### Florence Nightingale: The Legend and the Lady

First, let us discuss the legend. Published works about Florence Nightingale before the 1960s generally presented the legend. Most authors agreed that she was beautiful, intelligent, wealthy, socially successful, and educated. She certainly had an ability to influence people and used every Victorian secret to accomplish her desires. Although Nightingale believed it improper to accept payment for her services, she did demand financial support for materials, goods, and staff to accomplish her programs and goals. Some historians believe that it was through Nightingale's influence that Jean Henri Dunant, a Swiss gentleman, provided the aid to the wounded that laid the foundation for the organization of the International Red Cross (Bullough et al, 1990; Dodge, 1989; Dossey, 2000).

Regardless of what actually happened between Dunant and Nightingale, her interest and ambition lay in becoming a nurse. Her family was in an uproar because of this decision. As described by Dossey (2000), Florence (or "Flo" as her family and friends called her) began her journey as a mystic when she was 16 years old. Her experience of a sudden, inner "knowing" took place under two majestic cedars at Lebanon in Embley (England), one of her sacred spots for contemplation. She claimed to receive the following in her awakening moment: "That a quest there is, and an end, is the single secret spoken." Energized by her contact with the Divine Reality or Consciousness, Florence "worked very hard among the poor people" with "a strong feeling of religion" for the next 3 months (Dossey, 2000, p 33) (Critical Thinking Box 6-1, Figure 6-1, and Box 6-1).



#### **CRITICAL THINKING BOX 6-1**

Consider all that you have heard about Florence Nightingale. Now, think about the idea that she was a mystic. What does that mean?

Nightingale's parents felt that hospitals were terrible places to go and that nurses were, in most cases, the dregs of society. Hospitals were certainly not places for women of proper



FIGURE 6-1 Florence Nightingale: The legend (mystic, visionary, healer) and the lady.

#### **BOX 6-1 NIGHTINGALE AND MYSTICISM**

What is mysticism? It is considered to be a universal experience of enlightenment obtained via meditation or prayer that focuses on the direct experience of union with divinity, God, or Ultimate Reality, and the belief that such experience is a genuine and important source of knowledge. It is characterized by a call to personal action, because the person is uncomfortable with the world as it is. Underhill (1961) describes five (nonlinear or nonsequential) phases in the spiritual development of a mystic: awakening, purgation, illumination, surrender, and union.

**Awakening:** At age 16, Nightingale experienced her first call from God, and again on three other occasions later in life when she heard the voice of God again.

**Purgation:** Nightingale spent her later teen years and young adulthood (approximately 17 years) separating herself from the affluent lifestyle and worldly possessions that characterized her early life.

**Illumination:** For Nightingale, this period began when she accepted her first superintendent position at Harley Hospital in London, which propelled her to battle for better conditions during the Crimean War invasion and later, when she returned to England, to fight for reform of the army medical department.

**Surrender:** This "dark night of the soul" period for Nightingale is thought to have begun approximately 6 years after the Crimean War when she was in her late 30s and continued to her late 60s, a time characterized by her chronic ill health and episodes of stress, overexertion, and depression.

**Union:** The last 20 years of Nightingale's life (ages 70 to 90) were engendered with an appreciation of the blessings in her life and feelings of peace, joy, and power. Social action and issues no longer spurred the driving force in her life.

Data from Dossey B: *Nursing as a spiritual practice: the mystical legacy of Florence Nightingale*, 2005. Retrieved from www.altjn.com/perspectives/spiritual\_practice.htm; Underhill E: *Mysticism*, New York, 1961, Dutton.

social upbringing. Although she was forbidden to do so, Nightingale studied nursing (in secret). After a fortuitous meeting, a relationship developed between Nightingale and Sidney and Elizabeth Herbert, an influential couple who were interested in hospital reform. Impressed with Nightingale's analytical mind and her ability to apply nursing knowledge to the critical situation in the hospitals (Bullough and Bullough, 1978; Bullough et al, 1990), they encouraged her to study nursing at Kaiserswerth School, run by Lutheran deaconesses (Dolan, 1969). Her family, of course, was very unhappy. In fact, Dodge (1989) reported that the event precipitated a family crisis, because they threatened to withdraw financial support.

Nightingale accepted a position as administrator of a nursing home for women, the Institution for the Care of Sick Gentlewomen in Distressed Circumstances. She hired her own chaperone and went to work at reforming the way things were done. Nightingale's interest in hospital reform was insatiable. She visited hospitals and took copious notes on nursing care, treatments, and procedures. She sent reports on hospital conditions to Sidney Herbert, the British Secretary of War. Secretary Herbert then assigned her other hospitals to review. The reviews always included recommendations for improving nursing care. From this early background of experiences, Nightingale was now ready for her greatest mission—the Crimean War. The legend was on the way (Bullough et al, 1990).

In 1854, soldiers were dying, more from common diseases than from bullets. Bullough and colleagues (1990) reported that the Crimean War was a series of mistakes. No plan was made for supplying the troops, no plan was in place to maintain the environment in camps, and no provisions were available to care for the injured after the battle. When Herbert appointed Nightingale as head of a group of nurses to go to Crimea, she had already developed a plan of action. In fact, some historians believe that she was already planning to go in an unofficial capacity. The announcement caused a sensation, and when Nightingale began a rigorous selection process for accepting nurses, many volunteered, but few were chosen. She cleaned up the kitchens, the wards, the patients, and the mess. From there, the legend grew.

She was clever; after demonstrating the effectiveness of her methods, she withdrew her services. Naturally, all that she had accomplished was done under the scrutiny, skepticism, suspicion, and anger of the physicians. Without the services of the nurses, the abominable conditions quickly returned, and finally the physicians begged her to do whatever she wished—just help! Nightingale responded to the pleading. The actual number of soldiers who benefited from the care of her nurses was immeasurable.

The nurses made rounds day and night, and the legend of the lady with the lamp was born.

Nightingale's great success prompted her to begin developing schools of nursing based on her knowledge of what was effective nursing. Eventually, many schools in Europe and America used the Nightingale model for nursing education. The program was generally 1 year in length, and classes were small. Many women wanted to become nurses; however, only 15 to 20 applicants were accepted for each class. The goals of her programs included training hospital nurses, training nurses to train others, and training nurses to work in the district with the sick poor (Dolan, 1969). Nightingale had changed society's view of the nurse to one of dignity and value and worthy of respect. As a tribute to Nightingale, Lystra Gretter, an instructor of nursing at the old Harper Hospital in Detroit,

#### **BOX 6-2 NIGHTINGALE PLEDGE**

I solemnly pledge myself before God and in the presence of this assembly, to pass my life in purity and to practice my profession faithfully. I will abstain from whatever is deleterious and mischievous, and will not take or knowingly administer any harmful drug. I will do all in my power to maintain and elevate the standard of my profession, and will hold in confidence all personal matters committed to my keeping and all family affairs coming to my knowledge in the practice of my calling. With loyalty will I endeavor to aid the physician, in his work, and devote myself to the welfare of those committed to my care.

Michigan, composed "The Nightingale Pledge," which was first used by its graduating class in the spring of 1893. It is an adaptation of the Hippocratic Oath taken by physicians (Box 6-2).

In any legend, the truth is often mixed with myth. The stories surrounding Florence Nightingale are many. What is interesting is that, before the 1970s, authors tended to deify Nightingale or establish her as a saintly person. These myths make for interesting reading. Early nurse historians also contributed to these myths by their interpretations of Nightingale's work. But myths have a purpose. They can be used to explain worldviews of groups of people or professions at a given time, and they provide explanations for practice beliefs or natural phenomena. Myths tend to maintain a degree of accuracy when the truth is lost. The trick is to separate myth from fact and story from legend and to draw conclusions regarding the occurrences. This is no easy task when one studies Florence Nightingale. Therefore, it is important to read a variety of studies across several time periods before drawing conclusions about the legend and the lady.

In summary, Florence Nightingale had certain characteristics that assisted her in becoming successful during the strict Victorian times in which she lived. She was extremely well educated for her time. She had traveled throughout the world and had the advantage of personal wealth and a gift for establishing relationships with persons of influence and philanthropic spirit. Most portraits depict her as an attractive woman with pleasant features. Contemporary historians agree she had tremendous compassion for all who suffered. She was very strong-willed, a characteristic that carried her through the period of the Crimean War. She had the ability to analyze data and draw relevant conclusions, on which she based her recommendations. Her students of nursing received better preparation than most physicians. She was 36 at the end of the war, and when she returned home, she became a virtual recluse until she died at age 90. She did have some physical ailments: Crimean fever, sciatica, rheumatism, and dilation of the heart, each of which could have crippling side effects and contributed to her becoming bedridden (Bullough et al, 1990). According to Dossey (2000), "In 1995, D.A.B. Young, a former scientist at the Wellcome Foundation in London, proposed that the Crimean fever was actually Mediterranean fever, otherwise known as Malta fever; this disease is included under the generic name brucellosis" (p 426). Because of the widespread Crimean fever that the soldiers encountered, it is thought that Nightingale was most likely exposed to this disease through ingesting contaminated food, such as meat or raw milk, cheese, or butter. It seems a logical assumption that Nightingale's 32-year history of debilitating, chronic symptoms is compatible with a diagnosis of chronic brucellosis. In any event, the legend and the lady had a significant effect on American nursing as we know it today (Bullough and Bullough, 1978; Bullough et al, 1990; Dodge, 1989; Dolan, 1969; Dossey, 2000).

#### **AMERICAN NURSING: CRITICAL FACTORS**

#### What Was It Like in Colonial Times?

In colonial times, all able-bodied persons shared nursing responsibilities; however, when there was a choice, women were preferred as nurses. Early colonial historians described care for the ill and house chores as the responsibilities of nurses. Although most women of this era were considered dainty (Bradford, 1898), nurses were usually depicted as willing to do hard work. Some colonies organized nursing services that sought out the sick and provided comfort to those who were ill with smallpox and other diseases (Bullough and Bullough, 1978). There were few trained nurses, however, and most of the individuals who delivered nursing care in the five largest hospitals were men (Dolan, 1969). Eventually, women were hired at the command of George Washington to serve meals and care for the wounded and ill. The era ended with the enactment of the first legislation to improve health and medical treatment and to provide for formal education for society as a whole (Dolan, 1969).

#### What Happened to Nursing During the U.S. Civil War?

The period of the U.S. Civil War witnessed an improvement in patient care through control of the environment in which the patient recovered. The greatest problems for the Army stemmed from the poor sanitary conditions in the camps, which bred diseases such as smallpox and dysentery. The results were many deaths from inadequate nutrition, impure water, and a general lack of cleanliness.

Nurses who had some formal training were recognized as being major contributors to the relative success of hospital treatments. It was in this era that the value of primary prevention, or the prevention of the occurrence of disease by measures such as immunization and the provision of a pure water supply, became understood. Volunteer nurses, mostly women, served in hospitals caring for those wounded soldiers fortunate enough to have survived the trip from the battlefield. Their patients were nursed in a clean environment and were provided with adequate nutrition. The likelihood of their recovering was significantly improved. Astute physicians observed that patients cared for by nurses generally recovered well enough to return to the battlefield. Families, too, saw that when nurses had control over the environment, their ill or injured loved one was more likely to recover—and return home.

As the United States moved into the industrial age of the early 1900s, Victorian values began to permeate the middle and upper-middle classes. Social concerns focused on protecting families from the diseases of the crowded urban areas, and the demand for improved health care increased.

## How Did the Roles of Nurses and Wives Compare During the Victorian Era?

The Victorian era had a significant effect on nurses, primarily because they were women. The parallelism between the idealized view of the Victorian woman and the traditional nurse is stunning. The effect of many of the values and beliefs of this era, some historians report, is still felt by women today.

The typical upper-class Victorian household consisted of a husband, who earned a living outside of the home and maintained total control of the family finances, and his wife, who maintained harmony within the home and raised their children. Women's work was generally restricted to philanthropic and voluntary work; women attended teas and other social functions to raise money for organizations and people in need.

Most women were considered fragile and dainty. They were often ill. It has been suggested that some women used illnesses and frailty as a form of birth control to prevent the numerous pregnancies that most women experienced. Some historians concluded that it was through their weaknesses that women gained control and attention. If the wife was ill or frail, maids or servants were hired, but if the wife were healthy, the husband would expect more from her. The Victorian wife was expected to "be good." She was esteemed by her husband but had limited power within the confines of the home and society. She was expected to be hardworking and able to maintain harmony while at the same time being submissive to the demands of her husband. Generally, this fostered dependence on the dominant male figure—the Victorian husband (Rybczynski, 1986).

Let us examine nursing during this same time, especially within the hospital organization. Nurses generally were women who wanted to avoid the drudgery of a Victorian marriage. They were required to be single to make a complete commitment to their vocation. Schooled in submission, women were expected to be equally accommodating within the hospital organization. A good nurse worked for harmony within the hospital. She was expected to be hardworking and submissive. The doctor and the hospital administrator were frequently the same person, usually a man who expected position and power to go hand in hand. Patients were admitted only if they had income and could afford to pay for the services. It was the physician who generated income, and good nurses were expected to help him continue to maintain power. Because the system rewarded people for being ill, there was little incentive to be healthy. Social values contributed to dependence on the health care system. From this milieu came the reformers (Bullough and Bullough, 1978; Davis, 1961; Kalisch and Kalisch, 1986; Stewart, 1950).

#### Who Were the Reformers of the Victorian Era?

The Victorian era, although a time of repression for women, was also a time of reform. A list of important names in nursing reform includes M. Adelaide Nutting, Minnie Goodnow, Lavinia L. Dock, Annie W. Goodrich, Isabel Hampton Robb, Lilian D. Wald, Isabel M. Stewart, and Sophia Palmer, among others (Jamieson and Sewall, 1949; Kalisch and Kalisch, 1986). These women, who had in common a comfortable upper middle-class background, intelligence, and education, also had in common a desire to reach beyond the constraints that society imposed on them. As society began to realize the important role that nurses played in treating the ill and injured, it also began to understand the need for training programs that would better educate nurses. Reformers focused on establishing standards for nursing education and practice. Among their accomplishments were the organization of the American Nurses Association and the creation of its journal (until 2006, when American Nurse Today became the official journal of the ANA), the American Journal of Nursing, and the enactment of legislation to require the licensure of prepared nurses. This protected the public from inadequate care provided by people who were not trained to nurse (ANA, 2007; Christy, 1971; Dock, 1900).

## What Were the Key Challenges and Opportunities in Twentieth Century Nursing?

Wars, influenza, the Great Depression, HIV/AIDS, and rapid technological advancements during the twentieth century affected the nursing profession. Table 6-1 summarizes some key historical and nursing events along a timeline.

1900-1910	1910-1920	1920-1930	1930-1940	1940-1950
1820-1910	1914-1918	1923	1932	1939-1945
Influence of Florence Nightingale	World War I	Goldmark Report—study focused on nursing student	Teachers College estab- lishes the first EdD in	World War II
	1918-1919	preparation in hospital pro-	nursing	1943
1900	21.5 million people died as	grams and faculty preparation		Nurse Training Act
First publication of the	a result of the 1918-1919		1934	provided federal
American Journal of Nursing	pandemic. More recent estimates have placed global mortality from the	1924 Yale School of Nursing becomes the first autonomous school	First PhD program in nursing started at New York University	funding for nursing education
1901	1918-1919 pandemic at	of nursing in the U.S. with its	New Tork Offiversity	During this decade the
United States Army Nurse	anywhere between 30	established nursing depart-	1935	rise of "team nursing
Corps established	and 50 million	ment meeting the standards of the university	Social Security Act enhances and	occurs because of a shortage of nurses
1908			promotes public	
United States Navy Nurse		1925	health nursing	
Corps established		Establishment of the Frontier Nursing Service—first orga-		
1909		nized midwifery program		
American Red Cross				
Nursing Service formed		1925		
		Establishment of the Frontier		
1909		Nursing Service—first orga-		
University of Minnesota establishes the first		nized midwifery program		
baccalaureate nursing		1929		
program		Stock market crashes leading to		
		the Great Depression		

#### Resources

American Association for the History of Nursing: *Nursing history calendar*, 2007. Retrieved from http://www.aahn.org/nursinghistory calendar.html

American Journal of Nursing: *The state board test pool exam, 52*(5):616, 1952. Retrieved from http://www.jstor.org/discover/10.2307/3468023?uid=3739552&uid=2129&uid=2&uid=70&uid=4&uid=3739256&sid=21101634154573.

American Nurses Association: In review, 2007. Retrieved from http://www.nursingworld.org/FunctionalMenuCategories/AboutANA/History/BasicHistoricalReview.pdf.

Haase PT: The origins and rise of associate degree nursing education, Durham and London, 1990, Duke University Press.

National Council of State Boards of Nursing: Annual meeting & delegate assembly business book, 2002. Retrieved from https://www.ncsbn.org/02BB\_SectionIII\_Resources\_web.pdf.

Texas Organization for Associate Degree Nursing: *History*, n.d. Retrieved from http://www.toadn.org/history/index.php?PHPSESSID= 53455f97767bc71c0a89009780fb7676.

1950-1960	1960-1970	1970-1980	1980-1990	1990-2000
1950	1964	1973	1981	1990-1991
Associate degree education for nursing began as part of an experimental project	Nursing Training Act—first federal law to give com- prehensive assistance for	Establishment of the American Academy of Nursing	Release of the first IBM personal computer	Gulf War or Operation Desert Storm
at Teachers College,	nursing education		1982	1990
Columbia University,		1978	Centers for Disease Control	Explosion of medical
New York.	1965 Medicare and Medicaid Acts	First test-tube baby born	and Prevention (CDC) begins formal tracking of	technologies and the access to information
1950-1953		1978	all AIDS cases	via the Internet.
Korean War	1965	Establishment of the		
	ANA's "Position Paper on	National Council of	1984	1994
1953 Establishment of the National Student Nurses' Association	Educational Preparation for Nurse Practitioners and Assistants to Nurses"	State Boards of Nursing (NCSBN) to lead nursing regulation	Formation of Texas Organization of Associate Degree Nursing (TOADN)	NCSBN Implements computer adaptive test (CAT) for nurse licensure
	1965	1985	1985	
1950 Nursing became first profession to use the same licensing exam in all states, called the State Board Test Pool Exam	Establishment of the first nurse practitioner (NP) role, developed jointly by Loretta Ford, a nurse educator and Henry Silver, a physician at the University of Colorado	Establishment of the American Association of Nurse Practitioners (AANP)	Establishment of the National Institute of Nursing Research (NINR) at the National Institutes of Health (NIH)	1996 Publication of a free online electronic journal Online Journal of Nursing Issues (OJIN)
			1986	
1959	1968		National Organization for	
Beginning of the Vietnam War that would last until 1975	Adoption by ANA of a new Code for Nurses		the Advancement for Associate Degree Nursing (NOAADN) is established	

Kansas University Medical Center: 100-year timelines of world history, nursing, medicine, science & industry advances, U.S. economic & healthcare market, U.S. social policy, and U.S. presidents, n.d. Retrieved from http://www2.kumc.edu/instruction/nursing/pge/timelinehistory.htm.

National Institute of Nursing Research: *Important events in the National Institute of Nursing Research History*, n.d. Retrieved from <a href="https://www.ninr.nih.gov/aboutninr/history">https://www.ninr.nih.gov/aboutninr/history</a>.

U.S. Department of Health & Human Services: *The great pandemic: The United States in 1918-1919*, n.d. Retrieved from http://www.flu.gov/pandemic/history/1918/.

University of Minnesota School of Nursing: School of nursing: about, 2013. Retrieved from http://www.nursing.umn.edu/about/index.htm.

#### How Did the Symbols (Lamp, Cap, and Pin) of the Profession Evolve?

As mentioned previously, Florence Nightingale acquired the nickname "Lady with the Lamp" while caring for soldiers during the Crimean War. Throughout the night, she would carry her lamp while checking on each soldier. For many historical scholars, this image of Nightingale more accurately represents Longfellow's poetic imagination in his 1857 Santa Filomena than the historical record (Grypma, 2010). Here is a link to this famous poem: www.theatlantic.com/past/docs/unbound/poetry/nov1857/filomena.htm.

The nurse's cap design evolved from the traditional garb of the early deaconesses or nuns who were some of the earliest nurses to care for the sick. More recently, the cap's original use was to keep a female nurse's hair neatly in place and present a professional appearance. There were two types of cap styles: one was a long nurse's cap, which covered most of the nurse's head; the other was a short nurse's cap, which sat on top of the head. The design of the cap identified the nurse's alma mater, which differentiated graduates from their respective nursing programs. Typically, a black band sewn on the cap signified a senior level student or graduate status, and sometimes identified the head nurse on a clinical unit. The origin of the black or navy band is unknown; some historical scholars believed the black band was a sign of mourning for Florence Nightingale. By the late 1970s, the hat had disappeared almost completely, as have "capping" ceremonies when the new student passed a probationary period of the program to receive their nursing cap. Also, the rapid growth of the number of men in nursing also necessitated a unisex uniform.

The nursing pin is a 1000-year-old symbol of service to others (Rode, 1989). The Maltese cross worn by the knights and nurses during the Crusades is considered the origin of the nursing pin. The most recent ancestor of the pin is the hospital badge that has been worn to identify the nurse since its inception more than 100 years ago. The nursing pin was given by the hospital school of nursing to the graduating students to identify them as nurses who were educated to serve the health needs of society. As schools of nursing flourished, each designed their own unique pin to represent their unique philosophy and beliefs. The pin is still worn as part of the nurse's uniforms today.

#### What Are the Key Events and Influences of the Twenty-First Century?

The beginning of the current millennium was marked with the Year 2000 problem, or Y2K, signifying problems that originated from mainframe computers that were keeping computer documentation data in an abbreviated two-digit format (98, 99, 00) rather than a four-digit year (1998, 1999, 2000). The computer would interpret 00 as 1900 rather than 2000. In newspapers and magazines, there were reports of widespread fear and concern that a massive computer calamity would lead to a global financial crisis, hospital support system shutdown, nuclear meltdowns, collapse of air-traffic control systems, loss of power, and so on. Throughout the world, organizations had to fix and upgrade their computer systems.

Dramatic events following the World Trade Center attacks in New York City on September 11, 2001, affected all aspects of life, including more focus on nursing disaster management and emergency preparedness. Natural disasters, such as Hurricane Katrina in 2005 (Gulf coast) and Superstorm Sandy in 2012 (East coast) called on nurses to respond to events that they had not previously experienced.

In early 2010, the passage of the Affordable Care Act, also referred to as "Health Care Reform" or "Obamacare" was signed into law. Although it will take 10 years to fully implement the reform, it provides for a comprehensive national health insurance program. There

continues to be controversy since the passage of the act, with some states suing the federal government stating that it is unconstitutional to mandate that individuals buy health insurance. The Supreme Court ruled that the health care law was constitutional in 2012; however, politicians and the public still have dividing opinions on the implementation of the reform.

#### HISTORY OF NURSING EDUCATION

#### What Is the History of Diploma Nursing?

The oldest form of educational preparation leading to licensure as an RN in the United States is the diploma program. Education in diploma schools emphasized the skills needed to care for the acutely ill patient. Graduates received a diploma in nursing, not an academic degree. From 1872 until the mid-1960s, the hospital diploma program was the dominant nursing program. Currently, there are approximately 59 diploma programs accredited by the National League for Nursing (NLN); this represents the smallest percentage of all basic RN programs (NLNAC, 2007). Perhaps one of the reasons for this decline was that the courses offered by hospitals frequently did not provide college credit. Although most diploma programs are associated with institutions of higher learning, where the graduates receive some college credit, graduates still may not receive college credit for the nursing courses.

#### What Is the History of Associate Degree Nursing?

The associate degree nursing program has the distinction of being the first and, to date, only educational program for nursing that was developed from planned research and controlled experimentation. Since its beginning in 1951, the associate degree nursing program has grown to more than 880 programs, producing more graduates annually than either diploma or baccalaureate programs.

In 1951, Mildred Montag published her doctoral dissertation, *The Education of Nursing Technicians*, which proposed education for the RN in the community college. Dr. Montag suggested that the associate degree program be a terminal degree to prepare nurses for immediate employment. According to Dr. Montag, there was a need for a new type of nurse, the "nurse technician," whose role would be broader than that of a practical nurse but narrower than that of the professional nurse. The technical nurse was to function at the "bedside." The duties of the technical nurse, according to Dr. Montag, would include (1) giving general nursing care with supervision, (2) assisting in the planning of nursing care for patients, and (3) assisting in the evaluation of the nursing care given (Montag, 1951).

In 1952, the American Association of Junior Colleges established an advisory committee. Along with the National League for Nursing (NLN), this committee was to conduct cooperative research on nursing education in the community college. The goals of this Cooperative Research Project were threefold: (1) to describe the development of the associate degree nursing program, (2) to evaluate the associate degree graduates, and (3) to determine the future implications of the associate degree on nursing. The original project was directed by Dr. Montag at Teachers College of Columbia University and included seven junior colleges and one hospital from each of the six regions of the United States.

In the proposed technical nursing curriculum, there was to be a balance between general education and nursing courses. Unlike the diploma programs, the emphasis was to be on education, not service. At the end of 2 years, the student was to be awarded an associate's degree in nursing and would be eligible to take the state board examinations for RN licensure.

#### What Is the History of Baccalaureate Nursing?

The early baccalaureate nursing programs were usually 5 years in length and consisted of the basic 3-year diploma program with an additional 2 years of liberal arts. In 1919, there were eight baccalaureate programs. In a 2006-2007 survey conducted by the American Association of Colleges of Nursing (AACN) found that total enrollment in all nursing programs leading to the baccalaureate degree, both entry-level and RN degree completion programs, was 180,127—up from 163,706 in 2005 (AACN, 2008).

#### What Is the History of Graduate Nursing Education?

Graduate nursing programs in the United States originated during the late 1800s. As more nursing schools sought to strengthen their own programs, there was increased pressure on nursing instructors to obtain advanced preparation in education and clinical nursing specialties.

The Catholic University of America, in Washington, DC, offered one of the early graduate programs for nurses. It began offering courses in nursing education in 1932 and conferring a master's degree in nursing education in 1935.

The NLN's Subcommittee on Graduate Education first published guidelines for organization, administration, curriculum, and testing in 1957. These guidelines have been revised throughout the years and reflect the focus in master's education on research and clinical specialization.

Until the 1960s, the master's degree in nursing was viewed as a terminal degree. The goal of graduate education was to prepare nurses for teaching, administration, and supervisory positions. In the early 1970s, the emphasis shifted to developing clinical skills, and the roles of clinical specialists and nurse practitioners emerged. By the late 1970s, the focus again shifted back to teaching, administration, and supervisory positions (McCloskey and Grace, 2001).

In response to health care reform, the number of master's programs has increased. Enrollments in master's degree programs rose by 18.1% (8337 students) bringing the total student population to 56,028. In research-focused doctoral programs, enrollments increased by 6.3% (231 students) with the total student population at 3927 (AACN, 2008).

#### THE NURSE'S ROLE: THE STRUGGLE FOR DEFINITIONS

#### What Do Nurses Do?

As a student, you study nursing texts that explain theories, skills, principles, and the care of patients. Every text has at least one introductory chapter that describes nursing and its significance. By examining many of these introductory chapters of nursing texts, you can generate a rather extensive list of roles (Anglin, 1991). From this list of roles, six major categories can be determined (Table 6-2). The most traditional role for nurses is that of caregiver. The nurse as teacher is often referred to when discussing patient care or nursing education. The role of advocate has been very controversial since 1900. Nurses were also expected to be managers ever since the first formal education or training program was instituted. Another interesting role for the nurse is that of colleague. The final role is that of expert.

#### What Is the Traditional Role of a Nurse?

The role of the nurse as caregiver has engendered the least amount of controversy. This role has been thoroughly documented, not only in writing but also through art, since early

TABLE 6-2 WHAT NURSES DO								
CAREGIVER	TEACHER	ADVOCATE	MANAGER	COLLEAGUE	EXPERT			
Care provider Comforter Handmaiden Healer Helper Nurturer Practitioner Rehabilitator Support agent	Patient educator Counselor Patient teacher	Interpreter Learner Protector Risk-taker Change agent	Administrator Coordinator Decision maker Evaluator Initiator Leader Planner	Collaborator Communicator Facilitator Peer reviewer Professional Specialist	Academician Historian Nursing instructor Professional educator Researcher Research consumer Teacher Theorist Practitioner Leader			

times. Nurses and nursing leaders agree that this is their primary role. As students, your caregiving skills will be measured constantly through skill laboratories, clinical evaluation proficiency, and, eventually, through licensure testing and staff evaluations. All of these mechanisms are used to evaluate your ability to be a caregiver.

Caregiving is probably the only role about which there is agreement as to what it means and how we do it.

Imagine a nurse providing care. Generally, the picture that most often comes to mind is someone, usually female, in a white uniform caring for a patient who is ill. This picture is the romanticized version of caregiving continually portrayed in movies, television, and novels. We know that caregiving takes place in many settings: clinics, homes, hospitals, offices, businesses, and schools, among others. We can probably agree that caregiving is an important role for nurses and that it is why most of us chose nursing. Studies examining the role of caregiver continue to be undertaken, and our understanding of the role is expanding (Benner, 1984; Leininger, 1984; Watson, 1985). Without a doubt, caregiving is an important role, one that is essential to nursing.

#### Did You Know You Would Be a Teacher?

Teaching patients about their therapy, condition, or choices is critical to the successful outcome of some prescribed treatments. For example, nurses have learned through research that knowledge can reduce anxiety before and after surgery. Teaching becomes especially important when patients have to make treatment choices and decisions about their care. With the volumes of information available regarding health care, it is even more important that nurses help patients understand what they need to know to make wise decisions. Discharge plans also provide for patient education. Home care includes teaching as a reimbursable activity. Agency charting procedures all require documentation of patient education. All nursing textbooks include sections on what the nurse needs to emphasize regarding patient education. With all this evidence, there is little doubt that the teacher role is an important one for the nurse (Figure 6-2).

Teaching is planned to strengthen a patient's knowledge regarding making decisions about treatment options, and it is an essential nursing intervention (Alfaro-LeFevre, 1998). In many ways, the nurse as teacher is also an interpreter of information, and this leads us to the next role for discussion.



FIGURE 6-2 Did you know you would be a teacher?

#### When Did the Nurse Become An Advocate?

A useful definition of the term *advocate* is "one who pleads a cause before another." The first advocacy issue, arising early in the 1900s, concerned nursing practice. Public health and visiting nurses were the majority (approximately 70%), and hospital nurses were the minority (approximately 30%) of working nurses. Working as a private duty nurse or visiting nurse was a source of income for women who had no other means of support. Because there was no way to determine the credentials of the visiting nurse, many impostors worked in that capacity. Lavinia L. Dock, Sophia Palmer, and Annie W. Goodrich, three nursing leaders, deplored this situation and endeavored to protect the public from unscrupulous "nurses" (Dolan, 1969; Goodnow, 1936). Dock was an excellent nurse who believed in fairness to qualified nurses and to the public. She advocated that all practicing nurses be measured by a "fair-general-average standard," as determined by written examination, and be rewarded with licensure on attainment of the standard (Christy, 1971).

Palmer's proposed solutions were similar. Many hospitals were sending out inexperienced undergraduates to do private duty nursing while keeping the income. She advocated a training school in which students of nursing would learn to provide care under a qualified nurse, and she supported the implementation of a registration process for all qualified nurses to protect the public from incompetent, unqualified nurses.

Goodrich advocated compulsory legislation that would ensure that graduates or trained nurses would be the only ones who could work as nurses. She pleaded for the registration of qualified nurses, not only for the protection of the nurse, but also for the protection of the community. Goodrich also fought against correspondence or home-study programs for nurses, which were a greater menace to the public's safety than people realized. Such legislation, she believed, would encourage talented young women who were intellectually

prepared for scientific education to select nursing as a career. The role of the advocate, as understood by these three early nursing leaders, was to protect the public from unqualified nurses (Christy, 1969; Dock, 1900; Palmer, 1900).

From this beginning, the role of advocate grew. Public health nurses served as advocates in factories and communities during the Industrial Revolution. Many municipal boards of health hired visiting nurses to work as inspectors in the factories to protect the workers from health hazards and to help prevent accidents. Communities were finding that the nurse as advocate for the factory worker had inestimable value. Visiting nurses were also proving very effective in preventing the spread of communicable diseases. Hospital nurses also worked as advocates for the patients while giving care. Nurses were crucial in protecting patients from harm when they were too ill to protect themselves. Nurses were also responsible for providing measures to relieve pain, and they strove to make their patients happy and comfortable, even if it meant breaking the rules sometimes (Hill, 1900). During the 1970s and 1980s, the responsibility of the nurse as advocate was expanded to include speaking for their patients when they could not speak for themselves (Sovie, 1978). Nurses returned to work in churches in the primary role of advocate under the Granger Westberg model for parish nursing. The members of the congregation where a parish nurse practiced found affirmation and support as they reached to improve their physical, emotional, and spiritual health (Striepe, 1987).

However, consumers, administrators, and courts do not share the perception of the nurse as advocate. The findings of a study done in 1983 indicated that consumers did not recognize the nurse as an initiator of health care (Miller et al, 1983). Consumers also believed that physicians would protect the rights of the patient. Miller and colleagues (1983) concluded that although nurses were serving as mediators between patients and institutions, changes rarely occurred within the institutions as a result of this role. Patient advocacy was directly related to the power and authority allowed the nurse by the particular system. Nurses generally became advocates whenever the issue was care; however, they had little power to be truly effective as an advocate when the concerns involved the medical regimen or health care services (Miller et al, 1983). Examples of advocacy included questioning doctors' orders, promoting patient comfort, and supporting patient decisions regarding health care choices.

Advocacy is a critical role for nurses today. Nurses are in a vital position to be effective in this role.

With the need for informed consent, advance directives, and treatment choices, patients more than ever need an advocate to interpret information, identify the risks and benefits of the various treatment options, and support the decision they make. Being an advocate does involve taking personal and professional risks. When the issue is care, nurses are willing advocates, but when the issue is the profession, nurses seem reluctant (Anglin, 1991).

#### Why Are Nurses Managers?

Even Florence Nightingale recognized the need for nurses to be managers. She insisted that nurses needed to organize the care of the patient so that other nurses could carry on when they were not present. There were four major eras in the development of the nurse as manager. During the first period, lasting until about 1920, a nurse manager was known as the *charge nurse*. Charge nurses were responsible for teaching the nursing students what they

needed to know and for directing the care that the students provided. The charge nurse was autocratic. This nurse had absolute authority over the student.

During the second era, lasting until 1949, the term *supervisor* was used to describe the role of nurse manager. The supervisor continued to be responsible for the students; however, the role had expanded to include enforcing agency policies, developing improvements in the care of the ill, and being responsible for the effective use of the ward's resources. Nurses were more involved in the patient care process. Hospital administrators were relying on nursing expertise to establish policies for patient care and hospital administration. This era ended with the publication of Esther Lucille Brown's report (1948) recommending that nursing education be separated from hospital administration.

During the third period, lasting until 1970, the nurse was referred to as a *coordinator*. The nurse coordinator no longer had responsibility for the nursing education of the students but was expected to motivate staff, be innovative, and solve problems. Coordinators were active in improving patient care and were expected to maintain harmony within the institution. Many nurse coordinators had few skills in and little knowledge of middle management. They basically learned by trial and error how to be effective.

The last period, from 1970 to the present, is a series of waves. Nurses gained recognition as managers and were able to function in that role. Hospital nurses gained middle-management positions and proved their abilities. The period before diagnostic-related groups (DRGs) saw escalating hospital costs and growth in the numbers of employees and services. From this growth came significant efforts to control the costs of health care. The term *manager* is used most often now in the nursing literature, but you may find it used to describe any of the four periods.

No matter what era in history you study, the expectation is that the nurse-manager will coordinate patient care and supervise nurses in the delivery of quality care.

#### Can Nurses Be Colleagues?

The role of colleague is a vital one in any profession. The status of colleague within health care generates pictures of nurses, doctors, and pharmacists discussing, on an equal basis, problems and concerns related to health care. In nursing, however, a review of our history shows that we have not quite achieved the status of colleague. Interdisciplinary collegial relationships currently are tenuous. More surprising, even among nurses, intradisciplinary collegial relationships are strained.

Between 1960 and the present, the term *collaborator* has been adopted for this role. The root of this word means, "to exchange information with the enemy." This may be the most fitting description of the role. Nurses were interested in developing collaborative relationships with doctors, pharmacists, and other health professionals. The literature is abundant with discussions of these relationships and consistently describes these relationships as collaborative (Hahm and Miller, 1961; Kelly, 1975; Quint, 1967; Seward, 1969; Tourtillott, 1986; Wisener, 1978).

#### Where Does This Leave the Role of Colleague?

Nursing education has promoted the term *collaborator* over *colleague*. The dilemma is that employers neither recognize nor reward the role. Students in their educational experiences

are seldom offered the opportunity to practice the role of colleague and therefore have only a vague understanding of the role. However, public health nurses throughout American history have not only understood the role, but probably have attained a greater degree of collegiality than any other practice area of nursing. Public health nurses are not the majority within the profession. Nevertheless, they continue to enjoy and maintain the essence of the role (Anglin, 1991). As a colleague, one recognizes nurses with expertise and relies on those nurses for their expertise in the interest of improving patient care and advancing the profession. The essence of the role is mutual respect and equality among professionals, both intradisciplinary and interdisciplinary (Anglin, 1991). Until nurses can respond to each other with respect, it will be difficult to move from collaborator to true colleague.

#### What About Experts?

There is one other role in which nurses are often found. For lack of a better name, this role is called *expert*. It is a conglomerate of advanced formal or informal education, certification, and acquired or recognized expertise. The role includes academicians, historians, nursing educators, clinicians, professional educators, researchers, research consumers, theorists, nurse technologists, and the leaders within the profession. The American Academy of Nursing recognizes some of these individuals and votes to bestow on them the honor of Fellow. There are many nurses who are experts in an area of practice, whether it be in clinics, at the bedside, in nursing homes, or in other settings. As nurses with special expertise, they are called on to provide testimony in courts and at government hearings or to share information and knowledge with other nurses, which is their obligation to the profession. This sharing can be done through mentoring, guest-speaking, performing inservices, offering continuing-education programs, contributing to publications, and writing technical articles. These experts are usually the nurses who create the momentum that moves the profession forward. This is a role that should be recognized, encouraged, and rewarded.

#### **CONCLUSION**

The history of nursing provides a wealth of knowledge about where we have been and illustrates for us the lessons that have been learned. Few of us know the specifics of how nursing evolved into the discipline that it is today; however, the study and review of our rich history provides the context for where we will be tomorrow. At the end of this chapter is a listing of relevant websites and online resources on the history of nursing.

So history naturally informs nursing knowledge, both imaginatively and practically. As historian Joan Lynaugh observed, nursing history is "our source of identity, our cultural DNA." Nurses love nursing history when it illuminates their imaginations and they can feel its meaning in their bones. Indeed, nursing history offers all nurses an exciting future in ideas (Meehan, 2013, p 13).

What do nurses do? There is no simple answer. We agree that nurses care for patients—hence nurses are caregivers. We agree that nurses teach patients what they need to know to make informed choices—and therefore nurses are teachers. We also agree that the role of manager exists in some form, and so we manage our practice and patients' care. We can even define the role of advocate; yet, based on the history of the role, nurses are reluctant to take risks to fully carry the role into the future. The role of colleague is less clear. We are

consistent in using the term *collaborator*; however, the term *colleague* is deemed more fitting for professionals, and that is the role to which we should aspire.

Finally, we have experts whom we may or may not recognize—and on whom the profession depends to provide the leadership for the whole. These roles merely provide a beginning for you to understand the profession you have chosen—nursing. May you become proficient in these roles and develop into an expert who will then provide the leadership for nursing in the future.

The future is not the result of choices among Alternative paths offered;
It is a place that is created,
Created first in the mind and will,
Created next in activity.
The future is not some place we are going to,
But one we are creating.
The paths to it are not found, but made.
And the activity of making them
Changes both the maker and the destiny.
—Anonymous, 1987

#### RELEVANT WEBSITES AND ONLINE RESOURCES

#### American Association for the History of Nursing

http://www.aahn.org/.

#### **Black Nurses in History**

http://libguides.rowan.edu/blacknurses.

#### Canadian Association for the History of Nursing

http://cahn-achn.ca/.

#### Clendening History of Medicine Library—Florence Nightingale Resources

http://clendening.kumc.edu/dc/fn.

#### **Frontier Nursing Service**

http://www.frontiernursing.org.

#### Images from the History of Medicine

http://www.ihm.nlm.nih.gov/.

#### Margaret M. Allemang Society for the History of Nursing (Canadian)

http://allemang.on.ca/.

#### **Museum of Nursing History**

http://www.nursinghistory.org/.

#### **Nursing History and Health Care**

www.nursing.upenn.edu/nhhc.

#### **BIBLIOGRAPHY**

Alfaro-LeFevre, R. (1998). *Applying nursing process: a step-by-step guide*. New York: Lippincott Williams & Wilkins.

American Association of Colleges of Nursing. (2008). 2006–2007 Enrollment and graduations in baccalaureate and graduate programs in nursing. Washington, DC: Author.

American Nurses Association. (2007). *In review*. Retrieved from http://www.nursingworld.org/FunctionalMenuCategories/AboutANA/History/BasicHistoricalReview.pdf.

Anglin, L. T. (1991). *The roles of nurses: a history, 1900 to 1988.* Ann Arbor, Mich: University of Michigan.

Benner, P. (1984). From novice to expert: excellence and power in clinical nursing practice. Menlo Park, Calif: Addison-Wesley.

Bradford, W. (1898). *History of Plymouth plantation: book II (1620)*. Plymouth: Mass, Wright & Potter.

Brown, E. L. (1948). Nursing for the future. New York: Russell Sage Foundation.

Bullough, V., & Bullough, B. (1978). The care of the sick: the emergence of modern nursing. New York: Prodist.

Bullough, V., Bullough, B., & Stanton, M. P. (1990). Florence Nightingale and her era: a collection of new scholarship. New York: Garland.

Christy, T. E. (1969). Portrait of a leader: Isabel Hampton Robb. Nursing Outlook, 17(3), 26-29.

Christy, T. E. (1971). First fifty years. American Journal of Nursing, 71(9), 1778–1784.

Dalton, R. (1900). Hospitals: their origins and history. *Dublin Journal of Medical Science*, 109(3), 17–19.

Dana, C. L. (1936). The peaks of medical history. New York: Paul B Hoeber.

Davis, M. D. (1961). I was a student over 50 years ago. Nursing Outlook, 61, 62.

Dock, L. (1900). What may we expect from the law? American Journal of Nursing, 1, 9.

Dodge, B. S. (1989). The story of nursing (2nd ed.). Boston: Little, Brown.

Dolan, J. A. (1969). History of nursing. Philadelphia: Saunders.

Donahue, M. P. (1985). Nursing: the finest art. St. Louis: Mosby.

Dossey, B. (2000). Florence Nightingale: mystic, visionary, healer. Springhouse, Pa: Springhouse.

Goodnow, M. (1936). Outlines in the history of nursing. Philadelphia: Saunders.

Grypma, S. (2010). Revis(it)ing nursing history. Journal of Christian Nursing, 27(2), 67.

Hahm, H., & Miller, D. (1961). Relationships between medical and nursing education. *Journal of Nursing Education*, 39, 849–851.

Hill, J. (1900). Private duty nursing from a nurse's point of view. *American Journal of Nursing*, 1(2), 129.

Jamieson, E. M., & Sewall, M. F. (1949). Trends in nursing history. Philadelphia: Saunders.

Kalisch, P. A., & Kalisch, B. J. (1986). The advance of American nursing. Boston: Little, Brown.

Kelly, L. Y. (1975). Dimensions of professional nursing (3rd ed.). New York: Macmillan.

Leininger, M. (1984). Care: the essence of nursing and health. Thorofare, NJ: Charles B Slack.

Meehan, T. C. (2013). History and nursing knowledge. Nursing History Review, 10–13.

McCloskey, J., & Grace, H. K. (2001). Current issues in nursing (6th ed.). St. Louis: Mosby.

Miller, B. K., Mansen, T. J., & Lee, H. (1983). Patient advocacy: do nurses have the power and authority to act as patient advocate? *Nursing Leadership*, 6(2), 56–60.

Montag, M. L. (1951). The education of nursing technicians. New York: GP Putnam's Sons.

National League for Nursing Accrediting Commission. (NLNAC). (2007). *Online directory of accredited programs*. Retrieved from www.nlnac.org/Forms/directory\_search.htm.

Palmer, S. (1900). The editor. *American Journal of Nursing*, 1(4), 166–169.

Quint, G. C. (1967). Role models and the professional nurse identity. *Journal of Nursing Education*, 6, 1.

Rode, M. W. (1989). The nursing pin: symbol of 1000 years of service. Nursing Forum, 24(1), 15–17.

Rybczynski, W. (1986). Home: a short history of an idea. Middlesex, England: Penguin.

Seward, J. M. (1969). Role of the nurse: perceptions of nursing students and auxiliary nursing personnel. *Nursing Research*, 18(2), 164–169.

Sovie, L. (1978). Nursing. In N. Chaska (Ed.), The nursing profession. New York: GP Putnam's Sons.

Stewart, I. M. (1950). A half-century of nursing education. American Journal of Nursing, 617.

Striepe, J. (1987). *Nurses in churches: a manual for developing parish nurse services and networks.* Spencer, IA: Iowa Lake Area Agency on Aging.

Tourtillott, E. A. (1986). Commitment—a lost characteristic. New York: JB Lippincott.

Watson, J. (1985). *Nursing: human science and human care—a theory of nursing.* East Norwalk, Conn: Appleton-Century-Crofts.

Wisener, S. (1978). The reality of primary nursing care: risks, roles and research: role changes in primary nursing. New York: National League of Nursing.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

## **Nursing Education**


Gayle P. Varnell, PhD, APRN, CPNP-PC

Education should not be a destination—but a path we travel all the days of our lives.

Anonymous

Unless we are making progress in our nursing every year, every month, every week, take my word for it we are going back.

Florence Nightingale



Pathway to career goals.

After completing this chapter, you should be able to:

- Compare the various types of educational preparation for nursing.
- Describe the educational preparation for a graduate degree.
- Compare the alternative options provided by career ladder or bridge programs, external degree programs, Bachelor of Science in Nursing programs, accelerated programs, and online universities.
- Describe the purpose of nursing program accreditation.
- Set personal educational goals for yourself.

What an exciting time to be a nurse. Never before have the doors been so open for nurses to further their education. The Institute of Medicine (IOM) report, *The Future of Nursing; Leading Change, Advancing Health* (2010), set forth recommendations that will change the future of nursing and nursing education in ways never dreamed possible. Recommendation 4 discusses increasing the number of nurses with baccalaureate degrees to 80% by the year 2020, whereas Recommendation 5 proposes to double the number of nurses with doctorate degrees by 2020. Recommendation 6 explains the need for nurses to engage in lifelong learning. Based on these three recommendations alone, educational systems across the country are diligently brainstorming and working collaboratively to address these goals.

A Joint Statement on Academic Progression for Nursing Students and Graduates (2012) was made by the Tri-Council for Nursing policy (2010) and endorsed by both community-college—registered and university-registered nursing programs with the understanding that "every nursing student and nurse should have access to additional nursing education... (AACN, 2012a). What does all this mean to you as a nurse? It means that educational programs as well as employers throughout the country are striving to find ways to make it easier for nurses to further their education. More community colleges and universities are expanding their nursing programs to meet the needs for health care reform. Add to this the advancing computer technology that makes it easier to provide comparable education via distance learning and simulation, and you have an environment that beckons nurses to further their education. Whatever your basic nursing education program, you will now find it easier to advance in your profession. Instead of seeing roadblocks, you will see more doors and windows opened to allow you to advance your education. Are you ready for the challenge?

After struggling to complete your basic educational preparation for nursing, you are probably looking forward to that first paycheck as a registered nurse. The last thing on your mind is returning to school for more education! The purpose of this chapter is not to discuss the issue of entry into practice or to debate which educational program is best. Instead, the goal of this chapter is to help you look at where you are educationally and to offer direction regarding educational opportunities to enhance your career goals and to continue on the path of lifelong learning. Before looking down the path at the variety of educational offerings available to help you meet those goals, let us look at the variety of pathways that lead to the basic educational preparation for an RN.


Which path did you travel? There are three primary paths (diploma, associate's degree, and bachelor's degree) that lead to one licensing examination: the National Council Licensure Examination for Registered Nurses (NCLEX-RN® Examination). These programs usually require a high school diploma or the equivalent for admission. Some of the other paths include master's and doctoral nursing degree programs, both of which accept college graduates with liberal arts majors. Other paths are becoming more popular, including career ladder programs (from practical nurse to associate degree or baccalaureate degree nurse), two-plus-two programs (from associate's degree to bachelor's degree), and the increasingly popular accelerated baccalaureate program for nonnursing college graduates. Still another source for nursing education is the online option. Online programs are particularly popular for people who are place-bound and unable to travel to distant sites to obtain or continue their education. Some of these programs require brief visits to a campus, whereas others are completely online.

The distribution of the RN population according to basic nursing education is illustrated in Figure 7-1. In 1980, the diploma education track was the highest level of education for most nursing graduates. Since 1996, there has been a continued increase in the number of RNs receiving their initial preparation in either an associate's degree or a baccalaureate program. The most recent 2008 survey indicates that initial preparation in a diploma program accounted for 20.4%, the associate's degree accounted for 45.4%, and the baccalaureate degree program accounted for 34.2% of the registered nurses. Furthermore, it is estimated that 0.5% of RNs received their initial nursing education at either a master's or doctoral level.

#### PATH OF DIPLOMA EDUCATION

#### What Is the Educational Preparation of the Diploma Graduate?

The current preparation of a diploma nurse varies in length from 2 to 3 years and takes place in a hospital school of nursing. This type of program may be under the direction



**FIGURE 7-1** Distribution of RNs according to basic nursing education, 1980-2004. (Source: Health Resources and Services Administration: The registered nurse population: findings from the March 2008 National Sample Survey of Registered Nurses, 2010. Washington, DC: U.S. Department of Health and Human Services. Retrieved from http://bhpr.hrsa.gov/healthworkforce/rnsurveys/rnsurveyfinal.pdf.)

of the hospital or incorporated independently. The diploma program may include general education subjects such as biology and physical and social sciences, in addition to nursing theory and practice. Graduates of diploma programs are prepared to function as beginning practitioners in acute, intermediate, long-term, and ambulatory health care facilities. Because there is a close relationship between the nursing school and the hospital, graduates are well prepared to function in that institution. On graduation, many diploma graduates are employed by that same hospital and therefore may experience an easier role transition.

Standards and competencies for diploma programs are developed and maintained by the National League for Nursing (NLN) Council of Diploma Programs. Graduates of diploma programs are awarded a certificate and are eligible to take the NCLEX-RN Examination for licensure.

#### PATH OF ASSOCIATE DEGREE EDUCATION

#### What Is the Educational Preparation of the Associate Degree Graduate?

The current preparation of an associate degree nurse usually begins in a community college, although some programs are based in senior colleges or universities. The associate degree program lasts 18 to 21 school calendar months. The NLN recommends that associate degree nursing programs consist of 60 to 72 semester credits (90 to 108 quarter credits) and that there is a balanced distribution of no more than 60% of the total number of credits allocated to nursing courses (NLN, 2001). In some programs, the student must complete the general education and science course requirements before beginning the nursing courses. At the end of the program, the student receives an associate's degree in nursing or Associate in Applied Science (ADN or AAS).

Associate degree nursing education has helped to bring about a change in the type of student who enrolls in nursing programs. Before the emergence of associate degree

nursing programs, nursing students were traditionally single, white females younger than 19 years of age who came from middle-class families (Kaiser, 1975). Associate degree programs attract a more diverse student population that includes older individuals, minorities, men, and married women from a variety of educational and economic backgrounds. Many of these individuals have baccalaureate and higher degrees in other fields of study and are seeking a second career. Along with their maturity, these students bring life experiences that are applicable to nursing. The students tend to be more goal oriented and have a more realistic perspective of the work setting. The community college curriculum is conducive to students who want to attend school on a part-time basis. Graduates of associate degree programs are eligible to take the NCLEX-RN examination for licensure.

Dr. Montag's (1951, 1959) original proposal for the associate degree program to be a terminal degree is no longer applicable. In 1978, the American Nurses Association proposed a resolution regarding associate degree programs that recommended they be viewed as part of the career upward-mobility plan rather than as terminal programs. Recommendation 4 of the recent IOM report, proposing to increase to 80% by 2020 the proportion of nurses with BSN degrees, further supports the need for ADNs to consider advancing their educations (IOM, 2010). The associate degree program has provided students with the motivation to further their education and the opportunity for career mobility. Although many nursing students end their education with an associate's degree, many others enter the associate degree program with every intention of continuing their nursing education to the baccalaureate level or even further.

#### PATH OF BACCALAUREATE EDUCATION

In this discussion, only the "generic" baccalaureate programs are addressed. A "generic student" is one who enters a baccalaureate nursing program with no training or education in nursing. A traditional generic baccalaureate program includes lower-division (freshman and sophomore) liberal arts and science courses with upper-division (junior and senior) nursing courses. RNs entering baccalaureate programs are discussed later in this chapter.

#### What Is the Educational Preparation of the Baccalaureate Graduate?

The current preparation of a baccalaureate nurse is 4 to 5 years in length (120 to 140 credits) and emphasizes courses in the liberal arts, sciences, and humanities. Approximately one half to two thirds of the curriculum consists of nonnursing courses. To qualify for a baccalaureate program, the student must first meet all of the college's or the university's entrance requirements. Usual entrance requirements include college preparation courses in high school (e.g., foreign language, advanced science, and math courses) and a specified cumulative grade-point average (GPA). Most colleges also require a college entrance examination such as the Scholastic Aptitude Test (SAT) or the American College Test (ACT).

During the first 2 years of a traditional baccalaureate nursing program, the student is usually enrolled in liberal arts and science courses with other nonnursing students. It is usually not until late in a student's sophomore or early junior year that nursing courses are introduced. However, some baccalaureate programs incorporate nursing courses throughout the 4-year nursing curriculum. The emphasis in the baccalaureate nursing program is on developing critical decision-making skills, exercising independent nursing judgment, and acquiring research skills.

The graduate of a baccalaureate program must fulfill both the degree requirements of the nursing program and those of the college. On completion of the program, the usual degree awarded is a Bachelor of Science in Nursing (BSN).

The graduate of a baccalaureate program is prepared to provide health promotion and health restoration care for individuals, families, and groups in a variety of institutional and community settings. Graduates of baccalaureate nursing programs are eligible to take the NCLEX-RN examination for licensure. BSN graduates are also prepared to continue their education by moving directly into graduate education. An increasing number of BSN graduates are continuing their nursing education by going directly into graduate programs.

#### OTHER TYPES OF NURSING EDUCATION

#### What Are the Other Available Educational Options?

In the 1960s, baccalaureate programs made it very difficult for the RN to return to school to earn a baccalaureate in nursing. Most of the time, these nurses found themselves receiving no credit for their past education or experience. A resolution was passed in 1978 by the American Nurses Association (ANA) that helped to change this philosophy. This resolution urged the creation of quality career-mobility programs with flexibility to assist individuals desiring academic degrees in nursing. The Tri-Council's 2010 statement for access to nursing education for all nurses, providing for a seamless academic progression (AACN, 2012b), has further widened the pathways toward advanced education. Several basic patterns are available for achieving upward mobility in nursing; within these basic patterns are many variations. Career ladder programs or bridge programs, BSN-completion programs, external degree programs, accelerated programs, and online universities are the basic patterns that will be addressed in this section. Following the IOM report, developers of nursing educational programs have been challenged to rethink nursing education. It is anticipated that nursing education will be transformed to create a health care work force that is better prepared in ways that can only be imagined at this time. In assessing the available educational options, one source of information is the All Nursing Schools website (www.allnurs ingschools.com/find/). Potential students should also contact individual schools for information regarding their particular programs. After you are ready to begin the application process, you will also find that the Nursing Centralized Application Service has simplified the process by providing a service for students to use to apply to nursing programs at participating schools nationwide (http://www.aacn.nche.edu/nursingcas). At the end of this chapter is a complete list of additional relevant websites and online resources for advancing your nursing education.

The career ladder or bridge concept focuses on the articulation of educational programs to permit advanced placement without loss of credit or repetition. There are many variations on this type of program. Multiple-exit programs provide opportunities for students to exit and reenter the educational system at various designated times, having gained specific education and skills. An example is a program that ranges from practical nurse to RN at the associate's, baccalaureate, master's, and doctoral levels. A student in such a program may decide to leave the educational system at the completion of a specific level and be eligible to take the licensure examination applicable to that educational level. On termination, the student may choose to work for a while and later return for more education at the next level without having to repeat courses on previously acquired knowledge or skills.




FIGURE 7-2 What are other available education programs?

Growing numbers of basic nursing education programs within the community college setting are beginning to offer career ladder programs and concurrent enrollment programs, affiliating themselves with upper-division colleges in the area. A student can enter the community college to spend 1 year studying to become a practical or vocational nurse. After a year, the student can decide to stop and take the practical nurse licensure examination or continue and complete the associate's degree in nursing. At the end of the second year, the student is eligible to take the RN licensure examination and may choose either to exit with an associate's degree or to attend an affiliated upper-division college to obtain a bachelor's degree (Figure 7-2).

#### What Is a BSN/MSN Completion Program?

A BSN-completion program is a baccalaureate program designed for students who already possess either a diploma or an associate's degree in nursing and hold a current license to practice as an RN. Depending on the part of the country, these programs may also be known as RN baccalaureate (RNB) programs, RN/BSN programs, baccalaureate RN (BRN) programs, two-plus-two programs, or capstone programs. There are more than 620 BSN-completion programs. In addition to the BSN-completion programs, 168 RN-to-master's degree program options are available, and there are 37 additional nursing schools planning to implement a BSN/MSN completion program in the near future (AACN, March 2012). In most of these programs, nurses receive transfer credit in basic education courses taken at other institutions plus either some transfer credit for their previous nursing courses or the opportunity to receive nursing credit by passing a nursing challenge examination.

The usual length of such programs is 1 to 2 years, depending on the number of course requirements completed at the time of admission to the program. To meet the needs of the returning student, many BSN-completion programs offer flexible class scheduling, which

allows the student to continue working while going to school. Another innovation being implemented to address the needs of individuals seeking baccalaureate degrees in outlying geographic areas is telecommunication-assisted studies and Internet courses. More than 400 programs have part of their curriculum online, whereas an increasing number of programs are available completely online (AACN, March 2012).

#### What Is an External Degree Program?

In the early 1970s, the external degree program was a nontraditional program that allowed a student to gain credit, meet external degree requirements, and obtain a degree from a degree-granting institution without attending face-to-face classes. One of the earliest external degree (or distance education) programs was offered through the New York Board of Regents external degree programs (REX), which is now Excelsior College. External degree programs may offer an ADN as well as a BSN and a master of science in nursing (MSN). These programs are designed to allow individuals to obtain degrees in nursing without leaving their jobs or their communities.

Nursing education online is a rapidly expanding part of the Internet. These external degree, or distance education, programs are accredited either by the Accreditation Commission for Education in Nursing (ACEN) (formerly the National League for Nursing Accrediting Commission (NLNAC) or by the Commission on Collegiate Nursing Education [CCNE]), which is an autonomous accrediting agency associated with the American Association of Colleges of Nursing (AACN). In the undergraduate nursing programs, all students are required to pass specific college-level tests and performance examinations in two components: general education and nursing. On completion of the undergraduate external degree programs, students are eligible in most states to take the RN licensure exam. One of the largest CCNE-approved programs for BSN completion and graduate education is the University of Phoenix online campus.

#### **Online (Web-Based) Programs**

More and more traditional colleges and universities are offering courses and even entire programs through the Internet. In fact, it is possible to earn ADN, BSN, master's, and doctoral degrees in Web-based or Web-enhanced formats. At times, it can be confusing and overwhelming to find the right programs. Several sites are available to help users locate specific Web-based or Web-enhanced courses (and course descriptions). See the Internet resources listed on this book's *Evolve* website. It is important to take into consideration the cost not only of an online program, but also of out-of-state tuition when considering which program is the best fit for your career goals.

#### **Proprietary Nursing Schools**

In addition to the colleges and universities that are offering these types of courses, an influx of new proprietary nursing programs has emerged. A proprietary nursing school is a forprofit school with a nursing program. Many proprietary schools have nursing programs in more than one state; these schools must meet the different program requirements of each state's nursing board.

#### What Is an Accelerated Program?

Accelerated programs are offered at both the baccalaureate and master's degree levels; they are designed to build on previous learning to help a person with an undergraduate degree in another discipline make the transition into nursing. In 2011, there were

235 accelerated baccalaureate programs and 63 accelerated master's programs available at nursing schools nationwide. In addition, 33 new accelerated baccalaureate programs are in the planning stages, and 10 new accelerated master's programs are also taking shape (AACN, March 2012).

#### NONTRADITIONAL PATHS FOR NURSING EDUCATION

#### What About a Master's Degree as a Path to Becoming an RN?

MSN programs are particularly attractive to the growing number of college graduates who decide later in life to enter nursing. Generally, the program is 24 to 36 months long. Upon graduation these students are expected to demonstrate the same entry-level competencies in nursing as baccalaureate graduates. MSN graduates from these programs are then eligible to take the NCLEX-RN. Currently, there are 65 entry-level master's programs in the United States (AACN, March 2012).

#### What About a Doctoral Path to Becoming an RN?

The last and least common path leading to the RN licensure examination is the doctoral degree, where the graduate has a nonnursing baccalaureate degree. This program began in 1979 at Case Western Reserve University in Cleveland, Ohio. Rush University in Chicago initiated a similar program in 1988, and the University of Colorado began one in 1990 (Forni, 1989). These programs, such as the one at the University of Texas at Austin, provide basic nursing courses, along with advanced nursing courses. Upon completion, the graduate is eligible to take the NCLEX-RN examination. There are currently 77 baccalaureate to research-focused doctoral programs (PhD) and 72 practice-focused baccalaureate to doctoral programs (DNP) under development (AACN, 2012 Annual Report).

#### **GRADUATE EDUCATION**

#### **What About Graduate School?**

Whatever path you chose to become an RN, one thing is for certain: It was not easy. After putting life, liberty, and the pursuit of happiness on hold while you worked toward becoming an RN, it may seem like pure insanity to subject yourself to more education!

Graduate nursing education, like other graduate programs, is responding to changes in social values, priorities in the public sector, and student demographics, in addition to technological advances, knowledge development, and maturity of the profession (McCloskey and Grace, 2001). According to the National Sample Survey of Registered Nurses (2008), 32% of RNs with a baccalaureate or higher degree listed their initial RN education as diploma or associate's degree, indicating that RNs in the workforce are recognizing the need for additional education and are returning to college to further their education either in nursing or nursing-related fields such as public health and health care administration.

Graduate education programs are available on either a part-time or a full-time basis. Graduate programs require a good GPA at the undergraduate level. Prerequisites for most graduate programs are satisfactory scores on the Graduate Record Examination (GRE) or the Miller Analogies Test (MAT). Although an increasing number of graduate programs are waiving the entrance examination requirements, it is strongly recommended that all students, whether they plan to pursue graduate studies or not, take the GRE after completing their undergraduate studies. Taking another test may be the last thing you want to do,

but it is much easier to do it now, while the information is current in your mind, than later when you decide that you want to continue your education.

#### Why Would I Want a Master's Degree?

You've got to be kidding! More school?

Sure, an advanced degree may not be in your career plans right now, but later, after you have been practicing nursing, you may change your mind. Policy statements from the nursing profession reflect the need for more education in preparation for the changing role of nursing, a result of health care reform. As care delivery moves increasingly from the acute care center to the community setting, there will be an increased need for advanced clinical practice nurses. Nursing programs are already responding to this changing need.


Master's nursing programs vary from institution to institution, as do the admission and course requirements and costs. The master of science (MS) and the MSN are the most common degrees. The usual requirements for admission include a baccalaureate degree from an NLN-accredited program in nursing, licensure as a registered nurse, completion of the GRE or MAT, and a minimum undergraduate GPA of 3.0.

The majority of programs are at least 18 to 24 months of full-time study. Unlike undergraduate students, master's students usually choose an area of role preparation, such as education or administration, as well as an area of clinical specialization, such as pediatrics or adult health. Some of the more common areas of role preparation include education, administration, case management, health policy/health care systems, informatics, and the increasingly popular advanced clinical practice roles. Still another evolving area of role preparation is that of the clinical nurse leader (CNL). According to the AACN White Paper on the Education and Role of the Clinical Nurse Leader (AACN, 2008), the CNL role is different from the role of manager or administrator. The CNL is prepared as a generalist managing the health care delivery system across all settings.

Areas of specialty within the master's nurse practitioner programs include family, acute care, pediatric, psychiatric, and adult-gerontology nursing practice. There are more family nurse practitioner programs than any other program. The American Association of College of Nursing (AACN) supports the position of the Practice Doctorate (DNP) as the entry level for the advanced practice registered nurse (APRN) by the year 2015 (AACN, 2012). An excellent resource for nurses who are considering becoming an APRN can be found at the American Association of Nurse Practitioner's website http://www.aanp.org/education/student-resource-center/planning-your-np-education.

According to the 2008 National Sample Survey of Registered Nurses prepared for advanced practice, there are an estimated 158,348 nurse practitioners, 59,242 clinical nurse specialists, 18,492 nurse-midwives, 34,821 nurse anesthetists, and 14,689 nurse practitioner/clinical nurse specialists (Figure 7-3). To take advantage of these trends and better position yourself in the job market, you might find that the benefits of returning to school far outweigh the sacrifices. See Table 7-1 for typical educational preparation and responsibilities of various advanced practice nurses.

The National Council of State Boards of Nursing APRN Advisory Committee and leading professional nursing organizations formed an APRN Consensus Work Group to work toward establishing clear expectations for LACE (licensure, accreditation, certification, and education)



**FIGURE 7-3** Registered Nurse Population National Sample Survey, March 2008. (Source: Health Resources and Services Administration: The registered nurse population: findings from the March 2008 National Sample Survey of Registered Nurses, 2010. Washington, DC: U.S. Department of Health and Human Services. Retrieved from http://bhpr.hrsa.gov/healthworkforce/rnsurveys/rnsurveyfinal.pdf.)

for APRNs. This work group has been meeting for several years, and in July 2008 the land-mark document, *Consensus Model for APRN Regulation: Licensure, Accreditation, Certification, & Education*, was finalized. This document will be used to shape the future of APRN practice across the nation and to allow APRNs to practice to the full extent of their education. APRNs will be educated in one of the four roles, certified registered nurse anesthetist (CRNA), certified nurse-midwife (CNM), clinical nurse specialist (CNS), or certified nurse practitioner (CNP), and in at least one of six population foci: family/individual across the lifespan, neonatal, pediatrics, adult-gerontology, women's health/gender-related, or psych/mental health. All four of these roles will be given the title of advanced practice registered nurse (APRN). It is important for all potential APRNs to read this document, because it will change how APRNs are educated in the future (www.aacn.nche.edu/education-resources/APRNReport.pdf).

In the more traditional master's degree programs, the student takes the courses required for the degree and then, depending on institutional requirements, may also be required to take a written or oral comprehensive examination or write a thesis, or both. There are also nontraditional models that include outreach programs, summers-only programs, and programs for RNs who have bachelor's degrees in other fields.

Advances in technology have also made it possible for graduate programs to become more creative in the way courses are being offered. It is now possible for students to obtain all or part of their course offerings by means of the Internet, distance learning, computer-based programs, and teleconferencing. This flexibility makes it easier for students in rural communities and part-time students to obtain advanced degrees.

# How Do I Know Which Master's Degree Program Is Right for Me?

Your career goals and interests will help you to determine which choice is best for you. Do some reading on your area of special interest and find out how advanced education would help you to obtain your career goals. As an example, in most nursing programs, a

TABLE 7-1 ADVANCED PRACTICE NURSING			
	EDUCATION	WHAT THEY DO	
Nurse practitioner (NP)	Most of the approximately 350 NP education programs in the United States today confer a master's degree. In the future, the DNP will be the entry level for an NP. The majority of states require NPs to be nationally certified by ANCC, ACNP, or a specialty nursing organization. In 2008, 158,348 of advanced practice nurses were NPs.	Working in clinics, nursing homes, hospitals, HMOs, private industry or their own offices, NPs are qualified to handle a wide range of basic health problems. Most have a specialty—for example, an adult, family, or pediatric health care degree. At minimum, NPs conduct physical examinations, take medical histories, diagnose and treat common acute minor illnesses or injuries, order and interpret laboratory tests and radiographs, and counsel and educate patients. In all states they may prescribe medication according to state law. Some work as independent practitioners and can be reimbursed by Medicare or Medicaid for services rendered.	
Certified nurse-midwife (CNM)	An average 1.5 years of specialized education beyond nursing school, either in an accredited certificate program or at the master's level. In 2008, there were an estimated 18,492 nurses prepared as CNMs in the United States.	CNMs provide well-woman gynecological and low-risk obstetrical care, including prenatal, labor and delivery, and postpartum care. In 2004, there were 13,684 formally prepared CNMs in the United States (a 48.2% increase from 2000), and 93.7% had national certification. The number of CNM-attended births has increased every year since 1975. An ANA meta-analysis of CNM care showed that nurse-midwives performed fewer fetal monitors, episiotomies, and forceps deliveries; administered fewer intravenous solutions; delivered fewer low-birth-weight and premature infants; and had shorter patient hospital stays. CNMs have prescriptive authority in all 50 states.	
Clinical nurse specialist (CNS)	CNSs are registered nurses with advanced nursing degrees—master's or doctoral—who are experts in a specialized area of clinical practice such as mental health, gerontology, cardiac or cancer care, or community or neonatal health.  There was a decrease in the number of CNSs from the 2004 to 2008 survey. In 2008, there were an estimated 59,242 CNSs in the United States.	CNSs work in hospitals, clinics, nursing homes, their own offices, and other community-based settings, such as industry, home care, and HMOs. Qualified to handle a wide range of physical and mental health problems, CNSs provide primary care and psychotherapy. They conduct health assessments, make diagnoses, deliver treatment, and develop quality-control methods. In addition to delivering direct patient care, CNSs work in consultation, research, education, and administration. Some work independently or in private practice and receive reimbursement.	
Certified regis- tered nurse anesthetist (CRNA)	CRNAs are registered nurses who complete a graduate program and meet national certification and recertification requirements.  There are an estimated 34,821 CRNAs in the United States.	In this oldest of the advanced nursing specialties, CRNAs safely administer approximately 32 million anesthetics to patients each year in the United States. CRNAs are the sole anesthesia providers in more than two thirds of all U.S. rural hospitals (AANA, 2009). This enables health care facilities to provide obstetric, surgical, and trauma stabilization services. CRNAs provide anesthetics to patients in collaboration with surgeons, anesthesiologists, dentists, podiatrists, and other qualified health care professionals.	

nurse with a nonnursing master's degree would need to complete a master's in nursing to become an advanced practice nurse. If you think that you might want to become a nurse practitioner at some point in your life, be sure that you obtain your master's in nursing. You can always go back and obtain a postmaster's certificate as a nurse practitioner. If your master's degree is in another field, this would not be possible. There is movement to change the entry level for an APRN to a DNP by the year 2015. It is important to consider this as you set your educational goals.

After you have decided on a master's degree, there are several resources available online, such as the *Peterson's Guide* (www.petersons.com), to help you find the right school. Consider all the options, and do your homework. If you are considering an advanced practice degree, be sure to check with the Board of Nurse Examiners for the state in which you reside to see what the requirements are to be recognized as an advanced practice RN in your state. Believe it or not, the requirements are *not* the same for every state. After all, if you are going to expend the time, energy, and finances to obtain a graduate degree, you want to get the most from it.

# Why Would I Want a Doctoral Degree?

Power, authority, and professional status are usually associated with a doctoral degree. Nurses with doctoral degrees provide leadership in the improvement of nursing practice and in the development of research and nursing education programs. It is no secret that the role of the nurse is changing and will continue to change as health care reform continues to be implemented. There is a growing need for administrators, policy analysts, clinical researchers, and clinical practitioners in the community and in governmental agencies. Nurses need to position themselves to take on these new leadership roles, and the way to do this is through advanced education, particularly at the doctoral level.

Until recently, there were two basic models of doctoral education in nursing: the academic degree, or Doctor of Philosophy (PhD), and the professional degree, or Doctor of Nursing Science (DNS, DSN, or DNSc). For either of these degrees, you must first have a master's in nursing. Nurses have other doctoral degree options available to them, such as the Doctor of Education (EdD), the Doctor of Public Health (DrPH), the Doctor of Philosophy (PhD) in a discipline other than nursing, the nontraditional external degree doctorate, and the practiced-focused Nurse Doctorate (ND), which was initiated as an entry-level degree.

In October 2004, the AACN published a position statement on the practice doctorate in nursing (DNP). The term *practice doctorate* would be used instead of *clinical doctorate*, and the ND degree would be phased out. The DNP would become the educational preparation for all advanced practice nurses. This move toward a DNP is to take place throughout a 15-year period. There are currently 184 DNP programs with more than 101 additional nursing schools that are considering starting a DNP program (AACN, 2012d).

# How Do I Know Which Doctoral Program Is Right for Me?

As with the master's degree, it is important to look at your career goals before deciding which doctoral program is best for you. To help you with that task, look at the NLN publications specific to doctoral education. Ask yourself how much time you can devote to obtaining a doctorate degree. Can you be a full-time student, or must you continue to work? What do you plan to do with the degree after you obtain it?

Is there an institution available to you that offers a doctorate in nursing, or would you have to consider moving? What are your career and professional goals? Do you want to teach? The PhD is considered the research-focused degree. It prepares an individual for a lifetime of intellectual inquiry and has an increased emphasis on postdoctoral study. In contrast, the DNP is viewed as the practice-focused degree. The goal of this program is to prepare an advanced practitioner for the application of knowledge with an emphasis on research. The original intent of the DNS was to prepare nurses to perform clinical research. At the end of this chapter are additional relevant websites and online resources for continuing your nursing education.

## CREDENTIALING: LICENSURE AND CERTIFICATION

# What Is Credentialing?

In the early days of nursing before the Nightingale era, anyone could claim to be a nurse and practice the "trade" as he or she wished. It was only during the past century that nursing became a credentialed profession. A credential can be as simple as a written document showing an individual's qualifications. A high school diploma is a credential that indicates a certain level of education has been attained. A credential can also signify a person's performance. The attainment of a title—such as Fellow of the American Academy of Nursing (FAAN)—signifies excellence in performance; a postgraduate degree from an institution of higher learning (PhD or EdD) indicates success in terms of academic achievement and advanced nursing knowledge.

In nursing, the educational credentials that an individual holds indicate not only academic achievement, but also the attainment of a minimum level of competency in nursing skills. An ADN, a diploma in nursing, or a baccalaureate degree in nursing (BSN or BS) represent academic achievement. After academic preparation and successful completion of the NCLEX, you will have a legal credential—your nursing license—that permits you to practice as an RN. Additional nursing credentials may reflect practice in special areas, such as Critical Care Registered Nurse (CCRN) and Certified Addictions Registered Nurse (CARN).

# What Are Registration and Licensure?

Licensure affords protection to the public by requiring an individual to demonstrate minimum competency by examination before practicing certain trades. By 1923, all 48 states had some form of nursing licensure in place. Nursing licensure is a process by which a governmental agency grants "legal" permission to an individual to practice nursing. This accountability is maintained through state boards of nursing, which are responsible for the licensing and registration process. Boards of nursing vary in structure and are based on the design of the nurse practice act within each state. State boards of nursing also exercise legal control over schools of nursing within their respective states. In 1978, all boards of nursing formed a national council, the National Council of State Boards of Nursing (NCSBN), to present a more collective front on nursing education and licensure.

Foreign nurse graduates who want to practice nursing in the United States must contact the board of nursing in the state in which they want to practice to obtain licensure, because each state controls its own requirements for licensure. The state's board of nursing will review the candidate's nursing education and determine requirements needed to obtain a license in that respective state. Most states require that foreign nurses take the Committee on Graduates of Foreign Nursing Schools (CGFNS) examination before the NCLEX-RN examination. This examination determines proficiency both in nursing and the English language, thus assisting in the prediction of success on the NCLEX-RN examination. All foreign graduates, regardless of licensure in their home countries, must successfully complete the NCLEX-RN examination.

#### What Is Certification?

In the classic article on credentialing published by the ANA in the late 1970s, certification is defined as a "voluntary process by which a nongovernmental agency or association certifies that an individual licensed to practice a profession has certain predetermined standards

specified by that profession for specialty practice" (ANA, 1979). Certification is a different credential from licensure and has a variety of interpretations—both for the nursing profession and the public.

The movement toward certification in nursing practice areas has grown significantly within the past 40 years. In 1946, credentialing was first required for entry into practice as a nurse anesthetist (i.e., Certified Registered Nurse Anesthetist [CRNA]). Twenty-five years later, nurse-midwives followed suit, needing certification through the American College of Nurse Midwives as an entry-level credential.

The nursing license is recognized as indicating minimum competency, whereas the certification credential indicates preparation beyond the minimum level.

Since the establishment of the first certification program by the ANA in 1973, certification is the credential that provides recognition of professional achievement in a defined functional or clinical area of nursing practice. Credentials, such as professional certification, are the stamps of quality and achievement to communicate professional competence. The process of becoming certified engages a full circle of accountability to patients and families, along with professional colleagues. There are over 47 areas of specialty certification available from the ANCC (2012). In addition, Magnet hospitals are more likely to have nurses that are specialty certified (McHugh et al, 2013).

#### What Is Accreditation?

The term *accreditation* is often confused with certification. The term is defined as "a process by which a voluntary, nongovernmental agency or organization approves and grants status to institutions or programs (not individuals) that meet predetermined standards or outcomes." The accreditation of nursing programs by either the NLNAC or the Commission on Collegiate Nursing Education (CCNE) is an activity that you, the recent graduate, may have been involved with during your nursing education.

Accreditation is a peer-review and voluntary process. Member schools for the peer-review evaluation process support the use of standards and criteria. The process of accreditation is similar for both accrediting organizations—the CCNE and the NLNAC. The NLNAC is the only organization that accredits all levels of nursing program education from the practical nurse to the graduate-level nurse.

Why should you be concerned whether the nursing program you are attending, or thinking about attending, is accredited? Accreditation assures you, the student, and the public that the program has achieved educational standards over and above the legal requirements of the state. It guarantees the student the opportunity to obtain a quality education. Accreditation is strictly a voluntary process. The U.S. Department of Education approves the professional association that is allowed to accredit nursing schools. Until 1997, the NLN was the only accrediting body for nursing programs. In 1997 the NLNAC was established, and responsibility for all accrediting activities was transferred to this new independent subsidiary. Around the same time, the AACN sought recognition from the U.S. Department of Education to accredit baccalaureate and graduate degree nursing programs, because membership in AACN is restricted to deans and directors of baccalaureate and graduate programs. The CCNE was established by AACN as their autonomous accrediting agency.

Some graduate nursing programs require completion of an NLNAC- or CCNEapproved undergraduate program as a prerequisite for admission to their master's or doctoral program. Both the NLNAC and CCNE publish annually an official complete list of accredited programs. Accreditation becomes a major concern as more and more courses and programs are offered by means of distance learning.

With two organizations offering accreditation to schools of nursing, it was difficult for schools of nursing to develop competency statements that were consistent. Rather than listing competency statements for three levels of nursing, the competency statement accepted by the 1996 annual meeting of the NCSBN is presented. According to the NCSBN, "Competence is defined as the application of knowledge and the interpersonal, decision-making and psychomotor skills expected for the practice role, within the context of public health, safety and welfare" (NCSBN, 1996, p 47). The NCSBN continues to work on the concept of continued competence as it explores its regulatory role.

Boards of nursing cannot go it alone. This has to be a collaborative effort. Nurses, employers, educators, nursing organizations, CE providers, consumers, and boards of nursing are all stakeholders and have perspectives to share and expertise to offer. Stakeholder buy-in to any regulatory model is important. But the bottom line is that only governmental licensing boards have the authority to enforce change (NCSBN, 2005).

The promotion of competency requires a collaborative approach; it involves the individual nurse, employers of nurses, nursing educators, and the regulating board of nursing. The roles of each of these in competence accountability are described in Figure 7-4.


# **NURSING EDUCATION: FUTURE TRENDS**

Education is a lifelong process and an empowering force that enables an individual to achieve higher goals. Student access to educational opportunities is paramount to nursing education. A chapter on nursing education would not be complete without taking a look at the future.

# The Changing Student Profile

Future nursing programs will need to be flexible to meet the learning needs of a changing student population. It has previously been stated that there is a growing population of non-traditional students—individuals who are making midlife career changes in part because of job displacement or job dissatisfaction. The student population tends to be older, married, and with families. Minority individuals, foreign students, and the poor are looking toward nursing education for career opportunities. There are a growing number of students choosing to attend school part-time.

These changes mean that nurse educators will have to address even further the needs of the adult learner. More programs will be needed that permit part-time study and allow students to work while attending school. One option may be for more night or weekend course offerings. There will continue to be a need for emphasis on remedial education such as developmental courses in math, English, and English as a second language. The diversity in the student population means diversity in learning rates, which may be addressed with more self-paced learning modules (Figure 7-5).



Actions of boards of nursing that ensure competence to the public:

- 1. Establish competence requirements for safe and effective practice.
- Communicate standards to the consumers, nurses, nursing educators, employers, and other regulators.
- 3. Hold individual nurses accountable for continued competence.
- 4. Engage in collaborative activities with nurses, educators, employers, and consumers to ensure nurses practice safely and effectively.
- 5. Identify a variety of techniques nurses may use to demonstrate competence.
- 6. Discipline nurses who fail to meet standards for safe and effective practice.
- 7. Inform the public of disciplinary actions taken against nurses.
- 8. Establish nondisciplinary model to monitor and/or limit the practice of nurses who demonstrate an inability to carry out essential nursing role functions.

**FIGURE 7-4** Competence accountability. (From National Council of State Boards of Nursing: Annual meeting. In *Book of reports,* Chicago, 1996, National Council of State Boards of Nursing, p 51.)

# **Educational Mobility**

Educational mobility will also need to be addressed further. A growing number of individuals in health care are seeking more education. The issue is not one of entry into practice, but rather of how to best facilitate the return of these individuals to nursing school for educational advancement. The growth of Web-based (online) courses may facilitate educational mobility.

# A Shortage of Registered Nurses

According to the AACN (2012) AACN Fact Sheet on the Nursing Shortage, despite the economic downturn leading to more nurses remaining employed and new graduate nurses



**FIGURE 7-5** The changing student profile.

having a difficult time finding employment, the shortage is going to continue to intensify. The U.S. Bureau of Labor Statistics' Employment Projections for 2010-2020 list the RN workforce as the top occupation in terms of job growth. There are 2.74 million nurses employed in 2010 and it is projected that the number will increase to 3.45 million by 2020. Because of the aging RN workforce population, it is anticipated that there will be a need for an additional 495,000 replacements, bringing the total number of job openings for nurses to 1.2 million by the year 2020.

# A Shortage of Qualified Nursing Faculty

Data on faculty reported by the AACN (2012c) indicate that the "average ages of doctorally prepared faculty holding the ranks of professor, associate professor, and assistant professor were 60.5, 57.1, and 51.5 years, respectively. For master's degree-prepared nurse faculty, the average ages for professors, associate professors, and assistant professors were 57.7, 56.4, and 50.9 years, respectively" (para. 3). There are fewer nurses entering the profession that are choosing a teaching role. Because of decreased numbers of new teachers, along with the number of current faculty retiring, the number of qualified faculty will continue to decline. An NLN Survey conducted in 2002 found three trends affecting the future of nursing education through the next decade:

- 1. The aging of the nurse faculty population. Approximately 75% of the current faculty population is expected to retire by 2019. Approximately 1800 full-time faculty members leave their positions each year.
- 2. The increasing number of part-time faculty. The percentage of full-time faculty teaching in nursing programs dropped from 71% to 61%, and the number of part-time faculty grew from 29% to 39% during a 10-year period. At the same time, the number of

- budgeted unfilled full-time faculty positions in all types of RN and graduate programs rose from 860 to 1106.
- 3. The large number of nursing faculty who are not prepared at the doctoral level. Approximately 50% of full-time faculty in baccalaureate and higher degree programs hold a doctoral degree. Doctorally prepared faculty account for only 6.6% of the nursing faculty in ADN programs with slightly more than 5% in diploma programs. Only 350 to 400 nursing students receive doctoral degrees each year (NLN, 2002).

The ability to earn more in the clinical and private sector is also attracting potential nurse educators to leave academia. The American Academy of Nurse Practitioners (AANP) gives the average salary of a nurse practitioner as \$91,310, whereas the AACN reported that master's prepared faculty had an annual income of \$72,028 (AACN, 2012).

# **Technology and Education**

Educational learning will continue to change with advances in telecommunication and technology. Nurses and nurse educators will need education to implement these advances into the curriculum and into nursing practice. Cable television and the Internet have significantly extended the boundaries of the classroom; these technologies will facilitate the offering of courses to meet the lifestyle of the changing student population.

# **Changing Health Care Settings**

There has been a major shift from inpatient to outpatient nursing services as health care and nursing focus on maintaining health rather than handling illness. However, with an increase in the age of the population, more inpatients have multiple chronic health problems. Society is now developing a variety of new health care settings. Are nurses educated for these new roles? What will the role of the advanced nurse practitioner be? Will there be enough nurses educationally prepared to meet these new challenges?

# **The Aging Population**

There is a growing aging population. According to the Administration on Aging (2012), by 2030 there will be approximately 72.1 million people over the age of 65 years, representing 19% of the population. This is more than twice the number in 2000. Naisbitt and Aburdene stated in their book *Megatrends 2000*, published in 1991, "If business and society can master the challenge of daycare, we will be one step closer to confronting the next great care giving task of the 1990s—eldercare" (p 83). This is still a critical issue in the 21st century. Already, the United States has well over 2000 adult daycare centers. Nursing educators need to address the provision of health care to the elderly and include it in the curricula.

What great opportunities in nursing!

# CONCLUSION

The future of nursing looks bright and exciting. With the inception of the Affordable Care Act, technological advances, changes in health care settings, increased demand for the services of the RN, and the shift back to the acute care setting, nurses now have increased opportunities to chart their own destinies.

Nurses who have career plans and career goals will see the future trends in health care as a challenge and an opportunity for growth in roles such as case manager, independent consultant, nurse practitioner, nursing educator, policy maker, and entrepreneur. In contrast, nurses without career goals may find themselves displaced or obsolete. There has never been a more exciting time to be entering the profession of nursing than right now. Opportunities in nursing are wide open to those with the sensitivity and the creativity to embrace the future.

I challenge you to get out a piece of paper and put your educational goals down in writing. After you do this, set some deadlines for when you want to achieve these goals. Place this piece of paper in a prominent place where you will see it every day.

What's talked about is a dream, What's envisioned is exciting, What's planned becomes possible, What's scheduled is real.

—Anthony Robbins

#### RELEVANT WEBSITES AND ONLINE RESOURCES

#### **American Academy of Nurse Practitioners (2013)**

Planning your NP education.

http://www.aanp.org/education/student-resource-center/planning-your-np-education.

#### American Association of Colleges of Nursing (2013)

http://www.aacn.nche.edu/about-aacn.

#### **National Council of State Boards of Nursing (2008)**

Consensus model for APRN regulation: licensure, accreditation, certification & education. https://www.ncsbn.org/Consensus\_Model\_for\_APRN\_Regulation\_July\_2008.pdf.

#### allNursingSchools (2013)

Directory of all nursing schools. http://www.allnursingschools.com/.

#### Peterson's Guide (2013)

Information on graduate schools. http://www.petersons.com/.

#### American Association of Colleges of Nursing (2013)

List of schools that offer accelerated baccalaureate programs for nonnursing college graduates. http://www.aacn.nche.edu/Education-Resources/APLIST.PDF.

### **National League for Nursing (2013)**

http://www.nln.org/.

#### Nursing's Centralized Application Service, NursingCAS (2013)

Offers prospective students a convenient way to apply to nursing programs at participating schools nationwide. http://nursingcas.org/.

# **BIBLIOGRAPHY**

- Administration on Aging. (2012). Retrieved from http://www.aoa.gov/aoaroot/aging\_statistics/index.asp.x.
- APRN Consensus Work Group and the National Council of State Boards of Nursing APRN Advisory Committee, & Consensus Model for APRN Regulation. (2008). *Licensure, accreditation, certification, and education*. Retrieved from www.aacn.nche.edu/education/apn.htm.
- American Academy of Nurse Practitioners Fact Sheet. (2012). *The impact of education on nursing practice*. Retrieved from http://www.aacn.nche.edu/media-relations/fact-sheets/impact-of-education.
- American Academy of Nurse Practitioners Fact Sheet. (2012). NP Fact Sheet. Retrieved from American Association of Colleges of Nursing 2012 Annual Report. Leadership, collaboration, innovation: advancing higher education in nursing. Retrieved from <a href="http://www.aacn.nche.edu/aacn-publications/annual-reports/AnnualReport12.pdf">http://www.aacn.nche.edu/aacn-publications/annual-reports/AnnualReport12.pdf</a>.
- American Association of Colleges of Nursing Fact Sheet. (March 2012). *Accelerated baccalaureate and master's degrees in nursing*. Retrieved from <a href="http://www.aacn.nche.edu/media-relations/fact-sheets/accelerated-programs">http://www.aacn.nche.edu/media-relations/fact-sheets/accelerated-programs</a>.
- American Association of Colleges of Nursing Fact Sheet. (March 2012). *Degree completion programs for registered nurses: RN to master's degree and RN to baccalaureate programs*. Retrieved from http://www.aacn.nche.edu/media-relations/fact-sheets/degree-completion-programs.
- American Association of Colleges of Nursing. (February 2007). White paper on the education and role of the clinical nurse leader. (Revised and approved by AACN Board of Directors July 2007). Retrieved from www.aacn.nche.edu/cnl/index.htm.
- American Association of Colleges of Nursing. (2008). 2007–2008 Enrollment and graduations in baccalaureate and graduate programs in nursing. Washington, DC: AACN.
- American Association of Colleges of Nursing. (2012). *Nursing shortage fact sheet*. Retrieved from <a href="http://www.aacn.nche.edu/media-relations/fact-sheets/nursing-shortage">http://www.aacn.nche.edu/media-relations/fact-sheets/nursing-shortage</a>.
- American Association of Colleges of Nursing. (2012). *Nursing faculty shortage fact sheet*. Retrieved from http://www.aacn.nche.edu/media-relations/fact-sheets/nursing-faculty-shortage.
- American Association of Colleges of Nursing fact sheet. (October 2012). *The Doctor of Nursing Practice (DNP)*. Retrieved from http://www.aacn.nche.edu/media-relations/fact-sheets/dnp.
- American Association of Nurse Anesthetists. (AANA). (2009). 2009 practice profile survey. Retrieved from www. aana.com/ataglance.aspx.
- American Nurses Credentialing Center. (2006). *ANCC certification statistics*. Retrieved from www. nursecredentialing.org/faculty/PDFs/2006CertificationStatistics.pdf.
- Forni, P. R. (1989). Models for doctoral programs: first professional degree or terminal degree? Nurs Health Care, 10(8), 429–434, 1989.
- Institute of Medicine. (2010). *The future of nursing: leading change, advancing health*. Retrieved from http://www.thefutureofnursing.org/IOM-Report.
- Kaiser, J. E. (1975). A comparison of students in practical nursing programs and in associate degree nursing programs, National League for Nursing Publication No. 23-1592. New York: National League for Nursing.
- McCloskey, J., & Grace, H. K. (2001). *Current issues in nursing* (6th ed.). St. Louis: Mosby. McHugh, M. D., Kelly, L. A., Smith, H. L., Wu, E. S., Vanak, J. M., & Aiken, L. H. (2013). Lower mortality in magnet hospitals. *Med Care*, 51(5), 382–388. http://dx.doi.org/10.1097/MLR.0b013e3182726cc5.
- Montag, M. L. (1951). The education of nursing technicians. New York: GP Putnam's Sons.
- Montag, M. L. (1959). Community college education for nursing. New York: McGraw-Hill.
- Naisbitt, J., & Aburdene, P. (1991). *Megatrends 2000: new directions for tomorrow*. New York: William Morrow.

- National Council of State Boards of Nursing. (1996). *Definition of competence and standards for competence, National Council of State Boards of Nursing annual meeting, Book of reports.* Chicago: National Council of State Boards of Nursing.
- National Council of State Boards of Nursing. (2005). *Meeting the ongoing challenge of continued competence*. Retrieved from www.ncsbn.org/Continued\_Comp\_Paper\_Testing Services.pdf.
- National Council of State Boards of Nursing. (2008). Consensus Model for APRN Regulation: licensure, accreditation, certification & education July 7, 2008. Retrieved from https://www.ncsbn.org/Consensus\_Model\_for\_APRN\_Regulation\_July\_2008.pdf.
- National League of Nursing. (2002). *Nurse faculty shortage fact sheet*—2002 survey. Retrieved from http://www.nln.org/beta/governmentaffairs/pdf/NurseFacultyShortage.pdf.
- National League for Nursing. (2001). Council of Associate Degree Nursing Competencies Task Force: Educational competencies for graduates of associate degree nursing programs, book code 1404-6. New York: National League for Nursing.
- National Sample Survey of Registered Nurses. (2008). *Initial findings*. Retrieved from www.bhpr. hrsa.gov/healthworkforce/rnsurvey/initialfindings2008.pdf.
- Raines, C., & Taglairene, M. (2008). Career pathways in nursing: entry points and academic progression. *Online Journal of Issues in Nursing*, 13(3). Sep 2008. Retrieved from www.nursingworld. org.MainMenuCategories/ANAMarketplace/ANAPeriodicals/OJIN/TableofContents/vol132008/No3Sept08/CareerEntryPoints.aspx.
- Rowland, H. S., & Rowland, B. (1984). *The nurse's almanac* (2nd ed.). Rockville, MD: Aspen. U.S. Bureau of Labor Statistics. (2007). *Occupational employment and wages for 2006*. Retrieved from www.bis.bov/news.release/pdf/ocw.age.pdf.




Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# 8

# **Nursing Theory**

# Ashley Zerwekh Garneau, PhD, RN

The only good is knowledge and the only evil is ignorance. *Socrates* (BC 469-399)



There are many nursing theories available to help guide my practice.

After completing this chapter, you should be able to:

- Identify the purposes of nursing theory.
- Distinguish between grand theory, middlerange theory, and practice theory.
- Describe the origins of nursing theory.
- Describe some of the key words associated with nursing theory.
- Identify some of the more well-known and well-developed nursing theories.
- Discuss some of the main points of each of these theories.

Just mentioning the word theory, let alone nursing theory, can make many nurses' yawn reflexes start to work overtime. What is theory? Who are nursing theorists? What are the different nursing theories? Nursing theories are a way to organize and think about nursing, and the people who wrote theories are part of our nursing history. Theory provides an overall "theme" to what nurses do. In this chapter, the key words related to theory are defined, and the main elements of eight nursing theories are summarized. Buckle your seatbelts—we might be in for a bumpy ride. And no yawning!

### **NURSING THEORY**

# What Is Theory?

Quite simply, theories are words or phrases (concepts) joined together in sentences, with an overall theme, to explain, describe, or predict something. A more complex definition of a theory is "a set of interrelated concepts, definitions, and propositions that present a systematic way of viewing facts/events by specifying relations among the variables, with the purpose of explaining and predicting the fact event" (Kerlinger, cited in Hickman, 2003).

Theories help us understand and find meaning in our nursing experience and also provide a foundation to direct questions that provide insights into best practices and safe patient care. Ellis (1997) stated, "A theory is a coherent set of hypothetical, conceptual and pragmatic principles forming a general frame of reference for a field of study" (p 373). You might see theory referred to as a conceptual model or a conceptual framework.

Nursing theory is, according to Meleis (cited in Hickman, 2003), "an articulated and communicated conceptualization of invented or discovered reality in or pertaining to nursing for the purpose of describing, explaining, predicting or prescribing nursing care" (p 16).

The bottom line is that words and phrases (concepts) are put together into sentences (propositions that show the relationships among the words/concepts), with an overall theme, to create theories. Theories also have some basic assumptions (jumping-off points; what is assumed to be true), such as the idea that nurses contribute to the patient's wellness and recovery from illness. Nursing theories also define four metaparadigms (metaparadigms refer to big, comprehensive concepts) and address the nursing process. Finally, nursing theories can be categorized as grand theory, middle-range theory, or practice theories. Each theory level is based on the abstractness of the concept or phenomena presented. For example, grand theories offer broad and abstract concepts about nursing practice, research, and education, which provide a more global view of nursing. Middle-range theories are not as abstract as grand theories; their focus is concentrated on the relationship between

# Q

# **RESEARCH FOR BEST PRACTICE** BOX 8-1

#### **Practice Theory**

#### **Practice Issue**

There are a limited number of studies reporting an examination of the use of a nursing theory to guide the care of children with special health care needs in a school setting. Using Orem's Self-Care Deficit theory, Green (2012) discussed how school nurses can assist children with special health care needs in gaining independence with self-care and daily activities.

#### **Implications for Nursing Practice**

Application of Orem's self-care deficit nursing theory can be used by school nurses to identify, plan, and implement nursing care measures that will assist children with special health care needs and their families in developing independence with self-care needs.

In practice settings where vulnerable populations are present (such as school nursing), use of a nursing theory serves as an ideal theoretical framework for the nurse to provide optimal nursing care and to promote positive patient outcomes.

#### Reference

Green R: Application of the self care deficit nursing theory to the care of children with special healthcare needs in the school setting, *Self Care Depend Care Nurs* 19(1):35-40, 2012.

concepts with a narrower scope. Lastly, practice theories guide nursing practice by examining specific issues in nursing practice (Research for Best Practice Box 8-1).

# What Nursing Theory Is Not

Nursing theory is *not* managed care, primary nursing, team nursing, or any other more business-related method of delivering care. Nursing theory is *not* obstetric nursing, surgical nursing, home health nursing, or any other nursing specialty; however, nursing theory can be applied to all areas of nursing, including administration, education, patient care, and research. Nursing theory is by nurses and for nurses, providing quality care to their patients, either directly or indirectly.

# Why Theory?

Consider all that you do as a nurse. What you do is based on principles from many different professions, such as biology, sociology, medicine, ethics, business, theology, psychology, and philosophy. What is specifically based on nursing? Also, if nursing is a science (and it is), there must be some scientific basis for it. Furthermore, theory helps define nursing as a profession (Figure 8-1).

Theory is a means to gather information, to identify ideas more clearly and specifically, to guide research, to show how ideas are connected to each other, to make sense of what we observe or experience, to predict what might happen, and to provide answers. A nurse is not a "junior physician," although for years nursing care has been based on the medical model. Because nursing is a science (as well as an art) and a unique profession in its own right, nurses need nursing theory on which to base their principles of patient care (Critical Thinking Box 8-1; Research for Best Practice Box 8-2).



### **CRITICAL THINKING BOX 8-1**

What advantages and disadvantages do you see for using nursing theory in your nursing practice?



FIGURE 8-1 Theory guides both research and nursing practice.

# **RESEARCH FOR BEST PRACTICE** BOX 8-2

# **Nursing Theory**

#### **Practice Issue**

Although the focus of health care institutions in improving patient outcomes is based on evidenced-based practice, little research has been performed on the use of a theoretical framework guided by nursing theory in examining patient perceptions in living with a physical life-altering injury.

Desanto-Madeya (2006) examined perceptions of family members of individuals who had sustained a spinal cord injury about the "meaning of living" (p 240) using Roy's adaptation model. In her qualitative ethnographic study, seven themes emerged from the data analysis in addressing the following research question of what the meaning of living is to the family of an individual with a spinal cord injury.

"The seven themes were (a) looking for understanding to a life that is unknown, (b) stumbling along an unlit path, (c) viewing self through a stained-glass window, (d) challenging the bonds of love, (e) being chained to the injury, (f) moving forward in a new way of life, and (g) reaching normalcy" (Desanto-Madeya, 2006, p 241). Using Roy's adaptation model, each theme was categorized into one or more modes of adaptation.

#### **Implications for Nursing Practice**

Implementation of a nursing theory to examine patient and family experiences when faced with an unexpected illness or injury that causes both physical and emotional life-altering changes can serve as a framework for nurses in guiding their practice.

Nurses can assist patients and their families in adapting to the physiological and psychosocial factors affected by a life-altering injury and/or illness.

Nursing theories can assist nurses in providing holistic nursing care.

#### Reference

DeSanto-Madeya S: A secondary analysis of the meaning of living with spinal cord injury using Roy's adaptation model, Nurs Sci Quart 19(3):240-246, 2006.

# What Is the History of Nursing Theory?

In studying nursing theories and the people who created them, it is important to look at the background of the theorist, as well as how life experiences, beliefs, and education influenced the resulting theory. What are the overall theme and main ideas of the theory, and how does the theorist define the four nursing metaparadigms (Box 8-1)?

The four metaparadigms for nursing are nursing, person, health, and environment.

Florence Nightingale is considered to be the first nursing theorist. She saw nursing as "A profession, a trade, a necessary occupation, something to fill and employ all my faculties, I have always felt essential to me, I have always longed for; consciously or not... The first thought I can remember, and the last was nursing work..." (cited in Dunphy, 2002). Now, you might not feel as dedicated as she, but Nightingale also stated, "Nursing is an art... It is one of the Fine Arts; I had almost said, the finest of the Fine Arts" (cited in Dunphy, 2002).

Nightingale had various influences, including her education (which was fairly comprehensive for a 19th century English woman), her religion (Unitarianism), the history of the time (the Crimean War and invention of the telegraph), and her social status. The Unitarian belief involved salvation through health and wholeness, or our modern-day "holism."

#### **BOX 8-1 DEFINITION OF METAPARADIGMS**

#### Person

Individuals, families, communities, and other groups who are participants in nursing and who receive nursing care.

#### **Environment/Situation**

The patient environment includes any setting and influencing factors that can alter the setting where the patient receives care. Factors influencing the environment include room temperature, family members presence or lack of presence in the plan of care, work, and school.

#### Health

The patient's state of well-being. A patient's health is influenced by many physical and psychosocial factors

#### Nursing

Nursing involves the use of the nursing process to assess, diagnosis, plan, implement, and evaluate an individualized plan of care for providing patient care and education.

From Potter PA, Perry AG, Stockert P, Hall A: Fundamentals of nursing (8th ed.), St Louis, 2013, Elsevier, Chap 4, pp 40-41.

Nightingale believed that there was no conflict between science and spirituality. Science was necessary for the development of a mature concept of God. She also studied many other religions throughout her life and considered starting a Protestant religious order of nuns (Dunphy, 2002).


Nightingale came from a very wealthy family and enjoyed traveling throughout Europe, one of the destinations being Kaiserwerth in Germany, where she observed and was moved by nuns caring for the ill. Nightingale felt a "calling" to care for others and began training with various groups, usually nuns who cared for the sick. When the Crimean War broke out, Nightingale was asked and volunteered to go to care for the wounded English soldiers. The Crimean War was the first war since the invention of the telegraph, so news of the war was more immediately circulated than had been previously experienced (Dunphy, 2002).

The overall theme of Nightingale's theory was that the environment influences the person. When she went to help soldiers during the Crimean War, her initial intent was to feed the soldiers healthy food and to clean the place (Figure 8-2). When soldier mortality rates fell, a legend was born (Dunphy, 2002)!

Nightingale believed that nursing was separate from medicine and that nurses should be trained (although we prefer the word *educated*). She also believed that the environment was important to the health of the person and that the nurse should support the environment to assist the patient in healing (Dunphy, 2002).

To define the metaparadigms, Nightingale noted that the person is the center of the model and incorporated a holistic view of the person, someone with psychological, intellectual, and spiritual components. The nurse was a woman (because only women were nurses in Nightingale's day) who had charge of the health of a person, whether by providing wellness care, such as with a newborn, or by providing care to the sick. Health was the result of environmental, physical, and psychological factors, not just the absence of disease (Dunphy, 2002).

No other theories were identified or published until the 1950s when Peplau published her theory based on the interpersonal process. Other nurses were working on theories



**FIGURE 8-2** Nightingale's conceptual model of nursing. (From Fitzpatrick J, Whall A: *Conceptual models of nursing: analysis and application*, ed 3, Stamford, Conn, 1996, Appleton & Lange, p 38.)

during that time and into the 1960s. In the 1970s, nursing was beginning to see itself as a scientific profession based on theoretical ideas (Table 8-1). In 1972, the National League for Nursing (NLN) required that nursing curricula be based on conceptual frameworks (McEwen, 2011).

Among the best-known and best-formulated theories or models are those by Dorothea Orem, Martha Rogers, Sr. Callista Roy, Dorothy Johnson, Betty Neuman, Imogene King, Jean Watson, and Madeleine Leininger (see the *Definitions of the Metaparadigms* by these theorists in the *Evolve* website). Each theory has been around for at least 20 years, and each theorist has practiced nursing at the bedside, in the community, and in administration or education. At the end of this chapter are listed relevant websites and online resources related to each nursing theory and associated nursing theorist.

# WHO ARE THE NURSING THEORISTS?


# **Selected Nursing Theorists**

# **Dorothea Orem—Self-Care Nursing Theory**

Orem's theory includes the overall theme of self-care. She sees the person as composed of physical, psychological, interpersonal, and social aspects. Nursing consisted of those actions to overcome or prevent self-care limitations (self-care deficits) or to provide care for someone who is unable to perform self-care. A nurse may need to do everything for the patient (wholly compensatory, such as for a patient who is under general anesthesia or is critically ill), to do some things for the patient (partly compensatory, such as with a patient who is 2 days postop and may be able to do some things, but not everything, independently), or to educate the patient (supportive educative, such as with postpartum parents). Health, to Orem, is the internal and external conditions that permit self-care needs to be met. The environment is anything outside of, or external to, the person. Thus, in assessing a patient, a nurse using Orem's theory would ask, "What can the patient do for himself or herself? And what do I, as the nurse, need to do for the patient? What are the patient's self-care deficits (or things that he or she cannot do)?" (Hood, 2009)

TABLE 8-1 NURSING THEORIES			
YEAR	THEORIST	THEORY DESCRIPTION	
1860	Florence Nightingale	Although her model did not have a specific name, the basic underpinnings revolve around how a person is influenced by the environment. Nursing was a "calling" to help the patient in a reparative process by directly working with the patient or indirectly by affecting the environment to facilitate health and recovery from illness.	
1952	Hildegard Peplau	Interpersonal Relations Model—describes the four phases of the dynamic relationship between nurse and patient: orientation, identification, exploitation, and resolution.	
1960	Faye Abdellah	Patient-Centered Approach—develops a list of 21 unique nursing problems related to human needs; promoted the use of a problem-solving approach to the practice rather than merely following physicians' orders. Responsible for changing the focus of nursing theory from a disease-centered to a patient-centered approach and moved nursing practice beyond the patient to include care of families and the elderly.	
1961	lda Jean Orlando	Theory of Deliberative Nursing Process—focuses on the interpersonal process between nurse and patient through a deliberative nursing process; most concerned with what was uniquely nursing.	
1966	Virginia Henderson	One of her main topics is the "unique functions of nurses." All of her materials provide a focus for patient care via 14 basic needs.	
1969	Myra Estrin Levine	Conservation Model—focuses attention on the wholeness of the person, adaptation, and conservation, which is guided by four principles (conservation of energy, structure, personal integrity, and social integrity).	
1970	Martha Rogers	Science of Unitary Human Beings—an abstract model addressing the complexity of the "unitary human being," which allows for the examination of phenomena (energy fields, paranormal) that other theories do not describe, as nurses promote synchronicity between human beings and their environment/universe.	
1971	Dorothea Orem	Self-Care Nursing Theory—three interwoven theories of self-care, self-care deficit, and nursing system help the nurse identify strategies to meet the patient's self-care needs.	
1971	Imogene King	Theory of Goal Attainment—patient goals are met through the transaction between nurse and patient involving three systems (personal, interpersonal, and social).	
1972	Betty Neuman	Neuman Systems Model—focuses on wellness and mitigating stress within three levels of prevention: primary, secondary, and tertiary.	
1974	Sister Callista Roy	Roy's Adaptation Model—individual seeking equilibrium through the process of adaptation; identified six physiological needs (exercise and rest; nutrition; elimination; fluid and electrolytes; oxygenation and circulation; and regulation of temperature, senses, and endocrine system).	
1976	Josephine Paterson and Loretta Zderad	Humanistic Nursing Theory—focuses on the nurse and the patient; dignity, interests, and values are of greatest importance; belief that there is more to nursing that is not explainable by scientific principles.	
1978; 1991	Madeline Leininger	Theory of Culture Care Diversity and Universality—a grand theory that considers the impact of culture on the person's health and caring practices.	
1979	Margaret Newman	Theory of Health as Expanding Consciousness—every person in every situation is ever-changing in a unidirectional, unpredictable, all-at-once pattern involving movement, time, space, and consciousness; emphasizes the importance of viewing patients in the context of their holistic patterns.	
1979	Jean Watson	Theory of Human Caring—identifies 10 "carative" factors focusing on the interactions between the one who is caring and the one who is being cared for.	
1980	Dorothy Johnson	Behavioral Systems Model—focuses on human behavior rather than the person's state of health; this theory helped clarify the differences between medicine and nursing.	
1981	Rosemarie Rizzo Parse	Theory of Human Becoming—focuses on the human-health-universe; views nursing as a participation effort with the patient that focuses on health.	
1983	H. Erickson, E. Tomlin, and M. Swain	Modeling and Role Modeling Theory—uses the understanding of the patient's world to plan interventions that meet the patient's perceived needs and that will assist the patient to achieve holistic health; focus is on the person receiving the care, not the nurse, not the care, and not the disease.	
1984	Pat Benner	Professional-Advancement-Model—applies the Dreyfus model of skill acquisition to nursing; area of concern is not how to do nursing but rather, "How do nurses learn to do nursing?"; identifies seven domains: practice-helping, teaching/coaching, diagnosing and monitoring, managing changes, administering and monitoring therapeutic interventions, monitoring quality care, and organizing to enact the work role.	

Data from Fawcett J: *Analysis and evaluation of contemporary nursing knowledge: nursing models and theories*, Philadelphia, 2005, FA Davis; Alligood MR, Marriner Tomey A: *Nursing theorists and their work*, ed 7, St Louis, 2010, Mosby.




**FIGURE 8-3** Orem's self-care deficit model. (From Orem DE: *Nursing concepts of practice*, ed 6, St Louis, 2001, Mosby, p 141.)

Orem's nursing process includes assessing the patient, deciding whether nursing care is needed, and, if so, determining which self-care deficits are present. Does the patient need wholly or partly compensatory or supportive-educative nursing care? The nurse needs to identify interventions and decide which interventions the patient can do (if any) and which interventions the nurse will do. The nurse describes which helping methods are used for the interventions (acting for or doing for another, guiding and directing, providing physical or psychological support, providing a therapeutic environment, or teaching) (Foster et al, 2003). And all interventions fall under one of those five helping methods (Figures 8-3 and 8-4).

# Martha Rogers—Science of Unitary Human Beings


Martha Rogers is one of the most original thinkers of the nursing theorists. Her overall theme is that the person and the environment are one thing and cannot be separated. Rogers takes holism to a new level. The person, for Rogers, is an energy field that exhibits patterns (think of electrocardiogram [ECG] patterns, fetal heart rate patterns, biorhythms, auras). Health is an "indication of the complexity and innovativeness of patterning of the energy field that is the person" (Hood, 2009). Rogers, however, did not like to define the word health, because she believed it was a value judgment (e.g., what your patient thinks is healthy about himself may not be what you think is healthy about the patient). The environment for Rogers was also an energy field that was interacting constantly with the energy field of the person (similar to what Nightingale thought). The role of nursing was to repattern the person and environment to achieve maximum health potential for the person. Although this may all sound a little far-fetched, many nurses, when first entering a patient's room in a hospital, will assess the patient and rearrange or clean up the room to make things more convenient or therapeutic for caring for the patient. That is, the patient and environment are "repatterned" to achieve maximum health for the patient (Hood, 2009).

Rogers' theory is grounded in the science of physics and the ideas of matter and energy. Rogers was very interested in space travel and envisions nurses as providing care for people



**FIGURE 8-4** Orem's basic nursing systems. (From Orem DE: *Nursing concepts of practice*, ed 6, St Louis, 2001, Mosby, p 351.)

on earth or in space. She felt that some pathologies were a result of our being earthbound, (e.g., osteoporosis and arthritis), but that these diseases would not be an issue in outer space because of the changes in gravity. Rogers also believed in the value of nurses using creative therapies, such as touch, color, sound, motion, and humor. The use of alternative therapies fits very well with Rogers' ideas. The nursing care plan that Rogers developed, but was not sold on, included Pattern Manifestation Knowing-Assessment (our idea of assessment), Voluntary Mutual Patterning (whereby the nurse and patient pattern the



**FIGURE 8-5** Roger's science of unitary human beings. (From Fitzpatrick J, Whall A: *Conceptual models of nursing: analysis and application*, ed 3, Stamford, Conn, 1996, Appleton & Lange.)

environmental energy to promote health—or interventions), and Pattern Manifestation Knowing-Evaluation (our idea of *evaluation*) (Muth Quillen, 2003).

Rogers' theory entitled, "Principles of Homeodynamics" examines the wholeness of humans and their interactions with the environment. Under homeodynamics, three principles exist that further define the environmental conditions that humans experience, and they are resonancy, integrality, and helicy. Resonancy is the "continuous change from lower to higher frequency wave patterns in human and environmental fields" from Rogers in *Nursing Science and the Space Age* (as cited in Alligood and Marriner Tomey, 2010).

Integrality looks at how human beings and the environment are continuously and simultaneously interacting. This interaction influences the changing life process that humans experience in their everyday activities. Helicy looks at the continuous, unpredictable change "between the human–environmental field" (Alligood and Marriner Tomey, 2010, p 246) (Figure 8-5).

# Sister Callista Roy—Adaptation Model

Sister Callista Roy saw the person as a biopsychosocial being (yes, it does seem as if these theorists make up their own words) who is seeking equilibrium. Her overall theme was adaptation. The four adaptation modes represent the behavior responses exhibited by the individual and include, "physiological-physical, self-concept-group identity, role function, and interdependence" (Tiedeman as cited in Fitzpatrick and Whall, 2005, p 152). As nurses, we are to assess how well the person is coping and adapting to stimuli. The stimuli could be any stressors that are making a person ill or causing the person to not adapt. The stimulus could be focal (the stimulus that is the greatest concern at the moment—e.g., labor pain), contextual (all other stimuli in the area that contribute to the effect of the focal stimulus, such as noise in the background), or residual (a stimulus that is unknown to the nurse but is bothering the patient—e.g., memories of past labors and births).

Health is defined as successful coping with stressors, and the environment is defined as the influences that affect the development of a person. Illness is unsuccessful coping. The nursing process is a problem-solving approach that encompasses steps to gather data, identify capacities and needs of the human adaptive system, select and implement approaches for nursing care, and evaluate the outcome of the care provided. In Roy's nursing process, she adds two assessment parts: (1) What is the stimulus? and (2) What is the person's response to the stimulus? The nurse's role is to influence stimuli to improve successful coping (Alligood and Marriner Tomey, 2010) (Figure 8-6).




FIGURE 8-6 Roy's adaptation model. (From Pearson A, Vaughan B, Fitzgerald M: Nursing models for practice, ed 3, Edinburgh, 2005, Butterworth & Heineman, p 129.)

#### **Dorothy Johnson—Behavioral Systems Model**


Dorothy Johnson was one of Roy's teachers at UCLA. Johnson's theme was balance; her theory is that the person is a behavior system and a biological system seeking balance. The environment is anything outside the person or behavior system. Health is balance or stability. The nurse's role is to restore or maintain the balance in the person or behavior system. A visual example would be learning to use crutches after a leg fracture. The person needs to learn to balance (literally) on crutches, but also needs to learn to "balance" the other aspects of his or her life that are affected by the broken leg (Hood, 2009).

Johnson views the nursing process as assessment, diagnosis, intervention, and evaluation. The person's seven subsystems are assessed. These subsystems are the achievement subsystem, which includes mastery or control of the self or environment; the aggressive/protective subsystem, which includes protecting oneself or others; the dependency subsystem, which includes obtaining attention or assistance from others; the eliminative subsystem, which includes not only physical elimination from the body, but also being able to express one's feelings or ideas; the ingestive subsystem, which includes eating, as well as "taking in" other things such as pain medication or information; the attachment/affiliation subsystem, which includes relating to others or achieving intimacy; and the sexual subsystem, which includes activities related to sexuality, such as procreating and sexual identity (Holaday, 2002) (Figure 8-7).

Consider how patients for whom you care would fall into each of these seven subsystems, or which subsystems would most apply to the patients for whom you provide care.

# **Betty Neuman—Systems Model**

Betty Neuman's conceptual model focuses on prevention, or prevention as intervention, as a response to stressors. Primary prevention is what a person does to prevent illness—for example, exercise, sleep 8 hours, eat a balanced diet. Secondary prevention is what



**FIGURE 8-7** Johnson's behavioral systems model. (From Alligood MR, Marriner Tomey A: *Nursing theorists and their work,* ed 7, St Louis, 2010, Mosby, p 374.)


is done when an illness strikes. For example, when a person with a myocardial infarction comes into the emergency department, what is done by the staff to prevent this person from dying or from having further heart damage? Tertiary prevention is what is done to rehabilitate a person after an illness or accident, such as cardiac rehabilitation or stroke rehabilitation. Tertiary prevention can move the person back to primary prevention again. The nurse's role is to help reduce the stressors through the three levels of prevention.

Neuman also talks about the flexible lines of defense, the normal lines of defense, and the lines of resistance. The flexible lines of defense are the outermost boundary and serve as the initial response to stressors. Neuman describes these lines as accordion-like, in that they can expand and contract depending on our health practices (e.g., lack of sleep, lack of eating well). Our normal lines of defense are what usually protect us from stressors—for example, our age, physical health, genetic make-up, spiritual beliefs, and gender. When the flexible lines of defense and the normal lines of defense can no longer protect us from stressors, our equilibrium is affected, and a reaction occurs. The lines of resistance come into play to help restore balance, similar to how the body's immune system works. The person, for Neuman, has physiological, psychological, sociocultural, developmental, and spiritual variables (Alligood and Marriner Tomey, 2010).

Think of how Neuman's ideas accurately portray the life of a student. The student struggles to keep up with coursework, work, and family life, but may find himself or herself sleeping less, eating less or eating poorly, and then getting sick or having less energy. Neuman's nursing process has just three steps: diagnosis, nursing goals (interventions are included with this step), and nursing outcomes. Neuman also has a unique way of looking at the environment, which she identifies as the internal, the external, and the created environment. The created environment is developed by the patient and serves as his or her protective device (Alligood and Marriner Tomey, 2010). The created environment can be a healthy adaptation (e.g., someone relaxing through visualization), or it can be maladaptive (e.g., someone with a type of psychosis, such as schizophrenia) (Figure 8-8).

## Imogene King—Goal Attainment Model

The theme of Imogene King's theory is interaction and goal attainment. The person interacts with the environment, and health is a dynamic state of well-being. The nurse interacts



**FIGURE 8-8** Neuman systems model. (From Pearson A, Vaughan B, Fitzgerald M: *Nursing models for practice*, ed 3, Edinburgh, 2005, Butterworth & Heineman, p 145.)


with the patient to set mutually agreed-upon goals for the patient's health. The nurse and the patient are each recognized as bringing his or her own set of knowledge, values, and skills to the interaction. King also emphasizes that the nurse and patient usually first come together as strangers and through the interactions, both verbal and nonverbal, develop a relationship based on their perceptions (Alligood and Marriner Tomey, 2010). King's nursing process looks very similar to that with which nurses are already familiar: assessment, diagnosis, planning, intervention, and evaluation. King would like her model to be used as the basis of the U.S. health care system and would like a person's entry into the health care system to be by means of nursing assessment! (King, 2002) (Figure 8-9)

#### **Jean Watson—Theory of Human Caring**

Jean Watson's theory is all about caring—finally, a theory about caring. Watson sees the person as a mind–body–soul connection. Health is unity and harmony within the mind, body, and soul. The nurse comes in contact with the person during a "caring occasion" or "caring moment" and promotes restoration of a sense of inner harmony through Watson's 10 "carative" factors. To Watson, caring is a moral idea rather than an interpersonal technique (Alligood and Marriner Tomey, 2010).

Here are Watson's 10 carative factors (with each one, see what nursing interventions you can identify):

- 1. The formation of a humanistic-altruistic system of values
- 2. The instillation of faith-hope
- 3. The cultivation of sensitivity to one's self and to others
- 4. The development of a helping-trust relationship




**FIGURE 8-9** King's goal attainment model for nursing. (From Pearson A, Vaughan B, Fitzgerald M: *Nursing models for practice*, ed 3, Edinburgh, 2005, Butterworth & Heineman, p 162.)

- 5. The promotion and acceptance of the expression of positive and negative feelings
- 6. The systematic use of the scientific problem-solving methods for decision making
- 7. The promotion of interpersonal teaching–learning
- 8. The provision for a supportive, protective, and corrective mental, physical, sociocultural, and spiritual environment
- 9. Assistance with the gratification of human needs
- 10. The allowance for existential-phenomenological forces (Alligood, 2010; Wills, 2011)

# **Madeleine Leininger—Culture Care Theory**

Madeleine Leininger's overall theme is culture. Leininger is the "Margaret Mead of the health field" and has traveled widely and studied many cultures. She sees the person as caring and



**FIGURE 8-10** Leininger's sunrise model. (From Alligood MR, Marriner Tomey A: *Nursing theory: utilization and application*, ed 4, St Louis, 2010, Mosby, p 415.)

capable of being concerned with the welfare of others. Nursing is a transcultural caring discipline and profession. Nurses need to be mindful of folk practices or generic health care practices. (Think of health care practices that were practiced when you were a child that would be considered folk or generic health care practices—e.g., Vicks VapoRub applied to your chest for a cold; depending on the illness, not drinking either hot or cold beverages; not sitting too close to the TV because it was "bad" for your eyes.) The nurse needs to be aware of and use culture care data that are influenced by religion, kinship, language, technology, economics, education (both formal and informal), cultural values and beliefs, and the physical (or ecological) environment. Leininger believes that there can be no curing without caring. Health is culturally defined (Alligood and Marriner Tomey, 2010).

The health care professional needs to examine the prescribed health care requirements and decide if there can be culture care preservation or maintenance (where the relevant care values can be retained), or if there needs to be culture care accommodation or negotiation (where the cultural practices need to be adapted or negotiated to return the patient to health), or if culture care repatterning or restructuring is required (where the patient needs to change or significantly alter culturally based health practices to promote good health). Leininger's theory can be summarized in her Sunrise Model. The upper half of the model is for collecting data, and the lower half is for decision-making (Alligood and Marriner Tomey, 2010, p 466) (Figure 8-10).

# CONCLUSION

In reviewing these nursing theories, you may find that some especially appeal to you and others do not. That is okay. What is important is to understand that nursing theories are a rich part of our nursing history and that they are a way to organize, deliver, evaluate, and ultimately improve the care we provide (Critical Thinking Box 8-2).



#### **CRITICAL THINKING BOX 8-2**

In reviewing the theories, which one would best fit in your clinical practice?

Which theory/theories would fit best with the following patient settings and why?

- Preop patient
- Labor patient
- Psychiatric patient
- Nursing curriculum
- Managing a nursing unit
- Organizing an internal medicine clinic

Which theory most appeals to you and why?

- Organizing a computer generated acuity form
- Pediatric patients
- · Home health
- Hospice care
- Long-term care facility
- Rehabilitative therapy

The future of nursing theory is at a turning point. Nursing theory has and will continue to guide nursing practice. Given the increasing complexity of the health care environment, nursing theory can contribute to the use of evidence-based nursing practice by linking theory with research and practice (Research for Best Practice Box 8-3).

# RESEARCH FOR BEST PRACTICE BOX 8-3

### Future of Nursing Theory

#### **Practice Issue**

Given the changes facing health care in the twenty-first century, examination of trends in nursing theory has not been explored within the last decade.

#### **Implications for Nursing Practice**

Based on their review of literature, Im and Chang (2012) suggested that the profession of nursing continues to link nursing theory to research and practice and to expand use of nursing theory internationally and embrace international collaborative processes to gain awareness and understanding of international nursing perspectives. Im and Chang (2012) added that nursing theories remain in coexistence, so that a multiple range of theories can be applied in various practice and academic settings.

#### Reference

Im EO, Chang SJ: Current trends in nursing theories, J Nurs Scholarship 44(2):156-164, 2012. doi: http://dx.doi.org/10.1111/j.1547-5069.2012.01440.x.

# RE

#### **RELEVANT WEBSITES AND ONLINE RESOURCES**

#### **Current Nursing (2010)**

*Nursing theories.* http://currentnursing.com/nursing\_theory/.

#### Hahn School of Nursing and Health Science (2012)

Nursing theory and research. http://www.sandiego.edu/nursing/research/nursing\_theory\_research.php/.

#### Nurses Info (2010)

*Nursing Theories A-Z*. http://www.nurses.info/nursing\_theory.htm.

### **BIBLIOGRAPHY**

Alligood, M. R., & Marriner Tomey, A. (2010). *Nursing theorists and their work* (7th ed.). St Louis: Mosby.

Alligood, M. R. (2010). Nursing theory: utilization and application (4th ed.). St Louis: Mosby.

Dunphy, L. H. (2002). Florence Nightingale caring actualized: a legacy for nursing. In M. E. Parker (Ed.), *Nursing theories and nursing practice* (pp. 31–53). Philadelphia: FA Davis.

Ellis, R. (1997). Characteristics of significant theories. In L. H. Nicoll (Ed.), *Perspectives on nursing theory* (pp. 373–381). Philadelphia: Lippincott.

Foster, P. C., & Bennett, A. M. (2003). Dorothy E. Orem. In University of Phoenix College of Health Sciences and Nursing (Ed.), *Theoretical foundations of nursing practice* (pp. 137–168). Boston: Pearson Custom Publishing.

George, J. B. (1995). *Nursing theories: the base for professional nursing practice* (4th ed.). Norwalk, Conn: Appleton & Lange.

George, J. (2003a). Betty Neuman. In University of Phoenix College of Health Sciences and Nursing (Ed.), *Theoretical foundations of nursing practice* (pp. 243–267). Boston: Pearson Custom Publishing.

George, J. (2003b). Madeleine M. Leininger. In University of Phoenix College of Health Sciences and Nursing (Ed.), *Theoretical foundations of nursing practice* (pp. 289–303). Boston: Pearson Custom Publishing.

- Hickman, J. S. (2003). An introduction to nursing theory. In University of Phoenix College of Health Sciences and Nursing (Ed.), *Theoretical foundations of nursing practice* (pp. 15–28). Boston: Pearson Custom Publishing.
- Holaday, B. (2002). Dorothy Johnson: behavioral system models of nursing. In M. E. Parker (Ed.), *Nursing theories and nursing practice* (pp. 83–101). Philadelphia: FA Davis.
- Hood, L. (2009). *Leddy and Pepper's conceptual bases of professional nursing* (7th ed.). Philadelphia: Lippincott.
- King, I. M. (2002). Imogene M. King's theory of goal attainment. In M. E. Parker (Ed.), *Nursing theories and nursing practice* (pp. 273–286). Philadelphia: FA Davis.
- McEwen, M. (2011). Overview of theory in nursing. In M. McEwen & E. M. Wills (Eds.), *Theoretical basis for nursing* (3rd ed.) (pp. 21–45). Philadelphia: Lippincott.
- Muth Quillen, S. (2003). Rogers' model: science of unitary persons. In University of Phoenix College of Health Sciences and Nursing (Ed.), *Theoretical foundations of nursing practice* (pp. 309–323). Boston: Pearson Custom Publishing.
- Tiedeman, M. E. (2005). Roy's adaptation model. In J. J. Fitzpatrick & A. L. Whall (Eds.), *Conceptual models of nursing: analysis and application* (pp. 146–176). Upper Saddle River, NJ: Prentice Hall.
- Wills, E. (2011). Grand nursing theories based on interactive process. In M. McEwen & E. M. Wills (Eds.), *Theoretical basis for nursing* (pp. 148–182). Philadelphia: Lippincott.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# 9

# Image of Nursing: Influences of the Present

Margi Schultz, PhD, RN, CNE, PLNC

Nursing encompasses an art, a humanistic orientation, a feeling for the value of the individual, and an intuitive sense of ethics, and of the appropriateness of action taken.

Myrtle Aydelotte—Nursing leader and academic innovator



Nursing image—how is it perceived?

After completing this chapter, you should be able to:

- Discuss the effect of image on the public perception of nursing.
- Describe different sociological models that characterize "professionalism."
- Apply Pavalko's characteristics as a framework to describe modern-day nursing practice.
- Identify the impact that nursing organizations have in professional practice.
- Describe the role of credentialing and certification in professional practice.

Tursing image—how is it perceived? What does it mean to be a professional nurse? How does the public view nursing? How does nursing define and view itself? What role does the public image of the nursing profession play in our current nursing climate?

Historically, nurses have struggled to define the image of nursing and the professional role of the nurse. There are many different views and opinions, but nurses are definitely gaining ground when it comes to defining the profession of nursing. The annual Gallup survey for professions noted that for honesty and ethical standards, nursing

has been rated at the top of the list for the past several years. Eighty-four percent of the American public rate the standards held by nurses as either high or very high (Jones, 2011). The image of nursing is evolving and changing, with nursing being promoted and viewed as an intellectual, autonomous profession that demands a high level of commitment, focus, and a dedication to advancing education and scholarly activity.

Modern-day nursing has many dimensions, one of which includes the debate surrounding its identification as a profession. One ongoing challenge in nursing is to foster diligently and enhance the public image and the self-image of the nurse. In this chapter, the development of nursing into a profession is discussed, and the present and future dimensions of nursing's "image" are explored. The impact of the Institute of Medicine report and other significant position statements and reports on the profession will be discussed. Historical knowledge about our "rites of passage" provides an appreciation of where nursing is today as a profession and what the future of nursing may hold for the recent graduate in this complex and evolving health care world.

### PROFESSIONAL IMAGE OF NURSING

# What Do We Mean by the "Image" of Nursing?

Santa Filomena
Lo! in that hour of misery
A lady with a lamp I see
Pass through the glimmering gloom,
And flit from room to room.
—Longfellow, 1857

Nursing has been identified as an "emerging profession" for at least 150 years. The historical context of nursing's image is often traced back to Florence Nightingale, the "founder of nursing." Florence Nightingale is recognized as a nurse, statistician, and writer who became known for her groundbreaking work during the Crimean War. Nurse Nightingale was also called the "Lady with the Lamp," as she was reported to have made rounds on her patients at night by the light of a lantern. International Nurse's Day is celebrated each year on her birthday, May 12, and the Nightingale Pledge is still solemnly repeated by new nursing graduates around the world. Even though much has been written about Florence Nightingale's many contributions, she is undeniably remembered as the pioneer of nursing education (Bostridge, 2008).

Who are today's role models for nursing? What qualities should a nursing role model exemplify? Are these qualities different from 10 years ago? 25 years ago?

The image of professional nursing continues to evolve and is significantly affected by the media, women's issues and roles, and a high-technology health care environment. How nursing views itself in the evolution of the profession and how actively nurses are involved in the definition process will continue to determine the image and role of nursing in the future.

Nurses are professionals who are science driven, technically skilled, and caring (Dukes, 2003). Dombeck (2003) noted that "the portrayal of nurses generally parallels the portrayal of women in the media" (p 351). That image of nursing has continued to demonstrate a general lack of knowledge regarding the role of professional nurses (Ward et al, 2003). As more men enter the profession and there is a push to increase minorities in nursing, will the image of nursing change (Critical Thinking Box 9-1)?

# **CRITICAL THINKING** BOX 9-1

#### Think Quick!

Picture in your mind your image of a nurse—did you just think of a female, tidy hair, professional looking uniform, serviceable white shoes, stethoscope around the neck, determined look in the eyes, energetic walk, clipboard in hand? Or...did you just envision a male nurse with many of those same attributes? The image of nursing is changing, and many media depictions now include men as nurses. There have always been men in nursing, but with the increasing respect for the profession, and the high-touch, high-technicality in the field of nursing, more men than ever are looking to become nurses. Indeed, many men who enter nursing are interested in fighting the same stereotypes that woman have battled through the years. The term "male nurse" is considered an unnecessary distinction, much like saying a "female physician"—the gender bias is simply not a critical element (Wilson, 2009). The first step in turning the tide of thought about gender in nursing is for members of the profession to alter their own perceptions.

Nurses should be thought of as autonomous and competent decision makers within their nursing practice areas. Throughout the 1990s, a nationwide advertising campaign supported by the National Commission on Nursing Implementation Project produced radio and television ads that said, "If caring were enough, anyone could be a nurse." Nurses of America, an advocate organization sponsored by the National League for Nursing (NLN), implemented a very successful program directed toward improving the image of nursing as depicted on television, on radio, in print, and on lecture circuits. Consultants were contracted to work with executives, politicians, and celebrities to present nursing in a positive manner. This approach reinforced the image of the modern-day professional nurse as having critical thinking, evidence-based decision-making and problem-solving skills.

In a 2002 study, Turow and Gans found that on U.S. television programs, it was common for only physicians to be heard when health care policy was discussed; nurses and other health care team members were noticeably absent. The American Academy of Nursing (www.aannet.org, 2008) through the *Raise the Voice campaign* has brought nursing policy innovators to the forefront of health care policy debates. A concentrated effort by individuals and organizations is raising awareness of what nurses do and heightening the image and voice of nursing as a profession. As noted by Groves (2007), accurate portrayals of nurses as professional members of the health care team are rare, but it takes time to change perceptions. The continued trend of building a positive, intelligent, competent, and professional image of nursing must continue. Nurses who are new to the profession need to be aware of the extraordinary challenges and opportunities that they will face. It is equally important for nurses to improve the self-image of the professional nurse. The behaviors and ethics displayed by nurses on a day-to-day basis can do much to elevate the present and shape the future image of nursing (Cohen and Bartholomew, 2008).

Nursing associations are working together to promote a positive image and to handle nursing shortage issues. "Nurses for a Healthier Tomorrow," an alliance of 37 nursing organizations, has launched a national media campaign that demonstrates, through print and

broadcast media, the many opportunities for the career of nursing. One tangible example of this effort is the website www.nursesource.org. Sigma Theta Tau International, the International honor society for nursing, is the coordinator of Nurses for a Healthier Tomorrow. Review their website at www.nursingsociety.org. The American Nurses Association published a flyer titled *Every Patient Deserves a Nurse*, along with other promotional materials for the lay public. The promotional message of these materials reinforces the positive image of nurses as patient advocates and critical resources both to patients and families, while also emphasizing the right of people to a safe health care environment.

In 2002, the Johnson and Johnson Company developed a nationwide campaign to support the nursing profession. This program, titled "The Campaign for Nursing's Future," was developed along with health care leaders and nursing organizations such as the National Student Nurse's Association (NSNA), the American Nurse's Association (ANA), the American Organization for Nurse Executives (AONE), the National League for Nursing, and Sigma Theta Tau. The goal of this program is to increase the number of young adults entering nursing through raising the visibility of nurses of varied races, gender, and roles. The website for the campaign can be found at www.discovernursing.com.

The negative images of nursing, those of the "naughty nurse" or the "Nurse Ratchet" that are depicted in the media, are still prevalent, but these erroneous portrayals do offer professional nurses the opportunity to educate the public about what nurses truly do. Nursing is not the only profession that struggles with a skewed media image. Some of these erroneous depictions may be related to the largely female population who seeks these professions; consider the sexual media images that are often illustrated by flight attendants, massage therapists, or secretaries (www.truthaboutnursing.org, 2012). Other occupations that suffer from poor media portrayals include the "mad scientist" role (chemist or researcher), construction worker (often a sexual male image), or consider the negative images that both female and male lawyers are often faced with! Devaluation of the nursing profession by demeaning or comical images only extends the nursing shortage and further discourages talented people from entering the nursing profession. It is up to each individual to continue to display professional role modeling and provide public education on what nurses really do to empower the professional image of nursing (Cohen and Bartholomew, 2008).

How can nurses change the image of nursing? How can the image of nursing become more congruent with the actual role the nurse plays in today's rapidly evolving health care environment? Nurses outnumber all other professions in health care. Mee (2006) suggests that nurses can promote the professional image of nursing by the following:

#### Patient Interactions

One by One. During the first 60 seconds that a patient sees the nurse, a lasting impression may be formed. Take a moment before meeting a new patient and portray confidence in your role and a respect for the patient from the beginning. Many health care institutions require nurses to wear nursing uniforms of a distinct color that separates them from nurse assistants and respiratory therapists.

#### Personal Interaction with the Public

Have a quick response ready in case someone asks about nursing. Present nursing's image positively, and relate what an important role nurses have in society as health care providers. Nursing advocacy starts with *you!* Every professional nurse has the responsibility to educate the public about what nurses do and the amount of education and dedication it takes to be a

nurse. Believe in yourself, and project the image you want the public to see (Jacobs-Summers and Jacobs-Summers, 2011).

#### **Public Speaking and Community Activities**

Consider speaking at or visiting schools on Career Day. You don't have to be an expert at public speaking to discuss the role of the nurse with local community groups. A brief, interactive presentation at an elementary or high school can stimulate interest in nursing early—for both male and female students!

# **Participation in Political Activities**

Increase the positive visibility of nurses through politics by becoming actively involved as a nurse lobbyist. Be aware of the current health care issues on the community, state, and national level. Get to know the elected officials, and talk to them about the role of the nurse. This may be a valuable opportunity to present nursing in a very positive manner. Remember that most elected officials do not understand the role nurses play in health care (Mee, 2006).

Creating a professional image incorporates effective communication skills, positive attitude, and professional appearance. When you first meet patients, family members, or potential employers, your professional appearance has an impact on how they perceive you as a nurse. Dress appropriately, and be prepared to ask and answer questions that reflect a confident, positive image (Larson, 2006).

The image of nursing continues to evolve as the many roles of nurses are portrayed through the media in the restructuring of health care environments and in a variety of settings, from emergency rooms to war zones. Studies continue to verify that competent nursing care affects mortality rates in critical care patients, and the future for many nursing jobs lies in the expanding role of nursing into emergency and disaster preparedness and integration of technology and informatics into practice settings (Health Resources and Services Administration [HRSA], 2009). The role and image of the nurse will continue to change as the many facets of health care delivery evolve during this century. The current nursing shortage will play a significant future part in the creation of the image and role of the nurse. How will nurses respond to these changes? How will you present yourself as a professional?

#### What Constitutes a Profession?

There are many ways to describe a "professional." What meaning does the word have for you as a graduate professional nurse? Controversy about the definition of the term *professional* as it relates to nursing is not a new issue. Strauss (1966), a noted sociologist, found the word *professional* used in reference to nursing in a magazine article published in 1892 titled "Nursing, a New Profession for Women." The nurses of the 20th and 21st centuries owe a great deal to Isabel Adams Hampton (later Isabel Hampton Robb) for her visionary focus in the late 1800s. She was an outstanding advocate for the professionalization of nursing. In the textbook *Nursing Ethics* (1900), she wrote:

The trained nurse, then, is no longer to be regarded as a better trained, more useful, higher class servant, but as one who has knowledge and is worthy of respect, consideration, and due recompense...She is also essentially an instructor; part of her duties have to do with the prevention of disease and sickness, as well as the relief of suffering humanity...These are some of the essentials in nursing by which it has become to be regarded as a profession, but there still remains much to be desired, much to work for, in order to add to its dignity and usefulness.

In Caplow's classic work from the early 1950s, *The Sociology of Work* (Caplow, 1954), several steps in the process of "becoming professional" were defined further, and the value of forming an association that defined a special membership was addressed. Caplow suggested that making a name change to clarify an area of work or practice would subsequently produce a new role. With the creation of this new role, the group would then establish a code of ethics and legal components for licensure to practice and educational control of the profession (Caplow, 1954). This process of becoming professional was taking place in nursing in 1897 with the establishment of the ANA. Other aspects of professionalization were also beginning to develop. For example, the *Code for Nurses* was suggested as early as 1926, although it was not written or published by the ANA until the early 1950s. Revisions were made in 1956, 1960, and 1976, with changes made in 1985 that included interpretative statements. In the summer of 2001 at the ANA convention, delegates again updated the code and changed the name to the *Code of Ethics for Nurses with Interpretive Statements* (www.ana.org/ethics/ecode.htm).

Almost 20 years after Caplow's work, Pavalko (1971) described eight dimensions of a profession. Pavalko's dimensions of a profession and their specific application to nursing are examined in more detail later in this chapter. Nursing continues to apply these dimensions to support nursing's move away from the occupational focus to a professional focus. Is nursing a profession or semiprofession?

By responding to the questions in Critical Thinking Box 9-2 (which presents Levenstein's model, a fourth model of professionalism), you will identify common themes in describing a profession. What are your thoughts about the nursing profession in light of these criteria?



# **CRITICAL THINKING BOX 9-2**

#### Levenstein's Characteristics of a Profession

What do you think about...

- The element of altruism
  - How do you define caring in your clinical practice?
- Code of ethics
   Are you familiar with the ANA Code of Ethics?
- Collaboration with groups and individuals for the benefit of the patient
  - What other groups do you work with in your clinical setting that affect the health needs of the patient and family?
- Colleagueship demonstrated by:

An organization for licensing

• What is the role of the State Board of Nursing in your state?

A group that helps ensure quality

- Are you aware of the role of national nursing organizations that accredit nursing programs?
- There are two national nursing organizations that accredit nursing programs; do you know what they are?
   Peer evaluations of practitioners
- What is the role of job evaluations in terms of professional growth?
- Accountability for conduct and responsibility for practice decisions
   Who monitors professional conduct issues from a legal and ethical point of view?
   Does shared governance reflect more control of one's nursing practice?
- Strong research program
   Are you aware that a national center for nursing research is now operating in Washington, DC?

Others have written about professions and their development, but these sociological models present some logical characteristics for you to use to examine professionalism. According to Henshaw, a noted nursing leader and researcher, a profession includes "self-regulation and autonomy with ultimate loyalty and accountability to the professional group" (cited in Talotta, 1990). Nursing is a dynamic profession and continues to strive to enhance a professional image—which leads us to the next question.

### Is Nursing a Profession?

Eunice Cole, a past president of the ANA, described nursing as a dynamic profession that has established a code of ethics and standards of practice, education, service, and research components. The standards for both the professional and practical dimensions of nursing are continually reviewed and updated. Nurses, strong in numbers but splintered professionally in many ways, represent the largest group of health care providers in the United States. There are 2.8 million registered nurses in the workforce with an average age of all licensed RNs increasing by about 2 years for RNs, and about one-third of the current nursing workforce is older than 50. Although the number of RNs younger than 40 dropped steadily between 1980 and 2004, there was an increase from 2008-2010 of RNs younger than 30 entering the workforce. Most RNs are actively practicing nursing (84.8%—the highest in the history of the survey), and most are working full time (63.2% versus 58.4% in 2004—the first increase since 1996). The majority of nurses (59.7%) complete their initial education preparation at the associate degree level. Currently, about 55% of the RN workforce holds a bachelor's or higher degree. Additionally, there has been a substantial increase (86.3%) in the number of RN-BSN graduates over the past few years, noting a trend of increasing post-licensure education. There was significant growth (a 67% increase from 2007-2011) in the numbers of RNs with a master's or doctoral degree in nursing or a related field (HRSA, 2013).

In October 2010, the IOM released its report on *The Future of Nursing*, initiated by the Robert Wood Johnson Foundation, which called for increasing the number of baccalaure-ate-prepared nurses to 80% and doubling the population of nurses with doctoral degrees. The current nursing workforce falls short of these recommendations, with approximately 50% of registered nurses prepared at the baccalaureate level. Nursing leaders and educators are grappling with this new reality. Although the challenge of increasing the number of baccalaureate-prepared nurses to this level seems almost insurmountable, many innovative educational strategies for progression are stemming from this recommendation.

The key to addressing the need to advance the educational preparation of our nursing workforce is progression. In 2012, the National Association for Associate Degree Nursing (N-OADN), joined with nursing educators, community leaders, college presidents, and other national organizations to endorse a Joint Statement on Academic Progression for Nursing Students and Graduates (http://www.aacn.nche.edu/news/articles/2012/academic-progression).

Examine the issues that challenge nursing as a profession by using Pavalko's eight dimensions to describe a profession.

### 1. A Profession Has Relevance to Social Values

Does nursing exist to serve self or others? Nursing historically had its roots in true altruism with lifelong service to others. As nurses, we focus not only on the treatment component of patient care as a part of our nursing practice, but also on wellness and health promotion issues. The goal is to shift the focus of health care so that primary prevention becomes more valued. As this shift occurs, nurses will become increasingly important because of their

ability to be teachers of health promotion activities and managers of wellness, which are activities that have an impact on social values.

### 2. A Profession Has a Training or Educational Period

According to Florence Nightingale, a nurse's education should involve not only a theory component, but also a practice component. An educational process for any professional is critical, because it transmits the knowledge base of the profession and, through research and other scholarly endeavors, advances the practice of the profession. The diversity of educational pathways for nurses has stimulated debate regarding the entry practice level for registered nurses. The Institute of Medicine report (2010), the N-OADN progression statement (2012), the National League for Nursing (2011), and the Carnegie Foundation Report on the Advancement of Teaching (2010) all speak to the issue of advancing nursing education and entry into practice (see the end of this chapter for a list of relevant websites and online resources). Some questions surrounding the issues include the following:

- What changes will shape the future of associate degree nursing programs?
- Will diploma or hospital-based nursing programs remain as they are?
- How critical is it to complete a traditional 4-year bachelor of science in nursing (BSN) program to handle the challenges of the health care environment, complex patient—family needs, and the expanding community-based settings for clinical work? Is a "ladder" approach to advanced education the best pathway for you?
- Will the practice doctorate in nursing (DNP) degree clarify or confuse advanced-practice roles in nursing?

These questions have been debated since the publication in 1965 of an ANA position paper that charged the profession with the goal of establishing nursing education at the baccalaureate level within 25 years. Almost 40 years have passed since then, and the issue continues to challenge the profession. The inability of nursing organizations and educational systems at all levels to come to agreement on this issue has affected the solidarity of the profession.

In the mid-1990s, some states (e.g., Maine and Idaho) engaged in debate about regulatory issues concerning the BSN as the entry credential. Beyond this generic-degree controversy are the issues associated with specialization: What degree should serve as the entry level into advanced nursing practice—the master of science (MSN) degree, a doctorate (PhD) degree, or the DNP? This issue was not resolved in the 20th century, and the debate continues today. Will the 21st century see a resolution to this question?

## 3. Elements of Self-Motivation Address the Way in Which the Profession Serves the Patient or Family and Larger Social System

In 1990, the Tri-Council of Nursing, along with the American Association of Colleges of Nursing, designed a "Nursing Agenda for Health Care Reform" to express collectively the views of nurses concerning health care. Endorsed by 39 major specialty nursing organizations, along with the ANA and the NLN, the Tri-Council emphasized a restructured health care system that would provide universal access to health care, would direct health care expenditures toward primary care, and would reduce costs.

Political activity is a way of translating social values into action. Nursing faces special challenges when, for example, nurses must go on strike for better pay and benefits or demonstrate a united front to gain federal funding rather than continuing a passive role in such issues. It is time for the nursing profession to define a new narrative that reflects how much the profession has changed, how critical nursing skills are to today's patient care, how the

profession has stayed abreast of medical and technological innovation, and what nursing is going to look like in the future (Kaplan, 2005).

### 4. A Profession Has a Code of Ethics

Nursing, like other professions, has ethical dimensions. As noted earlier in the chapter, the nursing *Code of Ethics* published by the ANA dates to the 1950s. Key points of the code are provided in Box 9-1. The *Code of Ethics* is discussed in more detail in Chapter 19.

### 5. A Professional Has a Commitment to Lifelong Work

By this statement, Pavalko means that a professional sees his or her career as more than just a stepping stone to another area of work or as an intermittent job. Government data show that 83% of the nearly 2.9 million registered nurses work in health care (HRSA, 2010). Nursing constitutes the largest health care occupation, and more jobs are expected for registered nurses than for any other occupation. This faster-than-average growth is being driven by technological advances. Thus, nursing as a career has great potential for financial rewards, involvement in a variety of professional endeavors, several different areas of practice, and a commitment to lifelong work.

### 6. Members Control Their Profession

Nurses are not entirely autonomous. Although nurses have the challenge to ensure that members of the profession honor the trust given them by society, they also work under professional and legislative control. Among these controls, are the 50 state boards of

### **BOX 9-1 CODE OF ETHICS FOR NURSES**

The ANA House of Delegates approved these nine provisions of the new Code of Ethics for Nurses at its June 30, 2001, meeting in Washington, DC. In July 2001 the Congress of Nursing Practice and Economics voted to accept the new language of the interpretive statements, resulting in a fully approved revised Code of Ethics for Nurses with Interpretive Statements, as follows:

- The nurse, in all professional relationships, practices with compassion and respect for the inherent dignity, worth, and uniqueness of every individual, unrestricted by considerations of social or economic status, personal attributes, or the nature of health problems.
- 2. The nurse's primary commitment is to the patient, whether an individual, family, group, or community.
- 3. The nurse promotes, advocates for, and strives to protect the health, safety, and rights of the patient.
- **4.** The nurse is responsible and accountable for individual nursing practice and determines the appropriate delegation of tasks consistent with the obligation to provide optimum patient care.
- 5. The nurse owes the same duties to self as to others, including the responsibility to preserve integrity and safety, to maintain competence, and to continue personal and professional growth.
- 6. The nurse participates in establishing, maintaining, and improving health care environments and conditions of employment conducive to the provision of quality health care and consistent with the values of the profession through individual and collective action.
- 7. The nurse participates in the advancement of the profession through contributions to practice, education, administration, and knowledge development.
- 8. The nurse collaborates with other health professionals and the public in promoting community, national, and international efforts to meet health needs.
- The profession of nursing, as represented by associations and their members, is responsible for articulating nursing values, for maintaining the integrity of the profession and its practice, and for shaping social policy.

Reprinted with permission from American Nurses Association: Code of ethics for nurses with interpretive statements, Silver Spring, Md, 2001, nursebooks.org.

nursing, which regulate the scope of nursing practice within each state and the professional practice standards that are supported both at local and national levels. In 1973, the ANA wrote the first *Standards of Nursing Practice* and since then has had a leadership role in the development of general and many specialty nursing practice standards. Moreover, specialty organizations maintain standards for certification.

Another publication by the ANA, the *Standards of Clinical Nursing Practice* (2003), discusses the use of nursing process and professional practice standards. The development of professional practice standards indicates to the larger social system that nursing can define and control its quality of practice. These national standards are incorporated into institutional standards to help guide nursing practice. Most recent publications by the ANA can be found on their website (www.nursingworld.org). The issue at hand, however, is that these professional practice standards authorize nurses to practice nursing. Nurses are expected to take responsibility for their own actions and not just follow orders without thinking critically.

Nurses practice in varied settings, and the advanced practice nurse functions in a more autonomous professional role, such as the nurse-midwife, psychiatric clinical specialist, nurse practitioner, or certified nurse educator. In 1992, there were 100,000 advanced practice nurses in the United States. Fifty percent of RNs have achieved a baccalaureate or higher degree in nursing or a nursing-related field in 2008, compared to 27.5% in 1980 (HRSA, 2010). These changes represent the largest-growing segment of specialty nursing practice. Advancing one's education level is often paired with increased autonomy.

Most nurses in the United States work within a structured setting; three out of five jobs are in hospital, inpatient, or outpatient settings. Trends in those settings are slowly changing to give nurses a stronger voice. For example, nursing care delivery systems that have case management and shared governance reflect more progressive and autonomous environments (see Chapter 15). Nursing can control its scope of practice through professional organizations and published documents, along with an active voice in regulatory bodies, such as state boards of nursing.

### 7. A Profession Has a Theoretical Framework on Which Professional Practice Is Based

Nursing continues to be based in the sciences and humanities, but nursing theory is evolving. It was not until the 1950s that nursing theory was "born." In 1952, Dr. Hildegard Peplau published a nursing model that described the importance of the "therapeutic relationship" in health and wellness. Since then, other nursing theorists such as Martha Rogers, Sister Callista Roy, Dorothea Orem, and Betty Neuman have contributed to our evolving theory-based nursing science.

### 8. Members of a Profession Have a Common Identity and a Distinctive Subculture

The outward image of nursing has changed remarkably within the past 50 years. Nurses were once identified by how they looked rather than by what they did. The nursing cap and pin reflected the nurse's school and educational background. The modern-day trend emphasizes that it is not what is worn but what is done that reflects one's role in the nursing profession. The struggle to shift out of rigid dress codes was a major issue in the 1960s. Clothing and other symbols identify a subculture, and changes in that identification

### **CRITICAL THINKING** BOX 9-3

### What Do You Think?

#### What Kind of Image Do You Want to Project As a "Professional?"

- Should nurses wear visible body jewelry, piercings, or tattoos?
- How do professionals address each other in the clinical setting?
- Do you wear your name badge with proper credentials? Are the doctors on your unit called by their first or last names? How are *you* addressed in a professional setting?
- Are your credentials visible to indicate additional degrees or certifications? If not, why not? Is it the policy of the agency or facility where you work to display these?
- Are the nurses on your unit certified in their specialty areas? Is this recognized by your facility?
- What do your peers wear?
- Do you think scrubs look professional?
- Can a nurse wearing cartoon-character scrubs be taken seriously? Why? Why not?
- Should nurses leave the hospital in their scrubs and go run errands?
- What other professions are associated with a "uniform"?

process occur slowly. What kind of image do you want to project as a professional nurse (Critical Thinking Box 9-3)?

Nursing colleagues reflect attitudes and values about the profession. Many schools of nursing have alumni associations, student nurse associations, and nursing honor societies or clubs on campus. These groups provide social interaction during the nursing education years and are great ways to network later in one's career. Sigma Theta Tau International sponsors the Chiron Mentoring program to assist individual nurses to achieve their professional goals related to leadership, scholarship, and evidenced-based nursing (www.nursingsociety.org/programs/chiron.html). Belonging to a professional organization (such as the ANA) or a specialty organization helps professional nurses maintain certifications and network with peers, and it enhances collegiality and scholarship.

"Nurses should choose optimism, making positive strides each day to celebrate who they are and the differences they make. Just a nurse—no, never." — **Melissa Fitzpatrick, 2001** 

When will the conflicts in educational preparation be resolved? How will we use further refinement and application of nursing theories in our clinical practice? What can nurses do to have more control of nursing practice regardless of the clinical setting? Will there be an increase in the percentage of people who are choosing nursing as a career? What are the forces that will help nursing "come together" and become not only a true profession but the largest and most powerful of all the health care professional groups? (Remember, there is always strength in numbers.)

### **NURSING ORGANIZATIONS**

### What Should I Know About Professional Organizations?

Nursing organizations have significant roles in empowering nurses in their emerging professionalism (Figure 9-1). Yet many nurses do not belong to a national organization such



FIGURE 9-1 There is a nursing organization to fit your needs.

### BOX 9-2 THE BENEFITS OF BELONGING TO YOUR PROFESSIONAL ORGANIZATION

- · Representation and influence in the legislature
- Continuing education
- Develop leadership skills
- Resources
- Personal benefits
- Networking
- Playing a part in reshaping the future of nursing

as the ANA, or to their state affiliate organization, or even to specialty-focused groups such as the American Association of Critical-Care Nurses (AACN) or the National Black Nurses Association (NBNA). Of the 3.1 million registered nurses, membership in the constituent associations in ANA represents less than half of the nurses (ANCC, 2007; HRSA, 2010). During the past few years, researchers have examined the issue of belonging to a professional organization, although there are no conclusive findings regarding why or how nurses choose nursing organizations. Some have suggested that organizations representing nursing as a whole, such as the ANA and the NLN, do not meet the needs of the individual nurse practicing in today's changing health care environment.

Affiliation with a nursing organization to facilitate networking with colleagues is valuable and meaningful. As a recent graduate, you will need to examine your options for joining a professional group and then demonstrate your professional commitment by active involvement. The question should be "Which ones should I join?" rather than "Should I even join an organization?" (Box 9-2). In the next section, various organizations are reviewed, with some historical notes to assist you in making the best choice as you begin

### **CRITICAL THINKING** BOX 9-4

### What Do You Think?

- How are nurses in your organization socialized?
- Is there an informal initiation or onboarding process?
- Is there a formal orientation or mentoring process in place?
- What do you feel is the most successful way to mentor and facilitate success for new nurses?

your nursing career. A more complete directory of nursing organizations can be found on the *Evolve* Resource website (also see Critical Thinking Box 9-4).

### What Organizations Are Available to the Recent Graduate?

A few of these key professional organizations for individual and organizational membership are described in the next section in alphabetical order. Many of these organizations publish a newsletter or professional journal, and most have websites. Individual memberships in your professional nursing organization and a specialty organization are great ways to maintain current knowledge about changes in your career field and create networking opportunities for both new graduate nurses and experienced nurses seeking to find a new position or to increase their knowledge (see Box 9-2).

### American Nurses Association

The ANA is identified as the professional association for registered nurses. It was through the early efforts of Isabel Hampton Robb and others that the Nurses Associated Alumnae of the United States and Canada was formed. At the World's Fair in 1890, a group of 15 nursing leaders began discussions about forming a professional association. Six years later, alumnae from the training schools organized the professional association now known as the ANA. Canadian members split from the original group in 1911 and formed their own professional association. The organizational structure of the ANA has undergone many changes through the years.

Currently, when an individual joins the ANA, he or she joins the national organization along with the constituent associations at the state and local level. This method geographically groups smaller clusters of members together according to their practice interests. According to the ANA website, the current membership is almost 180,000 individual registered nurses (ANA, FAQ—Membership, 2010).

In 1974, the Employee Retirement Income Security Act (ERISA), an amendment to the Taft-Hartley Act, allowed professional nursing organizations to be considered labor unions. United American Nurses is the collective bargaining organization representing the ANA. After this significant event, some nursing administrators and managers withdrew their memberships from ANA because of the potential conflict of interest between professional affiliation and the workplace. However, this change generated the development of other major nursing organizations: the Center for the American Nurse (CAN) and the American Association of Nurse Executives (AONE).

The ANA has been at the forefront of policy issues and represents nursing in legislative activities. The cabinets and councils of the ANA have provided standards of practice for both the generalist and the specialist. The 1988 *Social Policy Statement* document defined nursing practice at both the generalist and specialist levels; this is echoed in the current 2010 *Social Policy Statement*. The certifying organization of the ANA is the American Nurses Credentialing Center (ANCC), which has certified more than 250,000 RNs in

different practice areas at both the generalist and specialist levels, along with more than 75,000 advanced practice nurses (ANCC, 2007). The ANCC, a subsidiary of the ANA since 1991, identifies its mission as improving nursing practice and promoting quality health care service through several types of credentialing programs. The ANCC has created a modular approach to certification that enables the nurse to be recognized for multiple areas of expertise, not simply for competency in a core clinical specialty. There are 26 generalist care clinical specialties or advanced practice care areas. As a result of their "open door 2000" program, all qualified registered nurses, regardless of their educational preparation, can become certified as generalists in any of the following specialty areas: gerontology, medical-surgical, pediatrics, perinatal, and psychiatric-mental health nursing.

In addition to certifying individual nurses, the organization also accredits educational providers (i.e., organizations that issue continuing education credits for professional programs), recognizes excellence in Magnet nursing services through the ANCC Magnet Recognition Program®, and educates the public about credentialing and professional nursing. This organization is electronically linked on the home page of the ANA (www.nursingworld.org).

### **American Nurses Foundation and the American Academy of Nursing**

Two other organizations associated with the ANA are the American Nurses Foundation, founded in 1955, and the American Academy of Nursing (AAN), founded in 1973. Briefly described, these organizations serve special purposes in support of research and recognition of nursing colleagues. The American Nurses Foundation was established as a tax-exempt corporation to receive money for nursing research. With the establishment of the National Nursing Research Institute, the focus has changed to one of support in the areas of policy making and research or educational activities. The AAN has a membership of more than 1500 nursing leaders and was established as an honorary association for nurses who have made significant contributions to the nursing profession. When a nurse is elected to the AAN, she or he is called a Fellow, and the credential following the nurse's name is FAAN. You may have had instructors who were faculty in the American Academy of Nursing, or you may be working with a nurse who is an FAAN. These nurses can provide valuable mentorship for the new graduate. The official publication of this organization is *Nursing Outlook*.

### **International Council of Nurses**

The International Council of Nurses (ICN), established in 1899, is the international organization representing professional nurses. The focus of this nursing organization is on worldwide health care and nursing issues; it meets every 4 years and is headquartered in Geneva, Switzerland. The ICN has been involved in the development of ethical guidelines for the recruitment of nurses from low-income nations. Many European nations have adopted an ethical code and restrict their recruiting from 150 low-income nations (Anderson and Isaacs, 2007).

### **National League for Nursing**

The NLN was established in 1952, however the beginning of NLN can be traced back to the 1893 organization of the American Society of Superintendents of Training Schools for Nurses of the United States and Canada. Between the late 1800s and the early 1900s, seven nursing organizations formed and joined under the collective name and function of the NLN. One of the unique features of the NLN is that both individuals and agencies are members. The NLN adopted a strategic plan in 1995 to place community-based health care education and health care delivery at the center of its focus and activities (NLN, 1995).

The NLN continues to foster improvement in nursing services and nursing education and offers annual educational summits so that nursing faculty and leaders in all types of nursing education programs can come together. Nonnurses can also join the NLN, fulfilling its purpose of promoting the consumer's voice in some nursing policies. The NLN has a biennial convention and publishes *N&HC: Perspectives on Community* (called *Nursing & Health Care* before 1995), *NLN Update*, and numerous other publications that can be obtained by calling 800-669-1656 or by visiting their website at www.nln.org.

Before 1997, the NLN functioned as an accrediting body in all levels of nursing education. In 1997, the NLN created an independent organization called the National League for Nursing Accrediting Commission (NLNAC) to accredit educational and professional nursing programs. This organizational change was in response to new standards established by the U.S. Department of Education (USDOE). This step was taken to separate accrediting activities from membership activities and to respond to the Higher Education Act Amendment of 1992. In 2013, NLNAC changed its name to the Accreditation Commission for Education in Nursing (ACEN) to maintain continued recognition by the USDOE as a Title IV Gatekeeper. This recognition by the USDOE ensures that nursing students enrolled in an accredited nursing education program continue to receive Federal Student Aid. Is your school an ACEN-accredited institution? To find out, visit their website at http://acenursing.org/

### **National Student Nurses' Association**

The National Student Nurses' Association is a fully independent organization with a membership of approximately 50,000 nursing students throughout the United States. NSNA mentors the professional development of future nurses and facilitates their entrance into the profession by providing educational resources, leadership opportunities, and career guidance.

The organization was formed in 1952. Becoming a member of the NSNA may be viewed as a way to begin the "professional" socialization process. There are local school chapters as well as state and national level membership. Often, members of the NSNA serve on selected committees of the ANA and speak to the ANA House of Delegates regarding student-related issues. The quarterly journal, *Imprint*, is published by the NSNA. Visit their website at www.nsna.org.

### **National Organization for Associate Degree Nursing**

This group was organized in 1986 as an outgrowth of several state organizations. Texas was the first state to have a chapter, which was started in 1984. Membership in the National Organization for Associate Degree Nursing (N-OADN) is open to associate degree nursing graduates, educators, and students. Individuals, states, agencies, and other organizations may also join. There are state and national chapters. The mission of this organization is to be the advocate for associate degree nursing education and practice while supporting advanced nursing education through academic progression. N-OADN strives to maintain eligibility for RN licensure for graduates of associate degree (AD) programs, to promote AD nursing programs in the community, to provide a forum for discussion of issues affecting AD nursing, to develop partnerships and increase communication with other health care professionals, to increase public understanding of the AD nurse, to participate at state and national levels in the formation of health care policies, and to facilitate legislative action supporting the activities of N-OADN. Visit their website at www.noadn.org.

### **American Association of Colleges of Nursing**

This organization is the national voice for university and 4-year college educational programs in nursing and has a membership of more than 500 colleges. The mission of the organization is to serve the public interest by assisting deans and directors in improving and advancing nursing education, research, and practice. This organization publishes a newsletter and a bimonthly nursing journal called the *Journal of Professional Nursing*. In the past few years, it has formed a subsidiary for credentialing purposes. That organization is the Commission on Collegiate Nursing Education (CCNE). This autonomous accreditation agency serves only baccalaureate and higher degree programs in the accreditation process. Additional information on either organization can be found at www.aacn.nche.edu.

### **American Board of Nursing Specialties**

Significant growth in specialty practice in nursing has been evident since the late 1990s. Throughout the 1980s and 1990s, specialty organizations met annually as the National Federation of Specialty Nursing Certifying Organization to discuss issues in certification and nursing practice. This organization dissolved, and many of the specialty organizations joined the American Board of Nursing Specialties (ABNS) in 1991. The ABNS was established to create uniformity in nursing certification; it now represents more than 25 specialty nursing organizations that promote specialty practice and address certification issues associated with specialty practice. The ABNS functions as a consumer advocate in promoting nursing certification.

As a recent graduate, are you interested in a particular specialty nursing practice area? How and when do you anticipate obtaining specialty certification? How will you include membership in a professional organization in your 5-year career-educational plan? Do you know the benefits of being a certified nurse? Do you work with nurses who are certified in their specialties?

#### The American Red Cross

The American Red Cross is an international organization of approximately 120 Red Cross organizations around the world. Nurses of the American Red Cross pioneered public health nursing in the early 1900s. The American Red Cross is a voluntary agency that is supported by contributions and plays an important role in providing disaster relief and education in first aid and home health and in organizing volunteers to assist in hospitals and nursing homes. Nurse volunteers with the Red Cross play a significant role in assisting those who have been affected by natural disasters.

In summary, professional organizations play a significant role in enhancing the image of nursing. Their impact is seen in both educational and practice issues for generalist and specialist nurse roles. Organizations provide a voice for nursing in policy issues and serve to unite nurses as a group of professionals. Ultimately, it may be nursing organizations that will serve as the catalyst for change in the health care system, and their impact will be felt in the next century.

### CONCLUSION

Throughout the past century, the image of nursing has undergone many changes. The portrayal of nurses in the media has impacted the public perception of both male and female professional nurses. How will nurses continue to refine, intensify, and manage the image of nursing for the future? Will the self-image of nursing change public perception? Nursing is defined as a profession. Participation in the political side of health care, active involvement in professional organizations, a dedication to furthering academic advancement through

progression of all nurses, and a commitment to the improvement of nursing's self-image are all ways to meet the upcoming challenges both in the nursing profession and in this dynamic health care environment.

The questions will go on and on, and the answers will come from nurses in clinical practice, education, and research. These issues, which have a significant impact on nursing's professional image, must be resolved so that nursing can move forward as a profession. As a recent graduate, you are the future of this exciting transition. The question to ask yourself is, what can I do to improve and maintain the image of nursing and the integrity of the profession? Change can and does begin with one person who is willing to step forward and make a difference. Is that you?

### RELEVANT WEBSITES AND ONLINE RESOURCES

### Carnegie Foundation for the Advancement of Teaching (2010)

Book highlights from educating nurses: a call for radical transformation.

http://www.carnegie foundation.org/elibrary/educating-nurses-highlights.

#### Institute of Medicine (2010)

The future of nursing: leading change, advancing health.

http://www.iom.edu/Reports/2010/The-Future-of-Nursing-Leading-Change-Advancing-Health.aspx.

### **National League for Nursing (2011)**

Academic progression in nursing education.

http://www.nln.org/aboutnln/livingdocuments/pdf/nlnvision\_1.pdf.

### National Organization for Associate Degree Nursing (2012)

Joint statement on academic progression for nursing students and graduates.

 $https://www.noadn.org/dmdocuments/120918\_Joint\_Statement\_Academic\_Progression.pdf.$ 

### **BIBLIOGRAPHY**

Accreditation Commission for Education in Nursing. (ACEN). (2013). *NLNAC changes name to ACEN*. Retrieved from http://www.acenursing.net/acenursing/ACEN/.

American Nurses Association. (2001). *Code of ethics for nurses with interpretive statements*. Silver Spring, Md. Retrieved from nursebooks.org.

American Nurses Association. (2003). *Standards of clinical nursing practice*. Kansas City, Mo: ANA. American Nurses Association. (2010). Frequently asked questions. *NursingWorld*. Retrieved from www.nursingworld.org/FunctionalMenuCategories/FAQs.aspx#about.

American Nurses Association. (2010). Social policy statement. Kansas City: Mo, ANA.

American Nurses Association. (n.d.). *The importance of belonging to your professional nursing organization*. PowerPoint presentation. Retrieved from www.nursingworld.org/EspeciallyForYou/Educators/TheImportanceofBelonging.aspx#276.

American Nurses Credentialing Center. (2007). Why ANCC Certification? Retrieved from www.nursecredentialing.org/cert/index.htm.

Anderson, B., & Isaacs, A. (2007). Simply not there: the impact of international migration of nurses and midwives—perspectives from Guyana. *Journal of Midwifery & Women's Health*, 28(6), 392–397. Retrieved from http://web.ebscohost.com.ezproxy.baylor.edu/ehost/detail?vid=11&hid=102&sid=04252468-7087-4df4-84a1-f2f55dc652ec%40sessionmgr104.

Bostridge, M. (2008). Florence Nightingale: the woman and her legend. London: Viking Press. Caplow, T. (1954). The sociology of work. Minneapolis: University of Minnesota.

- Cohen, S., & Bartholomew, K. (2008). Our image, our choice: perspectives on shaping, empowering, and elevating the nursing profession. Marblehead, Mass: HCPro.
- Dombeck, M. (2003). Work narratives: gender and race in professional personhood. *Research in Nursing & Health*, 26, 351–365.
- Dukes, M. E. (2003). Writer hopes to change nurses' image. *Stripe*. Retrieved from www.dcmilitary.com/dcmilitary\_archives/stories/050803/23071-1.shtml.
- Groves, B. (2007). An image problem: from TV to silver screen. *The record*. Retrieved from www.nursingadvocacy.org/news/2007/may/06\_record.html.
- Health Resources and Services Administration. (HRSA). (2010). *HRSA study finds nursing workforce is growing and more diverse*. Washington, DC: HRSA. Retrieved from www.hrsa.gov/about/news/pressreleases/100317\_hrsa\_study\_100317\_finds\_nursing\_workforce\_is\_growing\_and\_more\_diverse.html.
- Health Resources and Services Administration. (HRSA). (2013). *The U.S. nursing workflow: trends in supply and education*. Washington, DC: HRSA. Retrieved from http://bhpr.hrsa.gov/healthworkforce/reports/nursingworkforce/nursingworkforcefullreport.pdf.
- Jacobs-Summers, H., & Jacobs-Summers, S. (January 28, 2011). The image of nursing: it's in your hands. NursingTimes.net. Retrieved from http://www.nursingtimes.net/nursing-practice/clinical-zones/educators/the-image-of-nursing-its-in-your-hands/5024815.article. Accessed January 3, 2013.
- Jones, J. M. (2011). Record 64% rate honesty, ethics of members of congress low. Retrieved from http://www.gallup.com/poll/151460/Record-Rate-Honesty-Ethics-Members-Congress-Low.aspx. Accessed January 11, 2013.
- Kaplan, M. (2005). Speech: why isn't nursing more newsworthy? Medscape Nursing. Retrieved from www.medscape.com.
- Larson, S. E. (2006). Create a good impression: professionalism in nursing? *Imprint*, *53*(5), 50–52. Mee, C. (2006). Painting a portrait: how you can shape nursing's image. *Imprint*, *53*(5), 44–49.
- National League for Nursing. (1995). *The in/visibility of nurses in cyberculture, NLN updates.* New York: NLN. Retrieved from www.nursing-informatics.com/visiblenurse7.html.
- National Organization for Associate Degree Nursing. (2012). *Joint statement on academic progression for nursing students and graduates*. Retrieved from https://www.noadn.org/dmdocuments/120918\_ Joint\_Statement\_Academic\_Progression.pdf.
- Pavalko, R. (1971). Sociology of occupations and professions, Itasca, Ill., Peacock.
- Peplau, H. (1952). Interpersonal relationships in nursing. New York: Putnam Press.
- Robb, I. H. (1916). *Nursing ethics: for hospital and private use*. Cleveland, OH: E. C. Koeckert [Original Publication 1900].
- Strauss, A. (1966). The structure and ideology of American nursing: an interpretation in the nursing profession. New York: Wiley.
- Talotta, D. (1990). Role conceptions and professional role discrepancy among baccalaureate nursing students. *Image Journal of Nursing Scholarship*, 22(2), 111–115.
- Turow, J., & Gans, R. (2002). As seen on TV: health policy issues in TV's medical dramas. a report to the Kaiser Family Foundation. Retrieved from www.kff.org/entmedia/3231-index.cfm.
- Ward, C., Styles, I., & Bosco, A. (2003). Perceived states of nurses compared to other health care professionals. *Contemporary Nurse*, *15*(1/2), 20–24. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/14649505.
- What's the big deal about naughty nurse images in the media? (2010). Retrieved from www.truth aboutnursing.org/faq/naughty\_nurse.html.
- Wilson, D. (2009). Meet the men who dare to care. *Johns Hopkins Nursing*, VII(2). Retrieved from http://web.jhu.edu/jhnmagazine.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# UNIT IV

# **Nursing Management**

# 10

# Challenges of Nursing Management and Leadership


Joann Wilcox, RN, MSN, LNC

Leaders don't force people to follow—they invite them on a journey.

Charles S. Lauer

Outstanding leaders go out of their way to boost the self-esteem of their personnel. If people believe in themselves, it's amazing what they can accomplish.

Sam Walton



"I need help on the night shift!"

After completing this chapter, you should be able to:

- Differentiate between management and leadership.
- Describe theories of management and leadership.
- List characteristics of an effective manager and an influential leader.
- Discuss the elements of transformational leadership.
- Identify distinguishing generational characteristics of today's workforce.
- Differentiate the concepts of power and authority.
- Apply problem-solving strategies to clinical management situations.
- Identify the characteristics of effective work groups.
- Discuss the change process.
- Discuss the value of using evidence-based management actions.

As you move closer to meeting your goal of becoming a graduate nurse, give consideration to understanding the role of the nurse as a manager and as a leader. You might be thinking:

I do not want to be a manager; I am just a recent graduate!

OR

I want to take care of patients, not be a paper pusher!

OR

Am I ready to be followed by others?

Consider this: Nursing, in any role, is a *people business. Management* is the process of effectively working with people. When you accept your first position as a graduate nurse, it is important to realize that you are becoming a part of a work group where members spend at least a third of their day interacting with each other. Therefore, nurses must be prepared to use interpersonal, leadership, and management skills to be effective in their role as a provider of patient care.

There are multiple levels of management that a nurse can practice. The specific level depends on the experience, competency, and defined role of the individual nurse. For instance, as a recent graduate, you will have *primary management* responsibility for the patients for whom you will be providing care. This will include planning and coordinating the care with other nursing personnel, with health care staff, and with the patient and family members. Provision of this level of management is expected from all registered nurses who practice in the acute-care environment.

### MANAGEMENT VERSUS LEADERSHIP

### What Is the Difference Between Management and Leadership?

Although the terms *management* and *leadership* are frequently interchanged, they do not have the same meaning. A leader selects and assumes the role; a manager is assigned or appointed to the role. Managers have responsibility for organizational goals and the performance of organizational tasks such as budget preparation and scheduling. Managers, as providers of care, supervise a team of people who are working to help patients achieve their defined outcomes. Leaders are effective at influencing others. Although it is desirable for managers to be good leaders, there are leaders who are not managers and, more frequently, managers who are not leaders! So, let us discuss the actual differences in more detail.

### The Functions of Management

*Management* is a problem-oriented process with similarities to the nursing process. Management is needed whenever two or more individuals work together toward a common goal. The manager coordinates the activities of the group to maintain balance and direction. There are generally four functions the manager performs: *planning* (what is to be done), *organizing* (how it is to be done), *directing* (who is to do it), and *controlling* (when and how it is done). All of these activities occur continuously and simultaneously, with the percentage of time spent on each activity varying with the level of the manager, the characteristics of the group being managed, and the nature of the problem and goal.

According to Rothbauer-Wanish (2009), planning is generally considered the most basic management function and one that managers should spend a significant part of their time doing. The foundation for all planning begins with the development of goals that reflect the mission and vision of the organization and defining strategies that will be implemented to

meet and maintain that mission and vision. The next level of planning is used daily as a part of determining the requirements for accomplishing the work to be done and ensuring that what is needed is available. This planning must be congruent with the strategies for meeting the mission and vision of the organization. Along with this approach, a manager must also be able to plan for contingencies, which, if not addressed, will interfere with accomplishing what needs to be done. When managing a patient-care unit, which needs specific resources 24 hours a day, one can be certain that the unexpected will happen. Being prepared for the unexpected is a key function of a nurse manager.

Staff nurses practice the elements of planning as the plans of care for each patient are developed. For this process, the patient's current status and goals are assessed to determine what needs to occur during the time you are assigned to provide care to him/her. The interventions needed are selected to advance the patient to the point of meeting his/her defined goals. This process of management of patient care uses the same planning skills as those used by someone in the position of managing staff.

Organizing occurs as the manager aligns the work to be done with the resources available to do that work (Rothbauer-Wanish, 2009). This requires knowledge of all parts of the work, as well as a clear understanding of the competencies required of those who will be performing the assigned work. The manager must consider not only the licensing regulations but also the facility's policies when organizing the assignment of work. For example, licensing regulations may allow a licensed practical nurse to administer defined intravenous medications, but the facility policy may not allow that level of employee to perform that procedure. Another example would be that the licensing regulations for registered nurses do not specify that a newly licensed nurse cannot be assigned to work in a critical care unit. However, facility policy may state that registered nurses who wish to work in a critical care unit must gain 1 year of other experience before being assigned to critical care service. Knowing this information prevents the manager from making decisions that may be unacceptable.

The next phase of management is providing direction or supervision. The manager retains accountability for ensuring the work is completed in a timely and competent manner. Additionally, staff members need to complete assigned work according to standards, policies, and procedures with the understanding that the manager will provide sufficient observation and assessment of care being delivered to ensure that the care provided is safe and complete. When patient care falls below minimum standards, the manager has two actions to take. The first is to make certain the care and safety of the patient is addressed by ensuring the proper care is provided, and the second is to address the performance of the staff who did not provide the care as assigned. Managers need to be able to make decisions regarding the level of supervision needed by each staff member. Managers must also be able to motivate staff toward reaching their full competence to perform the assigned work with minimal observation and direction.

Staff nurses who are managing the care of patients need to have a clear understanding of the relevant policies and procedures related to the care provided and must be confident that he or she is competent to provide that care. The staff nurse must be cognizant of the expected outcomes of the care to be provided and how to determine if progress toward those outcomes is occurring. Actions to take when outcomes are not being met must be understood by the staff nurse who is managing the care.

Controlling is the last aspect of the planning function of the nurse manager. Most of the controls in health care facilities exist because health care is a highly regulated system, and much of what must be done is dictated by governments, insurers, evaluating agencies, health policy, and institutional policy. The effective manager needs to be cognizant of the regulations that affect his or her area of practice and to be able to communicate clearly the essence of these regulations to the staff. Staff members also need to have a thorough understanding of regulations and implications of noncompliance. An example of external controls imposed because of regulations is the elimination of the use of certain dangerous abbreviations when a physician writes a medication order (see Chapter 11 for a list of abbreviations). This regulation is a part of The Joint Commission (TJC) standards, as well as standards from the Centers for Medicare & Medicaid Services (CMS). Although the initial focus of this regulation is the physician, registered nurses may not implement an order that includes these eliminated abbreviations.

Control by the manager may also be demonstrated through data collected when reviewing quality of care to determine the level of compliance with standards and other quality monitors. These data give the manager the power of validation of observations, because they can represent the outcomes of the care that has been provided. For instance, if the rate of hospital-acquired infections continues to be above the expected level, the manager has the information needed to implement and mandate interventions to reduce the number of infections.

Florence Nightingale was an early nursing leader. What characteristics of a manager did she also demonstrate?

### What Are the Characteristics and Theories of Management?

Active interest in management as a separate entity was first noted as part of the industrial revolution. The traditional theory developed at that time was based on the premise that there was a need to have the highest productivity level possible from each worker (Wertheim, n.d.). This theory is the basis for the hierarchy that has dominated much of management theory for almost two centuries. This type of management is also known as the bureaucratic theory of management, defined as "dividing organizations into hierarchies, establishing strong lines of authority and control. He [Weber, the author of this theory] suggested organizations develop comprehensive and detailed standard operating procedures for all routinized tasks" (McNamara, n.d.). The manager who functions under the traditional theory follows rules closely and understands the concept of the division of labor and the chain-of-command structure. Historically, this kind of functioning was thought to be efficient and clear and was considered necessary to attain the most work from each employee. Throughout nursing history, this has been, and continues to be, the theory on which the work of nurse managers is based. Since the mid-1990s, movement from this traditional theory has been introduced and considered but has not been achieved in 90% of health care organizations today (Deming, 2000).

Most facilities continue to expect management to function using the traditional theory, because this is what fits with the prevailing hierarchical structures in place in these organizations. Although many organizations have attempted to move from the hierarchy of management, multiple issues impacting the health care industry since the mid-1990s have kept the implementation of other structures from occurring. There have been multiple management theories developed since the traditional theory was introduced. Each of these has attempted to build on the others as additional issues are identified. For example, *behavioral theory* (also called *human-interaction theory*) evolved as it became more evident that the

humanistic side of management needed to be addressed (Hellriegel et al, 1999). Employees seeking recourse from some of the rules of hierarchy looked for assistance outside of their place of work, for instance, in the growing labor unions. Employers recognized the need to consider the human side of productivity so as to maintain a stable, satisfied work force.

This was followed by the introduction of *systems theory*, which considers inputs, transformation of the material, outputs, and feedback (Hellriegel et al, 1999). Systems theory is implemented when consideration is given to the impact of decisions made by one manager on other managers or on parts of the system as a whole. This is important in health care, because it helped management move from making decisions in the traditional manner, in which departments functioned as though they were independent. Recognizing that patients cannot be treated as though they are a number of separate and distinct parts has promoted the understanding and importance of systems theory. Whereas behavioral theory as it relates to management considers the attitudes and needs of the employee, systems theory examines the possible outcomes of all individuals affected by a decision.

The last theory of management to be considered is the *contingency theory*, which is also referred to as the *motivational theory* (Hellriegel et al, 1999). This theory focuses on the manager being able to blend the elements of the earlier theories using those elements to determine what motivates people to make choices leading to the most effective methods to complete the work that needs to be done. All of these theories are directed toward ways to ensure that employees are as productive as possible—working in as timely a manner as possible—to meet the organizational goals or targets.

Consider how you might gain information about the management theory used in the facility in which you are seeking employment. What questions would you ask as a part of the interview process?

### What Is Meant by Management Style?

You will experience a variety of management styles in your nursing practice. These styles follow a continuum from *autocratic* to *laissez-faire* (Figure 10-1).

The *autocratic manager* uses an authoritarian approach to direct the activities of others. This individual makes most of the decisions alone without input from other staff members. Under this style of management, the emphasis is on the tasks to be done, with less focus on the individual staff members who perform the tasks. The autocratic manager may be most effective in crisis situations when structure and control are critical to success, such as during a cardiac arrest or code situation. In general, however, the autocratic manager will have a difficult time in motivating staff to become a part of a satisfactory work environment, because there is minimal recognition of the contributions of staff to the work that needs to be done. There is also minimal focus on the necessary relationships between the multiple disciplines that make up the successful health care team. Many individuals, particularly those from generations after the Baby Boomers, will not stay in a position in which autocracy is the major style of management.

On the other end of the continuum is the *laissez-faire manager*, who maintains a permissive climate with little direction or control exerted. This manager allows staff members to make and implement decisions independently and relinquishes most of his or her power and responsibility to them. Although this style of management may be effective in highly motivated groups, it may not be effective in a bureaucratic health care setting that requires many different individuals and groups to interact.




FIGURE 10-1 Management styles.

In the middle of the continuum is the *democratic manager*. This manager is people-oriented and emphasizes effective group functioning. The goals of the group are identified, and the manager is perceived as a group member who is also its organizer and who keeps the group moving in the defined direction. The environment is open, and communication flows both ways. The democratic manager encourages participation in decision-making; he or she recognizes, however, that there are situations in which such participation may not be appropriate, and the manager is willing to assume responsibility for a decision when necessary. The democratic style is the blend of autocracy and laissez-faire with assurances that the extreme ends of the continuum are rarely, if ever, necessary.

One example of a democratic manager following either the behavioral or contingency theory would be a manager who creates a Nurse Practice Committee on his or her unit. This committee would have some defined authority and responsibility to address specific items in the practice environment, such as schedules and practices on the unit. This type of committee supports the idea that staff and management are interdependent in governing the successful practice environment (Tonges et al, 2004).

To be a successful manager in today's hierarchical organizations, the nurse manager will need to adopt a democratic style of management, one that is flexible enough to adapt to the changing roles of nursing staff. The nurse manager should be willing and able to share power with the same people who he or she will supervise. The successful manager will also need to acquire an element of laissez-faire style for those components of governance that will be under the auspices of the staff. It will be important for staff nurses to develop a balanced combination of autocracy and laissez-faire as they implement shared governance (stakeholder participation in decision-making) that will include quality of care and peer review. Both of these elements are necessary to create a safe environment for nurses (Institute of Medicine, 2004).

As is evident, the continuum of management styles includes approaches ranging from what might be considered total control to complete freedom for subordinates. In choosing a management style, the manager must decide on levels of control and freedom and then determine which trade-offs are acceptable in each situation. Behaviors vary from telling others what to do, to relinquishing to another group within the organization the authority for portions of the work to be done. As a new staff nurse, your initial involvement in management occurs when you manage the care of a group of patients. The next involvement may be as a part of the shared governance model that may be developing in your facility. As you gain experience and knowledge, it is important for you to develop an understanding of which style you should use, depending on what you hope to be able to achieve.

Look at managers on your clinical units. How do they fit into these categories?

Leadership, in contrast, is a way of behaving; it is the ability to cause others to respond, not because they have to but because they want to. Leadership is needed as much as management for effective group functioning, but each role has its place. The manager determines the agenda, sets time limits, and facilitates group functioning. The leader "models change, establishes trust, sets the pace, creates the vision, [provides] focus, and builds commitment" (Manion, 1996, p 148).

### What Are the Characteristics and Theories of Leadership?

The many attempts to define what makes a good leader have resulted in a variety of studies and proposals. Researchers have tried to identify the characteristics or traits necessary to be a good leader. Several of these studies have defined the concept of a *born leader*, implying that the desired traits are inherited. This is often referred to as the "Great Man" theory, because it was first identified when leadership was generally thought to be a male quality, particularly as it related to military leadership (Van Wagner, 2007). With later research, it became clear that desired leadership traits could be learned through education and experience. It also became clear that the most effective leadership style for one situation was not necessarily the most effective for another and that the effectiveness of the leader is influenced by the situation itself. As leadership theories continue to develop, emphasis is more on what the leader does rather than on the traits the leader possesses.

Several other theories of leadership are worth discussing. The first is *contingency leadership*, which says that leadership should be flexible enough to address varying situations. Although this may sound complicated, it can be compared with your approach to patient care. As a nurse, you individualize a patient care plan based on the needs of the individual. Then the plan is implemented using available resources. The effective leader, using contingency leadership, brings the same flexible approach to each individual situation where leadership is required.

Situational leadership theory resulted from the study of the contingency theory. Under situational leadership theory, the leader attempts function more closely in the situation being addressed. Blanchard and Hersey (1964) define the situational leader as one who analyzes the needs of the current situation and then selects the most appropriate leadership style to address that particular situation. The selected style depends on the competencies of each employee who will be helping address the current situation. The authors state that a good situational leader may use different styles of leadership for different employees who are all involved in

addressing the same situation. This is not unlike what you, as a team leader, will be doing when assigning work to members of your work team. The assignments will need to be individualized based on the competencies of each member of the team to help ensure the patient-care goals can be met.

Interactional leadership is the next theory to consider. With this theory, the focus is on the development of trust in the relationship (Marquis and Huston, 2003). Interactional leadership includes concepts of behavioral theories, which begin to address the theory that leaders are *made* and not *born*, because the needed behaviors can be taught and learned. Individuals who function based on the theory of interactional leadership use democratic concepts of management and view the tasks to be accomplished from the standpoint of a team member.

Leadership theory can also be described as *transactional*, noting that the transactional leader is one who has a greater focus on vision, defined as the ability to envision some future state and describe it to others so they can begin to share that vision. The transactional leader holds power and control over followers by providing incentives when the followers respond in a positive way to the leader's vision and the actions needed to reach that vision. The basis for the relationship between leader and follower is that punishment and reward motivates people. Transactional leaders seek equilibrium, so the vision can be reached and only intervenes when it appears that goals will not be attained (Sullivan and Decker, 2009).

This leadership theory does not sound like one that many would be encouraged to embrace or follow, as the rewards are ultimately one-sided. However, the transactional approach to leadership still exists in most organizations, generally at the management level as incentives are provided to gain a defined level of productivity. One may believe that this approach is closer to management than leadership, which may explain why it might not be effective at other levels in the organization.

Transformational leadership occurs when the leader has a strong, clear vision that has developed through listening, observing, analyzing, and finally by truly buying into the vision to change dramatically the way things are currently done (Bass, 1990). This theory was introduced as early as the 1970s and is still in its infancy of use by particular industries such as health care. However, this theory of leadership is a "major component of the Magnet model developed by the American Nurses Credentialing Center" (Sherman, 2012, p 62).

According to Sherman (2012), there are four key elements that characterize the transformational leadership style. The first element is idealized influence, meaning that the transformational leader is a "role model for outstanding practices which in turn inspires followers to practice at this same level." Inspirational motivation, the second element, is demonstrated by the leader being able to "communicate a vision" in a manner that others understand. Intellectual stimulation and individual consideration are the last two elements and address the fact that the leader values staff input and creativity while continuing to coach and mentor staff, recognizing there are both group and individual needs and issues to consider (Sherman, 2012, p 64)

Characteristics of transformational leaders, according to Tichy and Devanna (1986), are that these leaders are courageous change agents who believe people will do what is right when provided direction, information, and support. They are also value-driven visionaries, lifelong learners, and individuals who can successfully handle the complexities of leadership. To accomplish their goals, they effectively change the traditional way of leading, which is often from the office, to leading from the place where the action is occurring.

Transformational leadership will be implemented when it is clear to the strong, visionary leaders that the current situation(s) cannot be "fixed" using the traditional methods that have worked in the past. In the early 1990s, Leland Kaiser, a renowned health care futurist, discussed transformational leadership, identifying the transformational leader as the primary architect of life in the 21st century. Many of the predictions made by Kaiser are now being recognized as part of transformational leadership. An example of this is what has occurred at Virginia Mason Medical Center, as the leadership of that organization took on the task of transforming health care at that facility (Kenney, 2011). The entire leadership team has worked together to ensure that this transformation occurred as envisioned.

If transactional leadership involves the use of leadership power over rewards and punishments, transformational leadership can be characterized as a process whereby leader and followers work together in a way that changes or transforms the organization, the employees/followers, and the leader. It recognizes that real leadership involves transformation and learning on the part of follower *and* leader. As such, it is more like a partnership, even though there are power imbalances involved.

Whereas transactional leadership involves telling, commanding, or ordering (and using contingent rewards), transformational leadership is based on inspiring, getting followers to buy-in voluntarily, and creating common vision. Transformational leadership is what most of us refer to when we talk about great leaders in our lives and in society.

The nurse shortage is a good example of a problem in which the solution will most likely be found by transformational leaders. It is evident that the old ways of fixing the nursing shortage have not been effective. Managers, lawmakers, and organizations have tried increasing wages, paying bonuses, recruiting foreign nurses, mandating staff-to-patient ratios, adding nurse-extenders, and implementing flexible shifts. None of these methods has had any long-lasting effects, because they do not address the conflicts that have occurred as newer generations of nurses have reached the level where they want control of their practice as granted by education and licensure. A transformational leader understands the basis for these conflicts and develops a vision, which will address the needs of the people involved in the conflict.

One might anticipate that the Chief Executive Officer and the Chief Nursing Officer of a hospital would both be transformational leaders. These leaders have a responsibility to see the bigger picture and to be able to describe that vision or picture to others. Porter-O'Grady (2003a) describes this type of leader as one who can "stand on the balcony" (p 175). From this position, the leader can monitor the ebb and flow of the organization and determine in which direction the organization is moving. To be effective, the transformational leader must have a vision that can be put into words for others to understand. Check out the relevant websites and online resources at the end of the chapter for additional information on transformational leadership.

Although most leaders tend to lean toward one of the styles discussed here, fluctuations from one to another can occur, depending on the particular situation. In the health care setting, good leaders carefully balance job-centered and employee-centered behaviors to meet both staff and patient needs effectively (Critical Thinking Box 10-1).

### 8

### **CRITICAL THINKING BOX 10-1**

Consider your educational and clinical experiences. What leadership theories and styles have you observed? What management styles have you observed? Are there specific personality traits that enhance a person's performance in these two roles?

A good leader works toward established goals and has a sense of purpose and direction. A good leader must also be aware of how her/his behavior impacts the workplace. Emotions, moods, and patterns of behavior displayed by the leader will create a lasting impression on the behavior of the team involved. It is critical for the leader to be aware of this impact if she or he is going to be effective in managing and leading a team (Porter-O'Grady, 2003b). Rather than push staff members in many directions, this leader uses personal attributes to organize the activities and *pull* the staff toward the goals.

The most current theory addressing the changing environment in which we work is the *complexity theory* of leadership. The complexity theory addresses the "unpredictable, disorderly, nonlinear, and uncontrollable ways that living systems behave" (Burns, 2001, p 474). This theory indicates that we need to look at systems, such as those in health care organizations, as patterns of relationships and the interactions that occur among those in the system.

Complexity theory is complex! However, the basis of the thinking can most easily be understood by comparing traditional ways of analyzing an organization to the ways in which this analysis would be accomplished using the complexity theory. The traditional method used to understand an organization is to "break a system into smaller bits and when we believe we understand the bits we put them all back together again and draw some conclusions about the whole" (IOM, 2004). Complexity theory examines the whole rather than the sum of its parts, because breaking a system apart removes all the impact of the human relationships that affect the whole.

Following complexity theory, one understands that organizations are "organic, living systems" (Anderson et al, 2005) in which people act quickly and use knowledge sharing and patterns of relationships rather than the rules of a hierarchy. When leading according to the principles of complexity, change is understood as successful when accomplished by individuals as they adapt to variations in the environment and not as the linear managers dictate.

As we complete the discussion on the theories and characteristics of leaders and managers, it becomes evident that there are more differences than those briefly identified in the opening paragraph of this discussion. According to Manion (1998), the major differences are:

- Leaders focus on effectiveness, and Managers focus on efficiency.
- · Leaders ask what and why, and Managers ask how.
- Leaders deal with people and relationships, and Managers deal with systems, controls, and policies.
- Leaders initiate innovation, and Managers maintain the status quo.
- Leaders look to the horizon, and Managers look to the bottom line (pp 3-7).

# THE TWENTY-FIRST CENTURY: A DIFFERENT AGE FOR MANAGEMENT AND FOR LEADERSHIP

The face of leadership is changing, and this is very evident in nursing and health care. A major problem is that nursing continues to perform the same activities when there is clearly a demand for different processes. Changes in health care are altering some of the foundations of nursing practice. Shorter hospital stays and emerging therapeutics require less, but perhaps more intense, clinical time and challenge the need for certain nursing interventions that have become routine over time. Nurses are becoming increasingly

frustrated with the reality that the nursing care they were taught to provide—and they feel they need to provide—is not possible given the decreased time spent with their patients (Porter-O'Grady, 2003c). This dissatisfaction may be compounded by the conflict between established nurses and upcoming generations of nurses. In general, younger generations of nurses have accepted the newer foundations of practice, whereas these changes are often resisted by tenured staff. Thus the task of learning how to bridge the gaps in a multigenerational staff must be added to the nurse manager's other responsibilities.

"For the first time in decades, there are four separate and distinct generations potentially working together in a stressful and competitive nursing work-place" (Boychuk-Duchscher and Cowin, 2004, p 493).

The leadership of health care in the 21st century has been and will continue to be significantly affected by the diverse generations in today's workplace. These generational groups have major differences in communication styles, in what motivates them, in what turns them off, and in their workplace ideals (Boychuk-Duchscher and Cowin, 2004; Martin, 2004). Generational diversity has been recognized as one of the major factors precipitating conflict in the workplace. Great diversity exists in the beliefs, attitudes, and life experiences of the various generations (Scott, 2007). Box 10-1 lists general characteristics of the different generations in the current workforce.

"I honestly think there has always been a general tension among different generations, but it has never had a 'voice' like it has now" (Wieck, cited in Trossman, 2007, p.8).

### The Silent or Veteran Generation

This oldest generation of nurses, which is also the group that is retiring or retired, was taught to rely on tried, true, and tested ways of doing things. Because of early experiences with economic hardship and the Great Depression of the 1920s and 1930s that their families lived through, these nurses place high value on loyalty, discipline, teamwork, and respect for authority (Boychuk-Duchscher and Cowin, 2004). Nurses from this generation have always worked within the hierarchy of management and leadership and are accustomed to the autocratic style of leaders and managers.

### The Baby Boomers

The Baby Boomers make up the largest group of nurses working today. Also, the majority of nurse management positions are filled by Baby Boomers. Members of this group have a multitude of family responsibilities, frequently spanning three generations. In fact, this group is frequently referred to as the "sandwich generation," because these people

### **BOX 10-1 CHARACTERISTICS OF GENERATIONS**

- Silent or Veteran Generation: Born between 1925 and 1942—account for 10% of the current workforce
- Baby Boomers: Born between 1943 and 1960—account for 45% of the current workforce
- Generation X: Born between 1961 and 1979—account for 30% of the current workforce
- Generation Y: Born between 1980 and 2000—account for 10% of the workforce
- Generation Now: Born between 1995 and now—the newest group to the job market

are caught between caring for their children while also caring for their own aging parents. Nurses in this group are very ambitious. They put in long hours and have a strong sense of idealism, both at home and at work. Baby Boomers value what others think, and it is important that their achievements be recognized. They have set and maintained a grueling pace between their family and employment responsibilities. This group has embraced technology as a method to increase productivity and to have more free time (Cordeniz, 2003).

The individuals of the Baby Boomer generation are still products of the hierarchical theory of leadership and management but are beginning to recognize and ask for some of the elements of the behavioral theory. They are also frequently challenged by nurses of younger generations, who see little value in hierarchical leadership in a system such as health care, which includes multiple groups and professions, some of whom have autonomy by licensure that is not recognized in a leadership hierarchy. By contrast, Baby Boomers are focused on building careers and are invested in organizational loyalty (Scott, 2007).

### Generation X

Members of Generation X grew up in the information age; they are energetic and innovative. They are also hard workers, but unlike Baby Boomers, Gen X employees have little loyalty to, or confidence in, leaders and institutions. They value portability of their career and tend to change jobs frequently; they will stay in a position as long as it is good for them. This generation saw the downsizing of the 1990s, when organizational loyalty did not protect workers from loss of jobs or retirement. Thus they tend to have little aspiration for retirement. The use of technology has initiated an expectation of instant response and satisfaction. Technology has shaped their learning style; they want immediate answers from a variety of sources (Scott, 2007). They want different employment standards, such as opportunities for self-building and responsibility for work outcomes. They want extensive learning and precepting, and they want their questions answered immediately.

Gen X nurses value their free time; therefore, flexible scheduling and benefits (daycare centers, liberal vacations, working from home) are important. They claim to be motivated by work that agrees with their values and demands (Cordeniz, 2003). This group wants to work under motivational leadership with a democratic manager. If they do not find that kind of environment, they will have little reason to maintain employment in that institution.

Because most of the leaders and managers in health care are from the Baby Boomer generation, the conflict between these generations is certainly a significant contributor to the high turnover rate among younger nurses and the high rate of nurses finding employment outside of the hospital setting.

### **Generation Y**

Members of Generation Y (also known as Generation Net, Nexters, or the Millennium Generation) were born between 1980 and 2000. This is the largest group, perhaps three times the size of Generation X; as such, this generation is having a formidable impact on the employment market. Those in their 30s are beginning to have an influence on how organizations are managed. This generation represents a large number of the children of the Baby Boomers. While the Baby Boomers were trying to master Windows, these kids were playing with computers in kindergarten!

The impact of this generation is still being defined, but with the speed of generational changes, the impact of Generation Y may soon be integrated with the newest generation, currently labeled Generation Now. The Y Generation is smart and believes education is

the key to success. For this group, diversity is a given, technology is as transparent as air, and social responsibility is a business imperative (Martin, 2004). Members of Gen Y are optimistic and interactive; yet they value individuality and uniqueness. They can multitask, think fast, and are extremely creative.

Managing this group will require a vastly different set of skills than what exists in the market today. Generation Y nurses are not team players. They are in the driver's seat—they know that work is there for them if they want it. Focusing on understanding their capabilities, treating them as colleagues, and putting them in roles that push their limits will help managers recognize the potential of this group to become the highest-producing workforce in history (Martin, 2004). This is the most educated generation ever. Gen Y employees believe that they can either "start at the top or be climbing the corporate ladder by their sixth month on the job" (NAS, 2006, p 6). They learn quickly and adapt quickly. The hierarchy of health care leadership and management is generally not what they are seeking as a part of their employment.

### **Generation Now**

The newest generation is being called the Generation Now or the I Generation—because they have never lived without the Internet and other forms of rapid communication. This means they have never known a world without immediacy (IMedia Connection, 2006). The impact of this generation is already being felt in all aspects of our society and world. The way those in the I generation or Gen Now think, act, find information, negotiate, and make decisions may make our present theories of leadership and management obsolete and just a part of our long history. Ask yourself if this is part of what was envisioned by Leland Kaiser when he talked about transformational leadership occurring when we were ready, or does Gen Now represent the emergence of a new leadership theory?

The challenge to nursing will be to develop a workplace, as well as a profession, that will be attractive to all these generations, particularly those who represent the mainstream of the workforce. Equally important is consideration by nurse leaders and managers of the unique differences that exist between each generation (Critical Thinking Box 10-2). According to Lynn Wieck, who has been studying the different generations and the impact they have on nursing,

### 8

### **CRITICAL THINKING BOX 10-2**

What are the main issues, as stated by Shah (2011), of five generations at work, and what are the implications? Do employees understand customer needs?

Do employees understand how to interact with staff from the different generations?

Do employees understand the workplace styles of different generations?

Example: A Registered Nurse from the Baby Boomer generation believes that when he/she gets a call to work on his/her day off, the RN should do this unless it is not possible from a family perspective. A Registered Nurse from Generation Y does not feel the same "level" of obligation to the workplace. The Baby Boomer "lives to work," whereas to Gen Y "works to live."

How does a leader address this difference to avoid an interstaff conflict?

How does the solution reflect staff understanding of customer needs, interaction with other staff members, and the differences between generations that are real and need to be respected and understood?

### Reference

Shah R: Working with five generations in the workplace, 2011. Retrieved from http://www.forbes.com/sites/rawnshah/2011/04/20/working-with-five-generations-in-the-workplace.

"The younger nurses also want to know who, what, and why a policy was decided, and they want input into the process" (cited in Trossman, 2007, p 8). Wieck's research has validated the generational differences and the impact these differences are having on nursing (Trossman, 2007). The key is to learn the art of compromise as these generations continue to learn to work together, calling on the wisdom of the more experienced generation and the enthusiasm of the youngest of us to demonstrate that excellent care can be provided while making the work "more ergonomic, economical and eco-friendly" (Malleo, 2010, para 9). These Gen Now staff can show a new way to accomplish the work that is different from the task orientation of the older generations—both of which were, and are, appropriate for the system at the time.

Initially, there must be a focus on recruiting the younger generations into the health care fields, specifically into nursing. Emphasis must also be placed on retention of experienced nurses. These nurses are necessary to mentor the younger generations, and their experience is invaluable. Eric Chester works with young people and has outlined strategies for managing and motivating the younger generations (Boxes 10-2 and 10-3).

Review these strategies—they are not new, nor are they exclusive to young employees. These strategies make sense for every generation and every organization at any time (Verret, 2000) (Critical Thinking Box 10-3).

The changes in the way the younger generations relate to leadership and management may well be part of the reason more hospitals are becoming Magnet-certified. Magnet is a comprehensive program relating to many aspects of nursing and nursing practice, but the basis for most of the success of the program is the acceptance of a change in the way practice is governed and controlled. Magnet facilities demonstrate a true implementation of shared governance in which the nursing staff has control of the clinical practice of nursing and practice aspects of the work environment (HCPro, 2006).

Up to this point, leadership has been considered primarily as a part of management. In 2004, the American Association of Colleges of Nursing (AACN) brought a group together to develop a position of clinical nurse leader (CNL) (Stanley et al, 2008). The rationale for this position was that, with the changing health care needs of this society, the system does not seem to be "making the best use of its resources leading to a need to educate future practitioners differently" (Stanley et al, 2008, p 615). It was thought that this was critical to addressing successfully the many significant clinical issues facing the system during a time when resources are becoming limited. Having a highly prepared individual in the clinical setting is meant to impact positively the current patient safety issues by identifying and managing risk while meeting standards of quality clinical care.

As stated by Tornabeni and Miller (2008), "Improved patient care requires more nurses, better educated nurses and revised systems and environments for delivering patient care" (pp 608-609). Many factors support this need since it is known that with shorter lengths of stay as well as care and treatment becoming more complex, stability in the delivery of nursing care is essential for reaching the defined outcomes of that care. This also has to be accomplished in a manner that maximizes the use of available resources while minimizing patient hand-offs and risks as these outcomes are reached. The clinical nurse leader is a master's degree—prepared registered nurse who is expected to:

- Improve the quality of patient care through evidence-based practices
- Improve communication among all team members
- Provide guidance for less experienced nurses
- Assure that the patient has a smooth flow through the health system (Stanley et al, 2008, p 618)

### BOX 10-2 MOTIVATIONAL STRATEGIES FOR GENERATIONS X AND Y

- 1. Let them know that what they do matters.
  - When was the last time a letter from a patient who was very pleased with the care on a unit was shared with the staff? When was the last time management sat down with all of the unit personnel to tell them they are doing a good job? When was the last time the Chief Executive Office complimented the staff on a job well done?
- 2. Tell them the truth.
  - When did the managers on a unit acknowledge to the staff exactly what was going on? For example, the surgery schedule is going to be heavy
    this next week, there are going to be a lot of new admissions, as well as a lot of patients who will be going home. Acknowledge that the
    work level is going to increase, and ask whether any of the staff have suggestions for improving the coordination and workload assignments.
- 3. Explain why you are asking them to do it.
  - When a difficult time is anticipated, explain to the staff what is happening and why. Maybe a particular area of the hospital is overloaded, and additional staff are being pulled from their regular units to help. These patients must be accommodated and cared for—this is why the hospital is there, and maintaining patient census is what pays the bills.
- 4. Learn their language.
  - When was the last time the unit manager, head nurse, or other manager actually sat down with the staff (all levels) to find out who they are and what they like to do? What are their priorities? Their family situations? What do they do on their days off?
- 5. Look for rewarding opportunities.
  - When did a staff member handle a particularly difficult patient situation very well with acknowledgment at that time given to the staff member? Give positive feedback when opportunities arise. Do not wait for a performance evaluation to do so.
- **6.** Praise them in front of their peers and other staff.
  - · Acknowledge a job well done at a staff meeting or in the presence of people who are important to that person.
- 7. Make the workplace fun.
  - Making the hospital work environment fun can sometimes be a little difficult, but there are opportunities for humor if we just look for them. Patients share a lot of humor with the staff. Is the staff encouraged to share that humor with the rest of the unit personnel? When something funny happens to staff, are they encouraged to laugh and share with others?
- 8. Model behavior.
  - Does the behavior of the unit manager or head nurse model the behavior the manager is expecting others to exhibit? What about confidentiality? Is it expected of the personnel? Does the manager practice it as well?
- 9. Give them the tools to do the job.
  - What about effective communication skills or, perhaps, good customer service skills? The health care industry is in the business of providing a service for the customer—the patient. Training is offered for the technical skills—new equipment, procedures, policies—but what about training for the skills necessary to handle people? How about skills to deal effectively with the angry patient, the difficult doctor, the outraged family (Verret, 2000)?

These strategies are from Eric Chester, as presented by Carol Verret in her article, "Generation Y: Motivating and Training a New Generation of Employees." Data from Verret C: Generation Y: motivating and training a new generation of employees, Hotel online: ideas and trends, 2000. Retrieved from www.hotel-online.com/Trends/CarolVerret/GenerationY Nov2000.html.

### BOX 10-3 MOTIVATIONAL STRATEGIES FOR GENERATION NOW

In addition to Box 10-2, consider these strategies specific to Generation Now:

- 1. Look at where they are going for information.
  - They are always on the lookout for something new. It is the job of the leader or manager to stay current to keep up with them.
- 2. Make your message relevant.
  - They know when they are being "talked to." They consider their time precious, and they want you to use their time wisely.

### **CRITICAL THINKING** BOX 10-3

To what generation do you belong? How do your values regarding work and your personal characteristics fit that generation?

This role is a combination of a bedside nurse, case manager, clinical educator, and team leader. The introduction of the clinical nurse leader role also addresses a long-standing complaint about acute-care nursing practice. Within the clinical setting, the two major opportunities for advancement were to assume a management position or to become a clinical educator. Both essentially remove individuals from the bedside, which is the heart of our practice. With this new clinical role, nurses who wish to advance to a different role while providing direct patient care now have the opportunity to do so.

An example of the success of the CNL role follows. Antibiotic use and venous throm-boembolism prophylaxis are performance measures of the surgery unit that were identified and could be measured. To transform effectively the nurses thought processes and gain buy-in to this performance improvement, a cultural change was identified. The nurses needed a Clinical Nurse Leader (CNL) to assist them in understanding the need for this change and the benefits that would come about after this change was implemented. The CNL is a transformational leader who uses more than one style of leadership to motivate his or her employees to perform at a level of excellence. The styles of leadership used to adequately improve the performance on the surgery unit were affiliative and democratic (Landry, 2000-2013).

### POWER AND AUTHORITY IN NURSING MANAGEMENT

### Do You Know the Difference Between Power and Authority?

To have power means having the ability to effect change and influencing others to meet identified goals. Authority relates to a specific position and the responsibility associated with that position. The individual with authority has the right to act in situations for which one is held responsible within the institutional hierarchy. This is a role most often assumed as a part of management.

Power and responsibility always go hand in hand!

### What Are the Different Types of Power?

There are many different types of power, so let us discuss those that are most common. *Legitimate power* is power connected to a position of authority. The individual has power as a result of the position. The head nurse has legitimate power and authority as a result of the position held.

Reward power is closely linked with legitimate power in that it comes about because the individual has the power to provide or withhold rewards. If supervisors have the power to authorize salary increases or scheduling changes, then they have reward power. Coercive power is power derived from fear of consequences. It is easy to see how parents would have coercive power over children based on the threat of punishment. This type of power can also be used toward staff members when, for example, there is the threat of receiving unfavorable assignments. However, in considering the characteristics of the upcoming generations, this sort of power may not be effective with them.

*Expert power* is based on specialized knowledge, skills, or abilities that are recognized and respected by others. The individual is perceived as an expert in an area and has power in that area because of this expertise. For instance, the enterostomal therapist has expertise

in the care of individuals who have had ostomies. Therefore, staff nurses seek out the therapist as a resource and use the expert's knowledge to guide the care of these patients. The Clinical Nurse Leader is another example of a nurse-expert who has responsibility to act as a resource for others.

Referent power is power that a person has because others closely identify with that person's personal characteristics; they are liked and admired by others. Individuals who have knowledge that is needed by others to function effectively in their roles possess information power. This type of power is perhaps the most abused! An individual may, for example, withhold information from subordinates to maintain control. The leader who gives directions without providing needed information on rationale or constraints is abusing information power.

Leadership power is the "capacity to create order from conflict, contradictions, and chaos" (Sullivan and Decker, 2009, p 42). This is possible when the staff or people involved in the conflicts have a trust for that leader who is able to influence people to respond because they want to respond!

Leaders and managers need to understand the concept of power and how it can be used and abused in working with others. Nurses, on the whole, need to identify ways to increase their power within the health team. Graduate nurses need to be aware of and willing to implement methods and resources to increase their personal power. As they gain experience in the staff nurse role, they can develop expert power by increasing competency in their roles and clinical skills.

If you really want to see the best use of power, see a nurse who is actually providing the care that a patient needs and how many times he or she has to manage the system, massage the system, and find ways through the system just to get good care for patients. That's power.

— Beverly Malone, PhD, RN, FAAN (cited in Mendez, 2006, p 55)

Refining interpersonal skills that enhance the ability to work with others can expand many types of power, such as information, referent, and leadership power. These skills include communicating clearly and completely information that people need to know while gaining support for work to be done either through delegating or by encouraging staff to step forward to do what's necessary to accomplish the stated goals. Demonstrating a willingness to give and receive feedback while providing positive communication is also important when working to develop and enhance power in working with others.

It is also important to recognize what detracts from power. Impressing others as disorganized, either in personal appearance or in work habits, engaging in petty criticism or gossip, and being unable to say *no* without qualification are some of the behaviors that can detract from power.

Today there is much discussion in nursing about the importance of power and the concept of *empowerment*. To *empower* nurses is to provide them with greater influence and decision-making opportunities in their roles. The realization of greater power in the profession depends on the willingness of administrators to allocate this power and of nurses to accept it, along with the accompanying responsibility.

The basis for practice in Magnet-credentialed facilities is the empowerment of staff to make decisions that directly affect the practice of registered nurses who are providing direct care. This is accomplished through the development of a culture supporting the decentralization of management, power, and authority in all places in which registered nurses are providing care. A clearly delineated structure for accomplishing the appropriate decision-making and clearly communicating these decisions must be in place and accessible to all registered nurses in the organization. Additionally, the responsibility for monitoring compliance and outcomes is also shared by the registered nurse staff rather than leaving this important function solely to management.

### MANAGEMENT PROBLEM SOLVING

### **How Are Problem-Solving Strategies Used in Management?**

Management is a *problem-oriented process*. The effective manager analyzes problems and makes decisions throughout all the planning, organizing, directing, and controlling functions of management. Problem solving can be readily compared with the nursing process (Table 10-1). This is because the nursing process is based on the scientific method of problem solving. The two are essentially the same, as can be seen by comparing the steps of one with the other.

As with the nursing process, problem solving does not always flow in an orderly manner from one step to the next. Throughout the process, feedback is sought, which may indicate a need for altering the plan to reach the desired objective. The most critical step in either process is identifying the problem (identified as the *nursing diagnosis* in the nursing process). Frequently what was originally identified as *the problem* may be too broad or unclear. Only the symptoms of the problem may be seen initially, or there may be several problems overlapping. If an approach is used to relieve only the symptoms, the problem will still exist. The good manager will guide the process of identifying the problem by asking questions such as "What is happening?" "What is being done about it?" "Who is doing what?" and "Why?" It is important to differentiate among facts and opinions and to attempt to break down the information to its simplest terms. Think of it as being a detective looking for every clue!

After the problem is clearly identified, the group should *brainstorm* all possible solutions. Often the first few alternatives are not the best or most practical. Identifying a number of viable alternatives usually provides more flexibility and creativity. All possible solutions must fall within existing constraints, such as staff abilities, available resources, and institutional policies. The more complex the problem, the more judgment is required. In some cases the problem may extend beyond the manager's scope of responsibility and authority; therefore, it may be necessary to seek outside help.

After identifying all the alternatives, each must be evaluated in relation to changes that would be required in existing policies, procedures, staffing, and so forth, as well as what

TABLE 10-1 NURSING PROCESS VERSUS PROBLEM SOLVING	
NURSING PROCESS	PROBLEM SOLVING
Assessment	Data gathering
Analysis/nursing diagnosis	Definition of the problem
Development of plan	Identification of alternative solutions
Implementation of plan	Implementation of plan
Evaluation/assessment	Evaluation of solution

effect these changes would have. Ask "What would happen if..." questions to clarify the short- and long-term implications of each alternative. Keep in mind that the perfect solution is not possible in most situations.

Problem solving represents a choice made between possible alternatives that are thought to be the best solutions for a particular situation. At its best, problem solving should involve ample discussion of the possible solutions by those who are affected by the situation and who possess the knowledge and power to support the possible solution. After an alternative has been selected, it should be implemented unless new data or perspectives warrant a change. Feedback should be sought continuously to provide ongoing evaluation of the effectiveness of the solution. Remember that simply choosing the best alternative does not automatically ensure its acceptance by those who work with it!

### **Evidence-Based Management Protocols and Interventions**

Just as nurses are expected to practice using evidence-based protocols and interventions for clinical decision-making, managers are expected to use those management practices that are not simply based on conventional wisdom but on demonstrated outcomes. This may be difficult to accomplish, as management practices are often deeply imbedded in the culture of an organization. Changing these practices to what is known to work from those that may have worked in the past may be considered as a challenge to the core philosophy of that organization.

Pfeffer and Sutton (2006) state:

If a manager is guided by the best logic and evidence and if they relentlessly seek new knowledge and insight, from both inside and outside their organizations, to keep updating their assumptions, knowledge and skills, they can be more effective.

To accomplish this, the manager needs to be able to develop a commitment to searching for, and using, processes and solutions that are factually based, leading to the ability to make decisions that lead to intended outcomes (Pfeffer and Sutton, 2006). It is believed that there is much peer-reviewed information regarding managing organizations that is not used because of the desire to do things as they have always been done—knowing that they do work some of the time.

The example provided in an article in the *Harvard Business Review* relates to the use of stand-up meetings versus the traditional sit-down meetings. Evidence indicates that during stand-up meetings it took 34% less time to make decisions (Pfeffer and Sutton, 2006). Using this model could save an organization many hours a year that can be put to another productive use or could be eliminated from the payroll. However, very few organizations use this model for meetings, even in the face of the clear evidence regarding the impact it would have on the organization.

Appropriate hand washing between patient encounters is a problem that has affected health care since the 1850s. The solution sounds simple—wash your hands between patient encounters, but history has demonstrated that having leaders/managers who require this solution has not been effective. Random surveys of staff in health care facilities demonstrate that rates of hand washing averages "about 37.5%" (WHO in Armellino et al, 2011).

A study conducted in 2009-2010 by Armellino et al used "remote video auditing with and without feedback" to determine the rate of hand hygiene among the staff in an intensive care unit (2011). The prefeedback period demonstrated a hand-hygiene rate of 10%. The visualization of performance with feedback resulted in a hand-hygiene rate of 81.6%. The evidence

from this study demonstrates that staff are more compliant when they are aware they are being observed and also when they receive feedback regarding these observations.

Although this study pertained to hand hygiene, the elements of observation and feedback can be assumed to increase compliance with other aspects of practice that require minimal variation in the practice. Secondarily, one can take this evidence a bit further and correlate the infection rate in this intensive care unit during the period in which the 81.6% hand-hygiene compliance occurred. Consider what changes in patient status and hospital costs would be noted if an 81.6% hand-washing compliance resulted in a major reduction in hospital-acquired infections.

What other aspects of practice can you think of that can be measured using direct observation? Using regular feedback?

Nurses who have been prepared to practice using evidence-based clinical information may find that using these same skills and approaches to management is the norm. This will require a collaborative working relationship with the tenured management staff who may see this result in a shift of power to the staff who do use evidence-based management practices as a regular part of decision making.

Frequently, implementing the solution to a problem causes several other problems to arise. This can be avoided if the selected solutions are evidence-based and if they are tested before implementation to identify any areas that may be negatively affected by the new solution. This testing should be a formal process following the steps of a Failure-Mode-Effects-Analysis, which is meant to identify and address those risk points that may not have been evident when the solution was selected. Many of you will be given the opportunity to work with others to complete an analysis of new procedures, for example, before that new procedure is fully implemented. If problems arise after the analysis, testing, and implementation, the new problems should not be allowed to impede the implementation process. Instead, pause and consider each problem individually, solve it, and then return to the plan that was tested. The old adage "If at first you don't succeed, try, try again" is most appropriate when applying the problem-solving process, but using evidence-based solutions should keep repeat trials to a minimum. Remain positive, confident, and flexible! Let us apply the process to an actual problem.

John is the head nurse on a busy medical-surgical unit with 32 patients. Staff members have complained to him that too much time is being spent during the morning change-of-shift report. After asking questions and seeking additional information, John determines that a more clear definition of the problem is that the night charge nurse does not give a clear, concise report. Researching the peer-reviewed literature for solutions addressing end-of-shift communication, and involving the night charge nurse in the problem-solving process, helps to define the problem. Is it because the nurse does not have adequate knowledge of how to give a change-of-shift report? Or, is it a flaw in the report system that does not allow for adequate communication to occur?

Can you see how, after the problem has been clarified, it becomes more amenable to an acceptable, and perhaps even easy, solution?

### **How Are Problem Solving and Decision-Making Related?**

By definition, problem solving and decision-making are almost the same process, with one very notable difference. Decision-making requires the definition of a clear objective to guide the process. A comparison of the steps of each illustrates this difference (Table 10-2). Although both problem solving and decision-making are usually initiated in the presence of a problem, the objective in decision making may not be to solve the problem, but only

TABLE 10-2 PROBLEM SOLVING VERSUS DECISION MAKING	
PROBLEM SOLVING	DECISION MAKING
Define problem	Set objective
Identify alternative solutions	Identify and evaluate alternative decisions
Select solution and implement	Make decision and implement
Evaluate outcome	Evaluate outcome

to deal with its results. It is also important to distinguish between a good decision and a good outcome. A *good outcome* is the objective that is desired, and a *good decision* is one made systematically to reach this objective. A good decision may or may not result in a good outcome. Although it is desirable to have both good decisions and good outcomes, the good decision maker is willing to act, even at the risk of a negative outcome.

Susan is the evening charge nurse on a medical unit that has a total of 24 patients. One of the patients is terminally ill and seems to be having a particularly difficult evening. The patient requires basic comfort measures but little complex care. Susan has a choice of assigning the patient to another RN or delegating care to a nursing assistant. If she assigns the RN, the workload for the other staff will be heavier, and she herself will be assigned to the terminally ill patients to provide the care that cannot be delegated to the nursing assistant. Susan decides to assign the RN, because this patient requires the emotional and physical support best provided by an RN. During the shift, the RN spends time sitting with the patient. Close to the end of the shift, the patient dies. Was this a good decision with a bad outcome or a good decision with a good outcome?

Decision-making is values-based, whereas problem solving was traditionally a more scientific process. With the introduction of evidence-based management, efforts to acquire evidence-based information as one is identifying alternative solutions to problems move the decision-making process into the scientific arena. Nurses will continue to make decisions based on personal values, life experiences, perceptions of the situation, knowledge of risks associated with possible decisions, and their individual ways of thinking, but these factors will be influenced by the availability of information and solutions that have been scientifically tested. Because of these variables, two individuals given the same information and using the same decision-making process may arrive at different decisions, but the probability should be lower after evidence-based information is available.

In today's ever-changing health care environment, it is important for nurses and nurse managers to be effective in both problem solving and decision-making. The good manager will evaluate the problem-solving or decision-making process based on criteria that provide a view of the big picture. These criteria include the likely effects on the objective to be met, on the policies and resources of the organization, on the individuals involved, and on the product or service delivered.

The quality of patient care is dependent on the ability of the nurse to combine effectively problem solving with decision-making. To do so, nurses must be attuned to their individual value systems and understand the effect of these systems on thinking and perceiving. The values associated with a particular situation will limit the alternatives generated and the final decision. For this reason, the fact that nurses typically work in groups is beneficial to the decision-making process. Although the process is the same, groups generally offer the benefits of a broader knowledge base for defining objectives and more creativity in

identifying alternatives. The effectiveness of the group decision-making process is dependent on the dynamics of the group. It is therefore important for nurses to understand the roles of individuals within the group and the dynamics involved in working in groups to take full advantage of the group process. Chapter 11 focuses on communication, group process, and working with teams.

### What Effect Does the Leader Have on the Group?

The leader's philosophy, personality, self-concept, and interpersonal skills all influence the functioning of the group. A leader is most effective if members are respected as individuals who have unique contributions to make to the group process. Can you remember our earlier discussion of the characteristics of a good leader? The ability to influence and motivate others is particularly important in the group process.

Whenever the combination of people in a group is altered, the dynamics are changed. If the group is in the working phase, it will revert to the initiating phase when a new person or persons are added and will remain there until they have been assimilated into the group and a new dynamic has been formulated. The most effective groups are those that have had consistent membership and are highly developed. These groups demonstrate friendly and trusting relationships; the ability to work toward goals of varying difficulty; flexible, stable, and reliable participation of members; and productivity with high-quality output. Leadership within these groups is democratic, and the members feel positive about their participation and the outcomes of the group process. Now let us apply these principles to a real situation!

When you graduate and accept a nursing position, you will become a new nurse in the work group, causing it to regress to the initiating phase. This is your opportunity to demonstrate to the members of the group that you are worthy of being included in the group. If this is your first nursing position, you will also demonstrate to the group that you are worthy of entering the nursing profession. During this time, you may experience feelings of loneliness, isolation, and distance that accompany the initiating phase. However, your feelings of pride, excitement, eagerness, and accomplishment should quickly eradicate those feelings of distance, because there is much to gain and much to offer when entering a new group with common goals.

Put your energy into forming supportive professional relationships, including the social aspects of these relationships. Seek and use feedback, and ask for help in areas that are not as familiar to you, such as priority setting. As you contribute your individual talents to the group, you will move from being a dependent new person to full group membership. It is important that you do not underestimate the length of time that may be needed to accomplish this task! Group processes proceed very slowly in some cases, and it may be 6 months or more before you are accepted as a full member of the work group. Do not be discouraged! Instead, use this opportunity to gain information regarding what you can offer to the next new member of the group and what you can do to make transitioning from school to practice a positive experience.

Management skills come with experience in nursing, so do not be too hard on yourself during the transition phase. Identify experienced staff nurses who are effective at managing the care of their assigned patients, and identify nurse managers who have the skills you would like to incorporate into your management style. Look at the positive side of working with staff nurses and various nursing managers as a means to assist you in the development of your personal management style. Develop the ability to think like a manager as you perform your assignments—always look at the big picture.

### THE CHALLENGE OF CHANGE

How many times have you heard staff nurses complain about how powerless they feel about the lack of control they have over their work environment? They say they are frustrated that they cannot give the amount and quality of patient care they wish and that staffing patterns are placing undue stress on them. Do they talk about leaving the acute-care environment and trying some other aspect of nursing (perhaps home health) as a less stressful option? Why do they run away from a situation, rather than thinking about how they can act to change it? Do they feel powerless to do so? Is it easier to withdraw and escape?

One thing we all know is that change is inevitable, particularly in today's health care delivery system. Economic factors have taken center stage, and cutbacks in all aspects of health care services are occurring. Additionally, the Patient Protection and Affordable Health Care Act of 2009 will bring changes to many aspects of health care as this Act is incrementally implemented (Focus on Health Reform, n.d.). A major aspect of this Act is that all Americans will have some type of health insurance coverage. Consider the kinds of changes this can bring on an almost immediate basis. Are you prepared to accept the challenges ahead while continuing to provide quality care as a part of your professional obligation? Change can be like a truck with no driver at the wheel: It moves slowly and steadily toward you (Figure 10-2). You have three options: you can move out of the situation and perhaps miss some opportunities; you can just stand there and withdraw, doing what you are told just to avoid conflict; or you can start to run with it, jump on, and try to steer it in a positive direction.




FIGURE 10-2 Change: React, don't react, or jump on board.

TABLE 10-3 NURSING PROCESS VERSUS CHANGE PROCESS				
NURSING PROCESS	CHANGE PROCESS			
Assessment	Recognition that a change is needed; collect data			
Identification of possible nursing diagnoses	Identification of problem to be solved			
Selection of nursing diagnosis	Selection of one of possible alternatives			
Development of plan	Implementation of plan			
Implementation of plan	Implementation of plan			
Evaluation	Evaluation of effects of change			
Reassessment	Stabilization of change in place			

So, how do you begin to direct the change that is on the horizon? The first thing to know about the change process is that it, too, has similarities to problem solving and the nursing process. Let us lay them out and compare the two processes (Table 10-3).

Look familiar? Maybe it is not that hard to take control and be a change agent! The first thing you need to know about the change process is that resisting change is a natural response for most people. All of us are most comfortable in our state of equilibrium, where we feel in control of what we are doing. To handle change effectively, it is important to understand that every change involves adaptation. It requires a period of transition in which the change can be understood, evaluated in light of its impact on the individual, and, one hopes, eventually embraced.

There are various reasons for people's resistance to change, and understanding them will help you to implement the change process more effectively. Following are the most common factors that cause resistance to change:

- A perceived threat to self in how the change will affect the individual personally
- A lack of understanding regarding the nature of the change
- A limited ability to cope emotionally with change
- A disagreement about the potential benefits of the change
- A fear of the impact of the change on self-confidence and self-esteem

Kurt Lewin sought to incorporate these concepts in his Change Theory. He identified three phases in an effective change process: *unfreezing, moving*, and *refreezing*. In the *unfreezing phase*, all of the factors that may cause resistance to change are considered. Others who may be affected by the change are sought out to determine whether they recognize that a change is needed and to determine their interest in participating in the process. You will need to determine whether the environment of the institution is receptive to change and then convince others to work with you.

The *moving phase* occurs after a group of individuals has been recruited to take on responsibilities for implementing the change. The group begins to sort out what must be done and the sequence of actions that would be most effective. The group identifies individuals who have the *power* to assist in making the plan succeed. (*What types of power would be most effective?*) The group also attempts to identify strategies to overcome the natural resistance to change—and how to achieve a cooperative approach to implement the change. Once developed, the plan is then put into place.

The *refreezing phase* occurs when the plan is in place and everyone involved knows what is happening and what to expect. Publicizing the ongoing assessment of the pros and cons of the plan is an important part of its ultimate success. Be certain someone is responsible for continuing to work on the plan so that it does not lose momentum. Finally, make the

changes stick—or *refreeze*. This will make the change a part of everyday life, and it will no longer be perceived as something new. Now let us apply this process to a real situation!

Patti is working in a medical-surgical unit at a 200-bed acute-care hospital. She constantly hears her peers complaining about the lack of adequate nursing staff, and during the previous 3 months, two full-time staff nurses have resigned. To cover the unit, part-time staff from temporary agencies and from the hospital staffing pool are being used to supplement the remaining regular staff. Because these staff members have little orientation to the unit and are frequently assigned where they are needed the most, the continuity of care and a potential for increased errors in patient care became a major concern.

Rather than continuing to complain about the situation or considering leaving, Patti decided to act and try to steer the change truck. She approached a few of the nurses and initiated a discussion about the changes in staffing and how scheduling had become a night-mare for the charge nurse. She enlisted the support of several members of the staff to begin problem-solving possible solutions. They agreed that increased staffing was probably not a possible immediate solution and determined to work within the constraints that they had.

Several of the pool nurses were receptive to requesting that their assignment be limited to this one unit, and they agreed to schedule their hours to complement each other. This, in essence, would add a shared full-time position, at no additional cost, and would also provide consistency of patient care. When the proposal was presented to administrators, they agreed to support the idea based on its economic and patient-centered benefits.

The Change Truck—how will you respond?

**React**—move out of the way. Let the truck (change) pass you by. However, opportunities may be missed.

**Do not act**—just stand there and let the truck run over you. It will leave you behind and, more than likely, in worse shape than when you started.

Act—start running when you see it coming. Pace with it until you can decide when to jump on and steer it in the direction you want to move.

# Who Initiates Change and Why?

Another aspect to consider when evaluating change is to determine who wants the change and why. Is it the system? Is it management? Is it you, the nurse? Or is it the patient? There should be a specific rationale for change, and the identified change should be carefully planned, implemented, and evaluated to ensure the outcome is as anticipated. By identifying who is initiating the change and the reason for the change, the implementation plan can be better defined and understood, particularly regarding how implementation will affect the staff or the system.

# **System**

The most common reason for change is that what you did before is no longer effective. For example, the electronic medical record is largely replacing the handwritten medical record system, because the old system does not allow for the integration of the information in the record. The handwritten record generates volumes of paper, and is not adequate to keep pace with the number of patients and the need to access key information quickly from

various individuals both inside and outside of the traditional hospital (home health nurse or hospice nurse at the patient's home).

#### Management

Change frequently occurs when new regulations are developed by agencies that license or approve the facility. This provides a new perspective and view regarding how the system currently operates and what part of the system needs to be changed for compliance with the new regulation. A significant change in almost all areas of the hospital occurred with the implementation of the HIPAA regulations. Employees at all levels needed to know "How will the implementation of HIPAA change my job? Do I know how to respond to a request for information?" (Critical Thinking Box 10-4)

# **PICTURE THINKING BOX 10-4**

- · What changes have you made in your life?
- How long did one situation last before it changed again?
- You have just learned to deal successfully with the changes associated with being a student. Now you are facing the challenge of change again as you prepare for your role as a practicing registered nurse.

#### **Patient**

When customers are not happy, something within the system needs to change. What are the specific patient problems, and how can they be resolved? The fact that medical errors continue to occur at a high rate is of concern to patients or to people who may become patients. This has been publicized in the mainstream media for several years with minimal evidence that errors have been reduced. This makes the public a group who wants change and who expects the system, management, and staff to create the solutions to this problem. Does change at this level require the use of transformational leadership and evidence-based decisions?

#### Yourself

Sometimes we impose change on ourselves. We may or may not like it, but we see a need for some aspect of change to occur (Table 10-4). Who has ever enjoyed being transferred to a different unit if the one we are working on is slated to close? Stop to consider how you are going to implement the change. How will your work environment be affected? If change involves other employees, include them as a part of that change. Gain the power that comes from working as a team.

Only when you feel threatened by a change will you go through the steps (i.e., resistance, uncertainty, assimilation, transference, integration) to conquer it (Wilson, 1996) (Figure 10-3). All change will elicit some type of resistance. It is up to you to increase the impetus for change while decreasing resistance. The decision to be involved with change will help steer you in a direction that will be most beneficial.

# CONCLUSION

As a new graduate, you will be facing many transitions, including the transition from a "newbie" providing direct care for assigned patients, to managing the care for a group

PHASE	CHARACTERISTICS	INTERVENTIONS
Equilibrium	High energy; feelings of balance, peace, and harmony	Explain how changes will affect the status quo.
Denial	Denies reality that change will occur; experi- ences negative changes in physical health, emotional and cognitive behavior	Actively listen, be empathetic, and use reflective communication. Offer stress-management programs.
Anger	Blames others; may demonstrate envy, rage, or resentment	Be assertive and assist with problem solving.  Encourage employee to determine the source of his or her anger.
Bargaining	Efforts made to eliminate the change; frequently talks in terms such as "If only"	Search for real needs and problems and explore ways to achieve outcomes through conflict management and win—win negotiation skills.
Chaos	Diffused energy; feelings of powerlessness and insecurity and a sense of disorientation	Encourage quiet time for reflection as inner search for identity and meaning occurs.
Depression	No energy left; nothing seems to work; sorrow, self-pity, and feelings of emptiness	Encourage expression of sorrow and pain. Exhibit patience as employees learn to let go.
Resignation	Lack of enthusiasm as change is accepted passively	Allow employees to move at own pace.
Openness	Some renewal of energy and willingness to take on new roles or assignments resulting from change	Patiently explain again, in detail, the desired change.
Readiness	Willingly expends energy to explore new events that are occurring; reunification of emotions and cognition	Assume a directive management style; assign tasks, provide direction.
Reemergence	Feelings of empowerment as new project ideas are initiated	Mutually explore questions and develop an understanding of role and identity. Employees take actions based on own decisions.

Adapted from Perlman D, Takacs GJ: The ten stages of change, Nurs Manag 21(4):34, 1990.

of patients, to a team leader role where you are managing the care of a group of patients through a team of staff members. You may also be appointed to a formal management position or may assume the role of an informal, but powerful, leader. All of these phases or roles require the characteristics of a leader who can influence others, including patients, to respond because they want to respond.

Think about the characteristics of your generation—will these influence your management style as you consider how you will positively engage with all the members of your staff? How will you contribute to the resolution of some of the differences in the nursing environment? Will you research the literature to find those actions that have proven effective, or will you do what has always been done? Understanding management and leadership along with your generational characteristics will facilitate the development of a leadership and management style that is a reflection of you. Improving your ability to reach out to those outside the organization through communication and the use of the literature will provide you with the tools to build effective nursing management practices while also leading a successful team.




FIGURE 10-3 Five steps toward conquering change.

# RELEVANT WEBSITES AND ONLINE RESOURCES

#### **Duke University School of Nursing (2013)**

Redefining what leadership means for the next generation of nurses.

https://nursing.duke.edu/news/redefining-what-leadership-means-next-generation-nurses.

#### Riggio, R. E. (2009)

Are you a transformational leader.

http://www.psychologytoday.com/blog/cutting-edge-leadership/200903/are-you-transformational-leader.

#### Sherman, R. O.

Becoming a transformational nurse leader. http://www.emergingrnleader.com/transformational-nurse-leader/.

## **BIBLIOGRAPHY**

Anderson, R. A., Crabtree, B. F., Steele, D. J., & McDaniel, R. R., Jr. (2005). Case study research: the view from complexity science. *Qualitative Health Research*, 15(5), 669–685.

Armellino, D., Hussain, E., Schilling, M., Senicola, W., Eichorn, A., Dlugacz, Y., & Farber, B. (2011). Using high-technology to enforce low-technology safety measures: the use of third-party remote video auditing and real-time feedback in healthcare. *Clinical Infectious Diseases Advance Access*. Retrieved from http://www.ncbi.nlm.nih.gov/pubmed/22109950.

Bass, B. (1990). From transactional to transformational leadership: learning to share the vision. *Organizational Dynamics Winter*, 19–31.

Blanchard, K., & Hersey, P. (1964). Management of organizational behavior: leading human resource, New York: Morrow.

Boychuk-Duchscher, J., & Cowin, L. (2004). Multigenerational nurses in the workplace. *Journal of Nursing Administration*, 34(11), 493–501.

Burns, J. (2001). Complexity science and leadership in healthcare. *Journal of Nursing Administration*, 31(1), 474–482.

- Clancy, T. (2008). Managing organizational complexity. *Journal of Nursing Administration*, 38, 272–274.
- Cordeniz, J. (2003). Recruitment, retention, and management of generation X: a focus on nursing professional. *Journal of Healthcare Management*, 47(4), 237–249.
- Deming, E. (2000). Out of the crisis. Cambridge: MIT Press.
- Dyess, S., & Sherman, R. (2011). Developing a leadership mindset in new graduates to influence practice environments: a novice nurse leadership program. *Nursing Administration Quarterly*, 35(4), 313–322.
- Focus on health reform. (n.d.). *Affordable Healthcare for America Act*. Retrieved from http://www.kff.org/healthreform/upload/housebill\_final.pdf.
- HCPro. (2006). Magnet status: a guide for the nursing staff. Marblehead, Mass: HCPro.
- Hellriegel, D., Jackson, S., & Slocum, J. (1999). *Management* (ed 8). Reading, Mass: Addison-Wesley.
- IMedia Connection. (2006). *Talking to generation now*. Retrieved from www. imediaconnection.com.
- Institute of Medicine. (2004). *Keeping patients safe: transforming the work environment of nurses*, Washington, DC: National Academies Press.
- Landry, C. (2000-2013). Clinical nurse leadership and performance improvement on a surgical unit. RN Journal C:\Users\Clinical Nurse Leadership and Performance Improvement on Surgical Unit.htm/.
- Kenney, C. (2011). Transforming health care. New York: Taylor & Francis Group.
- Malleo, C. (2010). Each generation brings strengths, knowledge to nursing field: a nurse's journal.

  Retrieved from http://www.cleveland.com/healthfit/ index.ssf/2010/02/each\_generation\_brings\_strength.html.
- Manion, J. (1996). Team-based health care organizations. Gaithersburg: Aspen Publishers.
- Manion, J. (1998). From management to leadership. Chicago: American Hospital Publishers.
- Marquis, B. L., & Huston, C. J. (2003). *Leadership roles and management functions in nursing* (4th ed.). Philadelphia: Lippincott Williams and Wilkins.
- Martin, C. (2004). Bridging the generation gap. Nursing, 34(12), 62–63.
- McNamara, C. (n.d.). *Historical and contemporary theories of management*. Retrieved from http://managementhelp.org/management/theories.htm.
- Mendez, L. C. (2006). Beverly Malone: an image of leadership. *Imprint*, 53(5).
- NAS. (2006). *Generation Y: the millennials. Ready or not, here they come*, NAS insights, NAS Recruitment Communications, Retrieved from www.nasrecruitment.com/TalentTips/NASinsights/GenerationY.pdf.
- Pfeffer, P., & Sutton, R. (Jan. 1, 2006). Evidence-based management. Harvard Business Review.
- Porter-O'Grady, T. (2003a). A different age for leadership. Part 1: new context, new content. *Journal of Nursing Administration*, 33(2), 105–110.
- Porter-O'Grady, T. (2003b). A different age for leadership. Part 2: new rules, new roles. *Journal of Nursing Administration*, 33(3), 173–178.
- Porter O'Grady, T. (2003c). Researching shared governance: a futility of focus. *Journal of Nursing Administration*, 33(4), 251–252.
- Rothbauer-Wanish, H. (2009). *Four functions of management*. Retrieved from http://business management.suite101.com/article.cfm/four\_functions\_of\_management.
- Scott, D. (20007). The generations at work: a conversation with Phyllis Kritek. *American Nurse Today*, 39(3), 7.
- Sherman RO: What followers need from their leaders. American Nurse Today, 7(9), 62-64.
- Shah, R. (2011). Working with five generations in the workplace. Retrieved from http://www.forbes.com/sites/rawnshah/2011/04/20/working-with-five-generations-in-the-workplace.
- Stanley, J., Gannon, J., Gabuat, J., et al. (2008). The clinical nurse leader: a catalyst for improving quality and patient safety. *Journal of Nursing Management*, 16, 614–622.

Sullivan, E., & Decker, P. (2009). *Effective leadership and management in nursing*. Upper Saddle River, NJ: Pearson.

Tichey, N., & Devanna, M. (1986). *The transformational leader*, New York: John Wiley & Sons. Tonges, M., Baloga-Altieri, B., & Atzori, M. (2004). Amplifying nursing's voice through a staffmanagement partnership. *Journal of Nursing Administration*, 34(3), 134–139.

Tornabeni, J., & Miller, J. (2008). The power of partnership to shape the future of nursing: the evolution of the clinical nurse leader. *Journal of Nursing Management*, 16, 608–613.

Trossman, S. (2007). Talkin' bout my generation: gaining awareness of differences key to easing workplace tensions. *American Nurse*, 39(3), 1–2.

Van Wagner, K. (2007). *Leadership theories: eight major leadership theories*. Retrieved from http://psychology.about.com/od/leadership/p/leadtheories.htm.

Verret, C. (2000). *Generation Y: motivating and training a new generation of employees.* Hotel online: ideas and trends. Retrieved from www. hotel-online.com/Trends/CarolVerret/GenerationY\_Nov2000.html.

Wertheim (n.d.): *Historical background of organizational behavior*, College of Business Administration, Northeastern University. Retrieved from www.cba.neu.edu.

Wilson, P. (1996). Change: coping with tomorrow today, Shawnee Mission, Kan: National Press.

# evolve

Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

11

# **Building Nursing Management Skills**

Jessica Maack Rangel, MS, RN\*

Example is not the main thing in influencing others; it is the only thing.

Albert Schweitzer



Communication should be clearly stated and directed to the appropriate, responsible individual.

After completing this chapter, you should be able to:

- Analyze effective communication as it relates to patient safety.
- Discuss TeamSTEPPS Tools as an evidencebased teamwork system to optimize patient outcomes.
- Identify current methods of transcribing physicians' orders.
- Use a standardized hand-off communication tool (SBAR or I-SBAR-R) for receiving and giving change-of-shift report.
- Discuss strategies to manage and prioritize your time in the clinical setting.
- Identify criteria for supervising and delegating care provided by others.

<sup>\*</sup>We would like to acknowledge Catherine Rosser, EdD, CNA-BC, RN for her past contributions to this chapter.

The entry-level nurse is expected to demonstrate competence as a manager of patient care. The process of building nursing management skills encompasses effective communication, management of prioritization in the clinical setting, and management of other members of the health care team. The topics in this chapter will be helpful in your development of management skills while you are a student, as well as during your transition period as a new graduate.

#### COMMUNICATION AND PATIENT SAFETY

We have all learned different ways of communicating. Our tone, inflections, and decibel level are all learned. Even gender plays a large part in how we communicate information. Consider asking a female colleague how her day was yesterday (or about a particular movie). Then ask a male colleague the same question. Chances are, the information you receive will vary greatly in the amount of detail and the number of words it takes to tell the story.

The same is typically true in the medical field. Nurses and physicians are trained to communicate quite differently. Nurses are taught to be very broad in their narrative. They give a descriptive picture of the clinical situation. Physicians, on the other hand, learn to be very concise—they want the facts and the important points. Whether under stress or relaxed, nurses must find effective ways to communicate critical information in very short periods of time.

Communication failures continue to be the leading cause of sentinel events (an unexpected occurrence involving death or serious physical or psychological injury).

A 2010 study by The Joint Commission (TJC) reported that communication failure is a primary contributing factor in almost 80% of more than 6000 adverse events. Another study indicated that 75% of communication failures resulted in the death of the patient. In their Institute of Medicine Report, *To Err Is Human*, Kohn and colleagues (1999) recognized that medical errors in the health care delivery system had reached critical mass. These medical errors cause more than 98,000 deaths annually. Integrating teamwork and effective communication into day-to-day practice can help to reduce errors. Through exercises in teamwork, cultural sensitivity, and self-awareness techniques, health care providers learn skill sets that promote expeditious and appropriate care. The Department of Defense (DoD) Patient Safety Program in collaboration with the Agency for Healthcare Research and Quality developed an evidence-based teamwork system in 2007 that focused on improving communication and teamwork skills in the health care industry to improve patient outcomes (AHRQ, 2013). The result was TeamSTEPPS—Team Strategies and Tools to Enhance Performance and Patient Safety (Box 11-1). There is a multitude of other effective techniques to enhance team performance.

#### BOX 11-1 TeamSTEPPS

TeamSTEPPS provides higher-quality, safer patient care by:

- Producing highly effective medical teams that optimize the use of information, people, and resources to achieve
  the best clinical outcomes for patients.
- Increasing team awareness and clarifying team roles and responsibilities.
- Resolving conflicts and improving information sharing.
- · Eliminating barriers to quality and safety.

Communication challenges in practice were identified early by The Joint Commission. The National Patient Safety Goals were developed for implementation beginning in 2003 with the expectation of full implementation and compliance as a condition of accreditation. Failures in communication involved *incomplete* communication among caregivers. The Joint Commission issued the National Patient Safety Goal #2: *Improve the effectiveness of communication among caregivers*. Specifically, "Get important test results to the right staff person on time" (The Joint Commission, 2013). It is now a regular expectation that facilities have a standardized approach to hand off communication, including passing information regarding orders and test results.

# How Can I Improve My Verbal Communication for Patient Safety?

Let us focus on a couple of communication techniques that can improve the accuracy of the care we provide. First, The Joint Commission notes that there is a big difference between verbal orders and telephone orders. Orders received verbally (with the physician present) should never be accepted except in an emergency or during a procedure where the physician is in a sterile procedural environment. There is too much opportunity for transcribing the order incorrectly. Telephone orders are acceptable, because the physician is simply not present to input the orders himself or herself. To make this even safer, practice a "read back." In other words, handwrite or input into the electronic health record the order or test results given to you, and read them back to verify accuracy of the orders and to confirm that they were understood correctly. As many as 50% of all medication errors have been directly attributed to the failure to communicate information *at the point of transition* (Institute for Healthcare Improvement, 2008). Specifically, any "hand-off" of communication is a point of vulnerability, whether it is a telephone communication, a written communication, communication of a critical test result, or a shift-change report. All have been shown to be critical points in the patient's journey. Points of transition in communication encompass all disciplines.

Consider how often we miscommunicate with each other: You are asked to stop by the store and pick up bread, eggs, and milk, but you somehow forgot to pick up the milk. You didn't write it down when the list was verbally given to you, you thought you had committed it to memory; however, you got distracted on the way to the store. You had other things on your mind. You haven't been able to get much sleep lately, which you already know impairs your memory. Now you're frustrated!

These variables are called "human factors," and they often influence the communication transition between different parties. These are the very same factors that can and do affect your ability to recall information you just received.

How much more effective would it have been had you actually *written down* what you were told to bring home and then *read that list back* to the person who gave it to you? Fatigued, distracted, worried, or sleepy—had you repeated the written list back to the other person,

#### BOX 11-2 SAFETY STEPS FOR VERBAL AND PHONE ORDERS

- Step 1: Order is communicated verbally.
- Step 2: Order is written down verbatim or entered into the electronic health record.
- Step 3: Written/entered order is read directly back to the person who gave it for confirmation that it is accurate and understood correctly.

chances are the milk would have made it home, too! This is precisely how to manage the verbal and telephone transmission of information from caregiver to caregiver (Box 11-2).

It's that simple! This process minimizes errors of omission and commission, and it eliminates the need to rely on memory to recall an order accurately. Your patients' lives depend on it!

# **How Can I Improve My Written Communication for Patient Safety?**

The next natural communication concern is how we write to communicate. Legibility is a nonnegotiable essential. Remember, the written word is another point of transmission that has proven to be a root cause of many catastrophic errors. How often has a medication ordered at 5.0 mg been mistaken for 50 mg, because the pen used to mark the decimal point was too light to be noticed? Consider instead .5 mcg being mistaken for 5 mcg. The resultant overdose could have devastating consequences. When writing numbers, the trailing "0" *must be eliminated* to avoid the confusion between 5.0 mg and 50 mg. Likewise, the insertion of the "0" before the decimal is crucial to differentiate 0.5 mcg from 5 mcg.

Furthermore, many written abbreviations used to designate dosage frequency must be eliminated. Abbreviations such as Q.D. for "daily" have become targets for clarification, because they can be easily misunderstood (Q.D. has been mistaken for Q.I.D. meaning "four times a day"). Many facilities have disallowed the use of these "unsafe" or "unapproved" abbreviations because of their potential for causing errors leading to harm for a patient.

Organizations within the health care delivery system will have their own abbreviations, acronyms, and symbols that should not be used. These abbreviations and symbols may be in addition to the recommendations from The Joint Commission. It is imperative that you become familiar with the approved abbreviations, symbols, and acronyms that you can use. The Joint Commission has mandated that these dangerous abbreviations be eliminated from any documentation, printed or written, when communicating patient-care issues (Critical Thinking Box 11-1, Table 11-1).

# **? CRITICAL THINKING** BOX 11-1

What happens when an "unsafe abbreviation" is found in a patient order?

- Step 1: Notify the author of the order containing the "unsafe abbreviation."
- Step 2: Ask for a clarifying order to clear any misinterpretation of the order.
- Step 3: Document the clarification.

Once again, it's that simple! However, one more word of caution must be added for written communication when dealing with patients. Cultural variances of the written word must be acknowledged and minimized. Consider a prescription written for a primarily Spanish-speaking patient that reads, "Take once daily for 5 days." The word once in Spanish means eleven! Whenever possible, interpretive services must be accessed if the language spoken and written is not the patient's primary language. Direct and succinct written and verbal communication in a language that is clearly understood by the patient is essential to appropriate and safe care. It's important to use a TeamSTEPPS strategy "check-back." A check-back is a closed-loop communication strategy used to verify and validate information exchanged (AHRQ, 2013). Simply put, ask the patients to repeat back to you what they understood, that is, discharge instructions, how to take their medication, how to do their dressing change, and so forth. The Center for Medicare & Medicaid Services (CMS) requires organizations to provide language services for all patients who need them (Critical Thinking Box 11-2).

	JOINT COMMISSION OFFICIAL "DO NOT ABBREVIATIONS"	USE" LIST		
DO NOT USE	POTENTIAL PROBLEM	USE INSTEAD		
U (unit)	Mistaken for "0" (zero), the number "4" (four) or "cc"	Write "unit"		
IU (International Unit)	Mistaken for IV (intravenous) or the number 10 (ten)	Write "International Unit"		
Q.D., QD, q.d., qd (daily)	Mistaken for each other	Write "daily"		
Q.O.D., QOD, q.o.d., qod (every other day)	Period after the Q mistaken for "I" and the "O" mistaken for "I"	Write "every other day"		
Trailing zero (X.0 mg) <sup>†</sup>	Decimal point is missed	Write X mg		
Lack of leading zero (.X mg)		Write 0.X mg		
MS	Can mean morphine sulfate or magnesium sulfate	Write "morphine sulfate"		
MSO <sub>4</sub> and MgSO <sub>4</sub>	Confused for one another	Write "magnesium sulfate"		
	ADDITIONAL ABBREVIATIONS, ACRONYMS AND SYM SSIBLE FUTURE INCLUSION IN THE OFFICIAL "DO NO			
DO NOT USE	POTENTIAL PROBLEM	USE INSTEAD		
> (greater than)	Misinterpreted as the number "7" (seven) or the letter "L"	Write "greater than"		
< (less than)	Confused for one another	Write "less than"		
Abbreviations for drug names	Misinterpreted due to similar abbreviations for multiple drugs	Write drug names in full		
Apothecary units	Unfamiliar to many practitioners (confused with metric units)	Use metric units		
@	Mistaken for the number "2" (two)	Write "at"		
cc	Mistaken for U (units) when poorly written	Write "mL" or "milliliters"		
μg	Mistaken for mg (milligrams) resulting in 1000-fold overdose	Write "mcg" or "micrograms"		

From The Joint Commission: Official "Do Not Use" List. Retrieved from www.JointCommission.org/about\_us/patient\_safety\_fact\_sheets.aspx.

# B

#### **CRITICAL THINKING BOX 11-2**

Role-play with a partner the transcription of verbal physician orders and the reading back of those orders for clarity and accuracy. Can you identify any "unsafe abbreviations?"

Health care literacy has become a focal point across the nation. It is staggering how many patients, who are seemingly literate, simply do not understand their discharge instructions or medication administration directions. The National Library of Medicine (2012) reported that reading abilities of adults are typically three to four grade levels behind the last year of school completed. A high-school graduate typically has a seventh- or eighth-grade reading level. Therefore it is essential for the health care provider to ask patients to repeat back what they understand about their condition, medications, education, and discharge instructions (a check-back). As a health care professional, you now speak a language that is unfamiliar to the public. Consider that you and the patient's physician may refer to the patient's high blood pressure condition as hypertension. Does

<sup>\*</sup>Applies to all orders and all medication-related documentation that is handwritten (including free-text computer entry) or on preprinted forms.

<sup>†</sup>Exception: A "trailing zero" may be used only where required to demonstrate the level of precision of the value being reported, such as for laboratory results, imaging studies that report size of lesions, or catheter/tube sizes. It may not be used in medication orders or other medication-related documentation.

the patient realize that hypertension and high blood pressure are the same things, or does he or she think that hypertension is a "hyper" condition in which the person cannot sit still? You might be surprised when you hear what the patient understands about his or her own condition!

# **Transcribing Written Orders**

In the process of providing safe patient care, it is essential that physician or health care provider orders be communicated clearly and correctly to the health care team. The physician order must clearly indicate what is to be done, when it should be done, and how often it should be done. All orders must include the patient's identifying information and the current date and time. Table 11-2 provides a summary of the various types of orders. The process for transcribing orders may involve other health team members, such as the unit secretary, but it is the nurse's responsibility to verify that the orders are implemented correctly. This involves making sure that the order is clearly understood and legible. If any component of the order is not clear, the physician should be contacted for clarification (Box 11-3).

The computer prescriber order entry (CPOE) is an electronic means for entering a physician order. This system has the benefit of reducing errors by minimizing the ambiguity of handwritten orders, as well as intercepting errors when they most commonly occur—at the time the order is written. The system also has the added benefit of allowing a new order to be entered from multiple locations. This in turn decreases the need for telephone orders, as the person writing the order can use any computer terminal within the system to do so. The CPOE system is integrated with other patient information, including laboratory information, diagnostic results, and medication records. Even with all the advantages of the electronic health record, in the event the systems

TABLE 11-2	TYPES OF WRITTEN ORDERS
TYPE	DESCRIPTION
One-time-only order	An order for a medication or procedure to be carried out only one time.
PRN order	An order to be carried out when the patient needs it, not on a scheduled basis.  For example, a PRN pain medication order.
Standing order	A physician's routine set of orders for a specific procedure or condition. For example, a surgeon may have standing preoperative and/or postoperative orders for an abdominal surgery patient.
STAT order	An order that is to be implemented immediately. Usually, it is a one-time order.  The term is derived from the Latin word <i>statim</i> , which means "immediately."

#### BOX 11-3 STEPS IN TRANSCRIBING ORDERS

- 1. Read all of the order(s).
- Determine whether all request forms (laboratory, medication, diagnostic test) and/or phone calls have been initiated.
- Review notes for order entries.
- 4. Follow institution policy for rechecking orders and signing off.

shut down, the best practices related to transcription of orders, accuracy of orders, and legibility of orders cannot be forgotten.

# COMMUNICATING WHEN IT IS CRITICAL—WHAT DO YOU NEED TO DO?

#### **Critical Patient Tests**

Communication of critical test results is yet another vulnerable time when errors can occur. Critical test results warrant expeditious communication to the responsible licensed caregiver without delay. This includes not only laboratory panic values, but also other diagnostic test results. The primary goal is to transmit the critical information to the person who can most quickly fix the problem. Documentation of how this was accomplished is essential to promoting and providing validation that the critical test result was communicated and, if needed, acted on.

Often, nurses are notified of a critical test result without passing that communication along to the practitioner who has the scope and authority to act on that result. Assumptions are sometimes made that the physician is aware of the test result or that notifying the nurse is enough. The licensed independent practitioner in this case is the individual who is able to act on the result of the test. The nurse is NOT that person. The physician who ordered the test IS.

"When in doubt, call it out" to the physician, and document the results of that conversation when clarifying ambiguous orders.

Managing critical information regarding a patient's test result is all about getting the information to the right person. What should be done if you cannot reach the physician, who ordered a test, with critical results? As a nurse, you may find it necessary to initiate the chain-of-command policy. Most institutions have a process that identifies a step-by-step method of who to contact in case the physician cannot be reached. The nurse continues to care for the patient, documenting the care that has been provided and all attempts that were made to contact the physician. Finally, the nurse is responsible for determining that resolution has occurred and for documenting the resolution in the medical record. It is vital that you become aware of the chain-of-command policy at your place of employment and understand situations that warrant its initiation. Merely documenting in the patient's chart that you tried to notify the physician does not take responsibility for the patient's current health status away from you. You are the advocate for the patient and are responsible to assure communication has taken place.

#### Critical Hand-Off Communication

The Joint Commission's National Patient Safety Goal #2 clearly states that health care facilities must implement a standardized approach to communications. The implementation of a hand-off communication tool helps to reinforce to clinicians that they have a responsibility to provide succinct, accurate information and safe, quality care throughout the patient's period of hospitalization, thus making the patient's hospital journey a safe one.

One of the communication modalities that is often employed in the health care setting is called, "I-SBAR-R Communication." Originally, this tool was called SBAR, and now it has been updated to I-SBAR-R to reinforce the importance of patient safety goal #2

# BOX 11-4 SITUATION-BACKGROUND-ASSESSMENT-RECOMMENDATION (I-SBAR-R) TOOL

- **I** = Identification: Identify yourself and your patient (two identifiers are used).
- **S** = Situation: What is happening at the present time?
- **B** = Background: What are the circumstances leading up to this situation?
- A = Assessment: What do I think the problem is?
- **R** = Recommendation: What should we do to correct the problem?
- **R** = Read-back or Response: Receiver acknowledges information given: What is his or her response?

Grbach W: Reformulating SBAR to "I-SBAR-R," QSEN, 2008. Retrieved from http://qsen.org/reformulating-sbar-to-i-sbar-r/.

(read-back communication) and patient identification. Integrating I-SBAR-R techniques into your communication with other team members will organize your discussion and promote patient safety (Grbach, 2008).

Scenario: Mrs. Smith is an 84-year-old patient who was admitted with a diagnosis of uncontrolled diabetes. It's 2:00 AM, and the nurse notices the patient in respiratory distress. She assesses Mrs. Smith and calls the physician:

"Dr. Brossett, I'm Nancy Jones, RN (I), and I've been caring for Mrs. Jane Smith, your 84-yearold patient in room 302 who you admitted tonight, who is experiencing increased shortness of breath and is very anxious. (S)

"She's not ever had an episode like this before. She has no history of respiratory distress, asthma, or COPD. She was sitting up in bed and had a sudden onset of shortness of breath. She does have a history of thrombophlebitis. (B)

"She is breathing 42 breaths a minute. Her pulse oximeter is showing an oxygen saturation of 82% on room air. She has bilateral breath sounds with some expiratory wheezes in all lobes. Her skin is pale, cool, and clammy. She is oriented but very anxious. She is afebrile, pulse of 120, and blood pressure of 92/60. Her glucose is 130. She is sitting up in bed; compression stockings are in place. (A)

"I've called a rapid response team. Would you like me to obtain arterial blood gases or administer some oxygen? Could you come in and see her?" (R)

Dr. Brossett states, "Thanks for the update on Mrs. Smith's condition. Please start the oxygen at two liters per nasal cannula and titrate to 92%. Call the laboratory to draw arterial blood gases. I'll be in within the next hour to see her." (R)

"I will place the order for arterial blood gases to be drawn and administer oxygen at two liters per nasal cannula, titrating to 92%." (R)

Imagine how differently this conversation could have gone had the nurse not had an organized manner to communicate this urgent situation, especially in the middle of the night when the physician may have been asleep!

I-SBAR-R provides a common and predictable structure and can be used in virtually any clinical setting. Use of I-SBAR-R also refines critical thinking skills; *before* communication is delivered, the person initiating the communication makes an assessment of the patient and provides a recommendation for ongoing care. I-SBAR-R is a communication strategy that helps organize and focus on critical information (Box 11-4). A recent initiative from

#### BOX 11-5 HAND-OFF COMMUNICATION

#### The Hand-off Communications Targeted Solutions Tool™

- Facilitates the examination of the current hand-off communication between two settings of care from the viewpoints of both the senders and receivers involved in the process.
- Provides a tested and validated measurement system that produces data that support and drive the need for improving the current hand-off communication processes.
- Identifies areas of focus, such as the specific information needed for the transition that is being measured. For
  example, the information needed for a hand-off from the emergency department to an inpatient unit differs
  from that needed for a hand-off from a hospital to a skilled nursing facility.
- Provides customizable forms for data collection to fit the specific needs of the transition being measured.
- Provides guidelines to determine the most appropriate and realistic hand-off communication process for a
  given transition, while also empowering the staff involved in the process.

#### Joint Commission Hand-off Communication Acronym: SHARE

To improve effective patient hand-offs, The Joint Commission recommends following the "SHARE" acronym, which stands for:

- Standardize critical content: Make sure a patient's history and other key information is readily available and easy to comprehend.
- Hardwire within your system: Identify new and existing technologies to aid in a patient's hand-off.
- Allow opportunity to ask questions: Rather than take all information about a patient at face value, check and
  double check with others involved in the patient's care to ensure accuracy.
- Reinforce quality and measurement: Essentially, hold your colleagues (as well as yourself) accountable for actions taken and for monitoring compliance.
- Educate and coach: Teach all colleagues the ins and outs of successful hand-offs.

From The Joint Commission: *Joint Commission Center for Transforming Healthcare tackles miscommunication among caregivers*, 2010. Retrieved from http://www.centerfortransforminghealthcare.org/assets/4/6/CTH\_Hand-off\_commun\_set\_final\_2010.pdf.

The Joint Commission Center for Transforming Healthcare released a new Hand-off Communications Targeted Solutions Tool (TST), June 2012. Retrieved from http://www.centerfortransforminghealthcare.org/center\_transforming\_healthcare\_tst\_hoc/.

The Joint Commission encourages the use of the acronym SHARE to promote effective hand-off communication (Box 11-5).

# Shift Change—So Much to Say...So Little Time

Anytime there is an exchange of information, there is a possibility for miscommunication either by omission (forgetting to share something important) or by simply focusing on the things that are not as essential as others (the patient's nephew who is coming to visit versus the pending critical test result). How can the nurse possibly begin to decide what is important to discuss in the short amount of time provided for the change-of-shift report? With a standardized method to "hand-off" or communicate the care of the patient to another clinician, a miscommunication of information is less likely. This means for the nurse that anytime a report is transferred from one person to another, the adopted method for communicating information must be followed.

Some of the most critical elements in a change-of-shift report using the patient's medical record include:

- Patient identifiers (typically name and date of birth)
- Diagnoses

- Physician(s) on the case
- Pertinent medical/social history
- Current physical condition (review of systems)
- Resuscitation status (no resuscitation, full resuscitation)
- Nutritional status (nutritional intake, NPO, supplements)
- Pending or critical issues and tests

When appropriate, a bedside report that involves the patient has demonstrated greater satisfaction and improved outcomes for the patient, because the patient is an active member of his or her own health care team! This provides the opportunity for the patient and the family to greet the oncoming caregiver and for both caregivers to assess the patient together, especially where there may be skin integrity issues or wounds involved. When I-SBAR-R guidelines are consistently used, the shift report and patient transfer are organized, thorough, and yet concise. Furthermore, important information is not forgotten, and the transition of care is then smoother for everyone involved.

# **How Can I Deal with All the Interruptions?**

Interruptions are one of the major threats to effective time management and patient safety. Not only is time taken away from goal-directed activities, but also additional time is needed to refresh oneself and get back on track. Of course, some interruptions are inevitable, but they can be minimized. Begin by recognizing when *you* are interrupting yourself. Do you start one task and then begin another rather than concentrating on completing the first? Do you respond to added distractions (e.g., television, ringing telephones, and chatty colleagues) at times when task completion is required? In these instances, you are cooperating with the interruption and allowing yourself to be interrupted. When possible, in nonemergency situations, use your time-management strategies and communication skills to remain focused on the task at hand. People will accept that you may need to get back to them when you have finished what you are doing. Write down when and where you can reach them and then follow through. Turn off your telephone's ring tones and let the message service or voice mail pick up your calls, but check your messages every hour or so. This way you can return important calls when it is convenient to do so.

Responding to interruptions can also mean you are doing your job. For example, when you are interrupted to answer a patient's call light or answer a physician's telephone call, you are doing your job. These activities are part of your nursing responsibilities. They may not be of an urgent nature and can be delayed a short time, or they may be urgent and necessitate immediate response—either way, you will need to handle them eventually. Rather than feeling that you have been interrupted, remind yourself that what you are doing is accomplishing part of your job. There are many aspects of your job that you cannot control, but you can always choose how to respond.

Evidence has demonstrated that medication administration and shift report are critical times to minimize interruptions. To signify the need not to interrupt the caregiver engaging in these critical tasks, facilities are employing various strategies to alert others that the nurse is involved in a critical task. Some facilities use a "quiet zone" around medication dispensing. Others have tried having the staff wear brightly colored vests while giving report or medicating patients until the task is complete. This way, everyone, from the physician to the families, is aware that the caregiver is engaged in a critical task that requires his or her full attention (Pape and Richards, 2010).

Everyone needs some totally uninterrupted time to relax, refocus, and reenergize. During clinical experience, or while you are at work or at home, spend a few minutes in a quiet place by yourself (e.g., the nurses' lounge, the chapel, an empty patient room, a bedroom at home) to evaluate what is happening or what needs to happen next. Take several deep, slow breaths; read; meditate; relax; or get in touch with yourself. (Parents with small children can take turns watching the children so each adult can have some uninterrupted private time.) Relaxing and taking a break from fast-paced activity will reenergize you and result in more productive use of your time. Self-care is the balance that helps restore you after a busy day at work!

# What Skills Do I Need to Use the Telephone Effectively?

Many nurses spend time on the telephone talking with physicians, patients, their families, and other health care personnel. Here are some tips for making telephone communication productive. It is always polite to ask the person you are calling if this is a convenient time to talk. You may encounter difficulties reaching people by telephone. If a game of "telephone tag" persists after two attempts, leave a message stating exactly when you will be available to talk (and then be there).

If you anticipate your conversation will involve complex information, make notes ahead of time so that you can keep your conversation as focused and brief as possible. Go ahead and try organizing your conversation in the I-SBAR-R communication format. After discussing detailed, critical information on the telephone, it is wise to follow up with a written communication to the other person. Important telephone calls should also be followed up in writing. This helps clarify and confirm the information discussed. If your telephone conversation requires a follow-up action, you need to keep a written record of that action.

It is difficult to focus on a telephone conversation if you are doing something else at the same time. Your communication will be more effective if you do one thing at a time. (Case in point: How often do you pass someone on the road who is driving recklessly only to see they are talking on a cellular telephone or texting?) Recent graduates often experience a challenge when communicating with physicians, especially on the telephone. Box 11-6 highlights some helpful tips.

# BOX 11-6 TIPS FOR COMMUNICATING WITH PHYSICIANS ON THE TELEPHONE

- 1. Use the I-SBAR-R technique.
- 2. Say who you are right away.
- 3. Do not apologize for phoning.
- 4. State your business briefly but completely.
- 5. Ask for specific orders when appropriate.
- 6. If you want the physician to assess the patient, say so.
- 7. If the physician is coming, ask when to expect him or her.
- 8. If you get cut off, call back.
- Document all attempts to reach a doctor. If you cannot reach a doctor or get what you need, notify your chain of command.

# MANAGING TIME IN THE CLINICAL SETTING

One of the main sources of job dissatisfaction reported by nurses is too little time to provide their hands-on care. This "limited time" to provide patient care has been accelerated by the nursing shortage combined with cost-effective staffing, the increase in numbers of patients, and the higher acuity of these patients. In response to this issue, nurses must develop competent skills in time management and priority setting. Nurses can use several techniques to maximize the time spent providing patient care. Remember Pareto's 80/20 Rule. In this case, 20% of your patients will require 80% of your time! Those 20% should be the sickest patients. When their care and needs are met first, the rest of your assignment is much easier. It is important to determine which patients require the most time (80%). Then ask yourself—Do they require time that can be delegated to someone else, or do they require the time because they are the most unstable and ill patients? (Critical Thinking Box 11-3, Figure 11-1)

Request consistent patient assignments whenever possible. This allows you to develop relationships with your patients and their families and promotes time management, because you become familiar with the special needs of these patients.



#### **CRITICAL THINKING BOX 11-3**

Develop a flow sheet to organize your time and patient care for your clinical schedule. Obtain an assignment for an RN on one of the units to which you are assigned for clinical. Can you prioritize and delegate this RN's assignment appropriately?



FIGURE 11-1 Can you work overtime?

# **Get Organized Before the Change-of-Shift Report**

Develop your own work organization sheet or use one provided by the agency to write down information you will need to begin coordinating care for a group of patients. Modify this form as you discover areas that need improvement. Make several copies so that you will always have one handy. Avoid distractions as you receive a report, and begin to fill out your time management (or work organization) form. Get the information needed to plan the care for your patients and begin to organize your shift activities (Figure 11-2).

#### **Prioritize Your Care**

Setting priorities has become difficult in light of the dichotomy between the expected outcomes of efficiency and effectiveness and the perceived limitations of resources, including time. Priority setting is not only based on patient needs; it is also influenced by the needs of the organization and the accountability of the nurse. Priorities are established and reprioritized throughout the day according to patients' assessed needs and unscheduled interruptions, both minor and emergent. Plan your day around the patient you perceive to be the sickest. This is the patient who is at the greatest risk from harm if you do not address his or her needs first.

Prioritize patients by using the ABCD system or Maslow's hierarchy of needs. Of highest priority are the patients with problems or potential problems related to the airway. Next are those having any difficulty with breathing, and then those with circulation problems. When using Maslow's hierarchy of needs to assist with prioritization, you need to meet physiological needs first: that is, resolve any difficulty with oxygenation first. Be flexible and reprioritize as emergencies occur.

Name: Susan

Time	Activities	Room416	Room417	Room418
7-8	✓M&R Shift report ✓uitals	√Bld sugar 7:30 insulin	JU. @ 125/hr. turn ✓pulses	7:45 pre-op NPO Voonsent form
8-9	assessments meal trays	meds x3–9 up for meals	meds x2–9 If leg dsg. assist ĉ meal	TO OR
9-10		shower chg bed V pain meds	complete bath	
10–11	Chart			Chg bed
11-12	meal trays lunch	up for meals	turn ✓ pulses assist c̃ meal	
12-13	Chart assessment	meds x2-12	NPB-12	Return fm OR? N.G. suction I.V.
13-14		diabetic teaching	turn Vpulses If. leg dressing change	
14-15	1&O's 1U's report info			

FIGURE 11-2 Work organization sheet.

Prioritize your patients after you receive report and immediately proceed to the patient whom you have placed highest on your priority list. Remember that this prioritization may change as you complete your initial assessments. Additional modifications will be made according to the location of patients' rooms to avoid wasted time and movement. When you first enter a patient's room, introduce yourself, perform hand hygiene measures, and complete a quick environmental assessment. Think about any supplies you will need when returning to the room. Complete the focused assessment, validate the safety of your patient, and proceed to your next patient. After you have completed your initial rounds, reassess your initial prioritization, modify according to your assessments, and plan your day.

For example, a characteristic assignment for the day could be:

- A patient who is 1 day postoperative and wants something for pain
- A geriatric patient who is vomiting
- A patient with diabetes who is angry about the care from the last shift
- A geriatric patient whose bed is wet because of urine incontinence

Which of these patients needs your immediate attention? Most likely the one who is vomiting, because this patient is at increased risk for aspiration. Next is probably the patient who is in pain, then the geriatric patient who has soiled the bed with urine, and so on. With each patient, you may spend less than 5 minutes in the room before you move on to the next patient. But you will have a good idea of each patient's immediate needs.

Identify the busiest times on the unit; do not schedule a dressing change when medications need to be given. Research any medications with which you are unfamiliar before they are due. Do not procrastinate; start early. If you have dressing changes for several patients, start with the cleanest and progress to the more contaminated wounds (Critical Thinking Box 11-4).



#### **CRITICAL THINKING BOX 11-4**

How do the efficient nurses on your clinical unit prioritize their time and their patients?

Watch those nurses who always seem to get everything done, done well, and still enjoy nursing. Ask them about their "secrets" of time management, and try out some of their tips.

# **Organize Your Work by Patient**

By organizing work by patient, the nurse maximizes the number of tasks that can be accomplished with each visit to the patient. The nurse thinks strategically: "How can I multitask or accomplish several objectives in one visit to the patient?" By using this technique, the nurse can combine assessment, administration of medications, and teaching during one patient visit (see Figure 11-2).

Another way to organize and coordinate the needs of the patient is by implementing hourly rounds. This is where the caregivers (both nursing and ancillary help) can alternate visiting the patients every hour to verify the patients' needs are met proactively. This is often referred to as meeting the "three Ps": pain, position, and potty. Is the patient in pain? Does the patient need assistance in changing position? Does the patient need assistance in toileting? By implementing this strategy, patients use call bells less, have fewer falls, and have higher patient satisfaction. It also assists the nurse in attending to prioritized tasks with minimal interruptions (Figure 11-3).

#### About Can you $loodsymbol{O}$ rate your pain a 5 or 6 for me? PAIN Let's turn you on your side... ..Comfortable? POSITION Yes, The three` thank you Ps will: O Decrease I'm so glad call bells they got me Decrease falls up...I really **POTTY** needed Increase patient satisfaction to go!

# THREE Ps OF NURSING ROUNDS

FIGURE 11-3 "Three Ps" of hourly rounds.

#### MANAGING OTHERS

Communicating and getting along with other people are always challenging tasks. Most people are easygoing, straightforward, and supportive. They add to your energy and ability to function effectively, and they contribute to your goal attainment. However, if you experience a phone call or visit from someone who just wants to talk when you are busy, you need to avoid being trapped. Tell that person, "Now is not a good time. Could we discuss this later?" or even "I've got another appointment. Could we postpone this conversation until tomorrow?" Some individuals drain energy from others and from organizational accomplishment through their whining, criticizing, negative thinking, chronic lateness, poor crisis management, dependency, aggression, and similar unproductive behaviors. Occasional exhibitions of such behavior in relation to a personal crisis are understandable. However, when people use these behaviors as their everyday *modus operandi* (method of operating), they interfere with attainment of individual and organizational goals. Even in the best of human relationships, conflict and extreme emotions are inevitable. To protect your time and achieve your goals, it may be necessary to limit your time with such individuals. Avoidance is one strategy. Learning to say "no" and using assertive communication can help as well. Setting clear boundaries is essential and demonstrates respect for both yourself and the other person.

# What About Delegating and Time Management?

You may have observed nurses performing nonnursing activities during your clinical experience, which include but are not limited to cleaning, running errands, clerical duties, and stocking supplies. Appropriate delegation of nonnursing tasks can provide the nurse with

additional time to dedicate to patient care. Even some patient care tasks can be delegated after verifying the training and competence of unlicensed personnel. These requirements vary in different states and institutions. Review Chapter 14 for more specifics on delegation.

Delegation includes more than asking someone to do something. The American Nurses Association (ANA) and the National Council of State Boards of Nursing (NCSBN) have defined delegation as "the transfer of responsibility for the performance of an activity from one individual to another, with the former retaining accountability for the outcome. The RN may delegate components of care but does not delegate the nursing process itself... nursing judgment cannot be delegated" (ANA and the NCSBN, 2005). This definition emphasizes that delegation increases the responsibility and accountability of the registered nurse (RN). Be sure you know the delegation rules and regulations of your state's nursing practice act. Additionally, you will need to know the delegation policies and job descriptions of nursing team members in your employing agency.

In general, most caregivers are by nature people-pleasers. We are even taught to anticipate and meet the needs of others. Because of this, we tend to have great difficulty in sharing and delegating the multitude of responsibilities given to us. Delegation is a learned skill and is essential for us to adopt to be successful and to help others grow in their skill sets.

To increase delegation skills, it is sometimes necessary to overcome the myth of perfection. When you teach or train someone else to do a delegated task, initially that person may not be able to perform the activity perfectly or as well as you can. That is not important. What is important is that the person is able to meet the standards required to complete the task and to delegate appropriately to others. With experience, most people will improve in their skills (and may even surpass you). You are not only helping them grow, you are freeing up your time to tend to more involved tasks (Critical Thinking Box 11-5).



#### **CRITICAL THINKING BOX 11-5**

On your clinical unit, how many levels of personnel provide patient care? How is the nursing care of patients delegated?

Determine which patients are the most stable and whose positive progress can be anticipated. The stable patients with predictable progress should be the first whose care is delegated. The care of unstable, unpredictable patients should only be delegated to an RN. An RN should also be assigned to any patient who is undergoing a procedure or treatment that may cause the patient to become unstable.

When you are dealing with unlicensed assistive personnel (UAP), you can delegate to them those activities that have specific guidelines that are unchanging. For example, feeding, dressing, bathing, obtaining equipment for the nursing staff, picking up meal trays, refilling water containers, straightening up cluttered rooms—all of these activities should have guidelines according to institutional policies, should fit within the job description, and should be followed by the unlicensed assistive personnel.

Patient teaching and discharge planning are also the responsibility of the RN. RNs are responsible for determining the patient's learning needs and establishing a teaching plan. It is also the RN's responsibility to coordinate and implement the discharge planning. The RN should request input from all nursing personnel who have assisted in providing care for the patient or who have been otherwise involved (e.g., dietary, physical therapy) in the patient's care. After the RN implements the teaching plan, it is important that the other RNs, licensed

practical nurses, vocational nurses, and unlicensed assistive personnel are aware of what the patient has been taught so that they may follow up and report any pertinent observations to the RN (Critical Thinking Box 11-6). Thorough discharge planning that is understood by the patient can prevent unnecessary readmissions and harm to the patient.



#### **CRITICAL THINKING BOX 11-6**

Determine how and to whom patient care is delegated on your current clinical unit. What guidelines are implemented?

Nursing care makes a difference in patient outcomes. This care is more than performing tasks. It incorporates assessment, care planning, and initiation of interventions, interdisciplinary collaboration, and outcome evaluations. It includes patient and family teaching, therapeutic communication, counseling, discharge planning, and teaching. To maximize the impact that nursing care can have on patient outcomes, nurses must develop and integrate multiple strategies to promote effective time management.

# Supervising and Evaluating the Care Provided by Others

To meet the demanding and complex needs of the public for safe and good-quality patient care, it is imperative that the use of all nursing resources be maximized. The licensed practical nurse and other unlicensed personnel can function as extensions to the RN as providers of care if definitive supervision and evaluative guidelines are established. State boards of nursing are responsible for articulating those guidelines.

Unlicensed personnel: An individual not licensed as a health care provider; a nursing student providing care that is not a part of his or her nursing program.

Supervision entails providing direction, evaluation, and follow-up by the RN for nursing tasks that have been delegated to unlicensed personnel. The following criteria apply to the RN who functions in a supervisory capacity:

- Provide directions with clear expectations of how the task is to be performed.
- Verify the task is being performed according to standards of practice.
- Monitor the task being performed; intervene if necessary.
- Evaluate the status of the patient.
- Evaluate the performance of the task.
- Provide feedback as necessary.
- Reassess the plan of care and modify as needed.

These criteria apply to RNs who delegate nursing care for patients with acute conditions or those patients who are in an acute-care environment. The continued growing need for unlicensed personnel, as well as the role of the practical nurse in providing care, will require the RN to serve in the supervisor and evaluator roles and to be accountable and responsible for those assigned nursing tasks.

It is never easy to provide constructive feedback regarding a deficiency or an area needing improvement; however, sandwiching the constructive feedback between layers of recognition and positive reinforcement makes the communication more palatable and more effective. Keep in mind that when providing constructive feedback, you are simply providing your

evaluation of an individual's performance, not his or her character. Here's an example of how a supervisor effectively used the "sandwich" method for providing constructive feedback.

Carrie is a new graduate who has completed the first 6 weeks of employment. She is consistently tardy and delays shift report. When Carrie arrived in the supervisor's office for her evaluation, the supervisor was very nice in her approach to talking with her. The supervisor reviewed with Carrie the progress she has made in orienting to the unit and managing the care for a group of patients. Carrie was pleased with the recognition of her progress. Next, the supervisor addressed Carrie's tardiness on the unit and how it has affected the shift report. Carrie acknowledged this as a problem and discussed the situation, making some suggestions to alleviate the problem. The supervisor was supportive of Carrie's suggestions and her initiative to examine the tardiness issue.

When providing constructive feedback, one should:

- Actively listen to the individual's perception of the situation
- Focus on the facts
- Provide an opportunity for the individual to self-reflect
- Support the individual

When providing constructive feedback, one should not:

- Argue with the individual's perception of the event
- · Reprimand, scold, or belittle the individual
- Offer unsolicited personal advice (e.g., "This is what I think you should do...")
- Coerce or make intimidating statements to demonstrate your authority

# CONCLUSION

Building nursing management skills is a new task for the graduate nurse. Implementing management skills in the clinical setting is challenging. By using effective communication, time management in the clinical setting, and managing other members of the health care team, the new graduate can begin to grow professionally and personally. See additional relevant websites and online resources for developing management skills.

After your clinical schedule is organized, you will become a more effective nurse and will begin to have the time to provide safe nursing care, which leads to positive patient outcomes.

#### **RELEVANT WEBSITES AND ONLINE RESOURCES**

#### 5 Time Management Tips for Busy Nurses

http://www.nursetogether.com/Career/Career-Article/itemId/2242/5-Time-Management-Tips-for-Busy-Nurses .aspx#.UVpNRpMsmf4.

#### **Developing Delegation Skills**

http://www.nursingworld.org/MainMenuCategories/ANAMarketplace/ANAPeriodicals/0JIN/TableofContents/Vol152010/No2May2010/Delegation-Skills.html.

# **BIBLIOGRAPHY**

Agency for Healthcare Research and Quality. (2013). *TeamSTEPPS™*. *Strategies and tools to enhance performance and patient safety*. Retrieved from www.teamstepps.ahrq.gov.

American Nurses Association & National Council of State Boards of Nursing. (2005). *Joint statement on delegation*. Retrieved from www.NCSBN.org/Joint\_Statement.pdf.

Grbach, W. (2008). *Reformulating SBAR to "I-SBAR-R."* Retrieved from QSEN www.qsen.org/teachingstrategy.php?id=33.

Institute for Healthcare Improvement. (2008). *IHI saving lives web & action programs: preventing adverse drug events through medication reconciliation*. Retrieved from www.IHI.org.

Kohn, L., Corrigan, J., & Donaldson, M. (Eds.), *Institute of Medicine Report: to err is human: building a safer health system*, Washington, DC, Last modified 2/1/2012, National Academy Press.

National Library of Medicine. (2012). *Health literacy*. Retrieved from http://nnlm.gov/outreach/consumer/hlthlit.html.

Pape, T., & Richards, B. L. (2010). Stop "knowledge creep." *Nursing Management*, 41(2), 8. The Joint Commission. (2010). *Advancing effective communication, cultural competence, and patient-and family-centered care*. Oakbrook Terrace, Ill: Joint Commission Resources.

The Joint Commission. (2010). *Handoff communication*. Retrieved from www.centerfortrans forminghealthcare.org.

The Joint Commission. (2012). Facts about the do not use abbreviation list, Oakbrook Terrace, Ill. Retrieved from http://www.jointcommission.org/about\_us/patient\_safety\_fact\_sheets.aspx.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# 12

# **Effective Communication and Team Building**

# JoAnn Zerwekh, EdD, RN

To effectively communicate, we must realize that we are all different in the way we perceive the world and use this understanding as a guide to our communication with others.

#### **Anthony Robbins**

If you can laugh together, you can work together.

Robert Orben

I need to clarify this physician's order, interpret the nurse's notes, delegate some procedures, coordinate the health care team...how am I going to get all that communication done effectively?

Communication should be clearly stated and directed to the appropriate, responsible individual.

After completing this chapter, you should be able to:

- Describe the basic components of communication.
- Identify effective ways of communicating with other health care workers.
- Describe an assertive communication style.
- Apply effective communication skills in common nursing activities.
- Identify different types of groups and explain group process.
- Discuss team building and group problem solving.

Communication is like breathing—we do it all the time, and the better we do it, the better we feel. At times communication can be so subtle that others are not able to comprehend the communicator. Communication between people in everyday life is an exercise in subtleties and interpretations. The more personal the information, the more indirect and obscure the message becomes. In nursing, indirect communications and obscure terminology can be the difference between life and death. When you say, "I want to be clear when I communicate with others," it is no different from washing windows. The clearer the window, the better we see. Communicating what we see, what needs to be done, and teaching patients what they need to know is part of the foundation of nursing care (Critical Thinking Box 12-1).

# 8

# **CRITICAL THINKING BOX 12-1**

#### Try This...

- 1. How many different ways can you communicate this sentence to change its meaning or tone? "I do not care how you've done that procedure before; do it my way now."
- 2. The instructor says to you, "Come to my office at 2:00. There's something I want to talk to you about." What are some possible interpretations of the message?
- 3. A patient's spouse says to you, "I do not need your help when we go home." How many possible explanations can you come up with regarding the meaning of the communication?

#### COMMUNICATION IN THE WORKPLACE

Sharing information with the members of the health care team requires different approaches. This communication on a daily basis may involve delegation of a nursing procedure to nursing personnel, clarification of a physician's orders, reevaluation of a patient-care assignment of another health care team member, or coordination of various hospital departments (e.g., radiology, dietary, pharmacy) to provide nursing care. Create role-playing situations with your peers by taking turns acting in the supervisor and subordinate roles (Critical Thinking Box 12-2).

# **How Can I Communicate Effectively with My Supervisor?**

Upward communication with supervisors takes on a formal nature. It is important to learn and then use the channels of communication. If you are a team member, this means you share information with your team leader. The team leader shares information with the supervisor, who shares information with the assistant vice president of nursing, who shares



# **CRITICAL THINKING BOX 12-2**

#### Try This...

Role-play these situations with your classmates. Try taking turns acting in the supervisory and subordinate roles.

- 1. The charge nurse has asked the team leader and the nurse providing care to Mr. Smith to explain his progress.
- You are the team leader giving reports to two nursing assistants and one LPN who will be working on your team today.
- 3. You are caring for a patient who has been newly diagnosed with insulin-dependent diabetes. You discuss the patient's care with the dietitian, the social worker, and the patient's wife.

information with the vice president of nursing, and so on. From this example, you can see the communication approach taken with the appropriate chain of command.

Do you remember the game you played as a child in which someone whispers a secret to the next person, and each person repeats the secret down the line until the last person speaks the secret aloud? The secret may have started out as "Jenny was out picking berries today so she can bake a pie." By the end of the line, it may have become "Jenny is so allergic to cherries that she breaks out into hives." The point is that messages can become very distorted when they travel through the chain of command in the upward flow of communication. Arredondo (2000) says that when communicating with superiors it is important to state needs clearly, explain the rationales for requests, and suggest the benefits to the larger unit. It is also important to listen objectively to the response of the supervisor, because there may be good reasons for granting or not granting the request.

Arredondo (2000) gives the following tips for talking to your supervisor:

- 1. Keep your supervisor informed.
- 2. If a problem is developing, make an appointment to talk it over. Have specific information available, especially written documentation of facts. Focus on problem solving, not just the problems.
- 3. Show that you have important information to share and a sense of responsibility.
- 4. Be careful which words you use. Avoid blaming others, exaggerating, and using overly dramatic expressions.
- 5. Do not talk to your supervisor when angry, and do not respond with anger. Use "I" statements, and explain what you think.
- 6. If you want to present a new idea, give your supervisor a written proposal, then meet to discuss it after the supervisor has read it.
- 7. Accept feedback, and learn from it.
- 8. Never go above or around your supervisor. Always communicate directly with your supervisor first before going further up the chain of command.

# **How Can I Communicate Effectively with Other Nursing Personnel?**

When you speak with other professional nurses, you communicate using a lateral, or horizontal, flow of information. This flow is based on a concept of equality, in which no person holds more power than the other. This type of communication is best done in a work climate that promotes a sense of trust and respect among colleagues. When nurses work well together, their cohesiveness makes success more likely. This takes work and the deliberate use of facilitative messages (Northouse, 2001).

Ideally, professional nurses should view themselves as equals in their interactions with members of other health care disciplines, and their approach to communication should be a lateral one, even with physicians. At the basis of this communication is the ability of the nurse to see himself or herself as competent and worthy of being an equal to physicians, social workers, dietitians, and others. Gaining this self-confidence is a major goal of every recent graduate. Using effective communication practices, as described in this chapter, and communication reporting tools (see Chapter 11 for information on hand-off communication) will help you achieve that goal.

Even a recent graduate will soon be providing direction to licensed nursing personnel and unlicensed assistive nursing personnel (see Chapter 14 for further information on delegation). It is important to remember that these people have needs for satisfaction and self-esteem, too. Directions do not need to be given in the form of authoritative commands

unless an emergency demands immediate action in a prescribed way. Marquis and Huston (2000) suggest that when you provide direction, you need to think through exactly what you want to be done, by whom, and when. You need to get the full attention of the other person so you know that he or she hears you accurately. You should provide clear, simple instructions in step-by-step order, using a supportive tone of voice. Before the other person goes to do the task, ask for feedback to verify that he or she has accurately heard your instructions. Follow-up is necessary to be sure your directions were followed and to find out what happened, in case something more needs to be done. Involving personnel who are at other levels of nursing care in the planning and evaluation of patient care will increase those associates' sense of responsibility for the outcomes and will help you to seem less authoritarian. Refer to the checklist in Critical Thinking Box 12-3 to identify areas needed for growth.

Facilitation Skills Checklist					
<b>Directions:</b> Periodically during the clinical experience, use this checklist t	n ident	ify are	as need	ed for	arowth
and progress made. Think of your clinical patient experiences. Indicate the		,			0
of the following statements by marking the scale: <b>SA, strongly agree; A, a</b>			-		
SD, strongly disagree.	.g. 00,	110, 11	00 0010,	D, aic	ag.co,
1. I maintain good eye contact.	SA	Α	NS	D	SD
2. Most of my verbal comments follow the lead of the other person.	SA	Α	NS	D	SD
3. I encourage others to talk about feelings.	SA	Α	NS	D	SD
4. I am able to ask open-ended questions.	SA	Α	NS	D	SD
5. I can restate and clarify a person's ideas.	SA	Α	NS	D	SD
6. I can summarize in a few words the basic ideas of a long statement	SA	Α	NS	D	SD
made by a person.					
7. I can make statements that reflect the person's feelings.	SA	Α	NS	D	SD
8. I can share my feelings relevant to the discussion when appropriate to	SA	Α	NS	D	SD
do so.					
9. I am able to give feedback.	SA	Α	NS	D	SD
<b>10.</b> At least 75% or more of my responses help enhance and facilitate com-	SA	Α	NS	D	SD
munication.					
11. I can assist the person to list some alternatives available.	SA	Α	NS	D	SD
12. I can assist the person to identify some goals that are specific and	SA	Α	NS	D	SD
observable.					
13. I can assist the person to specify at least one next step that might be	SA	Α	NS	D	SD

Adapted from Myrick D, Erney T: *Caring and sharing*, Minneapolis, 1984, Educational Media Corporation, p 154.

## WHAT DOES MY IMAGE COMMUNICATE TO OTHERS?

Remember that old saying "Do not judge a book by its cover."

Unfortunately, we know that most people do not follow that suggestion. People develop impressions about us from the way we look, sound, talk, and act. Often we are less careful about the messages we send with our appearance and behavior than we are when we choose our words. But our image may speak louder than our words. Think about it. Would you feel comfortable accepting nutritional advice from a 300-pound nurse? How would you like it if your instructor criticized your professionalism while wearing dirty shoes, a wrinkled uniform, bright red nail polish, and four earrings in each earlobe? What would you think about a physician whose progress notes contain many misspelled words and poor grammar?

Your credibility is enhanced by good communication. And people listen more to people they respect. Your image will help you communicate your professional credibility. The place to start projecting a positive image is with the first impression your appearance creates (Vengel, 2000). Good personal hygiene is a must. Each day you have to pay attention to your grooming. This means a flattering, neat haircut; clean, well-fitting clothes; reasonable makeup if used; minimal jewelry; and clean, sensible shoes. Your image is improved greatly if your weight is appropriate for your height and bone structure. Your appearance at work should conform to the norms for professionals in your work setting; save your individuality for your personal time away from work.

Another aspect of your image is your depth and breadth of knowledge. You need to know your particular area of nursing thoroughly if you want the respect of others. However, you also need to know something about a wide variety of subjects so that you can have conversations with people beyond nursing. This means keeping up with current events, learning things about art or sports, and reading books. When people discover common interests, they are more willing to communicate with you.

Flexibility is necessary for effective communication with different kinds of people. This means that you are willing and able to adapt your behavior to relate more comfortably or effectively with others. Flexibility is part of a positive image and says to people that you are willing to accept responsibility for changing your behavior to meet the professional needs or requirements of others.

People who achieve success in their professional careers are enthusiastic. They let others know they are happy to be at work. They work harder, longer, and more accurately. They are pleasant to be around. They are sincere in their efforts to create a professional image that can be trusted.

Take an inventory of your appearance, knowledge, and attitude. If you are not sure what kind of image you are communicating, ask several trusted friends.

# **How Do Gender Differences Influence Communication Styles?**

Men and women view their work environments from different perspectives (Vengel, 2000; Mindell, 2001). Men often see the world from a logical, sequential, focused perspective. Women often tend to see the big picture and to seek solutions based on what makes people feel comfortable. Subtle communication differences can create barriers to open, healthy communication between men and women in the workplace. Men may ask fewer questions in a public situation, especially if they feel that their questions might suggest ignorance. Women seem to be more comfortable asking questions (Mindell, 2001). In fact, there are times when a person can benefit from remaining silent and looking up information later in private so that others do not conclude that the asker lacks sufficient knowledge. At other times, a person must be assertive and ask questions so that he or she does not threaten the health of patients.

Within the workplace, the dominant communication style is direct, confident, and assertive. This style may be more familiar to men, because they are often raised hearing

more aggressive, direct language from their parents, whereas many women may be more used to a soft, supportive tone of voice and choice of words. Cultural values learned in childhood also play a role in the communication style a person chooses. This style may have to be modified to make interactions more successful. A woman who is communicating with a man may need to be more direct and assertive than usual, whereas a man may need to learn to be less aggressive in many situations.

Another gender difference in communication is related to childhood experiences with sports. Men often grow up participating in team sports. They have worked toward a goal and have learned to strategize together for the good of the team, building a network of allies. In the past, women have tended to be less involved with team sports than men; today, women have more opportunities to be involved in sports. Women are more likely to have spent more time interacting with a few people they really like who share similar values and behaviors. Women are generally taught to be polite and to say nice things about and to others, whereas men are encouraged to do whatever it takes to help the team win. In the workplace, men and women need to understand their different points of view so that they can be team players and value cooperation and respectful relationships with each other.

To summarize, men and women have innately different communication styles, often developed from childhood experiences. To be successful in the workplace, we all have to learn as much as we can about communication differences, identify our own styles, and have the flexibility to use other communication techniques as situations warrant.

# What Should I Know About the "Grapevine"?

The grapevine is like the tabloid newspapers. Would you bet your job on the accuracy of a rumor? So, when in doubt, check the facts out!

In addition to formal messages, communication can be informal. This type of communication flows upward, downward, and horizontally and is known as the *grapevine*. Whereas some people think of this kind of communication as gossip, others say it is the way things really get done. No matter how we describe the grapevine, we know it flourishes in all settings. People enjoy the satisfaction of the social interaction and recognition associated with the grapevine. It also provides information to employees that may not be easily obtained in any other way. It may be the quickest way to find out what the supervisor really values or what new job openings are available (Marquis and Huston, 2000) (Figure 12-1).

Mindell (2001) provides the following tips for controlling the grapevine:

- 1. Provide factual information to answer questions before they are asked. Few employees get all the information they feel they need.
- 2. Communicate face-to-face whenever possible. Do not trust the accuracy of messages conveyed through a third party.
- 3. Whenever rumors are running through the grapevine, hold a meeting to provide information and answer questions.
- 4. Do not spread rumors. Make sure you have all the facts from their source.
- 5. Enlist the support of respected leaders to spread the truth.
- 6. Address significant issues as soon as possible with your manager so that negative feelings can be defused.
- 7. Make sure what is put in writing is clear and accurately understood.




FIGURE 12-1 What should you know about the grapevine?

# How Can I Handle Cultural Diversity at Work?

Dochterman and Grace (2001) tell us that culture is a pattern of values and beliefs reflected in the behaviors we demonstrate. Whenever a group of people spends an extended period of time together, that group develops a culture. Each of us comes from a cultural background, and we have beliefs, values, and behaviors that result from that background. In our workplaces, we will encounter many different types of people coming from diverse cultural backgrounds. To communicate effectively, we need to understand our own culture as well as the other person's culture. In addition, we must acknowledge and adhere to the cultural norms or rules that have developed in our workplace.

We must be aware of stereotypes that may interfere with our ability to see people as individuals. If we view people according to stereotypes, we might limit the way we perceive their communication. Even positive stereotypes make assumptions about people that may be inaccurate and thus may limit the nurse's ability to use all of his or her work skills effectively (Critical Thinking Box 12-4).

According to Arredondo (2000), communication goes through many filters when a person interacts with someone whom he or she perceives as different. Some of those filters are related to culture, gender, education level, age, and experience. When messages go through these filters, the messages may change because the actual communication symbols are interpreted according to a person's own cultural values and beliefs. This change may lead to misperceptions and misinterpretations. Communication is improved when we become more aware of the filters we use.

Within the work culture, people often communicate using jargon, inside jokes, or slang unique to the work setting. Acronyms are an example of jargon that health care workers understand but patients may not. It may seem to patients and their families that we are speaking in a code or foreign language. To interact effectively, we need to speak clearly, avoid jargon or slang, and keep our communication short and to the point. Long explanations can be confusing to people who are not familiar with the health care culture.

# •

# **CRITICAL THINKING BOX 12-4**

#### Try This...

As you go about your work, take note of the various people you interact with and your reactions to them. Write these observations down so that you can reflect on them later. What kinds of thoughts come to mind when you see a female executive, an older woman, or a handsome man dressed in a suit? What kind of thoughts come to mind when you see people of ethnic origins that differ from your own? How do your initial impressions affect the way you communicate with each of these people?

Now picture yourself in the homes of five of your patients. Choose people from different cultural backgrounds. How are their homes different? In what ways do their homes reflect their culture? What do you need to know about each culture so that you can provide culturally congruent care effectively while avoiding any stereotyped beliefs?

Differences in the cultural backgrounds of workers can be a real asset. Sometimes we may have to provide care to patients who speak languages other than English, and we may need to enlist the skills of co-workers to translate or interpret, especially when cultural values influence the interpretation of the patient's behavior. We need to understand and respect cultural differences in patients. We can learn how to do this by learning about the differences among our co-workers. Respect and empathy enhance communication with people from other cultures, whether those people are patients or co-workers (Dochterman and Grace, 2001).

## **COMPONENTS OF EFFECTIVE COMMUNICATION**

# **How Can I Communicate Effectively in Writing?**

Communication takes place not only when words are spoken, but also when they are written and then read by someone else. A big part of a nurse's overall effectiveness depends on the ability to write effectively. This includes written treatment plans, progress notes, job descriptions, consultation requests, referrals, and memos. Some of you may even write articles for nursing journals or chapters for textbooks!

Mindell (2001) provides some guidelines for writing. First, determine whether you need to write in a formal way. Most upward communication needs to be formal, which means you should use proper titles, format, grammar, spelling, and punctuation. Never allow something you have written to be sent without careful proofreading. Nothing creates a negative impression faster than sloppy work, misspelled words, or poor grammar. If you need to, ask someone else to do this proofreading; be sure it is done well. Take the time to make necessary revisions before sending your written work to others.

Also decide what your purpose is before you write (Marquis and Huston, 2000). This will help you to organize your thoughts so that everything you write helps to meet your purpose. Learn to write exactly what you mean. Choose words that are clear and specific. Often this means simple, small words. Be careful to use technical words only when you are sure you are choosing the correct words and your reader will understand you. Keep your sentences short and simple, with only one idea in each sentence.

When you learn to be clear and concise, you will write the essential information without many flowery phrases. Your readers will be very grateful if they can follow your thoughts easily. Make sure the first sentence in each paragraph identifies the key point for that paragraph. The reader should not have to guess what you are trying to say. Use a format that guides the reader. This means that main points on each page are easy to locate visually, and concepts are identified by headings or titles. Remember, how well you write strongly influences how you are evaluated. What you put down on paper makes a lasting impression, and people will make judgments about your credibility and professionalism for a long time after you have actually written the words.

# **How Can I Learn to Speak Effectively?**

From giving a change-of-shift report to another nurse, to explaining your plans for a new approach on the unit, to the organization's administration, you will have many opportunities to make presentations. Even now as a student, you may have the opportunity to conduct a presentation to a group of people.

The first step in making effective presentations is to develop a positive attitude. ACCENTUATE the POSITIVE!

Many of us let our anxiety intimidate us. However, public speaking can be a great chance to show off our skills, our ability to be creative, and our willingness to be a star entertainer. Think of your presentation as a wonderful opportunity to have the attention of others on just you, even if only for a few minutes (Arredondo, 2000).

The second guiding principle in making good presentations is practice. PRACTICE makes PERFECT!

A well-planned rehearsal provides the chance to see how long it will take you to say what you want, and it will help you feel more comfortable saying the words easily. Here are some tips on presentation preparation from Kushner (1997) and Peoples (1992).

# **Analyze Your Audience**

What do they already know, and what do they need to know? Have an objective or two for what you want your audience to receive from your presentation.

#### **Do Your Homework**

Know enough about your subject to make your talk clear and believable. Make sure you can answer at least a few questions.

#### Plan the Presentation

This includes making an outline of the content and the teaching strategies you might use. Visual aids or activities may be used to involve the audience in active participation. Visual aids should keep the presentation focused and organized. They should help you hold your audience's attention. (Plus you are more likely to persuade with visual cues.)

#### **Add Spice to the Presentation**

The more active your audience's participation, the longer they will pay attention. Choose at least one presentation strategy that involves them, such as question/answer, role playing, or small-group discussion. Highlight visually on slides or using other types of media the key points you want your audience to remember. **Use an attention grabber at the beginning** to make sure your audience is listening. This may be a friendly greeting, a stimulating question, a startling statistic, a relevant story, or a quote by an expert. Then, in brief and concise words, tell your audience the purpose of the presentation and what it will cover.

#### **Create Cheat Sheets**

Cheat sheets are your clues—jot down the first couple of words around a topic to help you remember what to say or what questions to ask, or include small pictures or drawings to jog your mind during the presentation in case you stumble and fumble with your thoughts and words. If the speech or presentation is an important one and is fairly formal, you may want to prepare a script. This means you write out exactly what you will say and have it typed double-spaced, with a wide margin on the left side. Here you can write notes to yourself about when to use your visual aids or when to pass out materials for the audience. Even if you choose to write a script, be sure to memorize the first 2 minutes of what you are going to say!

#### The Closing

In your closing, review what you have said, summarize the benefits or implications of what you have said, and reiterate any action you want taken. (Design your closing FIRST, because it is the most important part of the formal presentation. It may sound crazy to work backward, but the closing is what the audience will hear last and remember. Write it out and memorize it!)

#### **Final Details**

Be familiar with the room and equipment you will use. Determine that everything you need is there before you begin. Make sure the spelling is correct on your visual aids and handouts. Speak with confidence, energy, and enthusiasm. Make as much eye contact as you can. Use your hands and arms to make dramatic gestures. They add energy and interest. Most important—relax and have some fun. If you make a mistake, learn to laugh at yourself and move on. Your audience will forgive you. They may not be any more comfortable with public speaking than you are and will generally reach out and be supportive of you.

# What Listening Skills Do I Need to Develop?

Listening effectively is one of the most powerful communication tools you can have. It is more than just hearing the words of others. Listening involves concentrating all your energy on understanding and interpreting the message with the meaning the sender intended. Of the four verbal means of communication—writing, reading, speaking, and listening—listening requires most of our communication time. Yet we often pay the least attention to our listening skills (Mindell, 2001). It has been estimated that people actually remember only one third of the messages they have heard, although they spend 70% of their time listening (Marquis and Huston, 2000).

Did you know? People speak at 100 to 175 words per minute, but they can listen intelligently at 600 to 800 words per minute (Fowler, 2005).

There are reasons that people are not good listeners (Arredondo, 2000). We simply do not pay enough attention; we hear what we want to hear and filter out the rest. Listening requires concentration, and that means doing nothing else at the same time. Some people think of listening as a passive behavior; they want to be in control by talking more. We think a lot faster than people speak, so we often think way ahead, think about other things, or daydream. Maybe too many distractions are interfering with listening, such as background noises or movements.

One of the most problematic reasons for ineffective listening is that people allow their emotions to dictate what they hear or do not hear. We pay more attention to people we like or respect and less attention to people or messages that make us feel uncomfortable. If the message is making demands on us to do more, change what we do, or do better, we may stop listening and start dealing with our own feelings of anger, guilt, or anxiety. We may start planning our own defensive response while the other person is still talking.

Think about situations where you've had difficulty listening, understanding, or remembering what was said. Consider these examples:

- A psychiatric patient who has recently been admitted displays acutely psychotic thought
  processes by talking rapidly in pressured speech, using words and phrases so loosely
  connected that the whole conversation is disorganized and incomprehensible.
- A charge nurse spends 5 minutes screaming at her team leader, criticizing everything she has done that day, and then asks the team leader to carry out a very specific and detailed change in the physician's orders for a patient.
- Another nurse asks you to hang an intravenous solution for the patient in Room 1253 while you are writing some progress notes on a patient's chart. When you finish, you cannot remember the room number where you agreed to hang the intravenous solution.

It becomes essential to develop effective listening skills (Arredondo, 2000). Here are some tips:

# Make Sure You Can Hear What Is Being Said

Move closer, eliminate distracting noises, and most important of all, do not talk. You cannot hear someone else when you are talking.

# **Focus Your Attention on What Is Being Said**

Actively concentrate by analyzing the key points as they are being said. Take notes. Do not do anything else while you are listening except to concentrate on hearing and understanding what is being said.

# **Recognize and Control Your Emotional Response to What Is Being Said**

Focus on hearing and seeing accurately what is being communicated. You will have time to ask questions and explore your feelings after the other person finishes.

# Make the Decision to Listen and Accept the Other Person's Needs and Feelings, Whatever They Are

Improved understanding of the other person is gained through listening, and this understanding will help you to be more effective in solving problems and eliminating negative feelings.

#### Pay Attention to Nonverbal Communication as You Listen to the Words

Much of a message's meaning is communicated through the sender's tone of voice, facial expressions, and body movements. You must listen with your eyes and your ears.

### **Fight Off Distractions**

Do not let the speaker's style of communicating, his or her mannerisms, or other interruptions such as telephone calls or another person vying for your attention break your concentration.

#### **Take Notes**

If a lot of factual, important information is being shared, take notes—but just jot down key words or numbers, or the note-taking itself will become a distraction. You may also ask the speaker to put in writing what he or she has said.

## Let the Speaker Tell the Whole Story

Make it a point not to interrupt. Do not assume you know what is going to be said. Don't formulate criticisms as you listen.

### React to the Message, Not the Person

Ask yourself, "Are my feelings or biases interfering with my listening?" Seek clarification of your understanding by verifying what you have heard.

### **Respond Positively to the Feelings Being Communicated**

Empathy and acceptance will make it easier for the communication to continue. Maintain a positive attitude about listening. Recognize that listening is necessary for success. Allow yourself to hear all sides of an issue.

Identify the characteristics of your listening skills in Critical Thinking Box 12-5.



# **CRITICAL THINKING BOX 12-5**

#### Try This...

Develop a listening action plan.

- 1. I listen most effectively when...
- 2. I have difficulty listening when...
- 3. My best listening skills are...
- 4. To improve my listening skills, I will...

# How Can I Use Nonverbal Communication Effectively?

Nonverbal communication uses movements, gestures, body position, and voice tone to transmit messages (Arredondo, 2000). To convey confidence and leadership ability, it is necessary to learn to use certain nonverbal signals effectively. Here are some tips:

# Make Eye Contact with the Person with Whom You Are Talking

This helps the person interpret your message more favorably and says that you are giving your full attention to the conversation.

#### Stand Up Straight, with Shoulders Back

You may want to lean slightly forward toward the other individual to convey your interest. Stand with your toes pointed slightly outward and slightly apart and approximately 18 inches to 4 feet from the person you are talking to so that you do not invade personal space. Avoid personal contact unless you know the person well and it is a casual conversation.

# **Use an Assertive Voice without Pauses to Suggest Confidence**

Avoid a whining, nagging, or complaining tone. You may need to listen to your taperecorded voice to gain some insight into how you sound to others.

## **Watch for Distracting Behaviors**

Avoid negative behaviors that detract from your verbal messages: nodding constantly, yawning, playing with your hair, scratching yourself, cracking your knuckles, twiddling your thumbs, looking away from the other person, or constantly shifting your weight from one foot to the other. When you use your hands in gestures, keep your forearms up and the palms of your hands open. Avoid making a fist or shaking a pointing finger at the other person.

# **How Can I Communicate Effectively by Using Technology?**

Many of us are learning to use the technology that is changing our workplace and making communication easier. Although cellular telephones, e-mail, text messaging, fax machines, portable personal computers, and voice mail may be conveniences, they must be used thoughtfully to make a positive contribution to your overall image as an effective communicator. When you have business cards printed, include your e-mail address and your fax number. Deep and Sussman (1995) give the following tips for the successful use of communications technology:

# Do Not Misuse or Overuse E-mail, Text Messaging, or Fax Machines

Review the tips for effective use of e-mail and text messaging. Although using a fax machine is not recent technology, remember that the person on the other end must read every page faxed, so be brief. If you need to send a long document, use either e-mail or the mail.

# **Learn to Use Computer Software**

Using technology can make not only your work, but also your communication easier and more effective. Integrated computer systems on hospital units, electronic health record systems, passive infrared tracking of patients and nurse locations along with enhanced nurse-call systems, wireless in-house telephone systems, and web-based electronic grease boards to track patients throughout their days of scheduled surgeries, diagnostic tests, and so forth, can be viewed on computer monitors in patients' rooms or from large display monitors strategically located throughout a department (Bahlman and Johnson, 2005).

# When You Send E-mail Messages

If you are sending messages by e-mail, be sure to read your words carefully before sending them. Because you are sending words without the benefit of clarifying nonverbal communication, the likelihood of being misinterpreted is greater. Make sure your messages are as clear as they can be. Include your name and subject in the e-mail note.

#### Do Not Send an Emotional Outburst in an E-mail

These messages can seem more hostile than you intended, and you can alienate or anger many people. If you would not say these words in person, then do not send them by e-mail (Box 12-1).

# When You Leave a Voice Mail Message for Someone, Speak Slowly and Distinctly

This is especially important when you are leaving your telephone number so that the other person can return your call. It is frustrating to receive a message but not be able to understand the name or have to replay the message to get all of the digits in the phone number. Make your voice mail message brief but complete, saying when you called, what you want the other person to do, and when you can be reached.

## If You Are Using Call Waiting, Do Not Leave Callers on Hold

Explain to the first caller that you must briefly answer another call, then take the number of the second caller, with the assurance that you will call back as soon as you finish your first call. This interruption should last no longer than 10 seconds. Be sure to write down the telephone number of the second caller so that you do not forget it by the time you finish the first call.

# When You Call Someone, Ask If They Have Time to Talk, and Offer to Call Back at a More Convenient Time If Necessary

People appreciate this courtesy and will be more likely to have a positive conversation with you if it is conveniently timed and is respectful of their busy schedules.

# If You Are Conducting a Conversation or a Meeting with a Speaker Telephone or by Means of a Teleconference, Make Sure that Each Party to the Call Is Introduced to the Other People

Do not use the speaker telephone unless you are including a group in the conversation. Even with a conference call, there should be some structure to the discussion, including an agenda or a specified purpose and time for the call. Learn how to "mute" a conversation, especially when there is considerable background noise.

# When You Need to Send a Personal Message, Especially a Reminder or a Thank-You Note, the Most Powerful Way Is to Send a Handwritten Note

This conveys the importance you connect with the message and continues the interpersonal aspect of the communication. If you need to communicate something that you expect will have a significant emotional impact, do it face-to-face. This communication style also allows you an opportunity to read the other person's nonverbal communication and offers a chance to negotiate a comfortable understanding following your message delivery.

## **GROUP COMMUNICATION**

# What Is Group Process?

When we discuss the dynamics and communication patterns in groups, it is important to note that personality conflicts may develop during the different cyclical phases of the group. In **forming** the group, think back to orientation day for nursing school. You sit surrounded by some people you have never seen before and some you have known from

#### BOX 12-1 TIPS FOR USING E-MAIL EFFECTIVELY

- 1. STOP, THINK ABOUT WHAT YOU WANT TO SAY, THEN WRITE.
  - Be sure to determine whether an e-mail is the appropriate communication medium. E-mail is meant for quick, simple communication. Ask yourself whether a phone conversation would be more appropriate.
- 2. INCLUDE A DESCRIPTIVE SUBJECT LINE.
  - In the subject line of the e-mail note, place a description of what the e-mail is about. Be specific—for example, Quarterly QA Report or Case Study Assignment—Informatics.
- 3. MAKE YOUR E-MAIL NOTE EASY TO READ.
  - Use short paragraphs, usually no more than four or five paragraphs at most—get to the point, quickly.
     Consider that most people have a limited attention span with e-mail, especially if they are receiving a lot of messages.
  - Have ample white space on the page. Usually five to seven lines of text are best for a paragraph.
  - · Use bullets or numbers to guide the reader.
  - Carefully choose your font size, type, and color. Using a bright color (such as purple) may not convey as
    professional a tone as standard black or navy font would. Very large fonts (14-point or more) might make
    your message seem "loud" and accusatory. A sans serif font, such as Arial or Tahoma 10-12 point, is easier
    to read on the computer screen than a serif font such as Times Roman.
- 4. BE PRECISE, CONCISE, AND CLEAR.
  - · Use a conversational writing style.
  - If responding to multiple questions embedded in a large e-mail, copy the questions into your e-mail and write your answers next to them.
  - When replying to a message, include enough of the original e-mail note to provide context to your response.
  - If in doubt, spell it out—limit your use of jargon or abbreviations.
  - · Always spell-check and proof your e-mail before you send it.
- 5. DEMONSTRATE "NETIQUETTE"—BE PROFESSIONAL AND MAINTAIN APPROPRIATE ONLINE TONE.
  - Do not type in all CAPS! Capitals can be used for emphasis, but ALL CAPS LOOKS LIKE YOU'RE YELLING AT THE PERSON. If you emphasize everything, then nothing is considered as more important than the rest.
  - Do not type in all lower case—this violates the rules of English grammar and usage. Keep in mind that you
    are not texting a friend.
  - If a communication is upsetting to you, keep calm and collected. Your emotional state can slip into an e-mail without notice, in the form of curt sentences, skipped pleasantries, and blunt comments.
  - Remember, unlike telephone and personal conversations that fade from the memory with time, impulsive
    e-mail responses have "staying power"—meaning the e-mail is readily available in e-mail boxes, can be
    printed out, distributed to others, and can attain a level of importance that was never intended.
  - A word about flaming (which is the expression of extreme emotion or opinion in an e-mail message, often derogatory)—be polite and pleasant, and consider whether you want to respond to a "flaming" e-mail.
- 6. BE CAREFUL WITH ATTACHMENTS.
  - Open attachments *only* if you trust the source, because attachments can contain executable files that can spread viruses and slow down processing.
  - Consider the size of the attachments—large files (greater than 1000 KB or 1 MB) can clog up networks and
    rapidly fill your Inbox. Many servers prohibit the sending and receiving of large e-mail file attachments.
  - Use spam filters and delete chain e-mails or other scams—do not open the document or have the viewing
    pane open, because this can perpetuate the spam.
- 7. WATCH HUMOR.
  - Find different ways to express emotion, body language, and intonation. Use "smileys" (③), also called Emoticons, to convey feelings in your message.
  - As in any setting, humor can be misconstrued, so be extra careful and use taste and discretion before transmitting any humor.

#### BOX 12-1 TIPS FOR USING E-MAIL EFFECTIVELY—cont'd

#### 8. INCLUDE A SIGNATURE.

- Include a signature with your e-mail, usually no more than four to six lines of text. Remember, this part of
  your message is the last thing the receiver will read.
- Include your name, title, contact information, and e-mail address or URL. Many e-mail programs can be set
  up to attach automatically a default signature or signature file to the end of all your outgoing messages
  (including replies).

#### 9. REVIEW YOUR MESSAGE BEFORE SENDING.

- Remember, e-mail is not confidential—do not send personal or sensitive e-mail, because there is no
  "secure" e-mail system.
- Review and proof your message before clicking "Send."

#### 10. RESPOND TO E-MAIL.

Make an effort to respond to e-mail within 24 hours. Otherwise, use the auto-reply function to inform the
person when you will respond.

#### 11. TEXT MESSAGING

 Keep in mind that most agencies do not want you texting during your clinical experience. Check with faculty about using your smart phone or PDA in the clinical area.

your prenursing classes. A common bond is that you are all there for well-defined reasons, including finding out who is in your clinical group and who the instructors will be. Of course, the orientation is mandatory. You sit in the auditorium or classroom talking, listening, and watching those around you, playing your part in a form of controlled pandemonium. The pandemonium can actually be considered the storming phase. In the **storming** phase, you begin to act out the roles you normally portray in the presence of your peers, as you discuss your fears, fantasies, and hopes for a successful outcome to your nursing program (Tuckman and Jensen, 1977).

Next, you are divided into clinical groups. You now begin to reevaluate the personality composition of the new groups. As you begin to react to your new relationships, you start to exhibit personality traits to establish the role you would like to be identified with in the group setting. Unfortunately, your unconscious defense mechanisms surface in the form of competitive conflict or one-upmanship within the group, and your hope is that your response will secure the desired role in the group. It is at this time that **norming** begins to develop among members of the group, with the help of the clinical and lecture instructors. Norming occurs during the development of mutual goals and guidelines that help to redefine your behavioral roles in the group. This can allow agreement in performing activities to help establish a purposeful clinical experience that involves interdependence and flexibility.

During the **performing** phase, everyone knows one another, is able to work together, and trusts one another. The group works together and makes changes in a seamless way, because there is a high degree of comfort among the group members that funnels all of the energy of the group toward the tasks at hand—getting through nursing school. Later **Tuckman and Jensen** (1977) added the final stage, **adjourning**, which has been called *deforming* and *mourning* by others. This phase is about completion and disengagement, both from the tasks and from the group members. Many of you have experienced or will experience the adjourning phase as you move from one clinical group to another or during the transition from student to graduate, as you are nearing completion of your nursing program.

Groups can be multipurpose and multidynamic, as are the basic role choices of each participant in a group. When working in a group, the real fun and excitement start when group members begin responding to and dealing with the unconscious and semiconscious defense mechanisms of the individuals who are using these mechanisms in the roles they play in the group. The responses of the defensive individual tend to be unproductive, time-consuming, and inappropriate to the harmony and overall function of a group effort. In my years of nursing and group participation, the following tend to be my favorite dysfunctional group personalities.

The **self-servers** feel that the rules of the group do not apply to them. They show up late. They are usually unprepared to work. At times they will walk in and out of the group for superficial reasons, while appearing preoccupied with unrelated work or issues from outside of the group. When they do participate, their contributions are of little consequence. If they refuse to be functional members of the group, you may need to ask them to leave the group.

The first response of a **critical conservative** to a creative suggestion can be, "No, it won't work," or "But it's always been done this way," or "How can you people succeed if you've never done this before?" They seem to have a criticism for any suggestion other than their own. If it is not done their way, it just is not right. They are obsessively negative and fearful of changes. It is important to recognize the lessons of experiences and outcomes, but it is equally important to find new approaches to old problems.

The **motor mouths** talk just to hear themselves talk. They interrupt at any given moment to make statements or deliver a verbose response, possibly because they feel they have been quiet for too long. Even when another person is talking, motor mouths will talk over the speaker's words just to be the center of attention. These people may begin to make a statement, only to ramble in and out of the group's issue, and end up talking about unrelated issues that are usually about themselves. I suggest keeping a cloth gag nearby or redirecting their conversation to focusing on the issue and periodically asking them for a short critical assessment of the issues in question.

The **mouse** is the silent observer who is fearful of voicing an opinion. Usually, the mouse sits transfixed, watching other individuals take risks and responsibility for their input to the group. The mouse nods his or her head at appropriate times and answers questions in one or two words. The mouse may be a real addition to the group, especially if others in the group are able to find ways to engage and encourage the mouse to voice opinions and feelings about the group issues. It is important to remember that these people may be some of the best observers and listeners; ask them for their input. You may find them to be a valuable asset to your team. Regardless of where you choose to work or the type of care delivery system you are in, these group members are always there!

# **How Can You Improve Communications in Group Meetings?**

Nurses participate in many meetings, from patient-care conferences to more formal committee meetings. Communication within a group of people can be an opportunity to influence the quality of care provided to patients. When you participate as a member of a group, the following are positive behaviors that will help you to communicate effectively and will also help the group to accomplish its tasks more efficiently:

- Come prepared. Bring all the "stuff" you need.
- Listen. Be open to other viewpoints.
- Keep on track. Do not visit or chit-chat or bring other work to do.
- Present your ideas or opinions. Ask other members for theirs.

- State disagreements. Be able to back them up.
- Clarify as needed. Do not assume.

All of us have been to and participated in meetings that were disorganized, confusing, and a waste of time. Critical Thinking Box 12-6 will help you to identify some unpleasant group meeting experiences and give you the opportunity to change future meetings.

# 8

#### **CRITICAL THINKING BOX 12-6**

#### Try This..

Think of particularly unpleasant experiences you have had at meetings. You might think about meetings involving your clinical group or your class officers. Develop a list of ideas about what was wrong with those meetings.

The key to effective meetings is the planning and organization that occurs before the meeting is actually held. An effective technique using de Bono's (1999) Six Thinking Hats can spur a group meeting to better productivity and problem solving (Box 12-2). Planning should allow the leader to think through what the meeting is for, who should be there, and how it should run (Huber, 2000). There should be a clear purpose for every meeting and every item on the agenda. Every item should require some action by the group. If making a telephone call or sending a memo could achieve the purpose in another way, there should be no meeting.

If you are making a formal presentation, some audiovisual equipment will be necessary, and chairs will need to be arranged so that everyone can see the presenter and the audiovisuals. If the meeting is for discussion and decision-making, a table at which everyone can sit face-to-face is more effective, and someone needs to take meeting minutes. Look at Figure 12-2. This type of note-taking clarifies who is responsible for what activities. At the conclusion of the meeting, summarize the decisions, and identify the plan of action. At the end of the meeting, the time should be established for the next meeting. All members should receive a copy of the meeting minutes.

What Schedule inservice on glucometer. Revise suction procedure. Review charting, ans	Who Janet & Linda  Sue & Bill  Tom & Amy	When 5/28/14 4/23/14 5/1/14	Completed  5/8/14  5/16/14
charting, and report back to next unit meeting.	A		

FIGURE 12-2 Action timeline for meetings.

# BOX 12-2 EDWARD de BONO'S SIX THINKING HATS: LOOKING AT A DECISION AND WORKING THROUGH A PROBLEM CONSIDERING SIX POINTS OF VIEW

Six Thinking Hats is an important and powerful technique created by Edward de Bono that can be used as an effective group process tool in meetings that get bogged down with diverse views and adamant positions. It offers a strategy to "think outside the box" by challenging the group to think or see all sides of an issue. Each "Thinking Hat" represents a perspective or way of thinking. During a meeting, a "different color hat" can be put on or taken off to indicate the type of thinking the person is using. By putting on a different hat in a particular sequence, problem solving is encouraged.

# White Hat: Neutral, Objective, Concerned with Facts and Figures, *The Fact Hat*

Used to think about facts, figures, and other objective information (think of a scientist's white lab coat).

- What facts and data are available?
- What facts would help me further in making a decision?
- How can I get those facts?

# Red Hat: The Emotional View, The Emotional Hat

Used to elicit the feelings, emotions, and other nonrational but potentially valuable senses, such as hunches and intuition (think of a red heart). Encourages people to express their feelings without the need for apology, explanation, or attempt to justify them.

- How do I really feel?
- What is my gut feeling about this problem?

# Black Hat: Careful, Cautious, The "Devil's Advocate" Hat

Used to discover why some ideas will not work, this hat inspires logical negative arguments (think of a devil's advocate or a judge robed in black). Helps you to see problems in advance (spot flaws in thinking), prepare for potential difficulties, and prepare contingency plans to counter the issues.

- What are the possible downside risks and problems?
- What is the worst-case scenario?
- What are the weak points of the plan? It allows you to eliminate them, alter them, or prepare contingency plans to counter them.



Used to obtain a positive, optimistic outlook, this hat sees opportunities, possibilities, and benefits of a decision (think of the warming sun). Keeps you going when the going gets tough.

- What are the advantages?
- What would be the best possible outcome?

# Green Hat: Associated with Fertile Growth, Creativity, and New Ideas, *The Creative Hat*

Used to find creative new ideas (think of new shoots sprouting from seeds).

- What completely new, fresh, innovative approaches can I generate?
- What creative ideas can I dream up to help me see the problem in a new way?
- Are there any additional alternatives or can this be done in a different way?
- Could there be another explanation?

# Blue Hat: Cool, The Color of Sky, The Organizing Hat

Used as a master hat to control the thinking process (think of the overarching sky, or a "cool" character who's in control).

- Review my thoughts—it suggests the next step for thinking.
- Sum up what I have learned and think about what the next logical step is—asks for summaries, conclusions, and decisions.

From de Bono E. (1999). *Six thinking hats*, MICA Management Resources. Retrieved from www.debonogroup.com/6hats.htm. Reprinted with permission of the McQuaig Group. Copyright 1985. All rights reserved. No photocopying or reproduction of this material without consent.

#### **TEAM BUILDING**

# What Is Team Building?

Team building is a deliberate process of unifying a group of individuals into a functional working unit, accomplishing specific goals (Farley and Stoner, 1989). Another definition of a team is "a small number of people with complementary skills who are committed to a common purpose in performance of common goals, for which they hold themselves mutually accountable" (Katzenbach and Smith, 1993, p 45). Katzenbach and Smith state that the right mix of attributes is needed in three categories that help ensure a highly complementary and functional team. The three categories described are interpersonal skills, problem-solving and decision-making skills, and technical or functional expertise (Critical Thinking Box 12-7).

Teams are a formal way to actualize collaboration. Collaboration is at the heart of successful decision making. Collaboration among team members leverages skills, time, and resources for the benefit of the team and that of the organization. If you examine the word *collaboration*, you will see that "co-labor" is the core of the word—meaning "working together toward some meaningful end."



# **CRITICAL THINKING BOX 12-7**

#### Think About...

Try to assess and come to your own conclusion regarding the following hypothetical problem by picturing in your mind the *who, what,* and *why* before you read what the experts in the field would say:

You will be responsible for the care of your critically ill parent during his or her stay in the hospital during the next 2 months. Assemble a team of your nursing peers to deliver care to your parent. The care will be based on the highest level of difficulty because of the serious nature of the diagnosis.

- What nurses would you choose to help you?
- Why would you choose those specific nurses?
- What qualities would you want them to have when caring for your family member?
- What skill level would you want them to possess to perform the overall treatment plan?
- If some of them lacked the skill levels to meet the treatment plan criteria, what would be an appropriate approach to this inadequacy?

# When Nurses Work as a True Team, Everyone Involved Benefits!

In health care, the imperative is in the quality of care and service-oriented teams, as seen by Sovie (1992). It is also clear that teamwork is essential in care delivery outcomes and cost control (Figure 12-3). Sovie also says that nurse managers and supervisors need to learn how to function in their individual capacity while being effective as team players. It might be argued that there is a difference between the previous and current concepts of team nursing. The differences are not so much the personal mechanics of team nursing but more the constant updating of information in the fields of medicine and technology.

One of the most important ingredients in the team approach to nursing is a positive psychological and emotional bond between members of the team, which helps to develop more cohesiveness between the individuals of the team. Without a positive cohesive bond, there can and will be limits to the overall quality and function of the team. You as nurses are the unknown intervening variables that either make or break the quality of the team-nursing



FIGURE 12-3 When nurses work as a team, everyone benefits.

concept. You and your colleagues, as a professional collective group, have the skills necessary to handle the multitudes of problems associated with care delivery. You may want to ask yourselves:

- Are you as an individual mentally and emotionally prepared for real-world nursing?
- Do you have and can you maintain a strong positive self-image?
- Is your attitude about yourself and your peers conducive to support team-directed nursing?
- Are you willing to make difficult decisions in directing team care delivery?
- Are you willing to relinquish control of those under your direction when necessary? You may also want to consider the following:
- Does management actively and willingly support the nursing staff?
- Is the support constant, measurable, and appropriate to your needs?

Nurses read and do research to help formulate problem solving and innovative approaches in the establishment of functional care-delivery models. What is frequently left out of the equation is the extent of the role that management is willing to play in helping to ensure the success of the new ideas. Is management willing to share control and leadership to help ensure a successful outcome in nurse-managed teams? I have been witness to the creation of nursing leadership roles—some consisting of team nursing care delivery, decentralization of authority, and shared governance—only to have them fail because of limitations and perceived liabilities placed on the nursing staff by management. At other times, failures were caused by the last-minute intervention of management, usurping the managerial authority of the nursing teams. Some other factors responsible for group or team failure are:

 Nursing staff being unprepared or lacking the intrapersonal skills needed to work with other staff members in a unified team setting.

- Nurses unwilling to move in and out of leadership roles to ensure the unity of the group and best possible outcomes.
- Management being pressured by upper management for faster adaptation to costcutting policies, which usually causes communication between management and nursing to consist of veiled threats, innuendoes, mixed messages, and other subtle negative forms that affect the morale of the nursing staff.
- Nursing supervisors and administrative staff who appear to support shared governance but are unwilling to relinquish actual control of the nursing staff.

Actions always speak louder than words. Work toward open and honest communication with administrators. Try to meet them halfway and find out what they are willing to do to support your teams or groups. How much interest do they have in the actual quality of health care delivery? Are they interested in learning the dynamics of your role as a nurse or the role of the nursing team? Let them know what type of support you need from them. Explain to them the importance of mutual respect and support in the overall quality of nursing care.

When forming teams, realize that perfection is an illusion created in the mind of a critic. All of us have different skill levels. To function as a unified team, you will need to work with peers whose skills may need to be enhanced. You can help your peers by working side by side with them to build confidence while sharing in learning situations. Find ways to make the learning situations enjoyable, show a sense of humor, and give positive reinforcement whenever possible. Fear and guilt undermine confidence and destroy the cohesiveness of a team or group.

In the formation of any team or group, the mental and emotional stability of the individuals who make up the team or group will be reflected in the quality of their work under stress and their ability to focus during care delivery and to establish a working rapport with the other team members. It is important for the stronger team members or group members to provide support and guidance as needed. The attitude of the stronger members of the team can go a long way in building confidence in the other team members. The level of quality for any team is increased substantially by the level of comfort and camaraderie among the individuals who make up the team.

The mix of complementary skills and experience can also help to give strength to the overall group. Taking inventory of technical and communication skills helps identify where weakness and strengths need to be considered before assigning individual duties to the team members. The weaker team members should receive learning opportunities, support, and guidance to strengthen the cohesiveness of the team. Blackmore and Persaud (2012) identified strategies for improving interdisciplinary health care team functioning in 5 key domains, which include a common team goal, the ability and willingness to work together to achieve team goals, decision making, communication, and team member relationships. Their research notes that high-functioning teams must exhibit features of good team function in all 5 key domains.

Leadership roles in the team may be rotated to each member of the team. This allows the sharing of responsibilities and a chance for members to experience and test themselves in leadership roles. Most people will gravitate to their roles in a short period of time. It will be important for the team members to communicate with one another to ensure the high quality and continuity of care to be delivered (Box 12-3 and Figure 12-4).

#### BOX 12-3 BASIC ROLES OF GROUP MEMBERS

The following are some roles that individuals adopt when participating in a group. Each member may adopt more than one role.

- Opinion giver—states beliefs or values
- · Opinion seeker—asks for clarification of beliefs or values
- Information giver—offers facts or personal experience
- Information seeker—asks for facts pertinent to what is being discussed
- Initiator—proposes new ideas on how the goal can be reached or how to view the problem
- Elaborator—expands on the idea of another; takes the idea and works out what would happen if it were adopted
- Coordinator—brings together ideas and suggestions
- Orientor—keeps the group focused on goals, or questions the direction taken by the group
- Evaluator or critic—examines possible group solutions against group standards and goals
- Clarifier—checks out what someone said by restating or questioning
- Recorder—acts as the groups memory (e.g., takes notes)
- Summarizer—pulls together related ideas, restates suggestions, and offers decisions or conclusions

From Sullivan E.J., Decker P. (1997). *Effective leadership and management in nursing* (4th ed.). Menlo Park, Calif. Addison-Wesley, p 144.



FIGURE 12-4 We work as a team!

# **ASSERTIVE STYLES OF COMMUNICATION**

All of us have a style or way of communicating with others that is often based on our own personality and self-concept. In other words, the kind of people we are and the way in which we see ourselves influence the process of communication. This style can be divided into three common types: passive or avoidant, aggressive, and assertive (Marquis and Huston, 2000). The following are some characteristics of each style:

People who tend toward **passive** or **avoidant behavior** let others push them around. These people do not stand up for themselves; do what they are told regardless of how they feel about it; are not able to share their feelings or needs with others; have difficulty asking for help; and feel hurt, anxious, or angry at others for taking advantage of them.

Aggressive behavior means that a person puts his or her own needs, rights, and feelings first and communicates that in an angry, dominating way; attempts to humiliate or "put down" other people; conveys a righteous, superior attitude; works at controlling or manipulating others; is seen by others as punishing, threatening, demanding, or hostile; and shows no concern for anyone else's feelings.

Assertive behavior means that a person stands up for himself or herself in a way that does not violate the basic rights of another person; expresses true feelings in an honest, direct manner; does not let others take advantage of him or her; shows respect for other's rights, needs, and feelings; sets goals and acts on those goals in a clear and consistent manner and takes responsibility for the consequences of those actions; is able to accept compliments and criticism; and acts in a way that enhances self-respect.

See if you can match the person with his or her style after you have read the descriptions.

#### Jane

Jane is a very shy, quiet senior nursing student who can't think straight when her instructor asks her questions in the clinical area. She wishes she could be more like her classmates, who seem to find it easy to talk about their experiences during clinical conference. During her evaluation, her instructor says she doesn't know enough theory and can't handle the pressures of the clinical unit. Jane says nothing and signs her evaluation. When she gets back to her room alone, she cries uncontrollably.

#### Susan

Susan is a senior nursing student who is highly verbal with her classmates. She is known to be opinionated, and in every conference with her clinical group she finds a chance to criticize someone. She blames the nursing staff on the clinical unit for making her look bad by giving her too much work to do and not enough time or help. When her instructor tells her she has not integrated sufficient theory in her written assignments, she says, "It's not my fault; you should have told me sooner."

#### ■ Mark

Mark is a senior nursing student who is described by his clinical group as goal-oriented and confident. He wrote learning objectives for himself at the beginning of the last clinical experience and brought them with him, along with a self-evaluation for his final evaluation conference. He listened to his instructor's suggestions, thanked her, and said, "I appreciate your concern for the quality of my nursing skills. I'm aware now of what I need to pay attention to in the first few months in my new job."

If you decided that Jane used a passive or avoidant style, Susan used an aggressive style, and Mark used an assertive style, you were right. Congratulations!

# Why Are Nurses Not More Assertive?

It seems as though many nurses do not consistently act or communicate in an assertive way. Some have a hard time believing in their own rights, feelings, or needs. This difficulty may have started in childhood through exposure to many negative statements or experiences. It is important to recognize that communication style is learned and reinforced through time. While in nursing school and working in the nursing profession, additional experiences or comments may reinforce those negative messages about self-worth. It can

#### BOX 12-4 BARRIERS TO ASSERTIVENESS

Barriers to assertiveness include the following beliefs:

- Assertive communication should not threaten others.
- If you do not have anything nice to say, do not say anything at all.
- If you feel uncomfortable when presenting your position or stating your feelings, then you are nonassertive.
- Assertiveness should come easily and spontaneously.
- Health care facilities do not promote or support assertive behavior.
- You cannot be assertive and consider another person's feelings and behavior at the same time.
- · Assertive behavior is just another way of complaining.
- If I am assertive, I will lose my job.
- There is no difference between assertiveness and aggressiveness.

be very difficult to change behavior, especially when taking risks is necessary. The first step is to recognize what the barriers are. What is it that prevents you from being more assertive? Is it previously learned behavior, or are you afraid of the repercussions of assertive communication? Check the list in Box 12-4. If this list includes statements you feel are true, then you have identified some roadblocks to your ability to develop more assertive communication.

Look over this list of barriers to assertive communication and think about yourself. Do any of these explain your feelings? Assertiveness takes self-awareness and practice. It will help you if you identify and accept your position right now with regard to assertiveness so that you can make a plan to develop this skill.

#### What Are the Benefits of Assertiveness?

Assertive communication is the most effective way to let other people know what you feel, what you need, and what you are thinking. It helps you to feel good about yourself and allows you to treat others with respect. Being assertive helps you to avoid feeling guilty, angry, resentful, confused, or lonely. You have a greater chance to get your rights acknowledged and your needs met, which leads to a more satisfying life.

# What Are My Basic Rights as a Person and as a Nurse?

As an adult human being, you have some legitimate rights. You may have to do some work to allow yourself to believe in your rights. You may have learned other values that make it difficult to accept the validity of these rights. But belief in your own value as a separate individual and confidence in the positive concepts associated with assertiveness as a communication style will help you to believe in your rights.

Consider the rights and responsibilities of the nurse. The issue of rights can become one-sided. When nurses consider rights, responsibilities must also be included. These rights are yours as a registered nurse; acquiring them and holding them are your responsibility (Chenevert, 1988).

# **How Can I Begin to Practice Assertive Communication?**

There are a variety of ways to learn to be more assertive in your communication style, but they all involve self-awareness and practice. It may not feel totally comfortable at first, but as you work at it, assertive communication will come more naturally.

Changing one's behavior requires a conscious decision.

You should practice being assertive in a situation in which there is minimal risk to you, so that you can experience success. If sharing your feelings with your instructor or head nurse makes you extremely uncomfortable, set the situation aside. You can work on it after you are more confident. Share your feelings and practice being assertive with someone with whom you are comfortable. Personal risk should be at a minimum.

At first, it is helpful to practice being assertive by yourself. Rehearse what you might say by talking to yourself while looking in a mirror. After you feel more comfortable, ask a friend to help you practice. The two of you can role-play some assertive conversations. You may even want to video or audio record your practice so you can get an idea of how you look and how you sound. If sharing your feelings with your instructor or charge nurse makes you extremely uncomfortable, set the situation aside. You can work on it after you are more confident. You should practice being assertive in a situation in which there is minimal risk to you, so you can experience success. Share your feelings and practice being assertive with someone with whom you are comfortable. Personal risk should be at a minimum. When you are ready, try out your new assertive communication skills in a mildly uncomfortable situation you would like to change. Pay attention to how you feel. Ask for feedback from the other person. You will then be able to evaluate your progress and decide what other information you want to practice.

# What Are the Components of Assertive Communication?

Assertive communication is a technique used to get one's needs met without purposely hurting others. It incorporates the principles of therapeutic communication, active listening skills, and a willingness to compromise. When you use these skills, you will be able to express yourself more effectively during challenging situations and handle confrontation in a professional manner. When you are confronted by a situation that provokes anger, take a deep breath, pull yourself away, get your emotions under control, and then approach the individual privately in a nonthreatening manner. The following are some hints for using assertive communication:

- Use "I" statements: "I am really upset about..."
- Describe the behavior that has upset you and focus on the present: "You have been texting and talking on your personal cell phone on the unit several times in the past 2 days."
- Discuss the consequences of the behavior: "This behavior is contrary to the agency policy and could result in..."
- State how the behavior needs to be modified and the time frame for this change: "You
  must immediately stop this interruption to your work and only use your cell phone
  off the unit while on your breaks."

The following strategy is a way to think about expressing your feelings and needs that will assist you to communicate assertively: I feel...about...because...

Let us look at an example:

- I feel tired and cranky, because I'm not paying enough attention to my family's needs.
- I feel hurt and angry about Dr. Jones yelling at me in front of you, because I need to feel competent and respected at work.

These statements are most successful when you maintain direct eye contact, stand up straight, and speak in a clear, audible, firm tone of voice. After expressing your own feelings and needs, it is helpful to seek clarification of the other person's feelings or needs. This can be done with the following questions:

"How do you feel about that?"

"What were you thinking and feeling at that time?"

"How would that affect you?"

With skillful listening and clear communication, the problem can be defined without placing blame or "putting down" the other person. Notice the use of "I" messages—that indicates willingness to accept responsibility for the process of defining the problem and negotiating a workable solution. To find a compromise, you have to be willing to meet the other person halfway. You may agree to try it your way one time and the other person's the next. Or you may both agree to change or give up something. You may do something for him or her if he or she does something else for you. Remember that in the work setting you cannot always have things exactly as you want them. You must be willing to change and compromise (Elgin, 2000).

#### When to Use Assertive Communication

Here are some examples of situations in which assertive communication would be helpful.

#### ■ Communicating Expectations

Supervisor: "You're being pulled to the orthopedic unit today, because they're short-staffed."

Nurse: "I expect to be oriented into the unit and the equipment before I give nursing care, because I haven't worked on that unit in more than a year."

#### ■ Saying No

Physician: "Come with me right now. I need some help doing a procedure on Mr. Smith."

Nurse: "I can't come with you right now. Let me have the nursing assistant get Mrs. Anderson back to bed, and I'll help you then."

#### ■ Accepting Criticism

Head Nurse: "It seems to me that you are having difficulty updating your nursing care plans and getting the changes on the electronic medical record before the end of the shift."

Nurse: "I have been falling behind on updating my care plans in the electronic medical record. I need to work on better time management. Do you think you could help me with that?"

#### ■ Accepting Compliments

Home Care Patient's Spouse: "My wife feels very comfortable when you are here taking care of her. It's obvious you know what you're doing."

Nurse: "Thank you. Your feedback is important to me."

#### ■ Giving Criticism

*Nurse:* "I want to talk with you about your care of Mrs. Samuelson. I found her sitting in a wheel-chair alone in the hallway. It is your responsibility to make sure that she is not left alone, so that nothing happens to her."

Aide: "I do not think that's my job."

*Nurse:* "We talked about your responsibilities of caring for Mrs. Samuelson this morning when you received your assignment. If you have difficulty in carrying out this assignment, I expect you to ask for help."

#### ■ Accepting Feedback

Head Nurse: "I wanted to tell you that I have noticed an improvement in your communication with Dr. Turner. He has not complained about his patient's care for 2 weeks, and yesterday he told me that he had a positive discussion with you about home health care options for Mrs. Atkins." Nurse: "Thank you. I have been working very hard at not responding angrily to his sarcastic comments and criticisms."

#### Asking for Help

*Nurse:* "I am having a hard time with Mr. Jones. He seems to have a way of pushing my buttons, so I get angry. It is hard for me to ask for help, because I expect myself to care for all patients without difficulty."

Community Health Nurse Supervisor: "Mr. Jones can be a difficult patient. Can I help you?" Nurse: "Yes. I need help in understanding why I get so angry at him, and I want to know how to handle him in a more positive way."

Remember that you need to evaluate how your assertive communication feels to you and to seek feedback from others about how you are being interpreted. You need to know whether people perceive you as aggressive rather than assertive. It may mean modifying your communication to make sure you are standing up for yourself without violating the rights of others.

It should also be noted that some situations will not be resolved just because you communicated assertively. Finding a workable solution is a process involving other people who must take responsibility for their own feelings and needs. When others are unable to acknowledge their feelings, to listen, or to negotiate a compromise, your assertive communication may make you feel better about yourself, but it may not produce an immediate solution. But keep trying. Persistence pays off.

Remember, too, that there are some situations in which you must simply follow orders. You cannot always meet your own needs; you must do what a physician or your head nurse tells you to do. Sometimes you must put aside your own needs to meet the needs of the patients for whom you are caring. However, your judgment will increase as you gain experience, and you will recognize ways to communicate your needs and feelings, with the goal of improving the processes and procedures used in your work setting.

# CONCLUSION

Interpersonal skills, effective communication, group process, and team building are important for the nurse, because they form the foundation for creating an effective working environment. Well-planned, well-executed, and well-validated communication, along with a caring and positive attitude, will foster motivation, success, and satisfaction for the nurse in both the student role and as a new graduate.

Now that you have learned more about communicating effectively, try doing the student exercise in Critical Thinking Box 12-8 and review the relevant websites and online resources that follow. And happy communicating!

# 8

# **CRITICAL THINKING** BOX 12-8

#### **Communication Exercise**

**Directions:** Use the following situations to reflect on key points covered in this chapter. Think of a way to communicate effectively in each situation. You may want to consider your own individual solutions and then role-play or discuss your ideas with a group of your classmates.

- 1. Develop a list of 10 patients who are hospitalized on your unit. For each patient, provide some personal information, a diagnosis, and some data about his or her progress during the previous 24 hours. Use the information you have listed to give a change-of-shift report to the four staff members who will be caring for these patients during the next 8 hours.
- 2. You have asked to speak to Dr. Sanders about your concerns in caring for one of her patients who has required much physical care since she has gone home from the hospital. Dr. Sanders has a reputation for being cold, aloof, and sarcastic. You have never spoken directly to her alone before.
- 3. You are a member of the home health care agency's procedures committee. After attending the last meeting, you have been given the responsibility for drafting a revision to the procedure used when administering controlled substances. You know that you need more information before you can begin your work. Send a memo to at least three different members of the agency staff identifying what information you would like them to provide for you. Make a follow-up phone call to make sure they received the memo.



# **RELEVANT WEBSITES AND ONLINE RESOURCES**

**American Academy of Communication in Health Care** 

http://www.aachonline.org/.

**Institute of Healthcare Communication** 

http://healthcarecomm.org/.

Mind Tools: Essential Skills for an Excellent Career (2013)

Assertiveness: Working with people, not against them

http://www.mindtools.com/pages/article/Assertiveness.htm.

# **BIBLIOGRAPHY**

Arredondo, L. (2000). Communicating effectively. New York: McGraw-Hill.

Bahlman, D. T., & Johnson, F. C. (2005). Using technology to improve and support communication and workflow processes. *Association of Perioperative Registered Nurses Journal*, 82(1), 65–73.

Blackmore, G., & Persaud, D. (2012). Diagnosing and improving functioning in interdisciplinary health care teams. *The Health Care Manager*, *31*(3), 195–207.

Chenevert, M. (1988). Pro-nurse handbook (3rd ed.). St. Louis: Mosby, 1988.

Deep, S., & Sussman, L. (1995). Smart moves for people in charge. Reading, Mass: Addison-Wesley.

Elgin, S. (2000). The gentle art of verbal self-defense at work. Paramus, NJ: Prentice Hall.

Farley, M. J., & Stoner, M. H. (1989). The nurse executive and interdisciplinary team building. *Nursing Administration Quarterly*, 13(2), 24–30.

Fowler, K. (2005). *Active listening, MindTools*. Retrieved from www.mindtools.com/CommSkll/ActiveListening.htm.

Huber, D. (2000). Leadership and nursing care management. Philadelphia: Saunders.

Katzenbach, J. R., & Smith, D. K. (1993). Wisdom of teams. New York: Harper Business.

Kushner, M. (1997). Successful presentations for dummies. Foster City, Calif: DG.

Marquis, B., & Huston, C. (2000). Leadership roles and management functions in nursing: theory and application (3rd ed.). Philadelphia: JB Lippincott.

Mindell, P. (2001). How to say it for women: communicating with confidence and power using the language of success. Paramus, NJ: Prentice Hall.

Northouse, P. (2001). Leadership theory and practice (2nd ed.). Thousand Oaks, Calif: Sage.

Peoples, D. A. (1992). Presentations plus. New York: John Wiley & Sons.

Sovie, M. D. (1992). Care and service teams: a new imperative. *Nursing Economic*\$, 10(2), 94–100, 125.

Tuckman, B., & Jensen, M. (1977). Stage of small group development revisited. *Group and Organization Studies*, 2, 419–427.

Venge, A. (2000). *The influence edge: how to persuade others to help you achieve your goals.* San Francisco: Berrett-Koehler Communications.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# 13

# **Conflict Management**

JoAnn Zerwekh, EdD, RN

Everything that irritates us about others can lead us to an understanding of ourselves. Carl Jung



There is a better approach to conflict resolution than fighting it out.

After completing this chapter, you should be able to:

- · Identify common factors that lead to conflict.
- · Discuss five methods to resolve conflict.
- Discuss techniques to use in handling difficult people.
- Discuss solutions and alternatives in dealing with anger.
- Identify situations of sexual harassment in the workplace and discuss possible solutions.

Can you imagine a world without conflict? Why, it would be a world without change! Conflict is inevitable wherever there are people with differing backgrounds, needs, values, and priorities.

A stereotypical perspective of conflict related to nursing is that "nice" nurses avoid conflict. According to Beauregard and colleagues (2003), although caricatured images of the nurse may encompass the "old" battle-ax, the control freak, the naughty nurse, or the doctor's handmaiden, the primary perception of the nurse by the public is one of the caring angel who is gentle and kind. Conflict within the nursing profession has traditionally generated negative feelings to the extent that many nurses use avoidance as a coping mechanism because of their feeling that the "public's stereotypical image of them demanded that they be 'nice,' self-sacrificing, and submissive nurses and that if they engaged in conflict they would be branded emotional or unfeminine women" (Kelly, 2006, p 27).

The presence of conflict in a situation is not necessarily negative but may, in fact, have some positive results. As a process, conflict is neutral. Following are some possible outcomes of conflict:

- Disturbing issues are brought out into the open, which may avert a more serious conflict.
- Group cohesiveness may increase as individuals resolve issues.
- New leadership may develop as a consequence of resolution.
- The results of conflict can be constructive, occurring when productive outcomes are achieved, or destructive, leading to poor communication and creating dissatisfaction.

#### CONFLICT

#### What Causes Conflict?

Let us look at some common factors of conflict as they relate to nursing.

#### **Role Conflict**

When two people have the same or related responsibilities with ambiguous boundaries, the potential for conflict exists. For example, a nurse on the 11 PM to 7 AM shift may be uncertain whether he or the nurse on the 7 AM to 3 PM shift is responsible for weighing a patient.

#### **Communication Conflict**

Failing to discuss differences with one another can lead to problems with communication. Communication is a two-way process; when one person is unclear in a communication, the process falls apart. A recent graduate may find that with a busy schedule, numerous patient demands, and a shortage of time, it is easy to forget to notify a patient's family of a change in visiting hours—a great annoyance to the family members who cannot visit when they arrive.

#### **Goal Conflict**

We all have unique goals and objectives for what we hope to achieve in our places of employment. When one nurse places his or her personal achievement and advancement above everyone else's, conflict can occur. An example of this can be seen in the newly graduated nurse who pursues an advanced nursing degree immediately following undergraduate education; the experienced nurse in the unit may feel that the new graduate nurse requires a minimum length of time at the bedside before advancing his or her education.

## **Personality Conflict**

Wouldn't it be great if we got along with everyone? Of course, we all know that there are just some people with whom we have a difficult time. The situation is all too familiar, and many times we may find ourselves with such thoughts as "I'll try and overlook her negative, lousy behavior; after all, she doesn't have much of a family life." Trying to change another person's personality is like guaranteeing an unhappy ending to a story.

#### **Ethical or Values Conflict**

During a cardiac arrest, a young graduate nurse has a conflict with the physician's order of "No Code," on a young adolescent patient. She has difficulty taking care of the adolescent,

because he reminds her of her younger brother who died tragically in an automobile accident.

Conflicts in nursing may fit into one or more of the aforementioned categories. Consider some common areas of conflict among nursing staff, including scheduling days off, determining vacation leave, assigning committees, patient care assignments, and performance appraisals, to name just a few.

# What Are Common Areas of Conflict Between Nurses and Patients—and Between Nurses and Patients' Families?

Guttenberg (1983) identifies five common areas of conflict among nurses and their patients and families.

- Quality of care. This is by far the most common area of conflict and the easiest to remedy.
   Families typically are concerned with how well their loved one is being attended to, how friendly the nurses are, how well the hospital or home health services are provided and coordinated, and how flexible the hospital is with visiting hours and meeting their special needs.
- 2. Treatment decisions. This area of conflict often arises between the family of an older adult and the nurse. A physician may order a treatment with which the family does not agree. In this situation it is very important that the nurse not defend the physician's orders or attempt to persuade or convince the family that the physician or nurse knows what's best for the patient. In these situations the issue is rarely the treatment itself but rather the family's desire to decide what is right for the loved one. Be sure to clarify the orders and explain to the family that you are supposed to carry them out unless the family negotiates directly with the physician to change them. Conflict may also exist between the nurse and physician regarding care of older adults. For example, a physician may decline to perform a medical procedure on an older patient secondary to advanced age or preexisting comorbidities.
- 3. Family involvement. For example, when a young adult is diagnosed with cancer, numerous issues may arise concerning the presence of family members during procedures and the extent of their involvement in the overall care. Such issues are based on the family's real need to feel significant and adequate in meeting the young adult's needs.
- 4. Quality of parental care. This can become an issue when nurses are unhappy with how parents are participating in their child's care. It is helpful to offer parenting classes that can encourage parents to meet other parents and can model positive parenting techniques. Fear of being a bad parent by not responding to every cry an infant makes is a good example of an area where the nurse can educate the parents on responding to their infant's physical and emotional needs.
- 5. **Staff inconsistency.** This is another issue that is easily prevented. Make sure that staff members on each shift are consistent in enforcing hospital policies and that they notify other shifts of any attempts at manipulation by family members or patients.

#### **CONFLICT RESOLUTION**

# What Are Ways to Resolve Conflict?


Unresolved conflicts waste time and energy and reduce productivity and cooperation among the people with whom you work. In contrast, when conflicts are resolved, they strengthen relationships and improve the performance of everyone involved. The key to managing conflict successfully is tailoring your response to fit each conflict situation instead of just relying on one particular technique. Each technique represents a different way to achieve the outcome you want and to help the other person achieve at least part of the outcome that he or she wants. How do you know which technique to use? That depends on the following:

- How much power do you have in this situation compared with the other person?
- How much do you value your relationship with the person with whom you are in conflict?
- How much time is available to resolve the conflict?

An example of a model for conflict resolution can be found in Figure 13-1. This model incorporates several views of conflict resolution. Filley (1975) described three basic strategies for handling conflict, according to outcome: win-win, lose-lose, and win-lose. Various others have identified the following five responses to resolve conflict: competition, accommodation, avoidance, compromise, and cooperation. In a recent study, the prevalent style for conflict resolution used by nursing students was compromise, followed by avoidance (Hamilton, 2008). As noted in this research study, compromise attempts to meet the needs of individuals on both sides of a conflict, whereas collaboration, which may take more time, offers the best avenue or approach to settling the conflict that will satisfy both participants (win-win solution).

Let us look at an example and apply the model.

Suppose the charge nurse on your unit has posted the vacation schedule for the month of December. You, as a recent graduate, have requested to be off during the week of Christmas. You notice on the schedule that none of the recent graduates has received the Christmas holidays off. You feel that this is unfair, because you will not have an opportunity to be with your family during the Christmas holidays. How can you resolve this conflict?



**FIGURE 13-1** Model for conflict resolution. (Modified from Douglas E, Bushardt W: Interpersonal conflict: strategies and guidelines for resolution, *J Am Med Rec Assoc* 56(18), 1988; Sullivan E, Decker P: *Effective management in nursing*, Menlo Park, Calif, 1988, Addison-Wesley.)

#### Competition

This is an example of the win-lose situation. In this situation, force—or the use of power—occurs. It sets up a type of competition between you and your charge nurse. Typically, competition is used to resolve conflict when one person has more power in a situation than the other. In the given situation, the charge nurse refuses your request for Christmas vacation, explaining that the staff members with more seniority have priority for vacation at Christmas time.

#### **Avoidance**

Avoidance is unassertive and uncooperative, and leads to a *lose-lose* situation. In some situations, avoidance is not considered a true form of conflict resolution, because the conflict is not resolved, and neither party is satisfied. *In the given situation, you would not have approached the charge nurse with the Christmas schedule issue*. Usually, both persons involved feel frustrated and angry. There are some situations in which avoiding the issue might be appropriate, such as when tempers are flaring or when strong anger is present. However, this is only a short-term strategy; it is important to get back to the problem after emotions have cooled.

#### **Accommodation**

Accommodation is the *lose-win* situation, in which one person accommodates the other at his or her own expense, but often ends up feeling resentful and angry. *In the given situation, the charge nurse would put her own concern aside and let you have your way, possibly even working for you during the scheduled slot. The charge nurse loses and the graduate nurse wins in this situation, which may set up conflict among staff and other recent graduates. When is accommodation the best response? Is it when conflict would create serious disruption, such as arguing, or when the person with whom you are in conflict has the power to resolve the conflict unilaterally? In this response to conflict, differences are suppressed or played down while agreement is emphasized.* 

# Compromise

Compromise or bargaining is the strategy that recognizes the importance of both the resolution of the problem and the relationship between the two people. Compromise is a moderately assertive and cooperative step in the right direction, in which one creates a modified win-lose outcome. In the given situation, the charge nurse compromises with you by allowing you to have Christmas Eve off with your family, but not the entire week. The problem lies in the reduced staffing that will occur for a short period. The compromise may not be totally satisfactory for either party, but it may be offered as a temporary solution until more options become available.

#### **Collaboration**

Collaboration is the strategy that involves a high level of concern for the problem, the outcome, and the relationship. It deals with confrontation and problem solving. The needs, feelings, and desires of both parties are taken into consideration and reexamined while searching for proper ways to agree on goals. Collaboration is a *win-win* solution with a commitment to resolve the issues at the base of the conflict. It is fully assertive and cooperative. In the given situation, you and the charge nurse discuss the week of Christmas vacation and the staffing needs and agree that you will work the first three days of that week and the

charge nurse will work the second half of that week. You also agree to be there the first part of the week to complete the audit on the charts from the previous week for the charge nurse. In this situation both persons are satisfied, and there is no compromising what is most important to each person. That is, the charge nurse gets her audit completed, and the recent graduate is able to spend half of the Christmas week with her family. What is your particular style for resolving conflict? (Critical Thinking Box 13-1)

CHITICAL THINKING DOX 13-	1							
Conflict Questionnaire  Directions: Consider situations in which you find your wishes differing from those of another person. For each of the following statements, think how likely you are to respond to each situation in the manner described. Check the rating that best corresponds to your response.								
	VERY UNLIKELY	UNLIKELY	VERY LIKELY	LIKELY				
1. I am usually firm in pursuing my goals.								
2. I try to win my position.								
3. I give up some points in exchange for others.								
<ol> <li>I feel that differences are not always worth worrying about.</li> </ol>								
<ol><li>I try to find a position that is between others and mine.</li></ol>								
<ol><li>In approaching a negotiation, I try to consider the other person's wishes.</li></ol>								
7. I try to show the logic and benefits of my position.								
<ol><li>I always lean toward a direct discussion of the problem.</li></ol>								
<ol> <li>I try to find a fair combination of gains and losses for both of us.</li> </ol>								
10. I attempt to work through our differences immediately.								
11. I try to avoid creating unpleasantness for myself.								
12. I might try to soothe other's feelings and preserve our relationship.								
13. I attempt to get all concerns and issues immediately out.								
<ol> <li>I sometimes avoid taking positions that create controversy.</li> </ol>								
15. I try not to hurt the other's feelings.								
SCORING: Very Unlikely = 1; Unlikely = 2; Likely = 3; Very Likely = 4.								
	ITEM:	ITEM:	ITEM:					
COMPETING:	1	2	7	TOTAL				
COLLABORATING:	8 8	10	13	TOTAL				
COMPROMISING:	3	5	9	TOTAL				
AVOIDING:	4	11	14	TOTAL				
ACCOMMODATING:	6	12	15	TOTAL				

O COITICAL THINKING BOY 12-1

From Thomas KW: Toward multidimensional values in teaching: the example of conflict behaviors, *Acad Manage Rev* 2:487, 1977.

## What Are Some Basic Guidelines for Choosing the Technique to Use?

In some situations, certain techniques and responses work best. You may have to use accommodation or avoidance when you lack the power to change the situation. When you have conflict in a relationship that you value, it might be more helpful to use accommodation, compromise, or collaboration. When there is no immediate, pressing sense of urgency to solve an issue, then any of the five techniques can be used. However, when you are facing an emergency situation or a rapidly approaching deadline, your best bet is to use competition or accommodation. Just remember the following key behaviors in managing conflict:

- · Deal with issues, not personalities.
- Take responsibility for yourself and your participation.
- · Communicate openly.
- Listen actively.
- · Sort out the issues.
- Identify key themes in the discussion.
- Weigh the consequences.

Suppose that you follow all of these suggestions and you still are confronted with that difficult situation or that difficult person. Read on.

### **DEALING WITH DIFFICULT PEOPLE**

# What Are Some Techniques for Handling Difficult People?

Now that we have discussed types of conflict-management techniques, we are ready to look at techniques for handling difficult people. How do you deal with an abusive physician or supervisor? How do you react when someone constantly complains and gripes about something? How do you handle the know-it-all who will not even listen to your thoughts about an issue? (See Research for Best Practice Box 13-1 for suggestions on managing difficult employees.)

I am sure, if you have not already, you will run into in the near future a Sherman tank (Figure 13-2). According to Bramson (1981), Sherman tanks are the *attackers*. They come out charging and are often abusive, abrupt, and intimidating. But more important, they tend to be downright overwhelming.

Remember Dr. Smith, who flew into a tirade because you forgot to have a suture removal set at his patient's bedside at 8 AM sharp? Remember how you felt? "My heart was beating so loud I could hear it, and I was sure everyone else around could hear it, too. I was so furious at him for the comments he made."

In understanding Sherman tanks, it is important to realize that they have a strong need to prove to themselves and to others that their view of the situation is right. They have a very strong sense of what others ought to do but often lack the caring and the trust that would be helpful in getting something done. They usually achieve what they want, but to do so causes them a lot of disagreements, lost friendships, and uncomfortable relationships with their co-workers. Sherman tanks are often very confident and tend to devalue those whom they feel are not confident. Unfortunately, they demean others in a way that makes them look very self-important and superior. How do you cope with a Sherman tank? The most important thing is to keep your fear and anger under control and to avoid an outright

# RESEARCH FOR BEST PRACTICE BOX 13-1

## Managing Difficult Employees

#### **Practice Issue**

Nurse managers are often faced with a difficult employee. The difficult employee's negative conflict behavior affects team performance effectiveness, job satisfaction, and turnover intention.

In an environment of team collegiality, there is less negative conflict, increased commitment to the organization, and greater satisfaction, autonomy, and control over practice. In professional practice environments, nurses experience constructive conflict approaches, and effectiveness is enhanced in the workplace.

It is part of the nurse manager role to create an environment that facilitates professional practice. This type of environment requires that employees are socialized to their nursing role. In these professional practice environments, the unique preferences, perspectives, opinions, concerns, and choices of the individuals are recognized and valued. During nursing school, professional role socialization ("think like a nurse") is initiated and later solidified during the early years of practice when the new graduate incorporates knowledge, skills, attitude, and affective behavior associated with carrying out the expectations of the nursing role.

#### **Implications for Nursing Practice**

Effective role socialization occurs when the nurse engages in actions that benefit other nurses and/or patients and families by helping, supporting, and encouraging mutual goal accomplishment and/or well-being.

There needs to be positive interdependence among the nursing staff.

- Nurses need to understand and use constructive conflict-management skills.
- · There needs to be high trust among the nursing staff.
- Prosocial behavior should be noted among staff with the feeling of "sink or swim together" versus "you sink and I swim."
- A high, basic self-esteem is noted among nursing staff in an empowering, healthy workplace environment.
- The conflict negotiation strategy used is collaboration (win/win), or it is "no deal."

#### **Considering this Information:**

How might you use some of the strategies listed in this chapter to handle a difficult employee? What types of activities are you involved as a student that promote a positive professional practice environment?

#### References

Arnold E, Pulich M, Wang H: Managing immature, irresponsible, or irritating employees, *Health Care Manag* 27(4):350-356, 2008.

Cornett PA, O'Rourke M: Building organizational capacity for a healthy work environment through role based professional practice, *Crit Care Nurs Q* 32(3):208-220, 2009.

Cornett, PA: Managing the difficult employee: a reframed perspective, Crit Care Nurs Q 32(4):314, 2009.

Hader R: Workplace violence survey 2008: unsettling findings, Nurs Manag 39(7):13-19, 326, 2008.

Siu H, Laschinger HKS, Finegan J: Nursing professional practice environments: setting the stage for constructive conflict resolution and work effectiveness, *J Nurs Adm* 38(5):250-257, 2008.

confrontation about who is right and who is wrong. The following are some specific things you should do:

- Do not allow yourself to be run over; step aside.
  - Stand up for yourself. Defend yourself, but without fighting. Seek support when warranted.
  - Give them a little time to run down and express what they might be ranting about.
  - Sometimes, it is necessary to be rude; get your word in any way that you can.




FIGURE 13-2 Sherman tank.

- If possible, try to get them to sit down. Be sure to maintain eye contact with them while you are assertively stating your opinions and perceptions very forcefully.
- Do not argue with them or try to cut them down.
- When they finally hear you, be ready to be friendly.

Next to the Sherman tanks are the *snipers* (Figure 13-3). The snipers are the pot-shot artists. They are not as openly aggressive as the Sherman tanks. Their weapons are their innuendoes, their digs, and their nonplayful teasing, which is definitely aimed to hurt you. Snipers tend to choose a hidden rather than a frontal attack. They prefer to undercut you and make you look ridiculous. So, when you are dealing with a sniper, remember to expose the attack, that is, "smoke them out." Ask them very calmly:

"That sounded like a put-down. Did you really mean it that way?" Or you might say, "Do I understand that you don't like what I'm saying? It sounds as if you are making fun of me. Are you?"

When a sniper is giving you criticism, be sure to obtain group confirmation or denial. Ask questions or make statements such as, "Does anyone else see the issue this way?" "It seems as though we have a difference of opinion," or "Exactly what is the issue here? What is it that you don't like about what occurred?" One way to prevent sniping is by setting up regular problem-solving meetings with that person.

Also difficult to cope with are the *constant complainers*. These people often feel as though they are powerless, so they draw attention—but seldom action—to their problem. A complainer points out real problems but does it from a very unconstructive stance. Coping with a complainer can be a challenge. First, it is important to listen to the complaints, acknowledge them, and make sure you understand what the person said by paraphrasing it or checking out your perception of how the person feels. Do not necessarily agree with the person; with a complainer, it is important to move into a problem-solving mode by asking very specific,



FIGURE 13-3 The sniper.

informative questions and encouraging him or her to submit complaints in writing. For example, try communicating with the constant complainer in the following manner:

"Did I understand you to say that you are having difficulty with your patient assignment?"
"Would it be helpful if I went to the pharmacy for you, so that you could complete your chart on your preoperative patient?"

Next are the maddening ones: the *clams* (Figure 13-4). The clams have an entirely different tactic from the previous three. They just refuse to respond when you need an answer or want to have a discussion. It might be helpful to try to read a clam's nonverbal communication. Watch for wrinkled brows, a frown, or a sigh. How to deal with a clam? Try to get them to open up by using open-ended questions and waiting very quietly for a response. Do not fill in their silence with your own conversation. Give yourself enough time to wait with composure. Sometimes a little "clamming" on your own part might be helpful by using the technique called the "friendly, silent stare," or FSS. The way to set up the FSS is to have a very inquisitive, expectant expression on your face with raised eyebrows, wide eyes, and maybe a slight smile—all nonverbal cues to the clam that you are waiting for a response. When clams finally open up, be very attentive. Watch your own impulses—do not bubble over with happiness just because they have finally given you two moments of their time. Avoid the polite ending; in other words, get up and say, for example:

"This was important to me. I'm not going to let this issue drop. I'll be back to talk to you tomorrow at 2 o'clock." Do not be the nice guy and say, "Thanks for coming in. Have a nice weekend. I'll see you tomorrow."



FIGURE 13-4 The clam.

Be very direct and inform the clam what you are going to do, especially if the desired discussion did not occur.

# What Is Anger?

Anger is something that we feel. Usually when we become angry, we assume it is because we are upset about what someone has done to us. Often we want to pay them back or take out our rage on them. Usually when anger occurs, it is difficult to see beyond the moment, because most people are consumed with thoughts of revenge or the wrongdoing that has occurred to them. Weiss and Cain (1991) state that "Anger is often a cover-up emotion... that disguises what is really going on inside you." But, anger is a signal, and according to Lerner (1997), it is "one worth listening to" (p 1). She goes on further to say that:

Our anger may be a message that we are being hurt, that our rights are being violated, that our needs or wants are not being adequately met, or simply that something is not right. Our anger may tell us that we are not addressing an important emotional issue in our lives, or that too much of ourselves—our beliefs, values, desires, or ambitions—are being compromised in a relationship. Our anger may be a signal that we are doing more and giving more than we can comfortably do or give. Or our anger may warn us that others are doing too much for us, at the expense of our own competence and growth. Just as physical pain tells us to take our hand off the hot stove, the pain of our anger preserves the very integrity of our self. Our anger can motivate us to say "no" to the ways in which we are defined by others and "yes" to the dictates of our inner self. (p 1)

No matter what, when feelings of frustration, disappointment, or powerlessness take over, there is no doubt that anger is in the making. Anger seems to begin in situations fraught with threats and anxiety.

Anger has two faces. One is *guilt*, which is anger aimed inward at what we did or did not do, and the other is *resentment*, which is anger directed toward others at what they did or did not do.

The following is true about both guilt and resentment: They both accumulate over time and lead to a cycle of negative energy that poisons our relationships and stifles our personal growth.

There is another side of the coin, however. If feeling angry signifies a problem, then ventilating anger does not necessarily solve it. Actually, ventilating anger may serve to maintain it if change and successful resolution do not occur. Tavris (1984) suggests that we learn two things about handling anger: first, how to think about anger, and second, how to reduce the tension. More about this later in the chapter.

Box 13-1 shows a summary of five different anger styles. Just think about anger from a cardiovascular point of view. Most authorities consider anger one of the most damaging and dangerous emotions, because your pulse and blood pressure become elevated, sometimes to dangerous heights.

# What Is the Solution for Handling Anger?

Change the image of it!

#### Stop

Appraise the situation. Do not do a thing. You are at a pivotal point. You have two ways to go: One is to become angry; the other is to reevaluate the situation. Try to look at a way to reinterpret the annoying comment. Consider the following example:

"Who does that charge nurse think they are to treat me like I'm a dummy!" or "How could someone be so thoughtless as to not remember my birthday!" You can reinterpret these and say to yourself, "Maybe if they weren't so unhappy, they wouldn't have considered doing such a thing" or "Maybe that person's having a rough day." The important thing here is to empathize with the person and to try to find justifications for the behavior that was so annoying to you.

#### Look

What image about yourself or another is about to be or has been breached—what *shoulds*, *musts*, or *need tos* have been violated? In other words, what has just occurred that has led you to feel angry with yourself or with another?

After receiving the end-of-shift report and making patient rounds, a recent graduate goes into a patient's room to take vital signs. Within moments the patient has a cardiac arrest. Two hours later, while completing her charting, the recent graduate states guiltily, "I should have taken those vital signs earlier. It just needs to be the first thing I do when I get on the unit. I should have been on top of this. I must do better." Notice the self-criticism in the recent graduate's comments. Guilt, like resentment, can be a habit. It demonstrates—too clearly—how we respond to a situation in a negative manner. To help you get in touch with these feelings, try eliminating the words "must" and "should" from your vocabulary for just an hour. It is quite surprising to find out how frequently we use these terms.

# **BOX 13-1 ANGER CHARACTERISTICS AND TRIGGERS**

# What is your Anger Style?

#### Passive Characteristics

- Avoidance—no eye contact or avoiding communicating with others; "silent treatment or cold shoulder"
- Withdrawing emotionally
- Becoming ill or anxious
- Sitting on the fence and not making a decision
- Talking about frustrations but showing no feelings
- Doing little or nothing or putting things off to thwart other's plans
- Not feeling anger when something is wrong

#### Aggressive Characteristics

- · Acting out or lashing out at another person; out of control behavior
- Bullying
- Incivility—offensive, intimidating or hostile action
- Explosive, sudden outburst and release of feelings
- Taking anger out on someone or something else, i.e., kick the dog, breaking things
- Violence—getting physical or hurting people
- Bringing up old grievances

#### Passive-aggressive Characteristics

- Resenting and blaming others; opposition to the demands of others
- · Hidden action to get back at someone; conscious revenge
- Procrastination and intentional mistakes in response to others' demands; intentional inefficiency; "forgetting" to do things and using forgetfulness as an excuse
- Cynical, sullen or hostile attitude
- Frequent complaints about feeling underappreciated or cheated; self-depreciating

#### What Are Red Flags and Long-Standing Issues That Trigger Anger?

- Experiencing feelings of being discounted, threatened, humiliated, rejected, insecurity
- Having to wait a long time for a person or an appointment
- · Getting caught in traffic congestions or crowded buses, airplanes, or other similar frustrating situations
- Joking comments made about sensitive topics
- Friends borrowing items and not returning them or returning them in disrepair
- Friends borrowing money and not paying you back
- · Being wrongly accused of some action or comment
- Having to clean up after someone who does not keep things as tidy as you expect
- · Having a neighbor who plays loud music or is engaged in other behavior that is inconsiderate
- Being placed on hold for long periods of time while on the telephone
- Having your computer crash and losing valuable data
- Being given wrong directions when asking for assistance
- · Having money or property stolen
- Being taken for granted by family and friends

#### Change

How do you change the image? One of the ways is to use humor. Humor makes the anger (guilt and resentment) tolerable. Remember that it is difficult to laugh and frown at the same time. (It only takes 15 facial muscles to laugh, but twice that many to frown.) If reappraising the situation and using humor both fail as ways to manage your anger, some suggest venting the anger—for example, by getting mad, yelling, shouting, telling someone off, or breaking things. Although this might make us feel better momentarily, in the long run such outbursts make us feel worse.

Why does this method of venting anger, that is, letting it all hang out, make us feel worse? First, think of all the physiological changes that are occurring in your body: blood pressure, pulse, and respirations increase; the muscles contract; and adrenalin is released. Sound familiar? It is the "fight or flight" adrenal response. Can it be healthy to maintain a constant state of stress and readiness to respond? Another disadvantage of an uninhibited outburst of anger is that it may lead the other person to retaliate.

It might be important to recognize the difference between venting and acknowledging our anger. A typical expression of anger might be something such as the following:

"Hey, you turkey, what do you think you're doing? Don't you know how to put that catheter in? Are you stupid or something? Either you figure it out, or you get out of here. You hear me?"

This approach is insulting, demeaning, and accusatory. It is also likely to lead to some type of provoking response. In contrast, when we acknowledge our feelings, we make statements such as "I feel angry about..." or "I feel hurt about..." or "I feel guilty about..." The use of "I" statements is our first step toward taking responsibility for ourselves by owning up to our own feelings instead of blaming others.

Venting anger simply does not work unless you want to intimidate those around you, coerce them into submission with a hot temper, or, even worse, look childish while ranting, raving, and beating the floor or each other with foam bats. So, what does work? *Face it, embrace it, and erase it!* 

First, acknowledge the anger (face it): Ask "What am I feeling? Anger? Guilt? Rage? Resentment?"

Second, identify the provoking or triggering situation (*embrace it*): Ask "What caused this feeling? Whose problem is it?"

Third, determine what changes need to occur (*erase it*): Ask "What can I change? Can I accept what I cannot change?" Then take action and let go of the rest. Other ways to handle anger and remove yourself from the vicious cycle of guilt and resentment include the following:

Move.

#### **Get Active**

Try exercise or anything involving physical activity, such as walking, aerobics, and running. Clean the garage or a kitchen drawer. If you are sitting, get up. If you are in bed, move your arms around. Just get active and do something!

Focus

#### Refocus on Something Positive

Think of your cup as half full, not half empty. Look at the provoking situation: "My charge nurse won't give me Christmas off. However, I am not scheduled to work either Christmas Eve or New Year's Eve. So, by working Christmas Day, I'm assured the other days off."

Breathe.

#### **Pay Attention to Your Breathing**

Slow it down. Take deep, slow breaths, feeling the air move through your nose and down into your lungs. Check out your body for areas of tenseness. Often anger can be felt as tightness in the chest and abdomen.

Conflict is an inevitable part of our day-to-day experience. How we negotiate and handle conflict and anger may not always be easy. You might be thinking right now "This looks good on paper, but in real life, it is not that easy to put into practice." If you are feeling this way, take a risk at changing your approach and viewpoint.

The important thing is learning about yourself.

How do you cope with conflict? How do you handle difficult people? How do you respond when angry?

# SEXUAL HARASSMENT IN THE WORKPLACE

In today's world, sexual harassment as a source of conflict has been taken seriously, as evidenced by the widespread visibility and increased recognition of the issue. The potential impact of harassment on nursing students both in the classroom and in the practice area is significant. According to Dowell (1992), nursing administrators and educators must be proactive in writing and implementing policies regarding sexual harassment. In a study by Libbus and Bowman (1994), 70% of female staff nurses surveyed reported sexual harassment by male patients and co-workers, with the most common complaint being sexual remarks and inappropriate touching. In addition, in a survey of nursing administrators, 68.8% of those who responded reported sexist attitudes among employees in their organizations, and 47.7% reported observing instances of sexual harassment (Blancett and Sullivan, 1993). These studies reflect the prevalence of sexual harassment in health care settings.

The issue of sexual harassment came to the forefront during the 1991 confirmation hearings of Supreme Court Justice Clarence Thomas (Allen, 1992). A once-secretive problem is now openly discussed in newspapers and by the media. As awareness about sexual harassment increased, we all realized how little we knew about it and what we could do about it. The majority of cases involve women who report being harassed by men, but the reverse has also occurred. In nursing, the stereotypical situation of sexual harassment involves a nurse (i.e., a woman) and a doctor (i.e., a man) because of the large number of nurses who are women. However, with the increase in the number of men entering the nursing profession, there is the potential for men to experience sexual harassment in the workplace. Roth and Coleman (2008) agree that actual and perceived barriers exist that prevent men from

entering the nursing profession. In an effort to remove existing barriers and attract more men into the nursing profession, the authors recommend that the image of men in nursing and the media's depiction of male nurses be should be showcased as positive and that increasing staff diversity by recruiting men within the nursing workforce be embraced by both the public and nursing profession (Figure 13-5).

#### What Is Sexual Harassment?

According to Friedman, "sexual harassment refers to conduct, typically experienced as offensive in nature, in which unwanted sexual advances are made in the context of a relationship of unequal power or authority" (1992, p 9). He goes on to explain that victims of sexual harassment are subjected to sexually oriented verbal comments, unwanted touching, and requests for sexual favors. The typical problem, known as quid pro quo harassment, arises when unwelcome sexual advances have been made and an employee is required to submit to those demands as a condition either of employment or of promotion. "Hostile work environment" has been used as a legal claim to show that "the atmosphere in the work (or other) environment is so uncomfortable or offensive by virtue of sexual advances, sexual requests, or sexual innuendoes that it amounts to a hostile environment" (Friedman, 1992, p 16). Let us look at hypothetical examples of how sexual harassment can affect nursing.

Samantha, a recent graduate, was receiving continued requests from a male patient to provide him with a complete bed bath. However, when a male nurse was assigned to this patient the following day, the patient reported to the male nurse that he was capable of bathing himself and proceeded to take a shower.

Lisa, the evening charge nurse, was quite excited that Tom, a recent graduate, was going to work on her unit. Lisa pursued Tom by repeatedly asking him for assistance with patient care, and, when she called him into her office, she would touch him inappropriately.



FIGURE 13-5 Sexual harassment.

#### What Can I Do About It?

There are two ways to handle this type of workplace conflict: informally and formally through a grievance procedure. Start with the most direct measure. Ask the person to STOP! Tell the harasser in clear terms that the behavior makes you uncomfortable and that you want it to stop immediately. Also, you might want to put your statement in writing to the person, keeping a copy for yourself. Tell other people, such as family, friends, personal physician, or minister, what is happening and how you are dealing with it. Friedman (1992) suggests keeping a written journal of harassing events, including all attempts used to try to stop the harassment. The need to exercise power and control, rather than sexual desire, is frequently the motive of the sexual harasser (perpetrator). If sexual harassment is occurring as a result of miscommunication and misinterpretation of actions and is primarily sexually driven, not power-driven, then telling the perpetrator to stop will often clear up any misconceptions. However, if the perpetrator is power-driven, the harassment will continue as long as he or she views the victim as passive, powerless, and frightened. What may be most difficult for the recent graduate is facing the fear that surrounds threats of job insecurity or public embarrassment (Friedman, 1992).

If a direct request to the perpetrator to stop does not work, then an informal complaint may be effective, especially if both parties realize a problem exists and want it to be solved. The goal of the informal method is to stop the harassment but not to punish the perpetrator. This method assists the person filing the complaint in maintaining some type of harmonious relationship with the perpetrator. According to Friedman, "a formal grievance usually requires filing a written complaint with an official group such as a hearing" (1992, p 65). This is a legal procedure that is guided and regulated by federal and state laws specific to this type of grievance. Before a 1991 amendment to the Civil Rights Act (Title VII), the means of correcting this bad situation—making it right or compensating the victim for difficulty encountered—were quite restricted. What has occurred as a result of this act is that victims of intentional discrimination may now seek compensatory and punitive damages. Each state has an Equal Employment Opportunity Commission, which has as its specific charge the enforcement of Title VII.

Unfortunately, sexual harassment may be a form of conflict you are faced with in the workplace. It is important to learn to deal with your feelings and to be aware of actions to take in case this happens to you. When this type of situation is resolved in a constructive, positive manner, it allows you an opportunity to feel better about your ability to manage conflict.

# CONCLUSION

Most of us have experienced conflict. Building effective conflict-management skills is key to working with patients, staff, and physicians. Various models exist to provide a framework for effective conflict resolution; the "win-win" model of *collaboration* is the strategy that aims for the highest level of resolution and is fully assertive and cooperative in approach. It requires creative nursing management and understanding to recognize and acknowledge that conflict will exist whenever human relationships are involved. This needs to be tempered with open, accurate communication and active listening by maintaining an objective, not emotional, stance as conflict resolution strategies are implemented. Review the Relevant Websites and Online Resources.

#### **RELEVANT WEBSITES AND ONLINE RESOURCES**

Lutz, K. (2013). Conflict resolution lessons from the home: How conflict management skills transform discord into harmony. Retrieved from http://www.pon.harvard.edu/?p=34983/?mqsc=E3519589.

MindTools (2013). Conflict resolution. Resolving conflict rationally and effectively. Retrieved from http://www.mindtools.com/pages/article/newLDR\_81.htm.

Segal, J., & Smith, M. (2013). Conflict resolution skills. Retrieved from http://www.helpguide.org/mental/eq8\_conflict\_resolution.htm.

Webne-Behrman, H. (2013). Conflict resolution. Retrieved from http://www.ohrd.wisc.edu/onlinetraining/resolution/index.asp.

# **BIBLIOGRAPHY**

Allen, A. (1992). Equal opportunity in the workplace. *Journal of Postanesthesia Nursing*, 7(2), 132–134.

Beauregard, M., et al. (2003). Improving our image a nurse at a time. *Journal of Nursing Administration*, 10, 510–511.

Blancett, S. S., & Sullivan, P. A. (1993). Ethics survey results. *Journal of Nursing Administration*, 23(3), 9–13.

Bramson, R. (1981). Coping with difficult people. New York: National Press Publications.

Dowell, M. (1992). Sexual harassment in academia: legal and administrative challenges. *Journal of Nursing Education*, *31*(1), 5–9.

Filley, A. C. (1975). Interpersonal conflict resolution. Glenview, Ill: Scott Foresman.

Friedman, J. (1992). Sexual harassment: what it is, what it isn't, what it does to you, and what you can do about it. Deerfield Beach, Fla: Health Communications.

Guttenberg, R. M. (1983). How to stay cool in a conflict and turn it into cooperation. *Nurse Life*, *3*(3), 25–29.

Hamilton, P. (2008). Conflict management styles in the health professions. *Southern Online Journal of Nursing Research*, 8(2), 2.

Kelly, J. (2006). An overview of conflict. Dimensions of Critical Care Nursing, 25(1), 22–28.

Lerner, H. (1997). The dance of anger: a woman's guide to changing the patterns of intimate relationships. New York: Harper & Row.

Libbus, M. K., & Bowman, K. G. (1994). Sexual harassment of female registered nurses in hospitals. *Journal of Nursing Administration*, 24(6), 26–31.

Roth, J., & Coleman, C. (2008). Perceived and real barriers for men entering nursing: implications for gender diversity. *Journal of Cultural Diversity*, 15(3), 148–152.

Tavris, C. (1984). Feeling angry? Letting off steam may not help. Nurse Life, 4(5), 59–61.

Weiss, L., & Cain, L. (1991). Power lines: what to say in problem situations. Dallas: Taylor.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# 14

# **Delegation in the Clinical Setting**

Ruth I. Hansten, RN, BSN, MBA, PhD\*

Let whoever is in charge keep this simple question in her head (NOT how can I always do the right thing myself but) how can I provide for this right thing always to be done? Florence Nightingale



Nurses need to recognize when to delegate.

After completing this chapter, you should be able to:

- Define the operational terms *delegation*, *supervision*, and *accountability*.
- Understand and apply the five rights of delegation in nursing practice.
- Delegate tasks successfully, based on outcomes.
- Apply the "four Cs" of initial direction for a clear understanding of your expectations.
- Provide reciprocal feedback for the effective evaluation of the delegate's performance.

These you are practicing on a deserted island with only one patient and you are the health care provider, chances are great that you will be working with other members of the health care team. How do you make best use of the resources they have to offer? What is your role as the registered nurse (RN) on the team in terms of making these decisions? Your ability to delegate effectively the tasks that need to be done, based on desired outcomes, will go a long way in determining the success of the efforts of your work. As nursing leads the way to better health care across the continuum, RNs will supervise additional innovative roles of care team members as we strive to provide leadership toward cost-effective quality care for better population health (IOM, 2010).

<sup>\*</sup>We would like to thank Marilynn Jackson, RN, PhD, CHTP, CCA for her past contributions to this chapter.

### WHAT DOES DELEGATION MEAN?

We begin with an understanding of the terms under discussion. Fortunately, many people have been hard at work for years, creating operational definitions of the term delegation to assist us in standardizing our approach. Clinical delegation has been with us since the dawn of nursing, but in past years it has taken on new meaning, as many types of assistive personnel have been added to our care delivery models (Kalisch and Schoville, 2012). Current evidence points to the conclusion that inappropriate care assignments, delegation, and supervision may be leading to missed care and untoward clinical outcomes (Bittner and Gravlin, 2009; Kalisch et al, 2009; Gravlin and Bittner, 2010; Kalisch et al, 2011). Researchers reviewing failures to rescue (FTR), a situation in which patients are deteriorating but the symptoms are not noted before death, indicate that vital signs, neurological status, and urine output changes may occur up to 3 days before the final events. The RN's choice of nursing assistants, how carefully they are supervised, and how well the RN interprets patient data provided by assistive personnel, may be either life threatening or lifesaving to patients (Bobay et al, 2008). Let us take a look at delegation and accountability to clarify RNs' confusion about their roles.


**Delegation:** "...the process for a nurse to direct another person to perform nursing tasks and activities. National Council of State Boards of Nursing (NCSBN) describes this as the nurse transferring authority while ANA calls this a transfer of responsibility. Both mean that a registered nurse (RN) can direct another individual to do something that that person would not normally be allowed to do. Both papers stress that the nurse retains accountability for the delegation" (NCSBN, 2005, p 1).

**Assignments:** "...the distribution of work that each staff member is responsible for during a given work period. The NCSBN uses the verb 'assign' to describe those situations when a nurse directs an individual to do something the individual is already authorized to do, e.g., when an RN directs another RN to assess a patient, the RN is already authorized to assess patients in the RN scope of practice" (NCSBN, 2005, p 1).

As you can see, these are generic definitions, used as standards across the country; most states have incorporated similar definitions into their nurse practice acts. (Have you reviewed your state nurse practice act lately?) A good deal of decision making is left to you as the RN and is dictated by your state's nursing practice act. You will be selecting the task and the situation in which to delegate or assign work. You will make a decision to delegate based on your assessment of the desired outcome and the competency of the individual delegate. These clinical decisions require complex critical thinking skills and are certainly more involved than a simple process for time management! In the pages ahead, we discuss steps that use the "five rights" that will assist you in this practice, making it easier for you to maximize safely the work of your team.

**Supervision:** "...the provision of guidance or direction, oversight, evaluation and follow-up by the licensed nurse for accomplishment of a delegated nursing task by assistive personnel" (NCSBN, 2005, p 1).

Nurses are often confused regarding supervision. This responsibility does not belong to only the one with the title of *manager* or *house supervisor*; rather, the expectation by



**FIGURE 14-1** Delegation Decision Tree. (From National Council of State Boards of Nursing: Appendix B: National Council of State Boards of Nursing Decision Tree for Delegation to Nursing Assistive Personnel, 2005, pp 7-9. Retrieved from <a href="https://www.ncsbn.org/Joint\_statement.pdf">www.ncsbn.org/Joint\_statement.pdf</a>.)

law is that any time you delegate a task to someone else, you will be held accountable for the initial direction you give and the timely follow-up (periodic inspection) to evaluate the performance of the task. See Figure 14-1 for the Delegation Decision Tree, which was prepared and adopted by ANA and NCSBN. There are four steps in the Delegation Decision Tree.

- Step 1—Assessment and Planning: The visual representation is noted in Figure 14-1.
- Step 2—Communication: Must be a two-way process involving the nurse who assesses the nursing assistive personnel's understanding of the delegated task and the nursing assistive person who asks questions regarding the delegation and seeks clarification of expectations if needed.
- Step 3—Surveillance and Supervision: The purpose of surveillance and monitoring is related to the nurse's responsibility for patient care within the context of a patient population. The nurse supervises the delegation by monitoring the performance of the task or function and assures compliance with standards of practice, policies, and procedures. Frequency, level, and nature of monitoring vary with the needs of the patient and the experience of the assistant.
- Step 4—Evaluation and Feedback: Evaluation is often the forgotten step in delegation and should include a determination of whether the delegation was successful and a discussion of parameters to determine the effectiveness of the delegation (ANA and NCSBN, 2006, pp 7-9).

Delegation and supervision are integrated processes: After you delegate, you must supervise.

#### WHO IS ACCOUNTABLE HERE?

One of the biggest questions concerning teamwork and delegation is the issue of personal accountability. The definition of delegation already notes that the nurse is accountable for the total nursing care of the individuals. What does this really mean?

**Accountability:** "Being answerable for what one has done, and standing behind that decision and/or action" (Hansten and Jackson, 2009, p 79).

**Accountability:** "Being responsible and answerable for actions or inactions of self or others in the context of delegation" (NCSBN, 1995, p 1).

Accountability has received a lot of bad press, and many nurses feel that being accountable means, "I am the one to blame." With that kind of attitude, no wonder there is reluctance to delegate! What is the point of delegating if someone else is going to make a mistake and you are going to take the blame? (Notice how we focus on the negative and forget that accountability also means taking the credit for the positive results we achieve through the actions and decisions we make, as well as our freedom to act because of our licensure.) Our individual choice to take actions (personal accountability) is based on our professional knowledge and judgment, unleashing the art and science of nursing as applied to real-time individual patient and family situations using the gifts and skills of team members each day (Samuel, 2006). Here is an important reminder about accountability before you take the weight of the world on your shoulders:

"The delegate is accountable for accepting the delegation and for his/her own actions in carrying out the task" (NCSBN, 1995, p 3).

It is important to focus on what you are accountable for in this process and to let the delegate also assume his or her own level of accountability. Remember, you are accountable for the following:

- Making the decision to delegate in the first place.
- Assessing the patient's needs.
- · Planning the desired outcome.
- · Assessing the competency of the delegate.
- Giving clear directions and obtaining acceptance from the delegate.
- Following up on the completion of the task and providing feedback to the delegate.

What if the delegate makes a mistake in completing the task? For what are you accountable? Let us consider the following example:

It is 7 AM on your busy medical-surgical unit. You scan your assignment quickly, reviewing the high points with your nursing assistant before going into report. With trays coming at 7:30, you remind your assistant that your patient in Room 210 will be going to surgery this morning and is to have nothing to eat or drink. Coming out of report, you make brief rounds, only to find that (you guessed it!) your patient in Room 210 is happily drinking her morning coffee and eating a bagel.

What are you accountable for?

Did you delegate correctly?

What do you do now?

Based on a review of the previous guidelines, we can say that you did indeed delegate appropriately. Your communication may or may not have been as complete as it needed to be (more about that later). You are accountable for correcting the clinical effects of this error: Did the patient eat or drink too much, requiring the delay or cancellation of surgery? If so, you will call the operating room and make the appropriate adjustments in this patient's care based on the decision regarding her surgery time. What about the nursing assistant? You are also accountable for following up with her regarding her performance, providing appropriate feedback so that she understands her level of personal accountability as well. For more on the *how-tos*, read on as we discuss the Five Rights of Delegation.

#### THE FIVE RIGHTS OF DELEGATION

- 1. The right task
- 2. Under the right circumstances
- 3. To the right person
- 4. With the right directions and communication; and
- 5. Under the right supervision and evaluation (NCSBN, 2005, p 2).

### THE RIGHT TASK

The first part of any decision regarding delegation is the determination of what needs to be done and then the assessment of whether this is a task that can be delegated to someone else. Many nurses, unfortunately, suffer from "supernurse syndrome" and believe that no task should be delegated, because no one can do it better, faster, or easier than they can (Figure 14-2). In their well-known report, *To Err is Human*, the Institute of Medicine



FIGURE 14-2 Many nurses suffer from "supernurse syndrome."

(IOM) provided alarming statistical data on the frequency of medical errors and sentinel events occurring within the health care system. The IOM (2000) reported between 44,000 and 98,000 sentinel events as preventable adverse events.

In comparison, other nurses may be all too eager to delegate the least desirable tasks to someone else. A word of caution is necessary here: If we focus only on making task lists for people to do, we eliminate the very core of our purpose. Remember, your role as the RN on the team involves the coordination and planning of care, with your primary focus on identifying, with the patient and the physician, the desired outcomes for your patients. Once determined, interventions will be readily apparent, and the decision regarding possible delegation of these tasks must be made.

# What Can I Delegate?

Fortunately, there are several reference sources to assist you in making this determination. The first place we recommend looking is in the nurse practice act for your state. Each state board of nursing has a nursing practice act that dictates what a nurse can and cannot delegate to other nursing assistive personnel. Be sure you become familiar with your state's nursing practice statute, regulations, rules, and policies!

At this point, the majority of state boards have addressed the issue of delegation or assignment and have developed rules that may offer specific guidelines regarding who can do what. The scope of practice for each care-provider level usually includes a description of the tasks that may be performed at that level. In an attempt to clarify the role of the LPN, the National Council of State Boards of Nursing, constructed The Practical Nurse Scope of Practice White Paper (NCSBN, 2005), calling for nursing education programs, regulatory agencies, and practice settings to educate nursing professionals about the differences in LPN and RN roles and to articulate clearly the LPN and RN scope of practice

regulations. Traditionally, clinical experiences have provided students an opportunity to observe how registered nurses communicate and delegate tasks to LPNs. However, clinical site availability in settings where LPNs are employed has dramatically decreased, preventing the students from observing the delegation of tasks by the registered nurse to the LPN (Garneau, 2012). Therefore, decreased clinical site experiences, coupled with unfamiliarity regarding the scope of practice regulations for the LPN, have also contributed to ineffective delegation (Mole and McLafferty, 2004; NCSBN, 2006).

A key distinction between RNs and LPNs is related to the first step of the nursing process: assessment. The LPN collects data during the health history and physical examination, whereas the RN conducts a comprehensive physical assessment and develops a plan of care for the patient based on assessment findings. Moreover, the RN initiates and provides patient teaching and discharge planning, as well as evaluates the patient's response to the plan of care and his or her understanding of the information provided (NCSBN, 2013). The LPN contributes to the development and/or updates the plan of care and reinforces patient teaching and discharge instructions (NCSBN, 2011). In the midst of health care payment reform and attempts to connect all parts of the care continuum for the provision of better health care for entire populations, state practice rules for care providers may be changing quickly. For example, more states have recently promulgated rules related to Certified Medication Aides in long-term care or community settings. These aides are certified nursing assistants who may, with additional training and certification, administer some routine medications, functioning under the supervision of an RN (or possibly LPN, depending on the state). In addition, community health care lay assistants are often deployed out of medical homes (ambulatory care clinics) or public health departments. These workers, following procedural rules, may function as case finders or perform such tasks as vital signs or home checks in the community. An RN or a physician supervises these community health aides. Medical assistants (MAs) in ambulatory clinics are not always specifically addressed by state practice regulations and have functioned under the direct supervision of physicians in their offices, but presently their roles are being regulated in some states. Creative roles will emerge in the future as states and municipalities attempt to find better, more cost-effective ways to deliver care. RNs should remain tuned in to their state's health division's regulatory changes as new roles and responsibilities emerge. Whatever roles appear, RNs remain accountable for the nursing care of their patients, even though those they supervise actually may complete tasks. One of the causes of disciplinary action that is listed in many nurse practice codes under "professional misconduct" are "delegating to an unlicensed person activities that can only be performed by licensed professionals" or "failure to adequately supervise or monitor those to whom care has been delegated" (Brous, 2012, p. 55).

The next place to look is in your organization, obtaining a copy of the job description, nursing responsibilities, and the skills checklist for each care provider. This will give you a very specific list of tasks from which to work, but remember, there are other considerations. Simply because the skills checklist includes ambulation of patients, it may not be advisable to delegate the first ambulation of a postoperative total hip replacement patient to the new patient care assistant (Critical Thinking Box 14-1).

If you have questions and need clarification for your state, call the board of nursing for assistance (see <a href="www.ncsbn.org">www.ncsbn.org</a> for links to your state's nursing regulatory body). Be aware that your state may have introduced or passed a bill that may affect your practice in relation to residents of neighboring states. As of May 2012, 24 states had passed or were in the process of approving interstate compact licensure regulation legislation designed to allow

# **? CRITICAL THINKING** BOX 14-1

#### In Your Organization, Can You Delegate the Following Tasks?

	YES	NO	
Bladder retention catheter insertion			
Taking vital signs			
Feeding a patient			
Hygienic care			
Medication administration			
Discontinuing an intravenous line			
Teaching insulin administration			

nurses to practice across state lines because of Internet consultation, telenursing, or other technology that would broadcast nursing practice across state borders (NCSBN, 2012). If you have questions and need clarification in your state, call the board of nursing for assistance or go online to obtain the most recent state-specific information.

Beyond the law, your employer will have job descriptions and skills checklists that may clearly define the role of the caregiver. If you have not seen these documents, be sure to review them soon. This is the baseline for determining "who does what" and selecting the right task to delegate. As many organizations develop creative assistant roles to leverage the professional judgment of registered nursing personnel, the scope of practice of each role is defined first by law. If the organization extends the role of a patient care technician to include preoperative teaching, you want to be aware that this is clearly an RN function and by law is not allowed to be delegated to the technician. A job description and a policy would not override the legal limits of the scope of practice.

# Is There Anything I Cannot Delegate?

Again, your first resource is the law. Many states are very specific in their descriptions of what duty cannot be delegated and belongs only to the RN's scope of practice. The NCSBN reminds us that:

Nursing is a knowledge-based process discipline and cannot be reduced solely to a list of tasks. The licensed nurse's specialized education, professional judgment, and discretion are essential for quality nursing care. ... While nursing tasks may be delegated, the licensed nurse's generalist knowledge of client care indicates that the practice-pervasive functions of assessment, evaluation, and nursing judgment must not be delegated (NCSBN, 1995, p 2).

According to nurse-attorney Joanne P. Sheehan, nurses cannot delegate the following:

- Assessments that identify needs and problems and diagnose human responses
- Any aspect of planning, including the development of comprehensive approaches to the total care plan
- Any provision of health counseling, teaching, or referrals to other health care providers
- Therapeutic nursing techniques and comprehensive care planning (Sheehan, 2001, p 22) (Critical Thinking Box 14-2)

With the right task selected according to the scope of practice, the policies in your agency, and your assessment of the situation, there is still work to be done.

# **CRITICAL THINKING** BOX 14-2

### Where to Look for Determination of the Right Task

State nurse practice act Employee job description Skills checklist Demonstrated competency

### THE RIGHT CIRCUMSTANCES

Next, "Right Circumstances—appropriate patient setting, available resources, and consideration of other relevant factors" (NCSBN, 1995, p 2) suggests that the staffing mix, community needs, teaching obligations, and the type of patients receiving care should also be considered. Different rules for delegation may apply regarding what and how an RN must delegate in home care, long-term care, or in community homes for the developmentally disabled or group boarding homes for assisted living (Hansten et al, 1999; Hansten and Jackson, 2009) (Research for Best Practice Box 14-1).

# How Can I Determine the Strengths and Weaknesses of Team Members?

Often motivated by the fear that a delegate may make a mistake in an assigned task, nurses focus on the potential weaknesses of their team members. As nurses, we are educated to anticipate the worst so that we can prevent accidents, adverse drug reactions, and negative sequelae to disease processes and treatments alike. As prudent as this approach may be for the safety of all concerned, it is worthwhile to discuss the advantages of recognizing the strengths of the team members as well.

Recall the last time you were given specific, positive feedback about your performance during your clinical experience as a nursing student. (We hope this occurs often!) How did you feel? Most of us are energized and restored by the reinforcement that our hard work has been recognized. When working with assistive personnel or any other colleague, the recognition of strengths will begin to get us on the right track in our relationship.

Assigning tasks on the basis of the strengths of the person will allow the patient to experience the very best care—and allow the delegate to provide the very best care. Now, as a supervising RN, you are in a new position with respect to the long-term performance of delegates. If assistive personnel are assigned only those tasks in which they perform well, they may not grow in their abilities and skills. This mistake is exemplified by a hospital that had created a new multiskilled patient care assistant (PCA) role with certified nursing assistants (CNAs). These CNAs had been trained to do phlebotomies as well, as authorized by the state board. Phlebotomists had been eliminated but were given the option of training for the new PCA role. When all of the PCAs worked together, those who had been phlebotomists, because they were more comfortable with that skill, drew the lab tests. You can certainly imagine the chagrin of the supervising nurses when all the PCAs who were former phlebotomists were off on vacation and maternity leave. None of the PCAs who were formerly CNAs had become proficient at this skill! Recognize strengths, and encourage the best patient care possible by using them, but challenge delegates to grow too.

Asking the right questions before delegating can often prevent the dreaded weaknesses in the performance of team members. Nurses can be reticent about asking personnel, such as float personnel or agency replacement staff, about whether they feel comfortable in

# RESEARCH FOR BEST PRACTICE BOX 14-1

### Delegation and Supervision

#### **Practice Issue**

Changes in health care reimbursement and care delivery reforms would indicate that nurses are dreaming if they believe they will be able to practice effectively without proficient delegation skills. Nurses will need to exhibit expert leadership at the point of care so as to use our nation's human and material resources cost-effectively to improve the health of our communities. Compounding the fractures that can occur in teamwork when multiple individuals must communicate in a complex situation, early discharges, advances in technology, increased RN autonomy, better informed consumers, and expanded legal definitions of liability all increase the need to use the best delegation and supervision techniques (Croke, 2003).

A study geared to understand the critical thinking processes of nurses in delegation showed that nurses often expected assistive personnel to have a higher degree of knowledge and skill than they possessed or were licensed to perform, such as the nursing process, prioritizing, and assessment (Bittner and Gravlin, 2009). Nurses report difficulty with delegating because of the structure of care delivery, with multiple assistive personnel reporting to multiple RNs, and challenges in how to communicate what needs to be done as well as how to follow up without offending co-workers (Standing and Anthony, 2008). However, difficulties with delegating appropriately mean that there is missed care, leaving hospitalized patients in jeopardy because of the consequences of omissions, such as hospital-acquired pressure ulcers, infections, and errors, as well as failures to rescue deteriorating patients (Kalisch et al, 2009). Many insurers will not reimburse these hospital-acquired conditions and errors, and they cost the patient/family and health care organizations billions per year nationally (Virkstis et al, 2009).

Review of care issues involving cases in which the five rights of delegation and supervision were not followed showed that problems were related to RNs not providing the right direction or communication (13.9%) or supervision (12.4%). A total of 60.6% of deficiencies were related to the UAP not following through with a task that was delegated or not following unit/department procedures (Standing et al., 2001).

To help nurses learn how to work effectively within teams at their worksites, organizations have provided in-depth education in applying the principles of delegation at work, and they have combined the training with a consistent care delivery structure. At the end of 16 weeks of instructor-guided self-study, professional practice skills have improved up to 37%, and the use of supervision checkpoints by RNs with team members has doubled in frequency (Hansten, 2008a, Hansten 2009).

#### **Implications for Nursing Practice**

- There is a need for ongoing education for nurses regarding team leadership skills and unit practices that create care delivery models supporting nurses in delegating and supervising effectively in highly complex work (Hansten, 2005; Hansten and Jackson, 2009; Standing and Anthony, 2008; Hansten, 2009).
- Each health care team must create a care delivery model that includes a clear plan for the day and proper times for initial direction and ongoing supervision and updating of clinical and performance information (Hansten, 2008a, 2008b).
- Communication lapses have been a root cause of an estimated 65% to 80% of sentinel events from 1995 to 2012. The Joint Commission's
  (TJC) National Patient Safety Goals have included a need to develop a standardized approach to hand-off communication. Although many
  hospitals have interpreted the term hand-off to consist of the information shared between shifts and at patient transfer, the need for
  accurate ongoing updating of patient data during a team's shift or episode of care would also apply. TJC continues to incorporate improved
  patient/family and care provider communication in their standards.
- Missed care resulting from poor-quality delegation and supervision skills and unclear assignments can result in health care acquired conditions that will no longer be paid for by insurers. These conditions cost the patients and their families more than dollars, including untoward pain and suffering. The reimbursement losses and costs from poor quality can provide the motivation to sink scarce funds into the development of delegation and teamwork skills (Bittner et al, 2011).

#### **Considering This Information:**

What education and orientation processes are in place in your organization to promote effective delegation and supervision? If these processes are not present now, how can you be involved in their development? What unit processes could be created that would help teams collaborate throughout the shift?

# RESEARCH FOR BEST PRACTICE BOX 14-1

#### Delegation and Supervision—cont'd

#### References

Alfaro-LeFevre R: Critical thinking, clinical reasoning, and clinical judgment: a practical approach, St Louis, 2013, Elsevier Saunders.

Bittner N, Gravlin G: Critical thinking, delegation, and missed care in nursing practice, JONA 39(3):142-146, 2009.

Bittner N, Gravlin G, Hansten R, Kalisch B: Unraveling care omissions, J Nurs Adm 41(12): 510-512, 2011.

Croke E: Nurses, negligence, and malpractice, Am J Nurs 103(9):9, 2003.

Hansten R: Relationship and results oriented healthcare: evaluate the basics, JONA 35(12):522-525, 2005.

Hansten R: Relationship & results oriented healthcare planning & implementation manual, Port Ludlow, Wash, 2008a, Hansten Healthcare PLLC.

Hansten R: Why nurses still must learn to delegate, *Nurs Leadersh* October:19-25, 2008b.

Hansten R: A bundle of best bedside practices, Health Care Manag 28(2):111-116, 2009.

Kalisch B, Landstrom G, Williams R: Missed care: errors of omission, Nurs Outlook 57:3-9, 2009.

Kalisch B: Missed nursing care, J Nurs Care Qual 21(4):306-313, 2006.

Kalisch B, Begeny S: Improving nursing unit teamwork, J Nurs Adm 35(12):550-556, 2005.

Standing T, Anthony M: Delegation: what it means to acute care nurses, Appl Nurs Res 21:8-14, 2008.

Standing T, Anthony M, Hertz J: Nurses' narratives of outcomes after delegation to unlicensed assistive personnel, Outcomes *Manag Nurs Pract* 5(1):18-23, 2001.

The Joint Commission: 2010 Patient Safety Goals, 2010. Retrieved from http://www.jointcommission.org/standards\_information/npsgs.aspx.

The Joint Commission: 2012 Root Cause Analysis—Sentinel Events, 2012. Retrieved from http://www.jointcommission.org/assets/1/18/Root\_Causes\_Event\_Type\_2004\_202012.pdf.

The Joint Commission: Ambulatory Care Hand Off Tool, 2012. Retrieved from http://www.jointcommission.org/chat\_blog\_post\_share\_lets\_talk\_ambulatory\_with\_michael/new\_targeted\_solutions\_tool\_introduced\_for\_hand-off\_communications\_ambulatory\_customers\_pilot\_tested.

Virkstis ND, Westheim J, Boston-Fleischhauer C: Safeguarding quality: building the business case to prevent nursing-sensitive hospital-acquired conditions, JONA 39(7/8):350-355, 2009.

completing the assignment they have received. Float and temporary personnel tell us that they would prefer being asked about their competency at the beginning of a shift or assignment, with the offer of help and clarification, rather than having to locate an RN later to request information. The American Nurses Association (ANA) Code of Ethics states, "The nurse is responsible and accountable for individual nursing practice and determines the appropriate delegation of tasks consistent with the nurse's obligation to provide optimum patient care" (ANA, 2010). Be assured that although it is the responsibility of the RN to assess the competency of those they supervise, the delegate must be "accountable for accepting the delegation and for his/her own actions in carrying out the task" (NCSBN, 1995, p 1). The RN who is familiar with the situation, however, must ask the correct questions to determine whether the person is competent.

For example, if an RN were planning to ask a nursing assistant to feed a baby who has respiratory difficulties, based on the team's plan that the baby would be able to ingest 12 ounces of formula this shift, what questions might the RN ask to determine the potential strengths and weaknesses? If the individual has not had experience in this procedure, how could the nurse ensure future competency? In this situation, an RN would certainly ask questions about past experiences with feeding babies who had difficulty swallowing. If the delegate assures the RN that she or he is competent, the RN may go further in asking what the CNA would do if coughing or choking occurred. Depending on the situation, the RN would probably want to demonstrate feeding techniques and observe the skills to ensure the competency of the delegate.

#### What Are the Causes of Performance Weaknesses?

Let us look at an example of a performance weakness and try to determine what the potential causes may be.

In this scenario, you are an RN working a night shift on a hematology-oncology unit, and an agency nursing assistant, Pam, comes to work with you this shift. Pam is excited about the possibilities of interviewing for a regular night-shift position and would love to work extra on holidays and weekends. As you begin to discuss her assignment for the night, she states, "Oh, I forgot to tell you, I do not ever take patients who are HIV-positive! Ever!"

There are some potential costs and benefits to your response to this statement. As the nurse, you could ignore this statement and continue with your work. You may decide this person has problems, and you may elect to deny her request for an interview. Or, you may determine there is something behind her refusal. How you respond may cost you a potentially valuable staff member and could upset the other members of your staff and the patients. Avoiding the problem or accommodating her refusal could become a terrible headache when making assignments and would be contrary to the mission of your organization.

Experience has shown that there are several potential causes of performance inadequacies (Critical Thinking Box 14-3). One of the most common causes is that employees are not aware of what is expected of them. Does Pam know that it is part of your policy at this facility for everyone to take care of all patients, whether or not they are known to be HIV-positive? Perhaps being aware of this expectation would assist Pam in making her decision about whether to apply for work on this unit.



# **CRITICAL THINKING BOX 14-3**

#### **Potential Sources of Performance Weakness**

- Unclear expectations
- Lack of performance feedback
- Educational needs
- Need for additional supervision and direction
- Individual characteristics: past experiences, motivational or personal issues

Often, being clear about expectations is not enough. All of us have some blind spots in our own performance. Perhaps we think we are doing just fine, meeting performance competencies and beyond, but colleagues have noted that we are not performing procedures according to policy. So another common cause of performance difficulties is that others have not shared their perceptions of our performance with us. If these observations are not shared, we will blithely believe we are doing great. Pam may have adopted this attitude regarding HIV-positive patients in other work settings, but because of the desperation for her help, no one had shared the fact that this behavior falls short of competencies in her job description.

Another common origin of performance weakness is an educational need. Does Pam need more education about how HIV infection is transmitted and how it is prevented? Surely, she had to complete some content regarding HIV in her CNA certification course, but it seems she did not internalize this content. Or is there a personal problem? She may have just witnessed the death of a loved one from AIDS and feels unable to cope with seeing others with this disease at this time.

The amount of supervision needed can be another source of performance problems. As an RN, you must determine the degree of "periodic inspection" needed for the delegate. Some people require additional direction but are still able to do the job competently. In the absence of that direction, they will be unable to create positive patient outcomes. Nurses tell us they wish that the assistive personnel on their staff would be self-directed and take initiative without being told. We question whether an RN's hope that all will do their jobs without interaction or supervision on his or her part fits with the definition of supervision! Again, as leader, the RN must determine how much supervision is needed for the individual delegate, just as we determine the degree of observation needed for each patient based on our assessment of the patient's needs. In Pam's case, her reluctance to work with patients with HIV may have nothing to do with supervision but may reflect a need for guidance, education, or a frank discussion of expectations.

As the RN who is supervising Pam, what steps would you take to determine the cause of her performance weakness—her assertion that she refuses to care for patients with HIV? What questions would you ask? How would you respond so that you could continue to use Pam's services during this shift, maintain the integrity of your mission, and preserve the potential for hiring a new employee?

Matching the right person with the right task is the third step in the circular process of delegation. This process includes planning and articulating priority patient outcomes, assessing the competency of the delegate to perform the task, determining the potential strengths and weaknesses of the assistive personnel, and planning how much supervision is needed. To ensure that the right person will perform the right task, additional clarification of expectations, performance feedback, and planning for educational needs may be necessary; these steps will promote the long-term success of the team.

#### THE RIGHT PERSON

After you have determined that a task can be delegated, matching the task to the right person involves the definition of delegation once again. Nurses must select the right task for a competent person in a *selected* situation. We have already discussed how you would determine the correct task. But how do we select the right person in the right situation (Figure 14-3)?

# **How Can I Use Outcomes in Delegating?**

In planning for the right person to handle a task, focusing on outcomes is essential (Critical Thinking Box 14-4). Alfaro-LeFevre's (2013) evidence-based critical thinking indicators are outcome-focused guides appropriate for delegation as well as critical thinking in nursing (p 12).

For example, two patients are admitted to a hospital. Each individual will need a bath today (task), but who will give the baths is related to the outcome you are trying to achieve. For Mr. Peterson, who has been homeless and is in dire need of hygienic care so that you can perform a complete and accurate skin assessment, the priority outcome you and your patient desire is that Mr. Peterson will be clean. With Ms. Ibutu, who is a paraplegic, today is the day that her caregivers and she will demonstrate how they will assess her skin for areas of breakdown and how to perform range of motion to her lower extremities. The RN's decision about who will do which task is dependent on the plan of care and the goals that the team has established in the discussion with the patient or family (Table 14-1).




FIGURE 14-3 It can be difficult to know who is the best person to handle a given situation.

# **? CRITICAL THINKING** BOX 14-4

# Talking About Outcomes: What's in it for Me?

- Provides a method to decide appropriate assignments: who should be doing what task?
- Gives you a sense of purpose for the shift (short-term and long-term)
- Enhances your ability to motivate co-workers along a track to achieve the outcomes
- Clarifies your role as leader of the team
- · Verifies and clarifies patient/family expectations when outcomes are discussed and planned with them
- Promotes job satisfaction and collaboration for the whole team

TABLE 14-1 USING OUTCOMES IN DELEGATING				
PATIENT	OUTCOME	TASK/PROCESS	WHO WILL PERFORM IT?	
Mr. Peterson Ms. Ibutu	Patient will be clean. Patient and caregivers will know how to perform skin assessment and range of motion.	Bath Bath with education regarding home care	Nursing assistant or other care associate RN: teaching plan; OT, PT, or rehabilitation aide may also assist	
Mr. Handelsky	Patient will maintain cardiorespiratory homeostasis and continue on care path day 1.  Patient will be free of pain and comfortable for this shift. Long-term outcome: pain-free death.	Initial baseline vital signs and assessment, close monitoring  Pain assessment and treatment, comfort measures (repositioning, skin care)	RN: assessment and interpretation of data LPN: data-gathering and reporting RN: initial plan for comfort measures and pain assessment Assistant: comfort measures, report of progress	

LPN, Licensed practical nurse; OT, occupational therapist; PT, physical therapist; RN, registered nurse.

This same logic applies when you have heard in report that a patient, Mr. Handelsky, is unstable. In your current care delivery system on your unit, the licensed practical (or vocational) nurse (LPN or LVN) may handle the initial gathering of vital sign data in your postoperative intensive care unit (ICU). Suppose, for example, that the report you received stated that there had been increasing cherry-red drainage in the chest tube and that the patient's cardiac monitor showed supraventricular tachycardia, with increasing respiratory rate. Based on the outcome for the shift, Mr. Handelsky will maintain cardiorespiratory homeostasis and continue on critical path for the first day postthoracotomy. Using your insight that his condition may be deteriorating, you may make a different decision regarding who will be there for initial patient contact. If the assistant working with you today is an experienced team member, you may choose to send him in to see the patient immediately while you check on another critical patient. Or if the assistant is a "float" from an agency, known to you only by initial questioning, you may immediately make a visit to see Mr. Handelsky and begin to set up the plan for the data gathering and schedule for reporting that you will expect from your assistant. This would be a very different process if the outcome you wanted to achieve was pain relief and comfort for a terminal patient.

If you are working in an ambulatory care clinic or doctor's office setting, consider a situation in which you would use outcomes to change your delegation decision. Normally the medical assistant (MA) may gather information and vital signs for all patients, obtaining their chief reason for coming in for their appointment today. However, the community health care worker told you that she had encouraged an anxious young teen to come in to obtain accurate pregnancy and STD testing. You are aware that this teen may bolt at the slightest provocation. You tell the MA that you would like to be notified immediately when the patient arrives after school and that you will meet with her first to establish a trusting relationship. Intended outcomes would be to obtain definitive tests and to create a plan for carefully relaying the news. Longer-term results would be that the patient would learn about safe sex practices. Your normal daily routines would be altered because of the patient's needs and would require the RN's interventions, teaching, and relationship-building rather than business as usual.

Take a moment to consider the outcomes for a particularly difficult patient you have been dealing with lately. Were you clear on outcomes? If so, have you shared them with colleagues? Focusing on outcomes takes time, but remember, "If you fail to plan, you plan to fail." Why should an RN focus on outcomes? Discussion of goals not only establishes who should be doing what task, but also allows RNs to motivate others. How many of us jump on a train if we do not know where it is going? A purpose and a destination allow all team members to function more effectively. When assistive personnel are given the same assignment daily, without variation, without any understanding of why they are doing what they are doing, it is similar to being an assembly line worker putting widgets in a machine. Satisfaction and motivation of co-workers generally come from the feeling that they are making a difference in the lives of their patients.

In a similar manner, you as the leader of the team would feel much better at the end of your shift or assignment if you could feel comfortable with the outcomes you have assisted the patient in achieving. You could actually verify the patient/family's priorities and plan with the patients, much as you were always told to do by the teachers in your nursing program! Streamlining the care to match the patient's expectations saves much time (Hansten, 2009).

Again, the RN is accountable for the patient, for determining the situation in which delegation will be used, and for the selection of the right person to do the right task, in addition to the periodic inspection and follow-up of those they supervise. The right communication will begin that clarification process, bringing us to the next step in the five rights of delegation.

### THE RIGHT DIRECTION AND COMMUNICATION

# How Can I Get the Delegate to Understand What I Want?

No matter what, it always comes back to communication. How clear you make your initial direction will be the cornerstone in determining the success of your delegated task and, ultimately, the performance of your team. The bottom line, which is whether the patient outcome was achieved, hinges on your ability to provide initial direction that clearly defines your expectations of the delegate in performing the assigned task. It is not surprising that this is a step that is often done poorly or left out entirely, because the assumption is made that the individual "knows what the job is and should just do it."

The first component of supervision, according to its definition, is the provision of initial direction. Achieving a balance in which we provide enough information for the person to understand the request without overstating the case and risking confusion or condescension requires that we tread a fine line. The use of the "four Cs" of initial direction will help you to plan your communication (Critical Thinking Box 14-5). Many hospitals are now performing shift reports or handovers at the bedside, engaging the patients in the discussion of their priorities, the plan for care, and what each person will do for them during the shift (Hansten, 2008a).

# **CRITICAL THINKING** BOX 14-5

#### The Four Cs of Initial Direction

**CLEAR:** Does the team member understand what I am saying?

**CONCISE:** Have I confused the direction by giving too much unnecessary information? **CORRECT:** Is the direction according to policy, procedure, job description, and the law? **COMPLETE:** Does the delegate have all the information necessary to complete the task?

Data from Hansten R, Jackson M: Clinical delegation skills: a handbook for professional practice, ed 4, Sudbury, Mass, 2009, Jones & Bartlett, pp 287-288; LaCharity L, Kumagai C, Bartz B: Prioritization, delegation, assignment, ed 3, St Louis, 2011, Mosby Elsevier, p 6.

Let us assume that you are working in a home health agency and you are planning the care for a patient with heart failure (HF). You have made your initial visit, assessing the patient and planning the outcomes that you and the team will work toward in the next 3 weeks. Your patient is taking diuretics, antihypertensives, heart medications, and potassium supplements, in addition to being on a restricted diet. She is frequently short of breath and requires an assistant three times per week for hygienic care. In addition to providing hygienic care, you would like that assistant to monitor the blood pressure and check the patient's weight on the days you are not making a visit and to notify you if the blood pressure is outside of the range of 120 to 170 systolic and 50 to 90 diastolic or if there is any weight fluctuation. Using the four Cs listed, you can evaluate your communication.

Mrs. Jones has a heart condition and high blood pressure that requires medication and constant monitoring. One of our goals is to help Mrs. Jones have a stable blood pressure in a range that is normal for her. On the days that you are visiting and giving the patient her bath, I would also like you to take her blood pressure. If it is outside the range of 120 to 170 systolic and 50 to 90 diastolic, I would like you to let me know. We may need to adjust her medication, change her diet, and call her physician or the HF clinic for different orders. I would also like you to check her weight and let me know about any changes of more than 2 pounds from her home health admission weight of 185, so let me know if she weighs 187 or more. This will help us determine if she is retaining fluid.

*Clear:* Does the home health aide understand what is being asked of her? This direction is fairly straightforward—an easily understood instruction of taking the blood pressure. Is it clear that the aide is to determine and report the patient's weight?

Concise: Have you confused the assistant by giving too much information? Or is it enough information for her to complete the task? Only the assistant can help you with this determination. You will need to ask directly, "Am I confusing you?" or "Do you have enough information to do the job?" Every individual has different needs. However, you will want to make certain to check this out; some people will not be honest or accurate in their assessments of their understanding or abilities, leading to trouble later. Many of us are reluctant to ask questions, being afraid to admit our need for additional information. (We do not want to look like we do not know what we are doing!) This reluctance can ultimately result in harm to the patient, because assumptions are made that the direction was understood when, in fact, it was not.

*Correct:* Is a home health aide able and allowed to monitor blood pressures? Where would you look for additional information if you were not sure? Is the location of the scale identified? Does the time of day of the visit make any difference?

Complete: Does the assistant have enough information to fulfill your expectations? Once again, you will need to ask the delegate for clarification of his or her understanding of what you are asking. If you also expect this assistant to note the respirations and alert you to increased effort of breathing, have you shared that in your initial direction? Or did you assume she would naturally observe all vital signs because you alerted her to the patient's condition (and besides, she is a good assistant)? In our attempts not to appear condescending (I do not want to insult this assistant by reminding her to note the respirations—she might think I do not trust her to think!), we may often choose not to be as complete as we should be in communicating initial direction. What about lost weight? Is that significant to report?

Another common pitfall is the rationale that comes from working with someone over a period of time. A working relationship develops, and a routine or pattern of performance is established. When this happens, we start talking less and less to the other individual, believing that "she knows what I expect her to do." Consider the following situation:

You are working on a surgical unit in a partnership with Sam, an LPN you have been working with for the past year. Your easygoing style has led to a comfortable reliance on each other and the feeling that each knows what the other expects. On this particular evening shift, you are traveling down the hall, intent on administering medication to one of your patients. You also know a patient from the postanesthesia care unit (PACU) will soon be coming back from surgery. Seeing Sam coming your way, you state, "Sam, the postop is coming back in Room 103." Evaluate your initial direction.

Did you believe that Sam just knew that you wanted him to check on the patient, get the first set of vital signs, position the patient, check the dressing and the drains, note the status of the IV, degree of pain, and report the patient's status to you as soon as possible, until you can see the patient yourself?

Fifteen minutes later, you see Sam at the portable computer in the hallway. You ask him, "Sam, is the new postop patient in Room 103 here?" Expecting a brief report, you are surprised when Sam says, "I don't know. Is he here? I thought you were going to assess him when he got here." What went wrong?

No matter how long you have been working with someone, the right communication is essential to ensure the success of teamwork. Sam did not *accept* the delegated task (remember what the delegate is accountable for?), because he did not understand what you meant. Be sure that you check the delegate's understanding of what you are saying. Failing to do this may result in unmet expectations, which lead to anger and frustration. More important, the patient will not receive the optimal care that both you and the delegate want to provide. In this case, a new postoperative patient was not fully assessed during a critical period.

You have carefully assessed the patient, determined your plan on the basis of outcomes, and selected the right task to delegate to the right person. You have even provided clear initial direction as part of the right communication. Now what? The final right of delegation is also a part of supervision: the periodic inspection of the actual act. Read on as we continue with a discussion of the right feedback.

### THE RIGHT SUPERVISION AND EVALUATION

# How Can I Give and Receive Feedback Effectively?

Many nurses have shared their discomfort with giving and receiving feedback from coworkers. Few of us enjoy telling colleagues how they are doing or hearing about how we may have missed the mark; however, when you are supervising others, it is absolutely necessary to share feedback during your "periodic inspection." By following a formula for giving and receiving feedback and practicing it daily, RNs are assisted in the difficult job of correcting the performance of others. The reciprocal feedback process also permits you, as supervising RN, to hear how your own supervisory performance and communication affected the outcomes of the team (Critical Thinking Box 14-6).

# •

# **CRITICAL THINKING BOX 14-6**

#### Feedback Formula

- Ask for the other individual's input first!
- · Give credit for effort.
- Share your perceptions with each other.
- Explore differing points of view, focusing on shared outcomes.
- Ask for the other individual's input to determine what steps may be necessary to make certain desired outcomes are achieved.
- · Agree on a plan for the future, including timeline for follow-up.
- · Revisit the plan and results achieved.

Modified from Hansten R, Jackson M: Clinical delegation skills: a handbook for nurses, ed 4, Sudbury, Mass, 2009, Jones & Bartlett.

Let's look at how this process can be used in a situation in which positive feedback is intended.

An RN (Pat) is working with a float RN (Julia) for the first time. Julia is new in the pool but is an experienced nurse. Pat is so pleased with Julia's experience and performance that she has gone off to have a nice long break and lunch with an old friend from the third floor. She has also taken time to meet with a colleague from the evening shift regarding a unit problem. Unfortunately, she has not been present on the unit much today. When Pat is having lunch with her friend, she exclaims, "That new float Julia is just excellent! If it weren't for her, I couldn't be here having lunch with you. I hope that she knows how organized and valuable she is!" Her friend, Alex, states, "Well, you know you should tell her, not just me, about this." When Pat returns to the floor, flushed with good intentions of making Julia's day with effusive praise, she tells Julia about how lucky she has been to work with her today.

Because all of us crave positive feedback, and Julia is new to your organization, will Julia tell Pat that she's been trying to find Pat for hours? Probably not. But she *may* tell others, "Pat is one of those 'dump and run' nurses. I don't want to work on that floor again!" What if Pat asked *first*, "How have things been going for you today, Julia? I know this is your first day on the unit." Julia may have determined it was possible (and expected) to give reciprocal feedback: "I've been trying to find you! I have completed everything, but it hasn't been easy. Where have you been?" The best intentions can be destroyed by not asking the other individual for input first.

If you plan to give some negative feedback to an individual, you will also need to ask for her or his input first. For example:

You have just noted that the night shift CNA did not record the intakes and outputs (I & Os) on three patients on your telemetry unit. You have called him and are thinking about how to discuss this with him in a positive manner; yet you know that he is not going to want to chat, because it is about time for him to get some rest.

If you said, "Why didn't you record the I & Os in the electronic medical record (EMR)?!" the CNA would probably react defensively. If you state, "How was your night? I noticed that the I & Os are not in the EMR," you have allowed the person to respond with what happened. If this CNA went home early with the flu, or the unit experienced three codes, it would not be an effective or popular action for you to pounce on the team member for missing data entry.

This brings us to the next step in the process—giving credit for what has been accomplished. Let us return to Pat and Julia. At this point, Julia's input has been received. Pat can state, "Well, I can see I didn't help you as much as I should have, and I forgot to give you my phone number. But I do want you to know that I've checked on all of our patients, and they are very happy with their care today." After hearing input and giving credit where it is due, exploration of the gaps in the relationship and their communication and initial direction at the beginning of the shift can now be undertaken with an open and frank discussion.

The discussion of differences will progress most smoothly if both parties recognize that they share common objectives: safe, effective care of the patients on their unit, as reflected in the fulfillment of shared, planned outcomes or goals determined by collaborative discussion among patients and care team members. When difficulties or conflicts occur, remember the reason you are both there: the patients.

Julia and Pat may clarify what happened and what actions each may take to ensure that the missed communication does not happen in the future. Do not try to "fix" the situation for the other individual or prescribe what you will do for them. The other individual will know what he or she needs to do to achieve your shared outcomes. For example, Pat may have decided that it would fix it for Julia to convene with her an hour before shift tomorrow and go through the unit manuals and read the procedures. However, the most Julia may need is a phone number and some more discussion and planning about assignments at the beginning of the shift.

Too often we may think, "Why wait for the others to come up with ideas when we can solve the problem for them?" RNs who lead teams throughout the nation tell us that their lives at work would be much better if everyone were behaving accountably. When we ask others for their step-by-step plan to prevent the problem in the future, it helps them determine that they are accountable for their own performance. In our scene with the missing I & O data, the RN will ask, "How can you make sure those I & Os are charted before you leave in the future? What will work for you?" This type of statement confers the necessary respect for the delegate's ability to determine how to adapt his work performance to conditions.

Do not miss the final steps in the formula. The individuals must agree on how they will proceed in the future and when they will revisit the problem or issue again. Julia may determine that she'll remind Pat in the future when she arrives at the unit that she will need Pat's phone number and a plan for the day. When the next shift is completed, they will want to compare notes about how the shift has proceeded and whether patient outcomes have been achieved. The CNA may decide to ask the RN the following week whether she has noted any missing I & Os. The pair will be able to evaluate whether the CNA's charting plan has been effective and can proceed to celebrate the success of the plan or to try other interventions.

Practice using the feedback formula. Remember the following three most important points:

- Ask for the other person's input first.
- Give credit for accomplishments and efforts.
- Ask the other individual to come up with steps for resolving the issue.

How would you use this formula to tell a supervisor that you are concerned about how long it has been since you have heard about your intershift transfer, and you are becoming worried about whether it will take place? How would you provide positive feedback to an individual on your team who has been improving his ability to complete his shift on time? What about a delegate who is "missing in action"—the person you cannot seem to locate when you need her?

### CONCLUSION

We often hope for an exact prescription for what to delegate—as well as when and how. Because nursing assessment and professional judgment are necessary for clinical delegation, each situation will be different. Whether you work in an intensive care unit in a large tertiary hospital, a rural long-term care facility, home health, or ambulatory care, the template of the delegation process—in the right circumstances, matching the right task with the right delegate, communicating effectively, and offering and receiving feedback—will be similar. With health care reform in full swing, we suspect your leadership at the point of care will include new types of care providers and new delivery models. You will need to hone your abilities to assign care tasks effectively, and to supervise the work that is being done on your behalf, to help your patients and their families achieve their preferred outcomes. Check out the relevant websites and online resources about delegation at the end of this chapter. The health of your communities will be affected by your decisions. To judge your comfort and assess your ability to integrate this process in your daily work life, complete the exercise in Critical Thinking Box 14-7. Good luck!

# **CRITICAL THINKING** BOX 14-7

#### Assessing Your Delegation Skills

Assemble these documents:

- Your state nurse practice act
- Your job description and those of co-workers and delegates
- · Skills checklists
- · The patient list or assignment form from your unit
- · A list of the usual staffing complement for your shift
- 1. Using these documents, determine the short-term outcomes for an average patient assignment based on the information you have been given in a report. What tasks could be delegated to the individuals you have on staff? When will you complete further assessment of the patient situations?
- 2. Based on the outcomes and job descriptions, how will you determine the competency of individuals to complete the tasks you have determined could be delegated?
- 3. How will you communicate the team's plan using outcomes in your discussion?
- 4. How often will you communicate with the delegates, based on their need for supervision and patient complexity and dynamics? Have you used the four Cs?
- 5. How will you evaluate the effectiveness of your plan? How will you provide positive feedback to the team?
- 6. A delegate made a mistake. You determined that the person was competent, but the procedure was done improperly. For what are you accountable? How will you give feedback to the individual, encouraging his or her growth and accountability?
- 7. Have you implemented the five rights of delegation?

# RELEVANT WEBSITES AND ONLINE RESOURCES

Alfaro-Lefevre, R. (2013). *Critical thinking, clinical reasoning, and clinical judgment: a practical approach* (5th ed.). St Louis, Saunders. www.AlfaroTeachSmart.com

#### American Nurses Association (ANA)

http://nursingworld.org/. See: Unlicensed Personnel, Registered Nurses Utilization of Nursing Assistive Personnel in All Settings, Registered Nurse Education Relating to the Utilization of Unlicensed Assistive Personnel, Joint Statement on Delegation.

Hansten R: Relationship and results oriented healthcare™ planning and implementation manual, Port Ludlow, Wash, 2008, Hansten Healthcare PLLC. www.RROHC.com, www.Hansten.com. Check for new delegation/ supervision resources.

Hansten R., Jackson M. Clinical delegation skills: a handbook for professional practice (4th ed.). Sudbury, Mass, 2009, Jones & Bartlett.

#### **National Council of State Boards of Nursing**

http://www.ncsbn.org, links to state boards and resources relating to delegation and supervision. Also download the ANA and NCSBN Joint Statement on Delegation.

#### **BIBLIOGRAPHY**

Alfaro-LeFevre, R. (2013). *Critical thinking, clinical reasoning, and clinical judgment: a practical approach.* St. Louis, MO: Elsevier Saunders.

American Nurses Association. (2010). Guide to the Code of ethics for nurses. Silver Spring, MD.Brous, E. (2012). Professional licensure: investigation and disciplinary action. American Journal of Nursing, 112(11), 53–60.

Bittner, N., & Gravlin, G. (2009). Critical thinking, delegation, and missed care in nursing practice. *Journal of Orthopedic Nursing Association*, 39(3), 142–146.

- Bobay, K., Fiorelli, K., & Anderson, A. (2008). Failure to rescue: a preliminary study of patient-level factors. Journal of Nursing Care Quality, 23(3), 211–215.
- Garneau, A. M. (2012). The effect of human patient simulation on delegation performance among associate degree nursing students. (Doctoral dissertation). Retrieved from Proquest Dissertations and Theses. (Order Accession No: 3502633)
- Gravlin, G., & Bittner, N. (2010). Nurses' and nursing assistants' reports of missed care and delegation. Journal of Nursing Administration, 40(7/8), 329–335.
- Hansten, R. (2005). Relationship and results oriented healthcare: evaluate the basics. Journal of Nursing Administration, 35(12), 522-525.
- Hansten, R. (2008a). Relationship & results oriented healthcare planning & implementation manual. Port Ludlow, WA: Hansten Healthcare PLLC.
- Hansten, R. (2008b). Why nurses still must learn to delegate. Nursing Leadership, 6(5), 19–25.
- Hansten, R. (2009). A bundle of best bedside practices. Health Care Management, 28(2), 111-116.
- Hansten, R., & Jackson, M. (2009). Clinical delegation skills: a handbook for professional practice (4th ed.). Sudbury: Mass, Jones & Bartlett.
- Hansten, R., Washburn, M., & Kenyon, V. (1999). Home care nursing delegation skills: a handbook for practice. Gaithersburg, MD: Aspen.
- Institute of Medicine. (2000). To err is human: building a safer health system. Retrieved from http://www.iom.edu/~/media/Files/Report%20Files/1999/To-Err-is-Human/To%20Err%20is% 20Human%201999%20%20report%20brief.ashx.
- Institute of Medicine Report on the Future of Nursing. (2010). Accessed at http://www.iom. edu/~/media/Files/Report%20Files/2010/The-Future-of-Nursing/Future%20of%20Nurs ing%202010%20Report%20Brief.pdf. November 6, 2012.
- Kalisch, B., Landstrom, G., & Williams, R. (2009). Missed care: errors of omission. Nursing Outlook, 57, 3-9.
- Kalisch, B., Tschannen, D., & Hee Lee, K. (2011). Do staffing levels predict missed nursing care? *Inter*national Journal of Quality Health Care, 23(3), 302-308. http://dx.doi.org/10.1093/intqhc/mzr009.
- Kalisch, B., & Schoville, R. (2012). It takes a team. American Journal of Nursing, 112(10), 50–54.
- Mole, L. J., & McLafferty, I. H. (2004). Evaluating a simulated ward exercise for third year student nurses. Nurse Education in Practice, 4(2), 91-99, 2004. http://dx.doi.org/10.1016/S1471-5953(03)00031-3.
- National Council of State Boards of Nursing. (1990). Concept paper on delegation. Chicago: NCSBN.
- National Council of State Boards of Nursing. (1995). Concepts and decision-making process. National Council position paper, Chicago, 1995, NCSBN. Retrieved from www.ncsbn.org/ 323.htm/ definitions#definitions.
- National Council of State Boards of Nursing, (NCSBN). (2005). Practical nurse scope of practice white paper. Retrieved from https://www.ncsbn.org/Final\_11\_05\_Practical\_Nurse\_Scope\_Practice\_ White\_Paper.pdf.
- National Council of State Boards of Nursing. (NCSBN). (2006). Joint statement on delegation. American Nurses Association (ANA) and the National Council of State Boards of Nursing (NCSBN). Retrieved from https://www.ncsbn.org/Joint\_statement.pdf.
- National Council State Boards of Nursing. (2011). 2011 NCLEX-PN® Test Plan. Retrieved from https://www.ncsbn.org/2011\_PN\_TestPlan.pdf.
- National Council of State Boards of Nursing. (2012). Participating states in the nurse licensure compact implementation. Retrieved May 31, 2012 from https://www.ncsbn.org/2538.htm.
- National Council State Boards of Nursing. (2013). 2013 NCLEX-RN® Test Plan. Retrieved from https://www.ncsbn.org/2013\_NCLEX\_RN\_Test\_Plan.pdf.
- Samuel, M. (2006). Creating the accountable organization. Katonah, NY: Xephor Press.
- Sheehan, J. P. (2001). UAP delegation: a step-by-step process. Nursing Management, 32(4), 22-24.



# UNIT V


# **Current Issues in Health Care**

# 15

# The Health Care Organization and Patterns of Nursing Care Delivery

Susan Sportsman, PhD, RN, ANEF, FAAN

Better Care, Better Health, Reduced Costs Vision for the Texas Team Advancing Health Through Nursing



Health care should be within reach of everyone.

After completing this chapter, you should be able to:

- Describe challenges facing health care that impact the delivery of nursing care, including:
  - · Reduction of costs
  - · Evidence-based care
  - Shortage of health care professionals
  - Patient safety
  - Delivery changes influenced by the 2010 Institute of Medicine Future of Nursing Report
- Trace the history of the use of nursing care delivery models.
- Consider ways to structure nursing services to improve care while reducing costs, to insure that health care is within reach of everyone.

The U.S. health care delivery system has been changing dramatically during the last 35 years. Recently, economic changes around the world and the passage of the Affordable Care Act of 2010, as well as the resulting political responses, have focused the country's attention on the need to revise the U.S. health care system to improve access and quality while reducing the delivery costs. Nurses practicing in such an environment must be comfortable with change and be willing to embrace the challenges that change brings. A first step to ensuring that your nursing practice evolves in a positive direction is to be knowledgeable about these changes.

# WHAT ARE SOME IMPORTANT CHALLENGES CURRENTLY FACING HEALTH CARE?

#### **Cost of Health Care**

High health expenditures in the United States have long been a national problem. The Kaiser Family Foundation reports that health care spending in this country neared \$2.6 trillion in 2010, more than ten times the \$256 billion spent in 1980. Although the rate of growth of that spending has decreased since the late 1990s and early 2000s, economists suggest that the rate of growth will remain high into the foreseeable future.

There are a number of reasons for this continued growth in the cost of health care, including expansion of prescription of drugs and new medical technologies, as well as administrative costs. The rise in the incidence of chronic disease, which accounts for more than 75% of national health care expenditures, is also a major factor. Although there is nearly universal agreement that the cost of health care must be reduced, there has been significant disagreement regarding how to achieve this goal. In general, the debate is over whether there should be a stronger role for government regulation or more implementation of market-based models that encourage competition.

On March 23, 2010, the Affordable Care Act (ACA) was passed, providing regulations to reduce costs, and on June 28, 2013, the Supreme Court rendered a final decision to uphold the health care law. Major elements of the law that support cost containment include:

- · Increased governmental regulation of insurers
- Reduction in payment for treatments and hospitalizations resulting from errors or poor care
- Funding for research related to comparative effectiveness research
- Emphasis on patient-centered care
- Increasing incentives for coordination of care
- Wider use of technology
- Increasing consumer out-of-pocket costs

A full review of the impact of the ACA on a yearly basis can be found at http://www.healthcare.gov/law/timeline/full.html.

# **Managed Care**

The passage of the ACA occurred after at least 20 years of trying various strategies to reduce health care costs. One of the approaches designed to reduce costs while maintaining or improving access and quality is **managed care**. Managed care sought to change the fee-for-service approach that had been common for many years.

In the early 1900s, patients or their families paid the physician or the hospital directly for the care they received. As health care insurance became an employment benefit after the Second World War, third-party payers became more common. These third-party payers paid the provider an agreed-on fee for each service provided. The more the provider charged, the more the payer paid.

In the early 1980s, Medicare introduced the prospective payment system as a way of reimbursing hospitals. This marked the beginning of a movement to control health care costs. Under this system, which insurance companies soon adopted, a fixed fee was paid to the hospital according to a preset reimbursement rate for the diagnosis given at discharge. A hospital could treat a patient so that a shorter length of stay was necessary, reducing the consumption of resources. This allowed the hospital to show a greater profit or smaller loss

for caring for a patient if the care was more efficient than was the prearranged rate for the diagnosis. This practice began the trend of managed care in which health care is paid at a prearranged rate rather than as billed.

In the most extreme type of managed care, called *capitation*, employers pay a set fee each month to an insurance company for each covered employee and dependent. This amount does NOT vary based on the care given. Potential patients may never need any health care, or they may require extensive hospitalizations. Regardless, the costs of care for all members of a particular employment group must be taken out of the set fee. Under this arrangement, there is incentive for the insurance company and the provider to work aggressively to keep patients healthy, because prevention or early intervention is likely to be less expensive than hospitalization. Conversely, if patients do not stay healthy or if they overuse hospitalization, the health care provider may actually lose money.

As a part of the managed care trend, health maintenance organization (HMO) plans became very popular as a form of insurance. In HMOs, an annual payment is made on behalf of the members to a group of providers who deliver all of the health services covered under the plan, including physician and hospital services. HMOs have grown, because they provide a strong incentive to avoid hospitalization, which consequently reduces costs. HMO members often appreciate the ease of using health care with an HMO, because there are fewer noncovered services and fewer forms to complete. However, the choice of providers is limited; members must use physicians that are part of the HMO network, and they may not see specialty physicians without a referral from their primary care provider.

The preferred provider organization (PPO) is another type of insurance plan designed to meet the goals of managed care. To avoid out-of-pocket expenses, members must use physicians who have agreed to provide services at a lower price to the insurer. However, members may use an "out-of-network" provider without a referral, if they are willing to pay more for that service.

# **What Impact Has Managed Care Had on Costs?**

Initially, managed care reduced the cost of health care. However, costs have increased sharply in response to the backlash from restrictive managed care policies. Since 1999, employer-sponsored health insurance premiums have increased by 199%, placing cost burdens on both the employers and the workers (Kaiser Family Foundation, 2007).

Given the complexity of the issues surrounding the costs of health care, it is very difficult to say conclusively that managed care is effective, in part because the definition of "effective" may vary. Effectiveness can be measured by profit and loss, quality of care, and/or access to services. Improvement in one of these factors does not necessarily mean improvement in other factors. In addition, there are a number of stakeholders who must judge the effectiveness of care. These include the managed care organization, the employer, the Centers for Medicare & Medicaid Services (CMS), regulators, and providers, as well as the individual patient, their significant others, and society as a whole. Despite this complexity, the overwhelming impact of health care costs on the U.S. economy is demanding that solutions to control costs must be found.

### STRATEGIES TO CONTROL COSTS

Hospital care accounts for the largest share (31%) of health care expenditures, and physician services are second, accounting for 21%. Reducing costs in these areas has the greatest impact on reducing total costs (Kaiser Family Foundation, 2007). Specific efforts to

reduce hospital costs that impact the delivery of nursing care include case management, evidence-based practice, appropriate staffing, improving retention of staff, use of the electronic health record (EHR), and reducing patient-care errors.

#### CASE MANAGEMENT

The Case Management Society of America (CMSA) notes that case (or care) managers are advocates who help patients understand their current health status, what they can do about it, and why those treatments are important. In this way, care managers guide patients through the health care delivery process and provide cohesion to other professionals on the health care delivery team. The purpose of the case manager is to enable their clients to achieve goals effectively and efficiently. The role may take a variety of forms, but generally includes coordination of care, communication, collaboration, and attention to the transition between levels of nursing care. Social workers and therapists may also be case managers, although how they perform their role depends on the scope of practice within their discipline. All case managers must be skilled at communication, critical thinking, negotiation, and collaboration. They must be knowledgeable about resources available to patients. The case manager not only collaborates with individual patients, but also with family and other support systems of the patient.

Case management is effective in providing care, but all patients do not need this intensity of interaction. To provide case management services to all patients would be wastefully expensive. Patients should be assigned a case manager only if they:

- · Have complicated health care needs
- Are receiving care that is expensive as well as complicated
- · Pose discharge planning problems
- Receive care from multiple providers
- Are likely to have significant physical or psychosocial problems

There are two types of case management generally used in an acute-care hospital. The first is the **traditional model**, which focuses on discharge planning and determining if the care planned throughout the patient's hospital stay is necessary and appropriate (utilization review), so that the insurer will pay for the services. In this approach, the case manager reviews the chart every 3 to 7 days and may carry a caseload of between 16 and 28 patients per day.

The second type of case management, the **full immersion model**, requires the case manager to conduct a daily chart review of the patients and communicate daily with physicians and nurses caring for the patients on his/her case load. The increased level of interaction is designed to minimize the likelihood that insurers will not pay because of untimely communications to insurers and perhaps reduce the likelihood of treatment delays. Because of the increased intensity of the workload of the case manager in this model of case management, caseloads are usually 12 to 14 patients on medical and neurology specialty units and 16 to 18 patients on surgical and cardiology units (Thomas, 2009).

Case management may also be implemented in other levels of care, particularly in some outpatient settings. In many ways, the roles and responsibilities of the care manager are the same regardless of the level of care in which they work. The differences in the emphasis of the role are often influenced by reimbursement.

Nurse navigator programs are a form of case management that is beginning to be more widely used to coordinate patient care. In 1990, Dr. Harold Freeman developed the first

Nurse Navigator role at Harlem Hospital in New York in an effort to expedite diagnosis and treatment, while facilitating access to care for patients with abnormal breast screening results (Pedersen and Hack, 2010). Since that time, the role of the Nurse Navigator has been used in a variety of settings.

In 2005, the Patient Navigator Outreach and Chronic Disease Prevention Act authorized federal grants to hire and train patient navigators to help patients who had cancer and other serious chronic diseases to receive access to screening, diagnosis, treatment, and follow-up care. In 2006, the CMS funded six demonstration projects to help minority Medicare patients overcome barriers with screening, diagnosis, and treatment, and in 2007, \$2.9 million was allocated to this program (Wells et al, 2008).

Although a large number of Nurse Navigator programs target care of the cancer patient, there is also an opportunity to implement this role when caring for other chronic diseases (Case, 2011). For example, recent publications show that health care facilities carry out Nurse Navigator programs for conditions such as high-risk OB care, osteoarthritis, HIV (Horstmann et al, 2010), and asthma (Black et al, 2010).

The navigator role was conceived to reduce patient barriers to care for vulnerable patients who may cope with delays in access, diagnosis, treatment, and/or fragmented and uncoordinated care. Although there is limited long-term, well-constructed research in this area, initial evaluation of navigator programs suggests that disease-screening rates, adherence to diagnostic services after identification of an anomaly, and treatments have improved (Wells et al, 2008). An analysis of evaluations of Nurse Navigator programs from 2000 to 2010 also identified improved patient satisfaction, positive changes in patient attitudes and understanding of disease processes, and better patient perception of a timelier and more accessible treatment process (Case, 2011).

#### DISEASE MANAGEMENT

**Disease management** is a system of coordinated health care interventions and communications for populations with conditions in which patient self-care efforts are helpful. The goal is similar to case management—to support patients with chronic diseases who may receive services from various levels of care (acute care to home-based care). However, it is a population health strategy as well as an approach to personal health.

A disease-management program teaches patients how to manage a particular chronic disease. Patients learn to take responsibility for understanding how to take care of themselves to avoid potential problems or worsening of their health condition. The approach varies and may include teaching patients about the disease, so that they will be able to understand their symptoms and implement preventive strategies. In addition, there is ongoing monitoring against protocols of established care, which are designed to treat acute and chronic issues related to the disease. Because health plans are incentivized to reduce the cost of inpatient stays associated with poor control of diseases, disease management strategies may be implemented by nurses, who are often employed by these health plans (CBO, 2004).

# Do Disease-Management Programs Reduce the Cost of Health Care?

In 2007, the RAND Health Study reported a review of all past research (317 studies) on disease-management programs related to six chronic conditions: congestive health failure, coronary artery disease, diabetes, asthma, depression, and obstructive pulmonary disease.

The interventions ranged from prerecorded telephone reminders to home visits by medical professionals. The results showed that these programs often improved the quality of the patient's care. However, there was no conclusive evidence that disease-management programs actually saved money. The authors suggested that the breadth of the definition of disease management might influence the findings. For example, some programs may have been better than others, but there is not enough research to assess properly which program is the most effective or why it is effective. In addition, most of the studies followed patients for only 1 year, which may not be long enough to determine the long-term effect of the program (Rand Corp., 2007).

# What Tools Are Used to Support Care Coordination?

Clinical pathways and disease-management protocols are similar strategies that support the work of the coordinator of care to reduce expensive variations in care.

Clinical pathways, also known as care maps, are multidisciplinary plans of "best" clinical practice for groups of patients with a specific medical diagnosis.

These pathways support the coordination and delivery of high-quality care. There are four essential elements of a clinical pathway:

- A timeline outlining when specific care will be given
- The categories of care or activities and their interventions
- Intermediate and long-term outcomes to be achieved
- A variance record

The variance record allows caregivers to document when and why the progress of individual patients varies from that outlined in the pathway. Clinical pathways differ from practice guidelines, protocols, and algorithms, because they are used by the interprofessional disciplinary team and have a focus on quality and coordination of care for individual patients. A sample of a clinical pathway can be found in the *Evolve* resources.

#### **Clinical Guidelines**

Both critical pathways and disease-management protocols are generally based on clinical guidelines that incorporate nationally acceptable ways to care for a specific disease. The National Heart, Lung, and Blood Institute (NHLBI), a component of the U.S. Department of Health and Human Services, defines clinical practice guidelines as "practice regulations that are systematically developed statements to assist practitioner and patient decisions about appropriate health care for specific clinical circumstances." These recommendations include specific diagnostic and treatment options based on evidence from a rigorous systematic review and synthesis of the published literature. In short, they recommend practices that meet the needs of most patients in most circumstances; however, the clinical judgment is always required to fit the guideline to the individual patient (NHLBI, n.d.).

Clinical guidelines are typically developed by government agencies, such as the Agency for Healthcare Research and Quality (AHRQ), or an organization devoted to health promotion and disease prevention, such as the American Public Health Association and the Centers for Disease Control and Prevention. A website developed by AHRQ, in collaboration with

the American Medical Association (AMA) and the American Association of Health Plans, provides a resource for clinical practice guidelines at www.guideline.gov.

### PAY FOR PERFORMANCE

Pay for performance (P4P) is increasingly being used to reduce costs and improve quality in health care. Physicians, hospitals, medical groups, and other health care providers are rewarded for meeting certain performance measures for quality and efficiencies. Disincentives, such as eliminating payments for negative consequences of care (medical errors) or increased costs, have also been proposed. An example of such disincentives includes hospitals not receiving reimbursement for care given to treat hospital-acquired problems, such as catheter-acquired urinary tract infections (CAUTI). There are several ways in which the P4P can be implemented. Chief among them is nonpayment for treatment of preventable complications such as falls and pressure ulcers (Thomas and Caldis, 2007).

#### EVIDENCE-BASED PRACTICE

# How Do We Know that Critical Pathways and Disease-Management Protocols Reflect the Latest and Best Practice?

In 2000, the Institute of Medicine (IOM) released a report, "Crossing the Quality Chasm: A New Health System for the 21st Century" (IOM, 2000). This report noted that it takes 17 years for the results of research in health care to be transmitted consistently into practice.

Evidence-based practice is one strategy to reduce the amount of time required to integrate new health care findings into practice.

Evidence-based practice is the use of the current best evidence in making decisions about patient care. It flows from clinicians asking, "What is the best way to manage a particular situation?" Melnyk and Fineout-Overholt (2005) believe that evidence-based practice uses the following steps to answer clinical questions:

- Systematic search for the most relevant evidence to the question (What is the most relevant evidence?)
- Critical evaluation of the evidence found (Is the evidence logical and valid?)
- Your own clinical experience (Does your experience fit with the evidence?)
- Patient preferences and values (Will your patients accept the recommendations drawn from the evidence?)

The answer to these questions can then be implemented in practice or incorporated into critical pathways and disease-management processes.

Most nurses use their own clinical experience with patient preferences and values in planning nursing care. However, searching for the evidence to address the question at hand and critically evaluating the evidence may be more difficult. Table 15-1 outlines a rating system to help you know how strong the evidence from research or other sources might be.

There are a number of evidence-based nursing centers around the world that provide the best available evidence to inform clinical decision making at the point of care. One of the largest is the Joanna Briggs Institute (JBI), an international not-for-profit research

TABLE 15-	1 EVALUATION CRITERIA FOR EVIDENCE FOR CLINICAL QUESTIONS
LEVEL	DEFINITION
Level I	Evidence comes from a review of a number of randomized controlled trials (RCTs) or from clinical practice guidelines that are based on such a review.
Level II	Evidence comes from at least one well-designed RCT.
Level III	Evidence comes from well-designed controlled studies that are not randomized.
Level IV	Evidence comes from well-designed case-controlled and cohort studies.
Level V	Evidence comes from a number of descriptive or qualitative studies.
Level VI	Evidence comes from a single descriptive or qualitative study.
Level VII	Evidence comes from the opinion of authorities and/or reports of expert committees.

Data from Sackett D et al: Evidence-based medicine: how to practice and teach EBM, London, 2000, Churchill Livingstone.



### **CRITICAL THINKING BOX 15-1**

What are the advantages of using evidence-based nursing care? What are the barriers? How might these barriers be overcome?

and development arm of the School of Translational Science based within the Faculty of Health Sciences at the University of Adelaide, South Australia, which collaborates internationally with more than 70 entities across the world (http://www.joannabriggs.edu.au) (Critical Thinking Box 15-1). See Chapter 24 for more information on how evidence-based practice affects economics. Relevant websites and online resources are listed at the end of this chapter.

#### SHORTAGE OF NURSES

Although hospitals and other health care organizations have experienced nursing shortages during the past 50 years, the most recent shortage, which began in 1998, seems to be the most persistent (Buerhaus, 2009). Although the United States was in a recession in 2009, Buerhaus and colleagues found that despite the easing of the nursing shortage because of the recession, the U.S. nursing shortage is projected to continue growing to 260,000 RNs by 2025 (AACN, 2010).

According to the U.S. Registered Nurse Workforce Report Card and Shortage Forecast published in the January 2012 *American Journal of Medical Quality*, an ongoing shortage of nurses is predicted to spread across the country, especially in the South and West. In February 2012, the Bureau of Labor Statistics Employment Projections (2010-2012) indicated that the RN workforce is the top occupation for job growth, with 2.74 million jobs in 2010 growing to an expected total of 3.45 jobs in 2025, which is an increase of 26%. In addition, 495,500 RNs will retire or leave the workforce, resulting in a total number of job openings for RNs of 1.2 million by 2020 (AACN, 2010).

# **How Can Health Care Organizations Retain Nurses?**

Retention of nurses is as important as recruitment. Kovner et al (2009) found that when nurses leave for another position or retire early, the effects on the hospital's bottom line are

#### **BOX 15-1 FORCES OF MAGNETISM**

Force 1: Quality of nursing leadership

Force 2: Organizational structure

Force 3: Management style

Force 4: Personnel policies and programs

Force 5: Professional models of care

Force 6: Quality of care

Force 7: Quality improvement

Force 8: Consultation and resources

Force 9: Autonomy

Force 10: Relationships between the community and the health care organization

Force 11: Nurses as teachers

Force 12: Image of nursing

Data from American Nurses Credentialing Center: Forces of magnetism, 2004. Retrieved from www.nursecredentialing.org/magnet/forces.html.

significant. The authors suggest that as much as 5% of a hospital's budget may go to paying for nursing turnover. Factors that positively influence nurses' intentions to stay on their jobs included autonomy, variety, supervisory support, workgroup cohesion, procedural justice (rights are applied universally to all employees), collegial nurse/physician's relations, and opportunity for promotions (Kovner et al, 2009) (Box 15-1).

Negative influences included high workload, organizational constraints, and mandatory overtime (Kovner et al, 2009). In addition, Wieck and colleagues (2009) found that the effectiveness of incentives to remain employed varied with the age of the nurse.

# **Magnet Hospitals**

Recognizing the characteristics that influence a positive work environment on nurse retention is not new. In the early 1980s, during a previous nursing shortage, the American Academy of Nursing conducted research to identify organizational attributes of hospitals that experienced success in recruiting and retaining nurses. The American Academy of Nursing Fellows nominated 165 hospitals throughout the nation that had reputations for successfully attracting and retaining nurses and delivering high-quality nursing care. Ultimately, 41 hospitals were distinguished by high nurse satisfaction, low job turnover, and low nurse vacancy rates, even when hospitals located in the same area were experiencing nursing shortages. These hospitals were called "magnet" hospitals, because of their successes in attracting and keeping nurses.

The Magnet Recognition Program identifies characteristics or outcomes, known as "Forces of Magnetism," which exemplify excellence in nursing (see Box 15-1). Ten years after the identification of the original magnet hospitals, the American Nurses Credentialing Center (ANCC) established a new magnet hospital designation process, similar to accreditation by The Joint Commission (TJC). Recently, the recognition program has been expanded to provide national recognition for excellence in long-term care nursing facilities and smaller community hospitals. In the current competitive environment, receiving the magnet status may serve as a recruiting and marketing tool for hospitals, attesting to a professional work environment and quality nursing (Critical Thinking Box 15-2).

# 8

# **CRITICAL THINKING BOX 15-2**

What are the factors that YOU think result in a great working environment? What factors result in an unacceptable environment?

There appears to be a relationship between the effects of the hospital care environment and patient mortality and nurse outcomes. For example, Aiken and associates (2009a) studied 10,184 nurses and 232,343 surgical patients in 168 Pennsylvania hospitals to determine the net effects of nurse practice environments on nurse and patient outcomes, taking into account nurse staffing and education. Nurses evaluated their practice environment, using the practice environment scales of the Nursing Work Index. Outcomes included nurse job satisfaction, burnout, intent to leave, and reports of quality of care, as well as mortality and failure to rescue in patients. The results of this study suggested that nurses reported more positive job experiences and fewer concerns with care quality, and patients had significantly lower risk for death and failure to rescue in hospitals with better care environments (Aiken et al, 2009b).

# THE IMPACT OF THE 2010 INSTITUTE FOR MEDICINE FUTURE OF NURSING REPORT

The convergence of the concerns about the challenges of the U.S. health care system (high cost, primary care shortages, an aging and sicker population, health care disparities, and fragmentation of care) stimulated a national reaction regarding the need to transform the U.S. health care system. In response, the Robert Wood Johnson Foundation's *Initiative on the Future of Nursing* (INF) at the Institute of Medicine (IOM) was launched in 2009 (IOM, 2010).

As a part of this 2-year review process, the Institute of Medicine brought together experts and thought leaders from multiple disciplines (nursing, business, law, medicine, and others) to develop a plan of action to transform the U.S. health care system. Since nurses compose the largest group of health care providers, the IOM believed that focusing on the challenges of the nursing profession would benefit the entire health care delivery system (IOM, 2010). The IOM and the Task Force held three national forums and numerous technical and policy-oriented workshops to gather insight into the challenges of nursing and to develop a transformational report on the future of Nursing. On October 5, 2010, the IOM released a landmark report on *The Future of Nursing* (IOM, 2010).

The key messages of *The Future of Nursing Report* (2010) include:

- Nurses should practice to the full extent of their education and training through an improved education system that promotes seamless academic progression.
- Nurses should be full partners, with physicians and other health care professionals, in redesigning health care in the United States.
- Effective workforce planning and policy making requires better data collection and an improved information infrastructure.

The recommendations that were derived from these key messages were as follows:

- 1. Remove scope-of-practice barriers.
- 2. Expand opportunities for nurses to lead and diffuse collaborative improvement efforts.
- 3. Implement nurse residency programs.
- 4. Increase the proportion of nurses with baccalaureate degrees to 80% by 2020.
- 5. Double the number of nurses with doctorates by 2020.
- 6. Ensure that nurses engage in lifelong learning.

- 7. Prepare and enable nurses to lead change to advance health.
- 8. Build an infrastructure for the collection and analysis of interprofessional health care workforce data (IOM, 2010).

# **PATIENT SAFETY**

Patient safety remains an important issue in the current health care environment. In 1996, the IOM initiated a concerted, ongoing effort to assess and improve the quality of care in the United States. The first phase documented the seriousness of the quality problems. In the second phase (1999-2001), two reports were released. "To Err Is Human: Building a Safer Health System" focused on how tens of thousands of Americans die each year because of medical errors (IOM, 1999). "Crossing the Quality Chasm: A New Health System for the 21st Century" defined six aims to improve health care quality, including care that is (IOM, 2000):

- Safe
- Effective
- · Patient centered
- Timely
- Efficient
- Equitable

The third phase, which is going on now, focuses on determining ways that the future health care delivery system described in earlier reports can be realized. Box 15-2 outlines some of the more recent IOM reports from this initiative.

# BOX 15-2 RECENT REPORTS OF HEALTH CARE QUALITY FROM THE INSTITUTE OF MEDICINE

- Preventing Medical Errors: Quality Chasm Series
- Hospital Based Emergency Care: At the Breaking Point
- · Leadership by Example: Coordinating Government Roles in Improving Health Care
- Crossing the Quality Chasm: A New Health System for the 21st Century
- Ensuring Quality Cancer Care
- Envisioning the National Health Care Quality Report
- To Err Is Human: Building a Safer Health System
- Fostering Rapid Advances in Health Care
- · Health Professions Education: A Bridge to Quality
- · Priority Areas for National Action: Transforming Health Care Quality
- Key Capabilities of an Electronic Health Record System
- · Patient Safety: Achieving a New Standard for Care
- Keeping Patients Safe: Transforming the Work Environment of Nurses
- 1st Annual Crossing the Quality Chasm Summit: A Focus on Communities
- The Healthcare Imperative: Lowering Costs and Improving Outcomes: Workshop Summary
- Value in Health Care Accounting for Cost, Quality, Safety, Outcomes, and Innovation: Workshop Summary
- Redesign Continuing Education in the Health Professions
- America's Uninsured Crisis: Consequences for Health and Health Care
- Best Care at Lower Cost: The Path to Continuously Learning Health Care in America
- Health IT and Patient Safety: Building Safer Systems for Better Care
- The Healthcare Imperative: Lowering Costs and Improving Outcomes
- The Role of Telehealth in an Evolving Health Care Environment

One of the IOM reports, "Keeping Patients Safe: Transforming the Work Environment of Nurses," suggests that the work environment of nurses needs to be changed to better protect patients. The report makes recommendations in the areas of (1) nursing management, (2) workforce deployment, and (3) work design and organizational culture (IOM, 2003). For example, restructuring of hospital organizations in response to managed care often has undermined the trust between nurses and administration. The report urged health care organizations to involve nurse leaders at all levels of management in decision-making and to ask nursing staff their opinions about care design, because nurses are very effective in detecting processes that contribute to errors.

In 2008, The Joint Commission (TJC) published a report, "Guiding Principles for the Development of the Hospital of the Future." This report outlines principles to (1) support economic viability, (2) guide technology adoption, (3) guide achievement of patient-centered care, (4) guide design of hospitals of the future, and (5) address staffing challenges.

The concern about patient safety extends to other areas within TJC. In 2004, TJC established its National Patient Safety Goals, which have been revised each year since then. The goals and related implementation expectations are identified by program—ambulatory care, assisted living, behavioral health care, critical access hospitals, disease-specific care, home care, hospital, laboratory, long-term care, networks, and office-based surgeries (www.jointcommission.org/PatientSafety/NationalPatientSafetyGoals). See Table 22-1 for a complete list of the 2013 TJC Hospital National Patient Safety Goals.

One of TJC's goals is to improve the effectiveness of communication among caregivers. Although the requirements of this goal discuss clear communication regarding physician orders and test results, there are other issues surrounding communication that may reduce patient safety and job satisfaction of nurses. A national study, "Silence Kills," sponsored in part by the American Association of Critical-Care Nurses, describes interviews with more than 1700 nurses, physicians, clinical care staff, and administrators. This study showed that fewer than 10% of those interviewed speak to colleagues about behaviors that could result in errors or other types of harm to patients.

These behaviors may include trouble following directions, demonstration of poor clinical judgment, or taking dangerous shortcuts. The results are often broken rules, mistakes, lack of support, incompetence, poor teamwork, disrespect, and micromanagement. When clinicians speak up, these conversations are called "crucial conversations" (American Association of Critical-Care Nurses, 2005).

The authors believe that having these "crucial conversations" should result in significant reductions in errors, improved quality of care, reduction in nursing turnover, and marked improvement in productivity (Patterson et al, 2005). (See Chapter 11 for additional information on communication and patient safety.) In an effort to address the issues identified in "Silence Kills," the American Association of Critical-Care Nurses has established Standards for Establishing and Sustaining Healthy Work Environments. Table 15-2 identifies these standards. (Also see Critical Thinking Box 15-3.)

# **Institute for Healthcare Improvement**

The Institute for Healthcare Improvement (IHI), a not-for-profit organization founded in 1991, is also focused on improving the quality of health care. The IHI goal is to lead improvement of health care throughout the world (IHI, 2013).

An early IHI initiative that embodied these goals was the 100,000 Lives Campaign, which began in 2004 and ended in June 2006. This project was designed to engage thousands of

TABLE 15-2 AMERICAN ASSOCIATION OF CRITICAL-CARE NURSES STANDARDS FOR ESTABLISHING AND SUSTAINING HEALTHY WORK ENVIRONMENTS				
CATEGORY	STANDARD			
Skilled communication	Nurses must be as proficient in communication skills as they are in clinical skills.			
True collaboration	Nurses must be relentless in pursuing and fostering true collaboration.			
Effective decision-making	Nurses must be valued and committed partners in making policy, directing and evaluating clinical care, and leading organizational operations.			
Appropriate staffing	Staffing must ensure the effective match between patient needs and nurse competencies.			
Meaningful recognition	Nurses must be recognized and must recognize others for the value each brings to the work of the organization.			
Authentic leadership	Nurse leaders must fully embrace the imperative of a healthy work environment, authentically live it, and engage others in its achievement.			

Data From American Association of Critical-Care Nurses: AACN standards for establishing and sustaining healthy work environments: a journey to excellence, 2005. Retrieved from www.aacn.org.

#### **CRITICAL THINKING** BOX 15-3

#### What Do You Think?

- How many hours are too long to work?
- Is there an increase in the number errors made by nurses working 12 hours or longer?
- · How would you handle it if the supervisor asked you to work 6 more hours after your 12-hour shift because the floor is short-staffed?
- What is your responsibility as a professional when it comes to overtime?

U.S. hospitals in an effort to prevent 100,000 needless inpatient deaths by implementing improvements in care. At the end of the campaign, IHI announced that more than 3100 participating hospitals had saved an estimated 122,343 lives. Building on this success, in December 2006, IHI launched the 5 Million Lives Campaign. The focus was expanded beyond mortality to include harm also, introducing high-impact interventions that build on those of the 100,000 Lives Campaign.

The aim of the 5 Million Lives Campaign was to support the improvement of medical care in the United States, significantly reducing levels of morbidity (illness or medical harm such as adverse drug events or surgical complications) and mortality during a period of 2 years (December 12, 2006 to December 9, 2008). IHI and its partners in the campaign encouraged hospitals and other health care providers to take the following steps to reduce harm and deaths:

- Prevent pressure ulcers by reliably using science-based guidelines for preventing this serious and common complication
- · Reduce methicillin-resistant Staphylococcus aureus (MRSA) infection through basic changes in infection control processes throughout the hospital
- Prevent harm from high-alert medications, focusing on anticoagulants, sedatives, narcotics, and insulin
- Reduce surgical complications by reliably implementing the changes in care recommended by the Surgical Care Improvement Project (SCIP)

Deliver reliable, evidence-based care for congestive heart failure to reduce readmission (IHI, 2013)

There was also continued emphasis on strategies included in the 100,000 Lives Campaign, as follows:

- Deploy rapid response teams at the first sign of patient decline
- Deliver reliable, evidence-based care for acute myocardial infarction to prevent deaths from heart attack
- Prevent adverse drug events (ADEs) by implementing medication reconciliation
- Prevent central line infections by implementing a series of interdependent, scientifically grounded steps called the "Central Line Bundle"
- Prevent surgical site infections by reliably delivering the correct preoperative antibiotics at the proper time
- Prevent ventilator-associated pneumonia by implementing a series of interdependent, scientifically grounded steps, including the "Ventilator Bundle" (IHI, 2013)

Another IHI effort to improve safety and quality in hospitals began in 2003, when IHI, in collaboration with the Robert Wood Johnson Foundation, developed a process for transforming care in hospital medical surgical units. The initiative, known as Transforming Care at the Bedside (TCAB), involves a 4-point framework design theme and six core values of work redesign. Frontline staff, with the full support of the executive team, creates, designs, tests, and implements patient care improvements (called tests of change). The improvement efforts are centered on a patient's or an employee's need. Small rapid tests of change provide a mechanism for avoiding delays, discussions, debates, meetings, and layers of administrative sign-offs that often occur in improvement efforts. The TCAB process includes a series of steps to create a replicable approach that can be done in a short period of time:

- Clarify the current status by observations—include observations of those people involved.
- Understand the root problem to solve.
- Select a process to focus on.
- Design a prototype (plan, do, check, and act).
- Begin small (one patient, one nurse, one idea, one try) and rapidly move/test.
- · Identify failures quickly and reject them.
- Determine possible improvements and quickly broaden the test of change.
- Determine definite "just do its" and quickly implement (Martin et al, 2007).

The Institute for Healthcare Improvement currently focuses on the *Triple Aim Framework* as an approach to optimize health system performance. The *Triple Aim Framework* includes: Better Care, Better Health, and Lower Costs (IHI, 2013).

# **Evaluation of Safety Initiatives**

The emphasis on safety has not only resulted in the initiation of specific programs to improve patient care, but has also stimulated evaluation of those measures. For example, Donaldson and colleagues (2009) evaluated the efforts of nine multihospital organizations that used rapid response teams. This evaluation determined the impact of rapid response teams through the eyes of the nurse. Nurses surveyed identified four categories of assistance that were a result of calling the team, including: (1) physical assistance in the form of "extra hands, eyes, brains, and bodies," (2) one-call mobilization of urgent assistance, (3) clinical and communication competencies of critical care nurses, and (4) the ability to expedite transfer to a more intensive level of care.

Similarly Sharpnack-Elganzouri and colleagues (2009) assessed 151 nurses during 980 unique medication administrations in medical-surgical units at a rural hospital, an urban community hospital, and an academic medical center. The study evaluated the nursing effort and workflow in the medication administration process. Nurses averaged more than 15 minutes on each medication pass and were at risk of an interruption or distraction with each one. The authors concluded that systems challenges during medication administration lead to threats to patient safety, work-arounds, workflow inefficiencies, and distractions during a time when focus is most needed to prevent error.


# THE EFFECTS OF VARIOUS PATTERNS OF NURSING CARE DELIVERY: A HISTORICAL PERSPECTIVE

Through the years, nursing care has been delivered in many ways, including total patient care (private duty model), functional, team, primary, and relationship-based care (Figure 15-1). Although we often talk about these systems as distinct from one another, in the real world, you seldom find pure forms of these systems. Consequently, you must be prepared to work in systems that may be a combination, tailor-made to fit the needs of a specific organization.

## What Is the Total Patient Care or Private Duty Model?

Originally, nursing was organized around the *total patient care or private duty model*. RNs were hired by the patient and provided care to one patient, typically in the patient's home. In the 1920s, 1930s, and again in the 1980s, this approach was used where one nurse assumes responsibilities for the complete care of a group of patients on a one-on-one basis, providing total patient care during the shift

The quality of care in the total patient care model is considered to be high, because all activities are carried out by RNs who can focus their complete attention on one patient.



**FIGURE 15-1** Evolving patterns of nursing care delivery.

Tiedeman and Lookinland (2004) suggest that this model is efficient because it (1) decreases communication time between the staff caring for a patient, (2) reduces the need for supervision, and (3) allows one person to perform more than one task simultaneously. Some nurses prefer this model, because they can focus on patients' needs without the work of supervising others; others feel that their skills and time are wasted doing patient care activities that could be done by others with less skill and education. Patient satisfaction tends to be high with this model if continuity of care and communication are maintained among nurses (Tiedeman and Lookinland, 2004).

## What Is Functional Nursing?

The movement toward the use of RNs as employees of hospitals came with the outbreak of World War II. RNs took over the work in the hospital, and that, coupled with the war effort, stimulated the nursing shortage of that period. This forced hospitals to develop alternative models of nursing. The positions of aides and licensed vocational/practical nurses came into being, and in some states, they were allowed to perform functions such as administration of medications and treatments. This functional kind of nursing, which broke nursing care into a series of tasks performed by many people, resulted in a fragmented, impersonal kind of care (Figure 15-2). Fragmentation of care caused patient problems to be overlooked, because the problems did not fit into a defined assignment.

Tiedeman and Lookinland (2004) note that this assembly-line approach provided little time for the nurse to address a patient's psychosocial or spiritual needs. They cite a number of studies showing that errors and omissions increased when functional nursing was used. This approach would seem to be cost-efficient, because it can be implemented with fewer RNs. However, there are studies that suggest that the functional method, in fact, costs more than primary nursing care. In addition, patients, nurses, and physicians have been critical of this approach because of the fragmentation and the lack of accountability for the patients' total care (Tiedeman and Lookinland, 2004).




FIGURE 15-2 Lines of authority: functional nursing.

#### What Is Team Nursing?

In the 1950s, *team nursing* evolved as a way to address the problems with the functional approach. In this type of nursing, groups of patients were assigned to a team headed by a team leader, usually an RN, who coordinated the care for a designated group of patients (Figure 15-3). The *team leader* determines work assignments for the team on the basis of the acuity level of the group of patients and the ability of the individual team members. The following is an example of the components of a team:


- An RN who is the team leader
- Two licensed vocational nurses/practical nurses assigned to patient care
- Two unlicensed assistive personnel (UAP)

The success of team nursing centers depends on good communication among the team members. It is imperative that the team leader continuously evaluates and communicates changes in the patient's condition to the team members. The team conference is a vital part of this approach, allowing team members to assess the needs of their patients and revise their individual plans of care on an ongoing basis.

Tiedeman and Lookinland (2004) suggest that the team model allows the nurse to know patients well enough to make assignments that best match patient needs with staff strengths. Patient needs are coordinated, and continuity of care may improve, depending on the length of time each member stays on the team. However, care can be fragmented and the model ineffective when staff is limited. In addition, the amount of time required to communicate among team members may decrease productivity (Tiedeman and Lookinland, 2004).

## What Is Primary Nursing?

In the 1960s and 1970s, *primary nursing* evolved. In this system, a nurse plans and directs the care of a patient during a 24-hour period. This approach is designed to reduce or eliminate the fragmentation of care between shifts and nurses, because one nurse is accountable for



**FIGURE 15-3** Lines of authority: team nursing.

planning the care of the patient around the clock. Progress reports, referrals, and discharge planning are usually the responsibility of the primary nurse. When the primary nurse is off duty, an associate nurse continues the plan of care. An RN may be the primary caregiver for some of the assigned patients, whereas an associate nurse is the primary caregiver for others. Some forms of primary nursing evolved into an all-RN staff (Figure 15-4). You may also find primary nursing being mixed and modified with nurse extenders, such as paired partners, or partners in care. Although team nursing took the RN away from bedside care, primary and modified primary nursing puts the nurse back in close contact with the patient

Relationship-based practice is the new name for primary nursing. The RN, who may be called the care coordinator, the responsible nurse, the principal responsible nurse, the case manager, or the care manager, manages and coordinates a patient's care in the hospital, as well as coordinating the discharge plan. This nurse develops a relationship and can be identified by the patient, the patient's family, and the health care team as having the responsibility and authority for planning the nursing care that the patient is to receive.

#### What Is Patient-Focused Care?

Patient-focused care is another delivery system that has evolved since the late 1990s. Because of earlier nursing shortages, some traditional nursing interventions, such as phlebotomy and diet instruction, have been assigned to members of departments that do not report to nursing. These ancillary workers spend a great deal of time in transit from one unit to another. Time is also lost when there is not enough work for this single-function member to do. These tasks can be centralized on the unit under the direction of the RN. UAPs are cross-trained to perform more than one function, thus increasing the level of productivity. In this system, the patient comes into contact with fewer people, and the RN, who is familiar with the patient's plan of care, supervises the delivery of care. This model also moves RNs to a higher level of functioning, because they are now accountable for a fuller range of services for the patient. Tasks that do not require an RN can be delegated to a UAP under the supervision of the RN.

There are also models of care associated with providing care during the patient's transition to home or to another less intense level of care. Such transitional care is particularly




FIGURE 15-4 Lines of authority: primary nursing.

important in today's health care environment. Peikes et al (2012) describes three such models. The first, the *Transitional Care Model* (TCM), provides comprehensive in-hospital and follow-up care plans. The second model, *Care Transitions Intervention* (CTV), teaches self-management and communication skills to patients and caregivers so they can coordinate care. There is also a follow-up component using a home visit and telephone call. The *Re-engineered Discharge* (RED) model provides patient education, medication reconciliation and education, instruction about red flags to symptoms, teach-back learning processes, coordination of physician appointment and follow-up tests, and evidence-based written discharge plan (Peikes et al, 2012).

#### What is Telehealth?

As technology has improved, the use of telehealth as a model for delivering care has expanded. *Telehealth* is the delivery of health-related services and information via telecommunications technologies. Telehealth might be as simple as two health professionals discussing a case over the telephone or as sophisticated as doing robotic surgery between facilities at different ends of the globe. Care may include preventive strategies as well as treatment of illness. In 2012, the Institute of Medicine issued a report on the role of telehealth in the evolution of health care. This report provides an overview of the level of service that might integrate telehealth into their care delivery.

Telehealth, used in home and community-based care, typically focuses on chronic disease and the related education, monitoring, and management of diseases such as hypertension, health failure, and diabetes. Telehealth can also support acute care by bringing experts to areas that may not have access to such services. Teleradiology, telepathology, and telepharmacology can also supplement care in areas with limited access (IOM, 2012).

# What Is the Most Effective Model of Nursing Care?

In the past, there has been a great deal of literature published about models of care delivery. However, there is a lack of systematic evaluation regarding the use of the various models, often because of the lack of similarity in staffing and patient populations on comparison units (Tiedeman and Lookinland, 2004). As a result, it is impossible to determine the impact that inpatient models of nursing care have on patient outcomes, costs, or job satisfaction. It may be that the model of nursing care delivery is less important than other factors, including the nurse-to-patient ratios, use of overtime, and the organizational culture in which the nurse works, in influencing outcomes (Critical Thinking Box 15-4). According to Peikes et al (2012), there is rigorous evidence that at least some of the transitional care models are effective in improving outcomes. The impact on the reduction of cost is unclear.

The current emphasis on quality and safety of patient care has had an impact on care delivery models. Kimball and colleagues (2007) evaluated new innovative care delivery modules that have the potential to change or reinvent care delivery. Of the 45 models identified, 30 were selected for further research, including telephone interviews and review of supporting information. It was required that each of the models: (1) serve primarily adult patients, (2) rely on nurses to play a primary role in care delivery, (3) include an acute

#### **CRITICAL THINKING BOX 15-4**

care hospital component, (4) integrate technology, support systems, and new roles, and (5) improve quality, efficiency, and cost. The models were ranked based on (1) the model's match with the criteria, (2) the degree of innovation, (3) the level of integration with other settings and providers of care, (4) the existence of measurable results, and (5) the potential for sustainable outcomes.

Each of the models evaluated included some common elements. The first is an *elevated RN role*, which moves from traditional care delivery to serving as a "primary care manager." The second element is a *sharpened focus on the patient*. The care is nurse-managed, but patient-directed, which results in greater patient and family involvement, which in turn increases compliance and speeds recovery. The third common element includes *specialized tools for assessment, teaching, and measurement,* which ensures smooth transitions from one level of care to another. The fourth element involves *the leveraging of technology* (e.g., electronic medical records, pharmacy robots, cell phones, or walkie-talkies) to enhance communication, reduce labor-intensive documentation, improve access to information, or reduce wasted time. The fifth includes the *measurement of a broad range of clinical, quality, financial, and satisfaction indicators* to drive the redesign and to indicate viability and sustainability. The development of each of these models also involved the early and regular involvement of caregivers. Five of the models evaluated by Kimball and colleagues (2007) are described in Table 15-3.

## What Is the Impact of Staffing Patterns on the Quality of Care?

Regardless of the model of care used, nurse staffing must be addressed, particularly in hospitals in which 24-hour coverage is required. In 2004 and again in 2007, the AHRQ released reports that summarized findings of AHRQ-funded research and other research on the relationship between nurse staffing levels and adverse patient outcomes. These reports included the following conclusions:

- Lower levels of hospital nurse staffing are associated with more adverse outcomes.
- Patients in hospitals today are more acutely ill than in the past, but the skill levels of the nursing staff have declined.
- Higher acuity patients have added responsibilities that have increased the nurse workload.
- Avoidable adverse outcomes, such as pneumonia, can raise treatment costs by as much as \$28,000.
- Hiring more RNs does not decrease profit.
- Higher levels of nurse staffing could have a positive impact on both quality of care and nurse satisfaction (AHRQ, 2004, 2007a,b).

The 2004 studies showed significant associations between too few nurses on a unit and higher rates of pneumonia, upper gastrointestinal bleeding, shock/cardiac arrest, urinary tract infections, and failure to rescue. Other studies in the review showed associations between lower staffing levels and pneumonia, lung collapse, falls, pressure ulcers, thrombosis after major surgery, pulmonary compromise after surgery, longer hospital stays, and 30-day mortalities (AHRQ, 2004).

In 2007, the AHRQ funded research to review studies from 11 databases to assess how nurse-to-patient ratios and nurse work hours were associated with patient outcomes in acute care hospitals, factors that influence nurse staffing policies, and nurse staffing strategies that improved patient outcomes. They found that higher RN nurse staffing was associated with less hospital-related mortality, failure to rescue, and other patient outcomes, but

NAME	DESCRIPTION	ROLE OF THE NURSE	ADVANTAGES
The 12-Bed Hospital	Large hospital segmented into a 12- to 16-bed unit	RN is designated as a patient care facilitator who serves as a CEO of the unit.  Assumes 24/7 accountability for directing and managing individualized care for each patient.  Primary contact for physicians, social workers, and other members of the interdisciplinary team.  Serves as a liaison for patients and families. Mentors other RNs and team members.	Improved care, decreased nursing care fragmentation, improved communication and quality of patient care
Primary Care Team	Differentiated nursing practice team composed of an RN case manager, an RN or LVN/LPN, and a clinical assistant	Designed to increase the value of the experienced RN in patient care.  Principles include: Team involves patient in planning by asking on each shift, "What is the most important thing I can do for you this shift?" Twice each shift, have a "Take 5 for Safety" huddle—a quick team update on patients.  A unit manager and a case manager support RN care.	Decreased nursing vacancy, turnover rates; improved physician satisfaction with nursing knowledge and com- munication
Collaborative Patient Care Model	A multidisciplinary, population- based case management model, targeting high-volume, high-risk, and high-cost patients in disease-specific or population-based groups	RN patient care coordinators and physicians co-chair multidisciplinary practice groups.	Reduction of average acute length of stay and reduced caregiver turnover
Transitional Care Model	Provides comprehensive in- hospital planning, care coor- dination, and home follow-up of high-risk older adults by an interdisciplinary team	APRNs conduct assessments and, with physicians, design and coordinate patient care and discharge plans.  APRNs implement the plan of care in the home for 1 to 3 months.	Decreased total number of hospital readmissions and total health care costs
Hospital at Home	An acute home-based program of older patients with COPD, heart failure, cellulitis, and pneumonia; provides hospital-level care at home	RN is the coordinator of care for a team consisting of a physician, RN, and nursing assistant. RN observes the patient in the home during the first 24 hours—level of care is determined. Physician visits daily.	Aims to avoid many complica- tions, including delirium resulting from the hospital admission of older patients

APRN, Advanced practice master's degree prepared nurse.

Adapted from Kimball B et al: The quest for new innovative care delivery models, J Nurs Admin 37:392-398, 2007.

the higher RN nurse staffing might not be the cause of these outcomes, because hospitals that invest in adequate nursing staff may also invest in other initiatives to improve quality. Researchers also found that the effect of increased RN staffing on patient safety was strong and consistent in ICUs and for surgical patients. A larger number of RN hours spent on direct patient care was associated with decreased risk of hospital-related death and with shorter lengths of stay (AHRQ, 2007a).

Determination of the number of nursing staff needed relative to the number and acuity of patients on a unit is the challenge of staffing. Since the early to mid-1990s, patient classification systems (or acuity systems) have been used to determine the number of nurses needed on a unit at any one time. Patient acuity is the measure of categorizing patients based on their nursing care requirements. Patient classification systems, particularly with increased computerization and the ability to access the system online, provide many benefits. Specifically they can be used to (1) improve patient care outcomes, (2) identify appropriate staffing, (3) track budget compliance and costs, and (4) maintain nurse retention through their ability to impact staffing through assessment of patients' conditions (Harper and McCully, 2007).

## **How Are Nursing Work Assignments Determined?**

After appropriate staffing levels for a unit are determined, specific nurses must be scheduled. How work assignments are decided varies with individual organizations and is related to the model of care delivery, condition of the patient, architecture of the unit, and expertise of the staff.

A major problem in scheduling nurses is the fact that patient acuity fluctuates dramatically from day to day and from season to season.

For example, during the Christmas holidays there is often a significant decrease in the number of elective surgeries. In response, some hospitals may close units or reduce the number of staff on any given unit. By contrast, in the middle of the influenza season, the hospital might be full and understaffed.

Nursing has tried a variety of approaches to anticipate the number and qualifications of nurses who will be needed for a specific period for a specific group of patients. Regulatory agencies such as The Joint Commission require that staffing be based on some sort of organized system. Staffing in organizations may be based on budgeted nursing hours per patient per day. Hours per patient per day are calculated by the number of patient care staff working during a 24-hour period and divided by the number of patients served in a day.

Whether nursing resource requirements are defined by nursing hours per patient days or as nurse–patient ratios, the underlying assumption is that all patients, patient days, and nursing staff are equal. In fact, the intensity of patient care needed, the length of stay of the patient, and the competency of the staff also influence the nursing resource requirement. There are three approaches to document that the organization has a minimum number of nurses to ensure safety in any given acute care unit: (1) identifying and mandating fixed staffing ratios, and (2) establishing a hospital-specific written staffing plan, which typically uses computerized patient acuity systems, or (3) reporting/public disclosure of staffing plans.

In 1999, California was the first state to pass comprehensive legislation to establish minimum nurse-to-patient ratios for RNs and LPN/LVNs in acute care, acute psychiatric, and specialty hospitals. After the bill was passed, the California Department of Health Services (CDHS) was charged with determining what the ratios in various patient care areas should be. In 2005, the governor suspended the law scheduled to take effect on January 1, 2005, which required one nurse for every five patients in medical-surgical units, which was a change from the ratio of one nurse for every six patients. A judge ruled that the governor's administration overstepped its authority and barred the administration from delaying the implementation of the staffing ratios. Although a few states have regulated the ratios in specialty areas, such as intensive care units or labor and delivery rooms, California is the only state to mandate ratios in every patient care unit in every hospital in the state (DeVandry and Cooper, 2009). Aiken and colleagues (2009a,b) conclude that patient mortality rates have decreased and nursing retention rates have steadily increased since implementation of the mandated nurse staffing ratios in California.

In contrast to fixed nurse-patient ratios, a written plan includes the following critical factors:

- Establishing initial staffing levels that are recalculated at least annually or more often as necessary
- Setting staffing levels on a unit-by-unit basis
- Identifying ways to adjust staffing levels from shift to shift, based on intensity of patient care

Written staffing plans should be developed by an advisory committee composed of a number of RNs, a significant portion of whom are involved in direct patient care at least part of the time (Critical Thinking Box 15-5). Nevada, Ohio, Connecticut, Washington, Illinois, Oregon, and Texas use staffing plans/committees. In addition, New York, Vermont, New Jersey, Rhode Island, and Illinois require reporting and/or public disclosure related to nursing staffing. The reporting of staffing may be made readily available to the public or reported to a state agency (DeVandry and Cooper, 2009).

# **CRITICAL THINKING BOX 15-5**

How might you handle a staffing crisis? What are the advantages and disadvantages to each of the following:

- What are the unit census, acuity, and patient-classification systems?
- Does your organization have a float pool within the staff or an agency or outside staff available?
- Check whether your part-time staff can work an extra shift.
- Will another staff member cover the extra shift in exchange for a day off later in the schedule?
- Can you survive with partial-shift coverage during the "peak" shift hours?
- Ask a staff member to work a double shift—either stay late or come in early.
- Work the shift yourself.
- What other solutions can you think of?

The research regarding the effectiveness of the three approaches has not been conclusive, and the optimal nurse-to-patient ratio has not been determined (Deanery and Cooper, 2009). Until the evidence regarding staffing becomes clearer, the judgment of the competent RN is critical in making decisions regarding the necessary staff. At this point, recommendations regarding staffing remain at a broad level. For example, the TJC report "Guiding Principles for the Development of the Hospital for the Future" identifies principles to address the staffing challenge:

- Address the misdistribution of health care workers across the globe by instilling fair migration and compensation policies for affected countries.
- Expand health professional education and training capacity to accommodate the growing demand for health care workers.
- Create workplace cultures that can attract and retain health care workers.
- Support the development of health professional knowledge and skills required to care for patients in an increasingly complex environment.
- Educate health professionals to deliver team-based care and promote teamwork in the hospital environment.
- Develop the competence of health professionals to care for geriatric patients.

These principles emphasize the need to ensure a positive work environment for employees, which includes encouraging teamwork. Kalisch and Lee (2009) explored staff characteristics, staffing, and scheduling variables associated with the level of teamwork in nursing staff on acute care hospital patient units. A sample of 1758 nursing staff members from two different hospitals on 38 patient care units completed the Nursing Teamwork Survey. The researchers found that staff with less than 6 months of experience, those working 8-hour or 10-hour shifts (as opposed to 12 hours or a combination of 8 and 12 hours), part-time staff (as opposed to full time), and those working on night shift had higher team scores. The higher teamwork scores were also associated with no or little overtime. The higher the perception of the adequacy of staffing and the fewer patients cared for on a previous shift, the higher the teamwork scores.

# **What About Scheduling Patterns?**

Nursing has also been concerned about scheduling practices and options, because in many health care environments, nursing care must be provided 24 hours a day, 365 days per year. That is why there are numerous scheduling patterns other than the typical 8-hour shift 5 days a week. From working 10-hour days 4 days a week to the weekend alternative (known as the Baylor Plan) of two 12-hour weekend shifts for 36 hours of pay, nurses have tried numerous patterns and combinations of shifts.

#### What About the Use of Overtime?

With the current shortage of health professionals, employees are also encouraged and sometimes required to work overtime. In fact, Trinkoff and colleagues (2006), in a study of more than 2000 nurses across multiple care settings, found that at least one fourth of the respondents reported working 12 hours or more per shift, one third of the sample reported working more than 40 hours per week, and one third reported working 6 days or more in a row at least once in the previous 6 months. Similarly, the landmark study of nurses by Rogers and associates (2004) showed that 14% of nurses in the study reported working shifts of 16 hours or longer in the previous 4 weeks; 81% of shifts ran more than their scheduled limit. This work pattern results in fatigue, which can produce performance similar to someone who is intoxicated from alcohol. Fatigue can also produce physical performance effects that inhibit critical cognitive functions, including lapses of attention, irritability, memory lapses, decreased ability to detect and react to subtle changes, slowed information processing, difficulties in handling unexpected situations, and communication difficulties (Graves and Simmons, 2009) (Research for Best Practice Box 15-1).

#### RESEARCH FOR BEST PRACTICE BOX 15-1

#### Creating Healthy Work Environments to Retain Nurses

#### **Practice Issue**

Kramer and colleagues (2009) reviewed literature from seven professional organizations/regulatory bodies to identify structures and leadership practices, which influence a healthy working environment likely to retain nurses. They also analyzed 88 additional studies to identify structures that are most helpful in supporting nurses to provide high-quality patient care. Creating healthy nursing environments improves quality patient care and employee retention.

#### **Implications for Nursing Practice**

Structures most frequently cited as influencing a healthy working environment are:

- Management style of the nurse leader is visionary, visible, open and rich, and includes skilled communications.
- Opportunities for education, professional growth, development, and advancement are available, including tuition reimbursement, continuing education, and certification.
- Nurse staffing structures provide adequate numbers and flexible scheduling.
- Flat, decentralized organizational structures promote unit-based and shared decision-making.
- Collaborative, interdisciplinary relationships are demonstrated through evidence such as committee membership and minutes.
- A culture of interdisciplinary collaboration, teamwork, and safety exists and is nurtured.
- Personnel policies include salary and benefits competitive for geographical area and advancement, such as career ladders.
- Quality improvement infrastructure and environment are in place, including research and evidence-based practice initiatives.
- Meaningful recognition structures are operative, including recognition of nurses' contributions and the value of these contributions; reward/pay for performance.

Structures most helpful in supporting nurses to provide high-quality patient care are:

- Nurse-managers who share power; request evidence used to make autonomous decisions; hold staff accountable in positive, constructive ways for decisions made; promote group cohesion and teamwork; and resolve conflicts constructively.
- Structures that support evidence-based practice teams.
- Approval from administration for nurses to make autonomous decisions, interdisciplinary collaboration, and for leadership/participation in council activities.
- Programs that help develop effective teamwork.
- Staffing structures that consider RN competence, level of patient acuity, flexible scheduling, and flexible care
  delivery systems.
- Availability and support for educational programs.
- Regular, interdisciplinary patient care rounds, review and critique sessions, and critical pathway and protocol development.
- Structure for regulation and determination of nursing practice by nurses at all levels of the organization.
- Development of and "living" a patient-centered culture in which values are known, subscribed to, and transmitted to newcomers.

#### **Considering This Information:**

What can you do as a nursing leader to promote a healthy work environment?

#### Reference

Kramer M, Schmalenberg B, Maguire P: Nine structures and leadership practices essential for a magnetic (healthy) work environment, *Nurs Adm Q* 34:4-17, 2009.

#### CONCLUSION

The emphasis on cost control and managed care has changed the way that nursing care is delivered. New models of health care delivery are being developed in which we look at the desired outcome and "manage backward" to achieve that outcome at the lowest level of expenses. Because of some of the unexpected negative consequences of managed care, there is a renewed emphasis on evidenced-based care to enhance patient safety (see the Relevant Websites and Online Resources). We are continually challenged to develop more innovative and creative ways to ensure excellence in patient care with limited dollars. Nurses can meet this challenge.

#### **RELEVANT WEBSITES AND ONLINE RESOURCES**

Agency for Healthcare Research and Quality

www.ahrq.gov

**American Association of Colleges of Nursing** 

www.aacn.nche.edu

Institute of Medicine

www.IOM.gov

**The Joint Commission** 

www.jointcomission.org

**Institute for Healthcare Improvement** 

www.ihi.org

Indiana Center for Evidence-Based Nursing Practice, in the Purdue University Calumet's School of Nursing

http://www.ebnp.org

Louisiana Center for Evidence-Based Nursing at LSU HSC School of Nursing

https://www.lsuhsc.edu/no/library/news/?tag=evidence-based-nursing

TCU Center for Evidence-Based Practice and Research: A Collaborating Center of the Joanna Briggs Institute

http://www.harriscollege.tcu.edu/evidence-based.as

The Academic Center for Evidence-Based Nursing (ACE) at the University of Texas Health Science Center at San Antonio

www.acestar.uthscsa.edu

The Sara Cole Hirsch Institute for Best Nursing Practice Based on Evidence at Case Western Reserve School of Nursing

http://fpb.case.edu/HirshInstitute/index.shtm

The Center for the Advancement of Evidence-Based Practice—Arizona State University

http://nursingandhealth.asu.edu/evidence-based-practice/index.htm

#### **BIBLIOGRAPHY**

Agency for Healthcare Research and Quality. (2004). *Hospital nurse staffing and quality of care:* research in action. Retrieved from www.ahrq.gov.

Agency for Healthcare Research and Quality. (2007a). *Nurse staffing and quality of patient care*, 2007a. Retrieved from www.ahrq.gov/clinictp/nursesttp.htm.

Agency for Healthcare Research and Quality. (2007b). *Evidence based practice center*. Retrieved from www.ahrq.gov/clinic/epc.

Aiken, L., Clarke, S., Sloane, D., et al. (2009a). Effects of hospital care environment on patient mortality and nurse outcomes. *JONA*, 39(7/8), S45–S51.

Aiken, L., Sloane, D., Cimiotti, J., et al. (2009b). *Implications of the California nurse staffing mandate for other states, Health Services Research*. Retrieved from www. nationalnursesunited.org/assets/pdf/hsr\_ratios\_study\_042010.pdf.

American Association of Colleges of Nursing. (2010). *Nursing faculty shortage fact sheet*. Retrieved from www.aacn.nche.edu/Media/FactSheets/NursingShortage.htm.

American Association of Critical-Care Nurses. (2005). AACN standards for establishing and sustaining healthy work environments: a journey to excellence. Retrieved from www.aacn.org.

American Association of Critical-Care Nurses and VitalSmarts. (2005). Silence kills: the seven crucial conversations for healthcare. Retrieved from www. silencekills.com/UPDL/PressRelease.pdf.

American Nurses Credentialing Center. (2004). *Forces of magnetism*. Retrieved from www.nurse credentialing.org/magnet/ProgramOverview/ForcesofMagnetism.aspx.

Black, H., Priolo, C., Akinyemi, D., et al. (2010). Clearing clinical barriers: enhancing social support using a nurse navigator for asthma care. *Journal of Asthma*, 47(8), 913–919.

Buerhaus, P. (2009). The future of the nursing workforce in the United States: data, trends and implications. Sudbury, MA: Jones and Bartlett.

Case, M. A. B. (2011). Oncology nurse navigator: ensuring safe passage. *Crit J Oncology Nursing*, 15(1), 33–40. www.cbo.gov/publications/16076. 2004.

Case Management Society of America. Retrieved from www.cmsa.org.

CBO. (2004). An analysis of the literature on disease management program.

DeVandry, S., & Cooper, J. (2009). Mandating nurse staffing in Pennsylvania: more than a numbers game. *Journal of Nursing Administration*, 39, 470–478.

Disease Management Association of America. Retrieved from www.dmaa.org.

Donaldson, N., Shapiro, S., Scott, M., et al. (2009). Leading successful rapid response teams: a multisite implementation evaluation. *Journal of Nursing Administration*, 39, 176–181.

Graves, K., & Simmons, D. (2009). Reexamining fatigue: implications for nursing practice. *Critical Care Nursing Quarterly*, *32*, 112–115.

Harper, K., & McCully, C. (2007). Acuity systems dialogue and patient classification system essentials. *Nursing Administration Quarterly*, *3*, 284–299.

Healthcare.gov. *Key features of the affordable care act, year by year.* Retrieved from www.healthcare.gov. Horstmann, E., Brown, J., Islam, F, Brick, J., & Agins, B. D. (2010). Retaining HIV infection. patients in care: where are we? where do we go from here? *Clinical Infectious Diseases*, *50*(5), 752–761.

Institute for Healthcare Improvement. (2006). *Protecting 5 million lives from harm.* Retrieved from www.ihi.org/IHI/Programs/Campaign.

Institute for Healthcare Improvement. (2013). Retrieved from http://www.ihi.org/Pages/default.aspx. Institute of Medicine. (1999). *To err is human: building a safer health system*. Retrieved from www.iom.edu.

Institute of Medicine. (2000). *Crossing the quality chasm: a new health system for the 21st century.* Retrieved from www.iom.edu.

Institute of Medicine. (2003). *Keeping patients safe: transforming the work environment of nurses*. Retrieved from www.iom.edu.

Institute of Medicine. (2010). Future of nursing. Retrieved from www.iom.edu.

Institute of Medicine. (November 2012). *Role of telehealth in an evolving healthcare environment*. Retrieved from www.iom.edu.

Joanna Briggs Institute. (2013). Retrieved from http://www.joannabrigs.edu.au.

- Kaiser Family Foundation. (2007). U.S. health care costs: background brief. Retrieved from www. kaiseredu.org/topics\_im.asp?1&;parentID=61&id=358.
- Kalisch, B., & Lee, H. (2009). Nursing teamwork, staff characteristics, work schedules, and staffing. Health Care Management Review, 34, 323–333.
- Kimball, B., et al. (2007). The quest for new innovative care delivery models. *Journal of Nursing Administration*, *37*, 1–11.
- Kovner, C., Brewer, C., Greene, W., & Fairchild, W. (2009). Understanding new registered nurses' intent to stay at their job. *Nursing Economic*\$, 27(2), 81–98.
- Kramer, M., Schmalenberg, B., & Maguire, P. (2009). Nine structures and leadership practices essential for a magnetic (healthy) work environment. *Nursing Administration Quarterly*, 34, 4–17.
- Martin, S., et al. (2007). Transforming care at the bedside: implementation and spread model of single-hospital and multihospital systems. *Journal of Nursing Administration*, *7*, 444–451.
- Melnyk, B., & Fineout-Overholt, E. (2005). *Evidence based practice in nursing and health care: a guide to best practice*. Philadelphia: Lippincott Williams & Wilkins.
- National, Heart, Lung, and Blood Institute (NHLBI). (n.d.). Retrieved from http://www.nhlbi.hih.gov. Patterson, K., et al. (2005). *Crucial conversations: tools for talking when stakes are high*. New York: McGraw-Hill.
- Pedersen, A., & Hack, T. F. (2010). Pilots of oncology health care: a concept analysis of the patient navigator role. *Oncology Nursing Forum*, *37*, 55–60. http://dx.doi.org/10.1188/10.ONF.55-60.
- Peikes, D., Zutshi, A., Genevro, J., Smith, K., Parchman, M., & Meyers, D. (February 2012). *Early evidence on the patient-centered medical home*. Final report (Prepared by Mathematica Policy Research, under Contract Nos. HHSA290200900019I/HHSA29032002T and HHSA290200900019I/HHSA29032005T). AHRQ Publication No. 12-0020-EF. Rockville, MD: Agency for Healthcare Research and Quality.
- Rand Corp. (2007). *Analysis of disease management*. http://www.rand.org/pubs/technical\_reports/ TR562z15/analysis-of-disease-management.html.
- Rogers, A. E., et al. (2004). The working hours of hospital staff nurse and patient safety. *Health Affair*, 23, 202–212.
- Sharpnack-Elganzouri, E., Standish, C., & Androwich, I. (2009). Medication administration time study (MATS): Nursing staff performance of medication administration. *Journal of Nursing Administration*, *39*(5), 204–210.
- Thomas, F., & Caldis, T. (2007). Emerging issues of pay-for-performance in health care. *Health Care Financing Review*. Retrieved from www.allbusiness.com/health-care/health-care-facilities-nursing/8919708-1.html.
- The Joint Commission. (2005). Facts about the sentinel event policy. Retrieved from www.joint commission.org/aboutUs/Fact\_sheets/sep\_facts.htm.
- The Joint Commission. (n.d.). National patient safety goals. Retrieved from www.jointcommission. org/PatientSafety/NationalPatientSafetyGoals.
- Thomas, P. (2009). Case management delivery models. *Journal of Nursing Administration*, *39*, 30–37. Tiedeman, M., & Lookinland, S. (2004). Traditional models of care delivery: what have we learned? *Journal of Nursing Administration*, *34*, 291–297 2004.
- Trinkoff, A., Geiger-Brown, J., Brady, B., et al. (2006). How long and how much are nurses now working? *American Journal of Nursing*, 106, 60–67.
- Wells, K. J., Ballaglia, T. A., Dudley, D. J., et al. (2008). Patient navigation: state of the art or is it science? *Cancer*, 113(8), 1999–2010.
- Wieck, L., Dols, J., & Northam, S. (2009). What nurses want: the nurse incentives project. *Nursing Economic*\$, 27, 169–201.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# 16

# **Economics of the Health Care Delivery System**

Julie V. Darmody, PhD, RN, ACNS-BC

The registered nurse utilizes appropriate resources to plan and provide nursing services that are safe, effective, and financially responsible.

Standard 15, Resource Utilization, ANA Standards of Professional Nursing Practice (2010)



Value is the intersection of cost and quality in health care.

After completing this chapter, you should be able to:

- Define economics and health care economics.
- Compare the market for health care to a normal market for goods and services.
- Use a basic knowledge of health care economics to analyze trends in the health care delivery system.
- Describe what operating budget, personnel budget, and capital budget mean.
- Define economic research strategies.
- Describe what is meant by the term fiscal responsibility in clinical practice.
- Discuss strategies you will use to achieve fiscal responsibility in your clinical practice.

The rate of increase in national health care spending slowed to 3.9% in 2011, the third consecutive year of relatively slow growth (Hartman et al, 2013). However, it may not be time to celebrate! In 2000, national health expenditures (NHEs) were 1.38 trillion dollars, and in 2011, NHE had nearly doubled to 2.7 trillion. By the year 2021, those expenditures are projected to exceed \$4.7 trillion dollars (Keehan et al, 2012). In 2011, NHE consumed 17.9% of the gross domestic product (GDP), which is the value of all the goods and services produced in the United States annually (Hartman et al, 2013). The percentage of the GDP devoted to health care is predicted to be 19.6% by 2021 (Keehan et al, 2012). The outcome of this large investment of resources in health and health care in the United States is variable. Many Americans do not receive the care they need, receive care that causes harm, or receive care without consideration of their preferences and values. The distribution of services is often inefficient and uneven across populations. Although quality is improving slowly for all population groups, access to care and disparities related to age, race, ethnicity, and income are not improving (AHRQ, 2012). All of these statistics have implications for the clinical practice of nursing.

# WHAT ARE THE TRENDS AFFECTING THE RISING COSTS OF HEALTH CARE?

Both intrinsic and extrinsic factors contribute to the rising costs of health care. Intrinsic factors include characteristics of the population (the population is getting older and is requiring more of the health care system), the demand for health care, and employer-paid health insurance. Extrinsic factors include the availability of technology, prescription drug costs, and workforce costs (Figure 16-1). The effects of the economic recession between 2008 and 2010 were high levels of unemployment, a decrease in private health insurance enrollment,




FIGURE 16-1 Trends affecting the rising cost of health care.

an increase in Medicaid enrollment, and an increase in the number of uninsured people (Hartman et al, 2013). The recession has had both intrinsic and extrinsic effects.

#### **Intrinsic Factors**

The 2010 Census reported that there are 308.7 million people in the United States, a 9.7% increase from the 2000 Census (U.S. Census Bureau, 2011). Population projections based on the 2010 Census for the years 2012 to 2060 predict much slower growth during the next several decades and increased diversity in the U.S. population (U.S. Census Bureau, 2012). According to projections for 2012 to 2060, the population over age 65 is expected to more than double, and the population of the "oldest old," over age 85, is expected to more than triple (U.S. Census Bureau, 2012). This is important information, because older people typically use increased health care resources and may not have the income to purchase them. During the projection period of 2009 to 2019, the Baby Boomers (citizens born between 1946 and 1964) will become eligible for Medicare health insurance. A critical challenge for the Medicare program will be to provide quality care for the increasingly aging population while keeping the program financially secure. The Affordable Care Act (ACA) of 2010 included multiple changes to improve Medicare benefits, slow the growth in spending, and improve quality and delivery of care (Kaiser Family Foundation, 2012). Although demand for health care services slowed during the economic recession, it is expected that many uninsured adults and children will become insured through the expansion of Medicaid and the implementation of the health insurance mandate of the ACA in 2014. This increased access will result in increased demand for health care services (Molyneux, 2013). Demand, in the economic sense, is the amount of health care services that a consumer wishes to purchase. Another aspect of increased demand for health care has to do with the widespread availability of health insurance. This has the effect of lowering the cost of health care to individuals who have health insurance. In contrast to demand for health insurance, the need for health care is defined as the amount of health care that the experts believe a person should have to remain as healthy as possible, based on current medical knowledge (Feldstein, 2004). The question then arises: Should the amount of health care provided be based on need or demand?

#### **Extrinsic Factors**

The availability of new medical technology has contributed to the rising costs of health care. If an organization does not offer technology that a competitor offers, it is likely that the market share (percentage of persons in an area selecting that institution) of the organization will decline. To attain a competitive edge, an organization needs to be an early adopter of expensive, new technology. Then, thinking sequentially, someone has to pay for the technology, and this cost will be passed on to consumers in the form of higher health care costs.

Prescription drug spending in 2011 reached 263 billion dollars, an increase of 2.9% from 2010, when spending increased by only 0.4%. The increases from 2010 to 2011 are well below the average rate increase of 7.8% per year from 2000 to 2010. Slowed growth in prescription drug spending was related to factors including the increased use of generic instead of brand-name medications and multiple patent expirations that led to more generics on the market (Hartman et al, 2013). Prescription drug plans encourage the use of less expensive generic rather than brand-name medications by offering lower copayments to consumers who choose the generic medications. A final factor driving health care costs is hospital care expenditures, which were 850.6 billion dollars in 2011, a 4.3% increase over 2010 hospital expenditures. Individuals out-of-pocket spending for hospital care increased

in 2011, reflecting that private health insurance plans were increasing the cost-sharing requirements of enrollees (Hartman et al, 2013). The Organization for Economic Cooperation and Development (OECD) compared health data for 40 different industrialized countries (OECD, 2012). In 2010, health spending was 17.6% of GDP in the United States, a full 8% higher than the OECD average of 9.5%, with a per capita (per person) expense of \$8233, which is two and a half times the OECD average of \$3268.

In 2010, the United States was number one in health care spending as a percent of GDP and also in per capita spending; however, the United States had an infant mortality rate of 6.1, which is above the OECD average of 4.3, and a life expectancy of 78.7 years, which is more than a year less than the OECD average of 79.8 years (OECD, 2012).

This has led some to question whether the United States has the best health care system in the world or just the most expensive.

# WHAT IS THE EFFECT OF THE CHANGING ECONOMIC ENVIRONMENT ON CLINICAL PRACTICE?

Because nurses belong to the largest health care profession and are thus in a position to influence health care costs, it is essential that all nurses understand basic concepts of economics and fiscal (money) management. This knowledge was previously taught in graduate courses for nurse managers or nurse executives. However, the world has changed! One nurse author (Hunt, 2001) states, "Clinical competency is not the only tool needed in an era when economics dominates the health care arena" (p 11).

Today all nurses need to couple their clinical skills with business skills that enable them to be full participants in designing and delivering health care.

#### INTRODUCTION TO ECONOMICS

A simple definition of economics is the allocation of scarce resources. An analogy might be made to the income that an individual earns. The paycheck is a limited, finite amount of money, and choices must be made about how to spend, or allocate, the money. Such choices might include rent, a car payment, food, clothing, and health-insurance payments. Individuals may not be able to pay for all of the goods or services that they wish to have, so decisions must be made and priorities established.

Similarly, health care is a limited resource, and choices have to be made. The choices about health care that concern economists are made at the national level. Questions include: How much does the country wish to spend on health care, what services does the country wish to provide, what is the best method for producing health care, and how will health care be distributed (Feldstein, 2004)?

# What Are the Choices About Amount of Spending?

Currently, the United States is spending 18% of its income on health care. As the payer for Medicare (the national health insurance program for people aged 65 years or older, some people younger than age 65 with disabilities, and people with end-stage renal disease) and Medicaid

(a joint federal and state program that pays for medical assistance for certain individuals and families with low incomes and resources), the federal government is the nation's largest purchaser of health care. Yet this amount does not fully meet the needs of the populations served under these programs, let alone provide for the health care needs of persons without insurance.

#### The Affordable Care Act of 2010

The ACA is the largest mandated health care change since Medicare and Medicaid were introduced in 1965. The timeline for implementing the ACA is from 2010 through 2015. The law addresses issues of access, quality, and cost in the U.S. health care system (Critical Thinking Box 16-1).

The ACA focuses on providing affordable health care coverage for all Americans (U.S. Department of Health and Human Services, 2013).

Key features of the Affordable Care Act follow:

- Sets up a new competitive private health insurance marketplace—through state
  and federal exchanges—giving millions of Americans and small businesses access to
  affordable coverage. Open enrollment is set to begin October 1, 2013, and coverage
  will begin January 1, 2014. (U.S. Department of Health and Human Services, 2013).
- All health plans must provide a standardized, easy-to-read Summary of Benefits and Coverage (SBC), which will give consumers consistent information and will allow them to compare what health plans offer when making choices of coverage (Kaiser Family Foundation, 2013).
- Prohibits denial of coverage for children with preexisting conditions beginning in 2010 and for adults with preexisting conditions beginning in 2014 (Kaiser Family Foundation, 2013).
- Beginning in 2011, allows young adults up to age 26 to stay on their parents' insurance policies (Kaiser Family Foundation, 2013).
- Provides expanded Medicaid coverage for low-income children and adults (Kaiser Family Foundation, 2013).
- Preventive screening and services will be covered by insurance without additional cost to consumers (U.S. Department of Health and Human Services, 2013).

# What Are the Choices Regarding the Services Provided?

The state of Oregon passed legislation between the years 1989 and 1995 that provides an example of choices about the services provided to persons with Medicaid coverage. Consumers and providers of health and social services were charged with developing a ranked list of health care services, in the order of their benefit to the entire population being served, and reflecting community values. Coverage for all conditions at a certain level would be set by the state legislature and would be dependent on budget constraints. In the listing of services, treatment of premature infants, cleft palate, hip fracture, or stroke was covered, for example, whereas radial keratotomy, cosmetic dentistry, and treatment of varicose veins were not included (Oregon Health Authority, 2012). Although this is one type of rationing

# 8

#### **CRITICAL THINKING BOX 16-1**

What are the implications of the Affordable Care Act (ACA) for nursing practice? Suggest strategies for nurses to assist individuals and families to understand their rights and choices under this law.

of health care, and Americans are typically opposed to any type of rationing system, it must be noted that the services denied under the Oregon plan are consistent with those denied reimbursement under other private and public insurance plans.

As it is for physicians, rationing of care is an important issue facing the nursing profession. The International Hospital Outcomes Study reported on rationing of nursing care. Researchers in Switzerland (Schubert et al, 2008) explored the association between the implicit rationing of nursing care and patient outcomes in Swiss hospitals. They found that, despite low levels of rationing of nursing care, rationing was a significant predictor for the six patient outcomes that were studied.

#### What Are the Choices About Methods to Produce Health Care?

One informal definition of managed care is: the right care, in the right amount, by the right provider, in the right setting. This definition implies that there are several ways to provide health care. For example, a woman may choose to have an annual physical examination by a nurse practitioner, a certified nurse-midwife, a gynecologist, or a family practice physician. Each provides care from a different perspective and at a different price. In another example, certain procedures that were once performed only in hospitals are now done in outpatient settings, many with the addition of home health nursing. Lumpectomy and simple mastectomies are surgical procedures that are now handled in an outpatient setting, illustrating a different method of providing health care. Deciding the best method is subject to research and must include an analysis of the costs.

#### What Are the Choices About Allocation?

These decisions involve "who gets what." The underlying question is: Is health care a right or a commodity (like cars or clothing) to be allocated by the marketplace? The World Health Organization (WHO) states in its constitution that the enjoyment of the highest attainable standard of health is one of the fundamental rights of every human being (WHO, 2005). The American Nurses Association Health System Reform Agenda (2008) also affirms that health care is a basic human right and that a health care system should ensure universal access to essential health care services. In another document, the ANA (Guide to the Code of Ethics for Nurses) (2008) states that nurses should provide care without consideration of the patient's social or economic status. However, even if one believes that health care is a right, challenging questions remain. How much health care is a right? Who pays for the health care of people who cannot afford it? Let us assume that an instructor is teaching senior nursing students who all agree that health care is a right. The instructor then asks the students how much of their paycheck they would be willing to forfeit in taxes so that everyone could have this right to receive health care. It is rare that students are willing to subsidize others' health care at a cost of more than one third of their own salaries.

Think about your first paycheck as a registered nurse. How much would you be willing to give up?

Even beyond the costs of care is the question of allocation decisions—that is, who decides who receives what health care. Several responses are possible: the government, payers of health care, individuals, the marketplace, or rationing systems.

#### **Government Allocation Decisions**

Through its funding of Medicare, the government has made multiple allocation decisions. The U.S. government has decided it will pay for inpatient health care and some outpatient

care for patients older than 65 years of age and for selected others. Unfortunately, many of the persons covered by Medicare have come to believe that Medicare covers "everything," and this is not so. It is particularly challenging to nurses when elderly patients assume that they "have Medicare" and thus "nursing home care is paid for." This is a frequent misinterpretation of Medicare coverage. There are many limitations to the services reimbursed by Medicare and many requirements that must be met before the government will make payment (Critical Thinking Box 16-2).

#### **Payer Allocation Decisions**

All insurance companies have rules about the services that will be covered and the requirements that must be met under their policies. One rule involves the presence of preexisting conditions. If, for example, a patient has been diagnosed with AIDS or has been treated for mental illness, that person may be denied coverage for treatment of that particular condition—or denied coverage altogether. When the insurance is a benefit of employment, this has been less likely to occur. At other times, if an individual is applying for insurance, she or he may be required to fill out a lengthy questionnaire about health history or submit to a physical examination. Previously, the findings of these resources may be used to deny or limit coverage. The ACA will prohibit denial of coverage for preexisting conditions beginning in 2010 for children and in 2014 for adults (Kaiser Family Foundation, 2013).

After an insurance policy is in effect, there are additional rules regarding the services that will be covered. Most policies require preauthorization (preapproval) of services before the patient receives care, except in cases of emergency. For example, a physician's office will typically communicate the need for a surgical procedure to the insurance company and obtain this approval. If the patient is admitted to the hospital in an emergency, however, this requirement is normally waived, and the hospital has a limited amount of time to gain the payer approval or reimbursement for the care or the claim may be denied.

Another restriction on resource allocation involves the process of concurrent utilization review (UR). This is a strategy used by managed care companies to control both costs and quality. The process requires that hospital staff, typically registered nurses, communicate the plan of care for a hospitalized patient to the payer or their representative. The payer then determines whether the care is appropriate, is medically necessary, and is covered under the terms of the policy or the contract with the provider (Murray and Henriques, 2003). For example, if a patient is admitted to the hospital the day before elective surgery, that day's cost will almost certainly be denied reimbursement. Preoperative patient teaching and surgical preparation can be handled on an outpatient basis at a much lower cost than a day in the hospital.

#### **Marketplace Allocation Decisions**

A final alternative for the allocation of resources is the marketplace. This type of decision-making implies that health care is a normal good, similar to a car or a piece of clothing, where an increase in income leads to an increase in demand for the good, and the rules of

# 8

#### **CRITICAL THINKING BOX 16-2**

Hospice is reimbursed \$75 per visit by Medicare Part B for home visits. For one particular group of patients, it costs hospice an average of \$98 per day to provide care.

- What are the implications for hospice?
- What options should the hospice nurse manager and nurses consider?

supply and demand apply. However, the market for health care includes some significant differences when compared to the market for normal goods.

#### Unpredictability of Demand

The first difference in the market for health care is the unpredictability of demand. When a person is well, there is little demand for health care services. There is a great demand for health care when a person is ill, and the timing of illness is, of course, uncertain. Consider, for example, the case of a patient needing a heart transplant. A patient does not wait until the price comes down. Rather, the surgery is purchased at any price if a donor heart is available.

#### **Consumer Knowledge**

Another difference in the health care market involves the knowledge of the consumer. If an individual is purchasing a coat or a car, the person usually knows a good deal about the item being purchased, or he or she consults *Consumer Reports* for further data. This is not the case in health care, about which patients tend to have limited knowledge and limited ability to interpret the available knowledge.

#### **Barriers to Entry to the Market**

Even if patients had sufficient knowledge to treat their own illnesses, the health care market is fraught with barriers. All providers must pass examinations and be licensed by appropriate boards. Prescriptive authority is heavily regulated and closely controlled.

#### **Lack of Price Competition**

The health care market, unlike the market for clothing and automobiles, does not engage in price competition. When, for example, have you heard of a sale on appendectomies or "2 for the price of 1" hip replacements? Of course, it does not happen. But more problematic is the fact that health care consumers frequently do not know the cost of their care—especially if an insurance provider is paying for it. In fact, many consumers indicate that they "never saw a bill" for their hospitalization. This is considered to be a measure of the quality of their insurance. Is there any other product that would be routinely purchased without knowledge of its price? The lack of this knowledge leads to predictable consumer health care purchasing behavior.

The classic Rand Health Insurance Experiment (Keeler and Rolph, 1983) was a controlled research study that examined the effect of different copayments on the use of health care. Participants in the study either received free care or paid copayments of 25%, 50%, or 95%. Economic theory would predict that as price increases, the purchase of goods or services would decline. That is exactly what happened. With a copayment of 25%, there was a decline in the use of health care of 19% compared with a free plan. There were even greater declines in the use of health care services at the higher rates of copayments. This consumer behavior is so predictable that health care economists have a term for it: *moral hazard*. It refers to a situation in which a person uses more health care services, because the presence of insurance has lowered the price to the person.

A final method of allocating health care resources is some system of rationing. Rationing is a type of allocation decision that suggests a need-based system. One author defines rationing as a decision to "(1) withhold, withdraw, or fail to recommend an intervention; (2) informed by a judgment that the intervention has common sense value to the

patient; (3) made with the belief that the limitation of health care resources is acute and seriously threatens some members of the economic community; and (4) motivated by a plan of promoting the health care needs of unidentified others in the economic community to which the patient belongs" (Sulmasy, 2007, p 19). Americans find this inherently distasteful. One example of a rationing decision is to not perform heart transplants on patients older than 65 years, with the rationale that the money could be spent on, for example, well-child immunization programs. The major ethical questions (Sulmasy, 2007) involved in rationing decisions include: (1) who makes the decision, and (2) using what criteria? However, most Americans find the concept of rationing inherently unacceptable. The counterargument to this position is that rationing occurs every day in the U.S. health care system, but the decision is currently made on the basis of the individual's ability to pay for care.

#### **BUDGETS**

A *budget* is a tool that helps to make allocation decisions and to plan for expenditures. It is important for staff nurses to understand budget processes, because these decisions directly impact their clinical practice. For example, staff nurses working on a patient-care unit may feel that there is not enough time to care for acutely ill patients on the unit. A clinical manager may respond that the "budget will not allow" additional staff. The reality is that the budget is a human-made planning tool and must be flexible to be useful. Savvy staff nurses will understand the budget process and be able to relate patient acuity to staffing needs. To engage in these discussions, all nurses need to understand basic concepts of budgets as well as different types of budgets: capital budgets, operating budgets, and personnel budgets (Figure 16-2).



FIGURE 16-2 Budget—a tool that helps make allocation decisions.

## What Are the Basic Concepts of Budgets?

When preparing a budget, one must first consider the unit that the document or budget will serve. It could be an entire hospital, a department, or an individual patient-care unit. This discussion will focus on the budget of a patient-care unit, because that is the work environment of most registered nurses.

Here are the basic terms that nurses must know:

**Revenue:** All the money brought into the unit as payment for a good or a service. Some departments in the hospital are defined as revenue centers. Examples might include radiology or surgery. Typically, these departments generate a great deal of income for the larger organization.

**Expense:** All the costs of producing a product. Nursing care units are typically labeled as cost centers; that is, they do not directly generate revenue. Most hospitals have a fixed room rate that includes nursing care. Nurse leaders have questioned the appropriateness of nursing care being lumped into the room rate, but few have been able to effect a change. Some exceptions to this include nursing care to patients in the recovery room, intensive care unit, or labor and delivery area, where there is a separate charge for nursing care.

Margin (or profit): Revenue minus expenses equals margin or profit. Nurses may cringe at the thought of hospitals making a profit, but every hospital—whether it is defined as a not-for-profit hospital or a for-profit hospital—must make a profit. Profits are needed to replace equipment, purchase new technology, and, in some cases, provide care for indigent patients. In addition, for-profit hospitals must pay stockholders a return on their investment. The necessity of making a profit is so crucial to the continued existence of an organization that there is an old adage that states, "No margin, no mission." This means that if an organization does not make a profit, it is unable to fulfill the purpose or mission of the organization, no matter what it might be. The lay public will often describe hospitals as "for profit" or "not-for-profit." Often faith-based institutions are included in the latter category. In reality, all hospitals must make a profit. It is more significant how the profit is used.

# What Are the Types of Budgets?

The budget process involves the development of three budget types that are combined to make an overall budget for the patient-care unit: the capital budget, the operating budget, and the personnel budget. The budget covers a 12-month period that may begin January 1, July 1, or October 1, depending on the organization.

# **Capital Budget**

The beginning point of a budget cycle is usually the *capital budget*. Hospital administrators usually ask departments or patient-care units for a list of items that their area will need to purchase in the coming year. These items are usually restricted to equipment costing more than \$5000 and lasting more than 1 year. Each manager must rank such requests for the unit and write a justification of the necessity for the item. At a unit level, for example, the nurse manager may request replacement beds, telemetry equipment, or computers. Most managers will discuss unit needs with staff nurses and seek their input. Staff nurses do the work of the organization and are in the best position to know what is needed for patient care. So be ready to make suggestions. Keep a running list of all the things you wish you had available to you to improve patient care, so when it is time to budget for the next year, and your manager asks for ideas, you will be ready to share. Next, all of the organization's needs

are summarized and prioritized according to the funds available. Rarely is there sufficient capital to fund all the requests, and difficult allocation decisions and choices must be made.

#### **Operating Budgets**

This budget includes a statement of the expected expenses of the unit for a period, usually 1 year. The budget process begins with a statement of volume projections. The nurse manager projects how much patient care will be provided in the coming year. The volume that nurses are concerned with is measured in patient days, and thus the question is, "How many patient days of care will be provided in the coming year?" The manager would first look at past data to examine how many days were given in the previous year. It is also helpful to look at monthly data, to determine whether there was a month that exceeded projections, perhaps a month in which there was a flu epidemic or one that had a very low number of patient days because of vacations of medical staff who admit patients. Knowledge of these trends helps the manager to project volume for the subsequent year. The manager would next consider any changes in the patient-care unit that might affect volume projections. For example, if two new surgeons were added to the staff, if the unit would begin to provide care for a new clinical population of patients, or if the unit would be newly designated as the overflow unit for same-day surgery patients, all of these factors would increase the volume projections.

In an outpatient setting, the nurse manager of a clinic considers the volume of patient-care visits. The manager carefully considers anything that might increase or decrease that volume in the coming year. This might include adding more clinic exam rooms, retirement or addition of professional providers, or events and changes within the provision of, and competition for, health care dollars in the geographic area.

In addition to projecting the patient day volume, nurse managers also examine the activity of the unit and the acuity (the intensity of care required) of patients. The activity is usually described as *admissions, discharges, and transfers* (ADTs). One measure of activity is the average daily census—that is, how many patients are occupying beds on the unit at midnight. However, this measure by itself results in an underestimation of the work of the unit. A more accurate picture is gained by the addition of the ADT data, because even though these patients may not be counted in a midnight census, they require many hours of care by registered nurses (Critical Thinking Box 16-3).

# •

#### **CRITICAL THINKING BOX 16-3**

In most hospitals, nursing care is "lumped in" with the room charge, and thus nursing care is an expense in the budget and not a revenue center. Most patients (except ICU, step-down, labor and delivery, recovery room) pay the same amount for nursing care.

What are the advantages/disadvantages of this situation for nursing?

Nurse managers must also consider the acuity of the patients on the unit. In an intensive care unit, patients are extremely ill and require many hours of care per day. The number of care hours decreases as patients are moved to general patient-care units. Each organization considers the acuity of patients but may use different methods of arriving at measurements. There are several computerized software packages available, whereby nurses enter patient data and the software program produces estimates of the staffing needs of the unit. Programs are designed for each clinical population of patients (e.g., obstetrics, pediatrics, psychiatry, and the like). Nurses enter data concerning many factors, including numbers

of patients, functional abilities, telemetry monitoring, and postoperative day. These factors help to define how much care patients need and thus can be used to project staffing needs. At the time the budget is created, the nurse manager can review the data to see whether the staffing planned for the unit was adequate to meet patient-care needs.

On a daily basis, there may be vacant beds on a patient-care unit. However, if there were not a sufficient number of registered nurses available to provide care for the patients who *could potentially* occupy these beds, the unit would not be able to accept additional admissions. Therefore, the nurse manager frequently reports "available staffed beds" rather than "vacant beds." When there are no available staffed beds, it is a critical situation. The manager may be asked to work on increasing the supply of nurses by calling in additional staff. Another strategy might be to identify patients who could be safely discharged early if required. In the worst-case scenario, the emergency department may divert potential patients to another hospital, a situation that hospital administration executives deplore! The nurse manager must be prepared to advocate for safe patient care in these situations.

The *operating budget* also includes all of the items necessary for care on the unit. These are called *line items* in a budget and include such things as supplies, telephones, small equipment (e.g., wheelchairs, nurse pagers, fax machines, and the like), postage, and copying costs. Some of these are *variable costs*—that is, costs that change with the volume of patients cared for in a year. Some institutions would include a factor for the variable costs of house-keeping or laundry. There may be a line item for travel for staff nurses to attend clinical conferences or to pay for specialty certification of nurses. These are expenses frequently paid by employing organizations. Other costs, such as heat and electricity, are considered *fixed costs* that do not change with the number of patients. A nurse manager considers all these things when planning an operating budget (Critical Thinking Box 16-4).

# **B**

#### **CRITICAL THINKING BOX 16-4**

As a staff nurse, you have been asked to serve on your unit's financial management committee. You have been told to reduce overall expenses by 3%—in any way you choose to do it.

Given the definitions of fixed and variable costs, where do you think you could begin to look for cost reductions? Develop some ideas of possible cost reductions. Remember that your commitment is to preserve the high quality of patient care.

#### **Personnel Budget**

The personnel budget for a nursing unit is the largest part of unit expenses, and nursing is the largest part of personnel expense. In most hospitals, nursing costs represent at least 50% of hospital expense budgets (Pappas, 2008). This has caused some hospital administrators, who need to reduce expenses, to state:

"Follow the dollars, and they will lead to nursing."

Staff nurses need to understand how a nurse manager determines the number of nurses required for patient care. As discussed, beginning considerations are acuity of patients and the volume or number of patients. The nurse manager must also consider the clinical expertise of the nursing staff. If a unit has a high percentage of new graduates, there will be

a decreased ability to safely care for a higher volume of acutely ill patients on the unit. Next, the nurse manager engages in a series of calculations, all of which are easily understood by staff nurses.

Hours per Patient Day (HPPD). Each patient-care unit will have a designated number of hours of care per patient day. In an intensive care unit, this might be as high as 22 hours per day; on a general surgical unit, it might be 6 to 8 hours. However, nurses need to be aware that these hours must be spread over three shifts (if the organization uses 8-hour shifts) or two shifts (in the case of 12-hour shifts). Nurse managers typically derive *staffing patterns*, that is, combinations of staff (RNs, LPNs, nursing assistants) that are needed for each shift. These may vary for weekends, nights, and even days of the week. For example, if Monday is a day when many surgical procedures are performed, staffing must include higher numbers of registered nurses to assess and monitor postoperative patients.

**Full-Time Equivalent (FTE).** An FTE represents the number of hours that a nurse employed full-time is available to perform all of the employment activities. This is calculated to be 2080 hours (52 weeks times 40 hours), but it is usually split into productive and nonproductive time (Hunt, 2001).

**Productive Time.** This figure reflects the amount of time the nurse is available to provide care to patients. For example, one work day (8 hours) is usually considered to be 7.5 productive hours.

**Nonproductive Time.** This time reflects the amount of time that is not available for direct care. Some examples of nonproductive time include vacations, days off, holidays, time at educational seminars, time for committee work (e.g., quality improvement), breaks, and lunch. If these factors are not calculated into the budget, staffing needs may be seriously underestimated. Skilled nurse managers know their staff and can project nonproductive time. For example, if a unit has a very senior staff that accrues annual vacations of 4 to 6 weeks, this must be considered in the budgeting process.

#### What Are the Economics of Caring?

As clinicians, many nurses are reluctant to incorporate knowledge of health care economics into their clinical practice, feeling that it makes them somehow less compassionate or less caring. However, it can be argued that the reason nurses must understand health care economics is that they can bring the values of nursing to the decision-making process for patient care. They can become advocates for patients in the budget process. For example, an administrator with a master of business administration degree may examine the budget of a nursing care unit and make a decision to decrease staffing. A nurse, who understands the budgeting process and the research evidence about nurse staffing and patient outcomes, can argue persuasively against reductions in nursing HPPD.

It is also important for staff nurses to be able to evaluate the research that provides the evidence for clinical practice change. Many nurses report that their goal is to provide "cost-effective care." However, they use this term loosely and do not understand the economic analysis strategy of cost effectiveness analysis (CEA). This strategy provides information about the cost of an intervention and the effectiveness of an intervention.

At the level of providing care for individual patients, staff nurses must understand fiscal responsibility for clinical practice. *Fiscal responsibility* concerns a threefold responsibility: first to the patient, second to the employing institution, and finally to the payer of health care. It is defined as the duty/obligation of the nurse to allocate (1) financial resources of the patient to maximize the patient's health benefit, (2) financial resources of the employer




FIGURE 16-3 Nurses play an important role in the economics of health care.

to maximize organizational cost-effectiveness, and (3) financial resources of the payer by using knowledge and efficiency (Figure 16-3).

#### **Fiscal Responsibility to the Patient**

The primary fiscal responsibility of the nurse is always, most importantly, to the patient. This means that a nurse uses the most cost-efficient combination of resources to maximize the health benefit to the patient. Nurses need to understand the costs of care and different reimbursement systems, because this will affect the development of a care plan. It is important for nurses to assess the resources that patients have available to dedicate to health care. These may include not only insurance coverage, but also the availability of family members or community resources to aid in care.

For example, many churches team up to provide transportation to treatment locations for patients receiving chemotherapy. Communities vary widely in the resources they offer to patients and families. There may be free support groups, online chat rooms, or Meals on Wheels services available. All of these are valuable community health care resources that are not monetary.

In another example, when creating a discharge plan for a patient, it is essential that a nurse understand the health care resources the patient requires and how they will be paid for. A physician may write orders for prescription medications that are not covered by the patient's insurance. Patients are often reluctant to admit that they cannot afford these medications, and they may either choose not to fill the prescription or may go without other necessities to purchase the medication. Sometimes patients even resort to cutting medications in half to make them "last longer," thereby receiving only a partial dose of the medication. If nurses understand patients' insurance coverage and include this in assessment data, they can make better plans of care. It is especially important that nurses understand Medicare coverage, because in some hospitals more than 50% of patients have this coverage. Table 16-1 summarizes the basics of Medicare insurance. Nurses need to be

OF MEDICARE	COST	DESCRIPTION OF COVERAGE	DOES NOT COVER
Medicare Part A	Usually no premium if the individual or the spouse paid Medicare taxes while working.	Hospital care, hospice care, home health care. Some skilled nursing facility following 3-day inpatient stay.	Long-term care in nursing home
Medicare Part B	Standard amount is \$104.90 for 2013 unless the income limits are exceeded, in which case the fee is income determined.	Medically necessary services such as doctors' services, outpatient care.  Preventive services such as pap tests, flu shots.	Routine dental care, dentures, hearing aids, cosmetic surgery
Medicare Part C	Medicare Advantage Plans (MAP)—a plan like an HMO. Medicare will pay a fixed amount each month to the company providing the MAP.	The MAP covers all of Part A and Part B, but there may be requirements to obtain care from selected providers. May offer additional benefits such as hearing, vision, and dental coverage as well as health and wellness programs.	Might not cover if an individual goes outside of the selected provider network.  The individual must follow plan rules, such as obtaining a referral to see a specialist.  The individual may only join a plat at certain times during the year and is expected to stay in the plan for a year.
Medicare Part D	Medicare Drug Coverage Individual must have Part A and/or B. Costs will vary with the plan the individual chooses.	Run by Medicare-approved private insurance plans. There is a yearly deductible—before the plan begins to pay.  Copay—amounts the individual pays at the pharmacy after the deductible.  Coverage gap—previously, after the individual and the plan paid a certain amount, the individual paid 100% of the cost out-of-pocket until a yearly limit was reached.  Under the ACA, in 2013, when the coverage gap is reached, the individual will pay 47.5% for brand-name and 79% for generic drugs.  After the yearly out-of-pocket limit is reached, the individual receives "catastrophic" insurance whereby the individual again pays only the copay.	Limits on how much medication the individual can obtain at one time.  Step therapy—the individual mus try one or more lower-cost drug that are similar to a higher-cost drug.

From Centers for Medicare & Medicaid Services: *Medicare and you 2013*, 2013. Available at: http://www.medicare.gov/pubs/pdf/10050.pdf.

aware that the coverage for Medicare is very complex, and the complete documentation for coverage is available online.

It is also important that nurses engage in early discharge planning, beginning the process on admission or even before admission. For example, if a patient is to have a scheduled surgery for hip replacement, the nurse in the orthopedic surgery clinic may talk with the patient about convalescence and continued physical therapy in the rehabilitation unit of a

skilled nursing facility. If this process is done before admission, the patient and the family will have the opportunity to visit several facilities and make a selection.


It is important to understand that this does not mean that patients will not receive care or medications if the patient cannot afford to pay for it. It does mean that the nurse will work to ensure that patients receive the care they need, regardless of their ability to pay. In the example of a patient who is to be discharged with a prescription that he or she cannot afford, there may be programs within the hospital that provide low-cost medications. Another alternative is to determine whether a generic drug is available at a lower cost. Some patients even choose to order their prescriptions by mail from Canada to obtain medication at lower costs. This practice is legal in some states and illegal in others. So, before you make this suggestion to a patient, make sure it is legal in your state.

It is also important that nurses understand that fiscal responsibility for clinical practice is a responsibility shared with all other health care disciplines. Nurse practitioners and physicians write orders requiring medications, diagnostic procedures, and laboratory tests. Therefore, they share fiscal responsibility. Clinical social workers have a great knowledge of health care resources available to patients both in the hospital and in the community. All members of the interdisciplinary team share this responsibility and contribute to the goal of maximizing the benefit of health care resources for patients (Figure 16-4).

Nurses also need to advocate for staffing levels that will permit them the time they need to monitor and assess their patients, that is, time to exercise their clinical judgment. Research has demonstrated that nursing care makes a difference in preventing patient deaths and complications (Needleman et al, 2006). Using this evidence to support requests for additional nursing hours to care for acutely ill patients is a rational and respectful way to communicate.

# Fiscal Responsibility to the Employing Organization

Nurses also have a responsibility to the organization or agency where they are employed. The most important way for a nurse to demonstrate fiscal responsibility is by providing



**FIGURE 16-4** Advances in computer technology continue to assist the nurse, but technology cannot replace the humanistic aspect of nursing care.

quality patient care. For example, thorough hand hygiene and the use of sanitizing gels prevent infections that may increase patient costs. Similarly, the prevention of falls and pressure ulcers are clinical practices that have significant cost implications (see Research for Best Practice Boxes 16-1 and 16-2).

Nurses who continually improve their clinical practice by using evidence-based practice or "best practice" guidelines are also engaging in quality practice that is cost-effective.

## RESEARCH FOR BEST PRACTICE BOX 16-1

#### The Cost of Nurse-Sensitive Adverse Events

#### **Practice Issue**

In a time of increasing health care costs and an emphasis on providing safe, high-quality care to patients, nurses need to understand the cost of complications that were related to nursing care.

#### **Implications for Nursing Practice**

- Six adverse events were studied: medication errors, falls, urinary tract infections, pneumonia, and pressure ulcers.
- For patients with congestive health failure, the cost of an adverse event was \$1029.
- For surgical patients, the cost of an adverse event was \$903.
- The odds of pneumonia occurring in surgical patients decreased with additional registered nurse hours per patient day.

#### **Considering This Information:**

What is an argument grounded in best practice that you can make to assure that quality care (remember this is the consideration of cost and quality) is provided to patients?

#### Reference

Pappas SH: The cost of nurse-sensitive adverse events, JONA 38:230-236, 2008.

# RESEARCH FOR BEST PRACTICE BOX 16-2

#### Preventing Pressure Ulcers on the Heel: A Canadian Cost Study

#### **Practice Issue**

The heel is an area that is especially at risk for the development of pressure ulcers.

#### **Implications for Nursing Practice**

- Two methods of preventing pressure ulcers on the heel were compared:
  - · Method A involved protective bandaging plus usual care.
  - Method B provided a hydrocellular dressing for protection of the heel in addition to usual care.
- 44% of patients in the Method A group developed pressure ulcers on the heel compared with 3.3% in the Method B group.
- The Method B group cost \$11.67 more per patient to provide than the Method A group.

#### **Considering This Information:**

Based on the research, what argument can you make for the more expensive treatment?

#### Reference

Bou JE et al: Preventing pressure ulcers on the heel: a Canadian cost study, Dermatol Nurs 21:268-272, 2009.

Nurses also have an obligation to use the resources of the institution wisely. The most costly health care resource that nurses allocate is their time. The nurse considers patient-care needs and prioritizes how professional nursing time shall be allocated. Although it would be ideal for nurses to have unlimited time with each patient, it is not possible. As a beginning point, the nurse knows that the most important reason that a patient is hospitalized is to receive assessment and monitoring by a registered nurse. If a patient does not need this assessment, it is likely that the patient can be safely treated in a less expensive health care setting, such as a skilled nursing facility. The care plans that nurses develop and implement include prioritizing the needs of unstable patients. At other times, it is decided that the patient and family require teaching from a professional nurse. It may also be that the patient and family require psychosocial support, a nursing intervention that requires a high level of nursing expertise.

Nurses also need to understand the *prospective payment system*. Under this system, the hospital is paid a set amount for the care of a patient with a certain condition or surgery. If the hospital engages in efficient clinical care practices, the organization makes a profit. If the hospital is not efficient, it may lose money. Medicare reimburses under this prospective system—called *diagnostic-related groups* (*DRGs*)—as do many private insurance companies. This system has had a large impact on nursing practice. For example, if the nurse does not have a discharge plan in place on the day a discharge decision is made, perhaps because of the lack of planning for transportation for a patient, it may be that the patient will remain in the hospital for an additional day while arrangements are made. This incurs unnecessary costs for the hospital. From another perspective, an unnecessary hospital day is a quality issue. Patients in the hospital are subject to the possibility of infection, the hazards of immobility and bed rest, and even the potential for malnutrition.

Another way that nurses practice fiscal responsibility is by accurately documenting the patient's condition. This must include the severity of the patient's illness as well as the plan of care. If this is not documented, insurance companies may not reimburse for the care. For example, if the nurse documents "up and about with no complaints," it is very likely that the hospital day will not be covered by insurance. However, if the nurse documents the assessments and monitoring that are being done at frequent intervals, the care will likely be reimbursed.

There are other ways in which nurses recognize institutional fiscal responsibility. For example, the nurse should be aware of bringing only the needed supplies into a patient room, because any unused supplies cannot be returned to stock. Some supplies are charged to patients when used. The fiscally responsible nurse makes this a part of practice, if required.

Another example involves breaks and meal times. The nurse takes breaks and meal times as scheduled, to remain healthy and fully functioning on the job. A shift may occasionally be hectic, and it may not be possible to take breaks, but if this is the norm, it is a situation that creates burnout and should be investigated and resolved.

# Fiscal Responsibility to the Payer of Care

At present, the United States government is the largest single payer of health care. For government-funded care such as Medicare and Medicaid, the ultimate payer then is the taxpayer. For private insurance, the payer may be the insurance company selected by an employer or by an individual. In all cases, the nurse has the obligation to use resources

efficiently and effectively. The nurse needs to provide documentation that the patient requires care in the appropriate setting. This includes communicating the severity of the patient's illness as well as the plan of care. Without this documentation, the payer may determine that a particular level of care is not necessary and may not reimburse for that care. It is also clear that the application of evidenced-based practice guidelines will enable the nurse to select interventions that are cost effective and that result in the best outcomes.

Box 16-1 summarizes some strategies to help achieve fiscally responsible clinical practice. Box 16-2 summarizes some questions that a new graduate of a nursing program might want to ask during a job interview to assess how a prospective employer views fiscal responsibility. See the end of the chapter for relevant websites and online resources regarding economics in nursing practice. These resources will be beneficial for you as you begin your profession.

# BOX 16-1 STRATEGIES FOR FISCALLY RESPONSIBLE CLINICAL PRACTICE

#### The nurse:

- Provides quality nursing care that prevents complications
- · Makes conscious decisions about the allocation of professional nursing time
- · Understands Medicare and Medicaid insurance coverage
- Engages in evidence-based practice and follows best practice guidelines
- Shares information with patients and families about the costs of care and alternatives
- Assigns assistive personnel (nurse aides, certified medical assistants) appropriately to help with care and recognizes the nurse is ultimately responsible for the care provided
- · Works with the members of other health care professions to promote fiscal responsibility for clinical practice
- Documents patient condition accurately
- Begins discharge planning on or before admission
- Completes charge slips for patient supplies, if required
- Avoids burnout by taking scheduled breaks, meal times, and vacations
- Engages in safe clinical practice that will avoid personal injuries

# BOX 16-2 QUESTIONS FOR THE NEW GRADUATE TO CONSIDER ASKING DURING A JOB INTERVIEW

- How are financial concerns of patients handled? For example, if a patient is unable to afford needed medications on discharge, what resources are available to nurses to help the patient?
- How is acuity of patients assessed and factored into staffing?
- What are the budgeted hours per patient day for the unit?
- What is the turnover rate on this unit? Why do nurses stay/leave this unit?
- How do staff nurses have input into capital budget requests for the unit?
- How are data about unit financial indicators communicated to the staff?
- What percentage of salary is used as an estimate of fringe benefits?
- What is the overtime rate on this unit?
- Can you tell me about the discharge planning process for patients on this unit?
- What is the staff development plan for professional nurses on this unit?

## CONCLUSION

Given the dire predictions about health care costs being forecast for the next 10 years, it is imperative that nurses consider the economics of clinical practice. Throughout most of nursing history, nurses have not wanted to learn about the costs of care, considering such concerns about as important or as appealing as unnecessary paperwork. Nurses proclaim that they want to be caregivers, not accountants. However, nurses humanize health care institutions. They bring the values of caring and compassion to the workplace. In the years to come, incorporating fiscal responsibility into clinical practice will be seen as another way of caring (Murray, 2002).

## **RELEVANT WEBSITES AND ONLINE RESOURCES**

### Agency for Healthcare Research and Quality

www.ahrq.gov.

#### **American Nurses Association: Health Care Reform**

http://www.nursingworld.org/MainMenuCategories/Policy-Advocacy/HealthSystemReform.

#### Centers for Medicare & Medicaid Services

www.cms.gov.

Medicare: http://www.medicare.gov/. Medicaid: http://www.medicaid.gov/.

#### Health Care Reform: Affordable Care Act (ACA)

www.healthcare.gov.

### **Kaiser Family Foundation**

http://kff.org/.

### Organization for Economic Cooperation and Development (OECD)

http://www.oecd.org/.

### **World Health Organization**

http://www.who.int.

## **BIBLIOGRAPHY**

Agency for Healthcare Research and Quality. (March, 2012). *National Healthcare Quality Report 2011*. Maryland: AHRQ Publication No. 12–0005. Retrieved from www.ahrq.gov/qual/qrdr11.htm.

American Nurses Association. (2008). *Guide to the code of ethics for nurses: Interpretation and application*. Maryland: Nursesbooks.org.

American Nurses Association. (2008). *Health system reform agenda*. Maryland: ANA. Retrieved from http://www.nursingworld.org/Content/HealthcareandPolicyIssues/Agenda/ANAsHealthSystem ReformAgenda.pdf.

American Nurses Association. (2010). *Nursing: scope and standards of practice*. Maryland: Publishing Program of ANANursesbooks.org.

Centers for Medicare & Medicaid Services. (2013). *Medicare and You 2013*. Available at http://www.medicare.gov/pubs/pdf/10050.pdf.

- Feldstein, P. J. (2004). Health care economics (6th ed.). New York: Delmar.
- Hartman, M., Martin, A. B., Benson, J., Catlin, A., & the National Health Expenditure Accounts Team (2013). National health spending in 2011: overall growth remains low, but some payers and services show signs of acceleration. *Health Affairs*, 32(1), 87–99.
- Hunt, P. S. (2001). Speaking the language of finance. *Association of Perioperative Registered Nurses Journal*, 73, 774–787.
- Kaiser Family Foundation. (2012). *Medicare at a glance*. Retrieved from http://kff.org/medicare/fact-sheet/medicare-at-a-glance-fact-sheet/.
- Kaiser Family Foundation. (2013). Focus on health care reform: the Affordable Care Act three years post-enactment. Publication #8429. Retrieved from http://kff.org/health-reform/issue-brief/the-affordable-care-act-three-years-post-enactment/.
- Keehan, S. P., Cuckler, G. A., Sisko, A. M., Madison, A. J., et al. (2012). National health expenditure projections: modest annual growth until coverage expands and economic growth accelerates. *Health Affairs*, 31(7), 1600–1612.
- Keeler, E. B., & Rolph, J. E. (1983). How cost sharing reduced medical spending of participants in the health insurance experiment. *Journal of the American Medical Association*, 249, 2220–2222.
- Molyneux, J. (2013). The top news story of 2012: the Affordable Care Act proves resilient. *American Journal of Nursing*, 113(1), 14–15.
- Murray, M. E. (2002). Another way of caring. RN Newsletter Madison District Nurses' Association, 4, 23.
- Murray, M. E., & Henriques, J. B. (2003). Denials of reimbursement under managed care. *Managed Care Interface*, 16, 22–27.
- Needleman, J., Buerhaus, P. I., Steward, M., Zelevinsky, K., & Mattke, S. (2006). Nurse staffing in hospitals: is there a business case for quality? *Health Affairs*, *25*, 204–211.
- Oregon Health Authority. (2012). *Oregon health plan: the prioritized list*. Retrieved from http://www.oregon.gov/oha/healthplan/Pages/priorlist/main.aspx.
- Organization for Economic Cooperation and Development (OECD). (2012). *OECD Health Data* 2012. Retrieved from http://www.oecd.org/health/health-systems/oecdhealthdata2012.htm.
- Pappas, S. H. (2008). The cost of nurse-sensitive adverse events. *Journal of Nursing Administration*, 38, 230–236.
- Schubert, M., et al. (2008). Rationing of nursing care and its relationship to patient outcomes: the Swiss extension of the International Outcome Study. *International Journal of Health Care Quality*, 20, 227–237.
- Sulmasy, D. P. (2007). Cancer care, money, and the value of life: Whose justice? Which rationality? *Journal of Clinical Oncology*, 25, 217–222.
- U.S. Census Bureau. (2011). Population distribution and change: 2000 to 2010. 2010 Census Briefs. Retrieved from http://www.census.gov/prod/cen2010/briefs/c2010br-01.pdf.
- U.S. Census Bureau. (2012). U.S. Census Bureau projections show a slower growing, older, more diverse nation a half century from now. Press Release. Retrieved from http://www.census.gov/newsroom/releases/archives/population/cb12-243.html. CB12-243.
- U.S. Department of Health and Human Services. (2013). *Read the law*. Retrieved from http://www.healthcare.gov/law/full/index.html.
- U.S. Department of Health and Human Services. (2013). *Preventive services covered under the Affordable Care Act*. Retrieved from http://www.healthcare.gov/news/factsheets/2010/07/preventive-services-list.html.
- World Health Organization. (2005). *Constitution of the World Health Organization*. Retrieved from http://apps.who.int/gb/bd/PDF/bd47/EN/constitution-en.pdf.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.


# 17

## **Political Action in Nursing**

Michael L. Evans, PhD, RN, NEA-BC, FAAN

One of the penalties for refusing to participate in politics is that you end up being governed by your inferiors.

Plato



Nurses are playing a major role in the political process for planning the future of health care.

After completing this chapter, you should be able to:

- Define politics and political involvement.
- State the rationale for a nurse to become involved in the political process.
- List specific strategies needed to begin to affect the laws that govern the practice of nursing and the health care system.
- Discuss different types of power and how each is obtained.
- Describe the function of a political action committee.
- Discuss selected issues affecting nursing: multistate licensure, nursing and collective bargaining, and equal pay for work of comparable value.

Too often nurses feel that the legislative process is associated with wheeling and dealing, smoke-filled rooms, and the exchange of money, favors, and influence. Many believe politics to be a world that excludes people with ethics and sincerity—especially given the controversies in presidential administrations and political party ideologies that so often result in gridlock. Others think only the wealthy, ruthless, or very brave play the game of

politics. It seems that most nurses feel that the messy business of politicking should be left to others while they (nurses) do what they do best and enjoy most: taking care of patients.

Today, however, nurses are coming to realize that politics is not a one-dimensional arena, but a complex struggle with strict rules and serious outcomes. In a typical modern-day political struggle, a rural health care center may be pitted for funding against a major interstate highway. Certainly, both projects have merit, but in times of limited resources not everyone can be victorious. Nurses are now aware that to influence the development of public policy in ways that affect how we are able to deliver care, we must be engaged in the political process.

Leavitt and colleagues (2002) wrote that "the future of nursing and health care may well depend on nurses' skills in moving a vision. Without a vision, politics becomes an end in itself—a game that is often corrupt and empty" (p 86). To demonstrate these skills, nurses must elect the decision makers, testify before legislative committee hearings, compromise, and get themselves elected to decision-making positions. Nurses realize that involvement in the political process is a vital tool that they must learn to use if they are to carry out their mission (providing quality patient care) with maximum impact.

Based on research, "the number of people without health insurance coverage rose from 46.3 million in 2008 to 50.7 million in 2009, while the percentage increased from 15.4 percent to 16.7 percent over the same period" (U.S. Census Bureau, 2009). These uninsured individuals (approximately 51 million) receive virtually no health care whereas countless other inadequately insured individuals receive health care only sporadically. Rural and inner-city residents have alarmingly high morbidity and mortality. Health care for rural citizens is virtually nonexistent. Although the situation is improving in some ways with managed care, even those fortunate enough to have insurance often experience problems accessing the care they need because of cost-cutting strategies.

Nurses' recognition of problems in the current health care system, and their commitment to the principle that health care is a *right* of all citizens, fuel their desire to become active in the political arena and to form a collective force to improve the health care system.

An example of the power of the nursing collective is evidenced in organized nursing's efforts to provide support and defense for a Texas nurse who was discharged from her hospital position for reporting a physician to the Texas Medical Board for medical patient care that the nurse believed was unsafe (ANA, 2010). The nurse, a member of the Texas Nurses Association and the American Nurses Association, also faced a third-degree felony charge for "misuse of official information."

The Texas Nurses Association became aware of the case and immediately offered to support the nurse involved in the case and enlisted the support from the ANA as well. The call went out from the ANA to all nurses, and more than \$45,000 was donated both by individuals and organizations from across the United States to support the defense of this nurse. ANA and the Texas Nurses Association strongly criticized the criminal charges and the fact that this case could have a long-term negative impact on nurses who are acting as whistle-blowers advocating for their patients.

The case went to trial, and a jury found the nurse not guilty. ANA President Rebecca M. Patton, RN, MSN, CNOR, said of the outcome, "ANA is relieved and satisfied that Anne Mitchell (RN) was vindicated and found not guilty on these outrageous criminal charges—today's verdict is a resounding win on behalf of patient safety in the U.S. Nurses play a critical, duty-bound role in acting as patient safety watch guards in our nation's health care system. The message the jury sent is clear: the freedom for nurses to report a physician's

unsafe medical practices is nonnegotiable. However, ANA remains shocked and deeply disappointed that this sort of blatant retaliation was allowed to take place and reach the trial stage—a different outcome could have endangered patient safety across the U.S., having a potential chilling effect that would make nurses think twice before reporting shoddy medical practice. Nurse whistle-blowers should never be fired and criminally charged for reporting questionable medical care" (ANA, 2010, para 5).

It is important for nurses to join and to support nursing organizations that advocate and lobby on behalf of nurses, nursing, and quality health care. Not all nursing organizations have a governmental affairs division for lobbying. The American Nurses Association has lobbyists in Washington, DC, to advocate for the concerns of the profession. In addition, most of the constituent state nurses associations have legislative activities at the state level. (Several nursing associations, including the ANA, are described in Chapter 9.) Before joining a nursing association, you should ask whether the association lobbies on behalf of the interests of its members. The future power of nurses depends on nurses joining and supporting such associations.

Nursing will continue to lobby for new federal and state legislation that improves the quality and availability of nursing and health care.

The nursing profession will also continue to work with the national media to portray nurses in a positive, professional light. For nurses to be effective in promoting policy, the public needs a clear picture of what nurses bring to the American health care delivery system.

It is clear that physicians' organizations are effective in working with the media to present physicians effectively. Nursing organizations have not been as successful in promoting the representation of nurses in their roles and working environments (Turow, 2012).

However, there were three new television shows in 2009 that featured nurses in the prime role. All three shows portrayed nurses' broad-based expertise in providing a wide variety of services in their roles within the health care field, but the show that prevailed past one season depicted a nurse's role in a complex system with no quick fixes (McHugh, 2012).

### WHAT EXACTLY IS POLITICS?

Politics, described by (Mason, 2007 p 4), is a vital tool that enables the nurse to "nurse smarter." Involvement in the political process offers an individual nurse a tool that augments his or her power, or clout, to improve the care provided to patients. Whether on the community, hospital, or nursing-unit level, political skills and the understanding of how laws are enacted enable the nurse to identify needed resources, gain access to those resources, work with legislative bodies to lobby for changes in the health care system, and overcome obstacles, thus facilitating the movement of the patient to higher levels of health or function (Figure 17-1).

Let us look first at the nursing-unit level:

Your hospital is in the process of selecting a new supplier of IV pumps. You and the other nurses on your unit want to have input into that decision, because IV pumps are essential to the care of your patients, and you have a definite opinion about the type of IV pump that works best. But the intensive care unit nurses, who are thought to be more important and valuable because




FIGURE 17-1 How laws grow.

the nursing shortage has made them as rare as hen's teeth, have the only nurse position on the review committee (and therefore, the director's ear!). You and the nurses on your unit strategize to secure input into this important decision.

Your plan might look like this:

- Gather data about IV pumps—cost, suppliers, possible substitutes, and so on.
- Communicate to the charge nurse and supervisor your concern about this issue and your plans to become involved in the decision (by using appropriate channels of communication).
- State clearly what you want—perhaps request a seat on the committee when the opportunity arises.
- Summarize in writing your request and the rationale, submitting it to the appropriate people.
- Establish a coalition with the intensive care unit nurses and other concerned individuals.
- Become involved with other hospital issues and contribute in a credible fashion (i.e., do not be a single-issue person).

## **What Other Strategies Would You Suggest?**

The scenario described here illustrates what a politically astute nurse would do in this situation. Although the example applies to a hospital setting, the strategies are comparable to those necessary for becoming involved on a community, state, or even federal level.

Practicing at the local level will provide good experience for larger issues—one has to start somewhere. Furthermore, a nurse involved on the local level will be able to hone her or his skills, thus gaining confidence in the ability to handle similar "exercises" in larger forums.

In the previous example, the nurse was able to formulate several "political" actions to influence the outcome of the IV pump decision (Critical Thinking Box 17-1).



## **CRITICAL THINKING BOX 17-1**

What are some issues in your school or hospital that are examples of political issues or the result of politics?

## What Are the Skills that Make Up a Nurse's Political Savvy?

## Ability to Analyze an Issue (Those Assessment Skills Again!)

The individual who expects to "influence the allocation of scarce resources" must do the homework necessary to be well informed. She or he must know all the facts relevant to the issue, how the issue looks from all angles, and how it fits into the larger picture.

## **Ability to Present a Possible Resolution in Clear and Concise Terms**

The nurse must be prepared to frame and present coherent arguments in support of the recommendation. Preparation includes anticipating questions and objections so that a rebuttal will be logical and well developed.

## **Ability to Participate in a Constructive Way**

Too often, a person disagrees with a proposal being suggested to a hospital unit (or city council), but only gripes about it. The displeased individual seldom takes the time to study the problem or to understand its connection with other hospital departments (or city programs in a broader issue). Most important, the displeased person seldom suggests an alternate solution.

In short, if an individual's concern is not directed toward solving the problem, that person will not be seen as a team player, but as a troublemaker. Constructive responses, perhaps something as simple as posing a single question such as "What solution would you suggest?" may help those involved think in positive terms and redirect energy to a more productive mode. Positive action can produce the kind of creative brainstorming that results in a solution.

Simply complaining about something does not usually change anything. Proposing a solution is a source of power, because that solution may be chosen as the course of action.

## Ability to Voice One's Opinion (Understand the System)

After the homework is done, let the *right* person know the opinion or solution that has been determined. For example, the nurse might communicate concern and knowledge about the issue to the nurse manager and supervisor. It is important, of course, to make an intelligent and well-informed decision about the person to whom it is best to voice one's opinion.

Having a confidant or mentor who knows the environment is one way to acquire this information, as he or she can provide you with insight regarding the appropriate person to whom you can express your opinion and suggestions. Another strategy is to use your listening skills. Simply standing back and listening are assets that will come in handy! Whatever the technique, studying the dynamics of the organization with all senses will help the nurse decide on the best person and the most appropriate way to communicate the proposed solution.

## **Ability to Analyze and Use Power Bases**

While discussing issues with colleagues and studying the organization, be alert to the various power brokers. In the previous IV pump vignette, the nurse notes the VP of Purchasing is an obvious source of power in the hospital. This VP will certainly concur with, if not make, the final decision. However, be aware that power does not always follow the lines on the organizational chart. The power of the nurse aide on the oncology unit who just happens to be the niece of the newly appointed member of the Board of Trustees may escape the notice of some. This person could be used to influence a decision if necessary. Similarly, the fact that the VP of Purchasing's mother was on the unit should be filed in your memory for future use.

Understanding policy that has been promulgated by respected bodies can also be used as a power base. For example, the Institute of Medicine issued a report in 2011 called *The Future of Nursing*. One of the major tenets of this respected report is that nurses should be able to practice to the full extent of their education, licensure, and training (IOM, 2011).

If a school nurse is trying to make a point about staffing in schools or about the expanded role of the school nurse, using such information can reinforce the power behind the message (Fleming, 2012). On a more global level, using such a power base can help to make the point that the expansion of the role of advanced practice nurses can help to alleviate the massive shortage of primary care physicians and can improve care processes (Newhouse et al, 2012).

Facts may be facts, but *where* one gets information can sometimes make a statement as powerful as the information itself. Having the ability to use many different channels of information will afford the nurse the power to choose among them.

## WHAT IS POWER, AND WHERE DOES IT COME FROM?

Sanford (1979) describes five laws of power. She recommends that these laws be studied to identify strategies to develop power in nursing. The laws are as follows:

## Law 1: Power Invariably Fills Any Vacuum

When a problem or issue arises, the prevailing desire is for peace and order. People are willing to yield power to someone interested in restoring order to situations of discomfort. Therefore someone will eventually step forward to handle the dilemma. It may be some time before the discomfort or unrest grows to heights sufficient for someone to take the lead.

Nonetheless, a person exerting power will step forward to offer a solution. In some situations, this person may be the previously identified leader, the nurse manager, or the department chair. More often there is an official power broker influencing the action. Know that there are opportunities to exert influence—for example, by taking the leadership role (i.e., stepping forward to fill the vacuum).

## Law 2: Power Is Invariably Personal

In most instances, programs are attributed to an organization. For example, the state and national children's and health associations proposed a fictitious program called Immun-EYEs. If one investigated, however, it might be found that the program began with a small group of friends talking while eating a pizza one evening, lamenting the number of infants still not immunized. In the course of their conversation, one might have said, "If we were to create a media blitz that would get the need for immunizations into the consciousness of parents—get the need for immunizations in their face!" And the next person might have said, "In their eyes! Yea, ImmunEYEs. Let's do it!"

Initiatives such as this start with one person creating a new approach to a problem. That person exercises power by providing the leadership or spark to create the strategy to carry out such an initiative, thus inspiring and motivating people to contribute to the effort.

## Law 3: Power Is Based on a System of Ideas and Philosophy

Behaviors demonstrated by an individual as she or he exerts power reflect a personal belief system or a philosophy of life. That philosophy or ideal must be one that attracts followers, gains their respect, and rallies them to join the effort. Nurses have the opportunity to ensure that a patient's right (versus privilege) to health care, access to preventive care, and similar values are reflected in policies and procedures.

## Law 4: Power Is Exercised Through and Depends on Institutions

As an individual, one can easily feel powerless and unable to handle the complex problems facing a hospital, community, or state. But through a nursing service organization, a state nurses association, or a similar organization, that individual can garner the resources needed to magnify her or his power. The person-to-person network, the communication vehicle (usually an organization's newsletter or journal), and the organizational structure are established for precisely this function—to support and foster changes in the health care system.

## Law 5: Power Is Invariably Confronted with and Acts in the Presence of a Field of Responsibility

Actions taken create a rippling effect by speaking to the other nurses for whom nurses act and, most important, the patients for whom nurses advocate. The individual in the power position is acting on behalf of the group. Power is communicated to observers and is reinforced by positive responses. If the group thinks that its ideals are not being honored, the vacuum will be filled with the next candidate capable of the role and supported by the organization.

## Another Way to Look at Power and Where to Get It

In a classic, much-referenced work, French and Raven (1959) describe five sources of power. They are (in order of importance): reward power, coercive power, legitimate power, referent or mentor power, and expert or informational power. These descriptions of power were presented in the discussion of nursing management in Chapter 10. The discussion there described the use of power within the ranks of nursing. Here, the use of power is presented as it applies to the political process, especially through political action in nursing.

The strongest source of power is the ability to *reward*. The best example of making use of the reward power base is the giving of money. If, for example, someone gives a decision-maker financial support for a future political campaign, the recipient will feel obligated to the donor and may, from time to time, "adjust opinions" to repay these obligations! Today, because caps have been placed on campaign contributions, the misuse of this type of reward has been reduced.

An additional source of reward-based political power is the ability to commit voters to a candidate through endorsements. This illustrates the importance of having a large number of members in an organization—in other words, a large voting bloc. This reinforces the imperative for nurses to join and support nursing organizations that advocate on behalf of nurses, nursing, and quality health care.

Second in importance is the power to *coerce* or "punish" a decision-maker for going against the wishes of an organization. The best example of this power, the opposite of *reward*, is the ability to remove the person from office at election time.

Third in importance is *legitimate* power, or the influence that comes with role and position. Influence derives from the status that society assigns individuals as a result of, for instance, inherited family money, membership in a respected profession, or a prominent position in the community. The dean in a school of nursing has a certain amount of influence just because of who he or she is. Right? A nurse's commitment to enhancing nursing's influence explains why nurses encourage and assist one another to achieve key decision-making positions—to build nursing's legitimate power base.

The fourth power base is that of *referent* or *mentor* power. This is the power that "rubs off" of influential people. When representatives of the student body talk with a faculty member about a problem they are having with a course, and they receive her or his support, the curriculum committee or dean is more likely to listen sympathetically than if the students were arguing only for themselves. The faculty member, joining with the students to solve their problem, adds to the students' power. The wish to build this type of power encourages nurses to join coalitions, especially those including organizations with greater power than their own.

The last and weakest of the power bases is that of *expert* or *informational* power. Nurses know about health and nursing care and are thus able to impart knowledge in this area with great confidence and style. Typically, nurses communicate this authority through letters written to legislators, testimonies presented in hearings, and through other contacts made on behalf of nursing and patients. In summary, power is derived from various sources. Nurses use, with the greatest frequency and ease, the weakest of the power bases—that deriving from their expertise. Although this is an important power base, nurses must develop and exercise the other types as well. Only then will nurses realize the full extent of their potential (Critical Thinking Box 17-2).



## **CRITICAL THINKING BOX 17-2**

Who are the people in positions that reflect the different power levels in your school, hospital, and community?

## **NETWORKING AMONG COLLEAGUES**

It has been said that one should never be more than two telephone calls away from a needed resource, whether it be a piece of information, a contact in a hospital in another city, or

input into a decision one is about to make. The key to successful networking is consciously building and nurturing a pool of associates whose skills and connections augment your own.

As a nursing graduate, one should begin the important task of networking by selecting an instructor from nursing school who is able to speak positively about your performance during nursing school. Ask this person if she or he would be willing to write a letter of reference for your first job. If the person agrees, nurture this contact from that time onward. Keep this individual apprised of your whereabouts, your successes, and your plans for the future. This person will be an important link not only to your school, but also to your future educational and career undertakings. Then, at each future work site, find a charge nurse or supervisor willing to write a reference and with whom you can maintain contact. Keep building the network throughout your career.

Remember that this network must be nourished. Constant use of one's resources without reciprocation will exhaust them and make them unreliable sources of assistance in the future. But if properly cared for, this network will provide support for the rest of your career.

### **BUILDING COALITIONS**

A *coalition* is a group of individuals or organizations who share a common interest in a single issue. Groups with whom nurses might form coalitions are as diverse as the topics about which nurses are concerned. For example, nurses are concerned about and lobby for adequate, safe childcare, a safe environment, and women's issues. The numerous organizations interested in these diverse issues are potential candidates for a coalition with nursing organizations. It is not unusual, however, for two organizations to be in a coalition on one issue but adversaries on another. Indeed, this is common in the political arena, where negotiations and compromises are the norm.

A warning: the selection of coalition partners should strengthen your cause or organization. Forming coalitions is a strategy to empower oneself. Therefore, build coalitions with people more powerful than you and build coalitions with organizations enjoying greater power than nursing, not less (Critical Thinking Box 17-3 and Figure 17-2).

## What About Trade-Offs, Compromises, Negotiations, and Other Tricks of the Trade?

Politics is not a perfect art or science. In the heat of battle, nurses are often called on to compromise, but if they are unwilling to bend on some principle, they sacrifice all. To hold out for the ideal typically means that no progress toward the ideal will be realized. Often, changes in health care policies are achieved in incremental steps. However, the decision to compromise a value or principle must be carefully made with full realization of the implications—not an easy decision!

The political skills discussed so far apply to any situation, whether in a family, a hospital unit, or a community. The next part of the chapter is focused on skills that apply specifically to the governmental process.

## 8

## **CRITICAL THINKING BOX 17-3**

What are examples of nursing coalitions in your community or state?




FIGURE 17-2 How do we build a coalition?

## **How Do I Go About Participating in the Election Process?**

One key to successful political activity is involvement in the election process. This is the stage where one can get to know the candidates; they also get to know you. In addition, it is a time when one makes important contacts for that network.

Getting involved in a candidate's campaign is simple. First, study the positions to be filled. Then, with the help of the local nurses' association, the local newspaper, or the county or state Democratic or Republican Party, select the candidate whose views on health care most closely match yours. Next, find the candidate's campaign headquarters. After this, contact the candidate's volunteer coordinator and see when volunteer help is needed. Most campaigns are crying for assistance with folding letters and stuffing envelopes, looking up addresses, and preparing bulk mailings. They will welcome you with great enthusiasm! Be sure to tell the campaign staff that you are a nurse and would be more than willing to contribute to the candidate's understanding of health care issues and to assist in drafting the candidate's positions on these issues (Critical Thinking Box 17-4).



## **CRITICAL THINKING BOX 17-4**

Who in your state government supports legislation that is pro nursing and pro health care?

Beware: Involvement in campaigns and party organizations can lead to catching the political "bug." Victims of the political bug are overcome by a powerful desire to make changes in the

system, and they see a multitude of opportunities to educate people about the health needs of a county, state, and nation. An example of two nurses who caught the bug: During a past national presidential election, the nurses at a state caucus volunteered to write the resolution for the party's position on health care, which, if passed, would become a plank in the platform. After much work drafting the statement and bringing it before various committees, they were ecstatic when it passed and became the health statement for their party! (Review the case studies in the Evolve Resources for an example of the effectiveness of political action by nurses.)

### What Is a Political Action Committee?

Another way that nurses can influence the elective process is through involvement in an organization's political action committee. Political action committees, or PACs, grew out of the Nixon/Watergate era, when Congress decided that candidates for public office were becoming too dependent on money supplied by special interests—individuals who give large political contributions and thereby exert undue influence over the elected official's decisions.

As a result, Congress limited the amount of money an individual may contribute to a candidate, established strict reporting requirements, and created a mechanism whereby individuals can pool their resources and collectively support a candidate.

The ANA National Political Action Committee is called ANA-PAC. Through this vehicle, nurses across the country organize to collectively endorse and support candidates for national offices. Likewise, state nurses associations have state-level PACs to influence state-wide elections. There may be PACs in your area that endorse candidates in city elections. All PACs must comply with the state or federal election codes and report financial support given to candidates for public office.

Today, PACs play an important role in the political process, because they provide a mechanism whereby small contributors can act as a collective, participating in the electoral process when otherwise they would feel outmaneuvered by the bigger players.

The ANA's Endorsement Handbook stresses four points regarding PACs:

- 1. **Political focus.** The only purpose of any PAC is to endorse candidates for public office and then supply them with the political and financial support they need to win an election.
- 2. No legislative activities. A PAC does not lobby elected officials; that is the job of the ANA or the state nurses association and its government-relations arm. A PAC simply provides financial and campaign support for candidates whose views are generally consistent with those of its contributors.
- 3. Not "dirty." A PAC does not "buy" a candidate or a vote. However, the very nature of political life suggests that candidates who recognize an organization's ability to affect their electoral prospects will be inclined to listen to the group's views when considering specific pieces of legislation.
- 4. **Health concerns only.** Nursing PACs evaluate the candidates on nursing and health concerns only. In other words, ANA-PAC might solicit the candidates' ideas about how Congress might address the problem of older adult abuse in long-term care facilities or expanding health care insurance coverage for the uninsured. But the organization as a nursing PAC should not include questions, for instance, about the source of funding for the new cabinet on foreign commerce. The organization speaks for members only on issues covered in its philosophical statements, resolutions, position statements, legislative platforms, or other documents that its members as an organization have accepted (Critical Thinking Box 17-5).

## **CRITICAL THINKING** BOX 17-5

### ANA-PAC. The American Nurses Association's Political Action Committee

How has ANA-PAC affected nursing on a national level? What have been the most recent activities of this organization? How does your state organization communicate or affect nursing and health care legislation in your state?

## After Getting Them Elected, Then What?

Lobbying is the attempt to influence or sway a public official to take a desired action. Lobbying is also characterized as the education of the legislator about nursing and its issues. Educating officials, like educating patients, is an important part of the nurse's role.

As nurses, we can lobby in several different ways. The first and best opportunity to lobby comes when the nurse first meets the candidate and evaluates her or him as a potential officeholder. This is the time to assess the candidate's knowledge of health care issues. Take the time to teach and to learn.

A second opportunity comes when the official needs information to decide how to vote on an issue. Depending on time constraints, the issue, and other considerations, a nurse might decide to lobby the official in person or in writing. If time and financial resources permit, the most powerful type of contact is a face-to-face visit. The only way to ensure time with your senator or representative is to make an appointment. Even then, you may not be successful.

If you are making an unscheduled visit to the Capitol that precludes an appointment, the best time to catch your senator or representative is early in the day, before the legislative sessions or committee meetings start; they rarely start before 10 or 11 AM. Contact with the legislator's aid or assistant can be just as effective as time spent with the official. Busy federal and state officials depend heavily on their staff. Treat staff members with the respect they deserve! Be sure to leave a business card or your name and contact information in writing, including an e-mail address. Make sure that they know how to contact you if they should have any questions.

Finally, remember that contact should be made between legislative sessions and during holidays when the official is in her or his home district. The structure and content of the visit should be similar to that of a written contact. That is, know your issue, keep it short, identify the issue by its bill number and title, and communicate exactly what action you want the senator or representative to take. Box 17-1 is a list of specific "Dos and Don'ts When Lobbying." As you begin lobbying, add your recommendations to the list.

If you cannot visit your representative because of time or travel restrictions, a wellwritten letter, e-mail, or telephone call can communicate your message. Examine the sample letter in Box 17-2. Note that some pointers are listed at the foot of the page. Examples of the proper way to address a public official can be found in Box 17-3.

Letters are common methods of communicating with elected officials; however, a telephone call, fax, or e-mail is often necessary to relay your opinion when time is limited before an important vote. The suggested format and content of the electronic message and telephone message are similar to that of a letter or face-to-face interview.

Deciding on the type of contact to make with the decision-maker will vary depending on the situation. For example, if the bill is coming up for the first time in committee, the strategy may be that 10 to 15 people write letters or e-mail messages or call the members of the committee. At this point, the *number* of contacts with the office is important. The reason is that the legislator's assistant typically answers the telephone or opens the mail, tallies the

### BOX 17-1 DOS AND DON'TS WHEN LOBBYING

#### Do

- Make sure your legislator knows constituents who are affected by the bill; suggest visits to programs in his or her area.
- Clearly identify the bill, using title and number if possible.
- Be specific and know about the issue or bill before you write or talk.
- Identify yourself (occupation, hometown, member of ANA).
- Use your own words; if writing, use your own stationery. No form letters!
- Be courteous, brief, and to the point.
- Provide pertinent reasons for your stand.
- Show your legislator how the issue relates to his or her district.
- Respect your legislator's right to form an opinion different from yours.
- Present a united front. Keep your internal problems at home.
- Write letters of appreciation to your legislators when appropriate.
- Write letters at appropriate times; for example, when a bill is in committee, request action that is appropriate
  for that stage in the legislative process.
- Establish an ongoing relationship with the public official.
- · Know issues or problems your legislator is concerned about and express your interest in assisting him or her.
- Attend functions sponsored by coalition members. Be seen!
- Get involved in your legislator's campaign for reelection—or his or her opponent's, if necessary!

#### Don't

- · Write a long letter or a letter discussing multiple points; deal with a single bill or concern per letter or contact.
- Use threats or promises.
- Berate your legislator.
- Be offended in the event of a canceled appointment. Things are unpredictable during a legislative session.
- Demand a commitment before the legislator has had time to consider the measure.
- Pretend to have vast influence in the political area.
- Be vague.
- Hesitate to admit you do not know all the facts, but indicate you will find out—and do!

subject of the contact, and puts a hash mark in the "Pro HB 23" or "Con HB 23" column for the bill. Therefore a greater impact will be realized if multiple contacts pertain to one bill. Bags of form letters, however, may have a negative impact on a lobbying effort. Make sure your callers/writers understand the issue and are able to individualize their contact with the elected official. People who contact the legislator's office with a script that they do not understand will not further the lobbying efforts of an organization.

The aforementioned efforts are sufficient early in the process; however, if a major, controversial bill is coming up for a final vote in the Senate, activating a statewide network and bombarding the senators with letters, e-mail messages, telephone calls, faxes and telegrams—as many as possible—is a typical strategy. The bigger the issue, the bigger the campaign should be.

At several points in a lobbying season, but certainly after contacting the elected official for a major vote, a follow-up thank-you letter will strengthen your contact with the legislator and help establish you in her or his political network. In addition to reinforcing the reason for your original contact, thank the official for her or his concern with the issue and the work in solving the problem by writing the bill, voting for it (or whatever), and for paying attention to your concern (Critical Thinking Box 17-6).

### BOX 17-2 **EXAMPLE OF A LETTER TO A PUBLIC OFFICIAL**

Ima Nurse, RN 123 Main Street

Any Town, USA 12345-6789

The Honorable U. R. Important, Jr.

United States Senate

Washington, DC 20510

Dear Senator Important:

I request your support of SB 101 regarding appropriations for nursing education and research. This bill is vital to the country's efforts to improve the number and quality of registered nurses. As you recall, the 2010 Very important Nursing Study demonstrated the growing demand for Advanced Nurse Practitioners to work with the increasing numbers of people older than 65 years. This bill will provide funding to increase the number of faculty and student slots in the country's schools of nursing and to support nursing research in gerontological nursing. The expanding numbers of older people in our area of the country are not able to access the health care they deserve. During a trip home, I would like to take you to the

Main Street Senior's Clinic. I know that you would be pleased with this service, as are the health care providers and the patients.

Will you support this bill? Do you have any questions about it? If so, please call me or call the State Nurses' Association Headquarters.

Thank you for your concern with this issue and your continuing support of health care issues.

Sincerely yours,

Ima Nurse, RN

#### **Points to Note**

Your letter should:

- 1. Be neat, without typos or grammatical errors
- 2. Be correctly addressed
- 3. Be on professional letterhead
- 4. Cover only a single topic
- 5. Refer to the bill by number and content
- **6.** State your request in the first sentence
- 7. Include brief rationale for your request
- 8. Use "RN" in your inside address and salutation



## **CRITICAL THINKING BOX 17-6**

When are the bills that affect nursing and health care going to be presented to your state legislature? Is safe staffing on the legislative agenda?

In summary, there are specific skills to learn for effective political involvement. But remember that many of the skills needed to be politically savvy are the very ones that will serve you well in everyday professional negotiations (Figure 17-3).

As a recent graduate, who is becoming oriented to your first job and is beginning to look around at what you and your colleagues need to improve, you will agree that political involvement is necessary to reach your goals.

Don't wait to be "allowed" to make a difference, don't wait to be invited to join, and don't let someone else do the job. Please step forward! Act like the powerful, informed, influential nurse that you are. There is much that needs to be done; be a part of the action to achieve solutions!

Margaret Mead said, "Never doubt that a small group of thoughtful, committed citizens can change the world. Indeed, it's the only thing that ever has." The nursing profession has much to accomplish in addressing the problems with affordable, readily available health care for all. Make sure you are a part of the solutions that will be discovered in the future!

### BOX 17-3 HOW TO ADDRESS PUBLIC OFFICIALS

## The President\*: The Honorable (Full Name)

President of the United States

The White House Washington, DC 20500 Dear Mr./Madam President:

### Speaking:

"Mr./Madam President"
"President (Last Name)"

## The Vice President

### Writing:

The Honorable (Full Name)
Vice President of the United States
Executive Office Building

Washington, DC 20501

Dear Mr./Madam Vice President:

### Speaking:

"Mr./Madam Vice President"

"Vice President (Last Name)"

## A Senator Writing:

The Honorable (Full Name) United States Senate

(will have office building and room address)

Washington, DC 20510 Dear Senator (Full Name):

### Speaking:

"Senator (Last Name)"

## A Representative

### Writing:

The Honorable (Full Name)
U.S. House of Representatives
(will have office building and room address)

Washington, DC 20515 Dear Mr./Ms. (Full Name):

### Speaking:

"Representative (Last Name)"
"Mr./Ms. (Last Name)"

## A Member of the Cabinet Writing:

The Honorable (Full Name)
Secretary of (Cabinet Agency)

(will have office building and room address)

Washington, DC 20520 Dear Mr./Madam Secretary:

### Speaking:

"Mr./Madam Secretary"
"Secretary (Last Name)"

## CONTROVERSIAL POLITICAL ISSUES AFFECTING NURSING

## **Uniform Core Licensure Requirements**

#### What Is It?

The Nursing Practice and Education Committee, formed by the National Council of State Boards of Nursing (NCSBN), proposed the development of core licensure requirements. This was in response to an increasing concern regarding the mobility of nurses and the maintenance of licensure standards to protect the public's health, safety, and welfare. With the implementation of Mutual Recognition, it is important that health care consumers have access to nursing services that are provided by a nurse who meets consistent standards, regardless of where the consumer lives. NCSBN (1999) defines competence as "the application of knowledge and the interpersonal, decision-making, and psychomotor skills expected for the nurse's practice role, within the context of public health, welfare, and safety" (p 3).

<sup>\*</sup>The correct closing for a letter to the president is "Very respectfully yours." The correct closing for all other federal officials noted here is "Sincerely yours."



FIGURE 17-3 Skills to make a nurse politically savvy.

The competence framework is based on the recommendations from the 1996 Continued Competence Subcommittee. This framework consists of the following three primary areas:

- Competence development: the method by which a nurse gains nursing knowledge, skills, and abilities.
- Competence assessment: the means by which a nurse's knowledge, skills, and abilities
  are validated.
- Competence conduct: refers to health and conduct expectations, including assurance that licensees possess the functional abilities to perform the essential functions of the nursing role.

An interesting question proposed by the committee was: *Do you really think nursing is that much different, that much safer on your side of the state boundary line?* (NCSBN, 1999, p 3). The summary of the proposed competencies and the *2005 Continued Competence Concept* paper may be found at the National Council's website (www.ncsbn.org), which includes the rationales for the proposed requirements and a discussion of how the committee developed the recommendations.

Agreements, known as *nurse licensure compacts (NLC)*, specify the rights and responsibilities of nurses who choose or who are required to work across state boundaries and the governing body responsible for protecting the recipients of nursing care. At press time, 24 states, including Arizona, Arkansas, Colorado, Delaware, Idaho, Iowa, Kentucky, Maine, Maryland, Mississippi, Missouri, Nebraska, New Hampshire, New Mexico, North Carolina, North Dakota, Rhode Island, South Carolina, South Dakota, Tennessee, Texas, Utah, Virginia, and Wisconsin, have enacted nurse licensure compacts (NCSBN, 2013). Visit the NCSBN website for a map of the enacted and pending NLC states (https://www.ncsbn.org/nlc.htm).

States entering into NLC agree to recognize mutually a nursing license issued by any of the participating states. To join the compact, states must enact legislation adopting the compact. The nurse will hold a single license issued by the nurse's state of residence. This

license will include a "multistate licensure privilege" to practice in any of the other compact states (both physical and electronic). Each state will continue to set its own licensing and practice standards. A nurse will have to comply only with the license and license renewal requirements of her or his state of residence (the one issuing the license), but the nurse must know and comply with the practice standards of each state in which she or he practices (NCSBN, 2013) (Critical Thinking Box 17-7).

## 8

## **CRITICAL THINKING BOX 17-7**

How will the nurse licensure compact affect the licensure and practice of nursing in your state?

As these agreements are established, experience with additional problems arising from the multistate practice of nursing will be identified and solved in amendments to state practice acts.

## **Nursing and Collective Bargaining**

March! There are no bunkers, no sidelines for nursing today. We find ourselves the center of attention. As the government and corporate America fight escalating health care costs, AIDS is wreaking havoc and technology swells unchecked. Underpaid, overworked, and overstressed nurses are in the midst of a conflagration. Nursing is in greater demand than ever before. Remember Scutari. We must organize, unite, go on the offensive.

—Margretta Madden Styles, 1988, quoted in Hansten and Washburn, 1990, p 53.

The National Labor Relations Act is a federal law regulating labor relations in the private business sector (extended to voluntary, nonprofit health care institutions in 1974). This law grants employees the right to form, to join, or to participate in a labor organization. Furthermore, the law gives employees the right to organize and bargain with their employers through a representative of their own choosing.

Collective bargaining continues to be a point of debate among nurses. Those supporting collective bargaining argue that it is a tool to force positive changes in the practice setting, or a method of controlling the practice setting. Many positive changes in the clinical setting are attributed to advances made during contract negotiations.

Opponents feel that as a profession, nurses should not use collective bargaining but instead should influence the practice setting by employee and employer working as a team and not as adversaries. They contend that a strike, the ultimate tool of any labor dispute, should not be used. Opponents further argue that practice standards are not negotiable. The points of disagreement between employer and employee are almost always economic: pay, vacation, sick leave, and similar issues. Chapter 18 presents a more detailed discussion of collective bargaining issues. Regardless of your opinion of collective bargaining, the process will involve political action.

What do you think? A paragraph in the ANA's publication *What You Need to Know About Today's Workplace: A Survival Guide for Nurses* summarizes the challenge for us, and the words are still accurate today:

In a work environment that is constantly changing, it is imperative that nurses are able to assess the true merits of various labor-management structures, to evaluate the real value of proposals to upgrade compensation packages, to determine appropriate levels of participation in workplace decision-making bodies, and to distinguish between long-range solutions and "quick fixes" to workplace problems (Flanagan, 1995, p 5).

## **Equal Pay for Work of Comparable Value or Comparable Worth?**

The concept of comparable worth or pay equity holds that jobs that are equal in value to an organization ought to be equally compensated, whether or not the work content of those jobs is similar. Pay equity relates to the goal of equitable compensation as outlined in the Equal Pay Act of 1963, and "sex-based wage discrimination" is a phrase that refers to the basis of the problems defined by Title VII of the Civil Rights Act of 1964.

As long ago as World War II, the War Labor Board suggested that discrimination probably exists whenever jobs traditionally relegated to women are paid below the rate of common-labor jobs such as janitor or floor sweeper. One of the first cases was that of the *International Union of Electrical Workers v. Westinghouse*. The union proved that malefemale wage disparity existed and uncovered a policy in a manual that stated that women were to be paid less, because they were women. Back pay and increased wages were given in an out-of-court settlement in an appellate-level decision.

It was nurses who initiated the action in *Lemons v. the City and County of Denver*. Nurses employed by the city of Denver claimed under the Civil Rights Act that they were the victims of salary discrimination, because their jobs were of a value equal to various better-paid positions throughout the city's diverse workforce. The court ruled that the city was justified in the use of a market pricing system (a form of pay based on supply and demand) even though it acknowledged the general discrimination against women. The court said that the case (and the comparable-worth concept) had the potential to disrupt the entire economic system of the United States. Because of this judgment and the fact that the nurses were unable to prepare a job evaluation program to substantiate their claim, the judge dismissed the case.

## **Legislative Campaign for Safe Staffing**

The ANA has launched a campaign for legislative changes to address safe staffing. Safe Staffing Saves Lives is a national campaign to advocate for safe staffing legislation. As stated on ANA's website (www.safestaffingsaveslives.org), "ANA believes that staffing ratios should be required by legislation, but the number itself must be set at the unit level with RN input, rather than by the terms of the legislation" (ANA, 2008, p 1). The position of ANA is not to demand fixed nurse-patient ratios, but to develop a system that takes into account the variables that are present and to determine a safe staffing ratio. Principles that address patient safety, quality control, and patient access to care are necessary to establish a foundation for national legislation (Trossman, 2008).

In March 2008, ANA conducted a Safe Staffing Saves Lives Summit: Conversation and Listening Session. Representatives of state associations, nursing specialty, and other health care organizations, as well as representatives from health care facilities, were present. The purpose of the session was to address the issue of preventing peaks in patient flow as a method of improving the RN workload. Hospitals cannot afford to provide peak staffing 24 hours a day, 7 days a week. At Boston Medical Center (BMC), elective surgeries were scheduled to avoid peaks in patient census and to maintain a more predictable census. According to a representative from the BMC, this approach had a very positive impact on predicting and maintaining safe staffing on the nursing units (Trossman, 2008).

From the ANA website on safe staffing: "ANA's proposal is not a 'one size fits all' approach to staffing. Instead, it tailors nurse staffing to the specific needs of each unit, based on factors including patient acuity, the experience of the nursing staff, the skill mix of the staff, available technology, and the support services available to the nurses. Most importantly, this approach treats nurses as professionals and empowers them at last to have a decision-making role in the care they provide" (Trossman, 2008, p 1).

Much work still needs to be done in the area of safe staffing. Nurses are very concerned about staffing issues—mandatory overtime, increased numbers of assistive personnel replacing licensed personnel, and increased patient acuity are factors contributing to the problem. Changes will be achieved as we educate the public, as well as legislative representatives, and as nurses take the primary role to initiate changes in the workplace environment.

### CONCLUSION

Politics, policy making, and advocating for patients are key processes for nurses to claim their "power" as a driving force in health care. Participating in ANA-PAC activities provides an opportunity to be at the grassroots level of lobbying (see the Relevant Websites and Online Resources below). Shaping policy and becoming active in the legislative area are practice roles for nurses. By having an understanding of the political process, nurses can and will make significant strides in promoting legislation that will positively affect the health of the nation.



## **RELEVANT WEBSITES AND ONLINE RESOURCES**

### **ANA-PAC: Congress and Federal Agencies (2013)**

http://www.nursingworld.org/MainMenuCategories/Policy-Advocacy/Federal.

### **American Nurses Association (2013)**

When nurses talk, Washington listens.

 $http://www.rnaction.org/site/PageServer?pagename=nstat\_take\_action\_activist\_tool\_kit\&ct=1\&ct=1.$ 

#### American Nurses Association (ANA) (2013)

Official ANA position statements.

http://www.nursingworld.org/positionstatements.

#### The American Nurse (2013)

Student nurses learn how lobbying can make a difference.

http://www.theamericannurse.org/index.php/2011/06/01/student-nurses-learn-how-lobbying-can-make-a-difference/.

### BIBLIOGRAPHY

American Nurses Association. (2013a). When nurses talk, Washington listens. Retrieved from http://www.rnaction.org/site/PageServer?pagename=nstat\_take\_action\_activist\_tool\_kit&ct=1&ct=1. American Nurses Association. (2013b). Official ANA position statements. Retrieved from http://www.nursingworld.org/positionstatements.

American Nurses Association. (2008). Safe staffing. Retrieved from www. safestaffingsaveslives.org.

- American Nurses Association. (2010). *Not guilty—Texas jury acquits Winkler County Nurse*. Retrieved from www. nursingworld.org/FunctionalMenuCategories/MediaResources/Press Releases/2010-PR/Texas-Jury-Acquits-Winkler-County-Nurse.aspx.
- Flanagan, L. (1995). What you need to know about today's workplace: a survival guide for nurses. Kansas City, Mo: American Nurses Association.
- Fleming, R. (2012). The future of school nursing: banishing Band-aids to improve public health outcomes. *Policy, Politics and Nursing Practice*, 13(3), 142–146.
- French, J. R. P., & Raven, B. (1959). The bases of social power. In D. Cartwright (Ed.), *Studies in social power*. Ann Arbor, Mich: University of Michigan.
- Hansten, R. I., & Washburn, M. (1990). *I light the lamp*. Vancouver: Wash, Applied Therapeutics. Institute of Medicine. (2011). *The future of nursing: leading change, advancing health*. Washington, DC: The National Academies Press.
- Lear, J. G. (2007). Health at schools: a hidden health care system emerges from the shadows. *Health Affairs*, 26(2), 409–419. http://dx.doi.org/10.1377/hlthaff.26.2.409.
- Leavitt, J. K., Cohen, S. S., & Mason, D. J. (2002). Political analysis and strategies. In D. J. Mason, J. K. Leavitt & M. W. Chaffee (Eds.), *Policy and politics in nursing and health care*. St. Louis: Saunders.
- Mason, D. J., Leavitt, J. K., & Chaffee, M. W. (2007). Policy and politics in nursing and health care. In D. J. Mason, J. K. Leavitt & M. W. Chaffee (Eds.), *Policy and politics in nursing and health care*. St. Louis: Saunders.
- McHugh, K. (2012). Nurse Jackie and the politics of care. *Nursing Outlook*, 60(5S), S12–S18.
- National Council of State Boards of Nursing. (1999). *Uniform core licensure requirements: a supporting paper*. Retrieved from www.ncsbn.org/667.htm.
- National Council of State Boards of Nursing. (2005). *Continued Competence Concept paper*. Retrieved from www. ncsbn.org/919.htm.
- National Council of State Boards of Nursing. (2013). *Nurse licensure compact*. Retrieved from https://www.ncsbn.org/nlc.htm.
- Newhouse, R. P., Weiner, J. P., Stanik-Hutt, J., White, K.M., et al. Policy implications for optimizing advanced practice registered nurse use nationally. *Policy, Politics and Nursing Practice* 13(2),81–89.
- Sanford, N. D. (1979). *Identification and explanation of strategies to develop power for nursing in power: nursing's challenge for change.* Kansas City, Mo: American Nurses Association.
- Trossman, S. (2008). ANA's campaign to promote patient safety and quality health care. *American Nurse*, 40(1) 2008.
- Turow, J. (2012). Nurses and doctors in prime time series: the dynamics of depicting professional power. *Nursing Outlook*, 60(5S), S4–S11.
- U.S. Census Bureau. (2009). *Income, poverty and health insurance coverage in the United States*. Retrieved from www.census.gov/newsroom/releases/archives/income\_wealth/cb10-144.html.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

## **CHAPTER**

# 18

## **Collective Bargaining**

## Traditional (Union) and Nontraditional Approaches

Joann Wilcox, RN, MSN, LNC

It is time for a new generation of leadership to cope with new problems and new opportunities. For there is a new world to be won.

President John F. Kennedy

Difficulties are meant to rouse, not discourage. The human spirit is to grow strong by conflict.

William Ellery Channing



Is there a place for collective bargaining in nursing?

After completing this chapter, you should be able to:

- Identify the milestones in the history of collective bargaining.
- Compare traditional and nontraditional collective bargaining.
- Identify examples that indicate an employer's position on the role of professional nurses as it impacts practice.
- Identify conditions that may lead nurses to seek traditional or nontraditional collective bargaining.
- Identify the positive and negative aspects of traditional and nontraditional collective bargaining.
- Discuss the impact of the silence of nurses in public communications and the public's perception of nurses.
- Identify barriers to the control of professional practice.

You will soon be accepting your first position as a registered nurse (RN). You will be adjusting not only to a new role, but also to a new workplace. Even in these times of dramatic change in health care, many of you will start your career in a hospital. In fact, the demographics about nurses show that:

- Approximately 60% of nurses in practice are providing care in hospitals (Bureau of Labor Statistics, 2010-2011).
- The hospital is also the most common employer of graduate nurses in their first year of practice; more than 85% of new graduates were working in a hospital in their first year of employment (Wendt and O'Neill, 2006).

As you begin to interview for your first position in your career as a professional RN, there is no doubt you will find yourself both excited and anxious. Your prospective employer will assess your ability to think critically and to perform at a professional level in the health care setting. The potential employer will ask, "Is this applicant a person who will be able to contribute to the mission of the organization and to the quality of health care offered at this organization?"

While the employer assesses your potential to make a contribution, it is equally important that you remember that an interview is a *complex two-way* process. You will, of course, be eager to know about compensation, benefits, hours, and responsibilities. These are very tangible and immediate interests. However, these are not likely to be the best predictors of satisfaction with your practice over time, as the ability to practice your profession as defined by licensure and education will be the foundation leading to job satisfaction and professional fulfillment.

You should be prepared to assess the potential employer's mission and ability to support your professional practice and growth. It is extremely important that you gain essential information about the organization, its mission, and its culture. It is easy to overlook very significant organizational issues that will ultimately affect your everyday practice of nursing when your primary focus is on becoming employed and on wondering whether you will succeed in this first professional role. Williams (2004) identifies several questions to keep in mind: Who does the potential employer include in developing solutions and making decisions in the dynamic environment of health care, and how are selections made for this activity? How will you voice your expertise and the challenges you repeatedly encounter? Will your ideas for process improvement be encouraged? Are there tangible examples of the employer's position on these aspects of employment such as written policies and minutes reflecting decisions related to registered nurse involvement in the decision-making process?

Hospital structures and governance policies can have a dramatic influence on the effectiveness of a registered nurse and how he or she can fulfill obligations to patients and families. Nurses have defined the discipline of nursing as a profession, and, as members of this profession, they must have a voice in and control over the practice of nursing. When that voice and control are not supported in the work setting, conflicts most likely will arise. In some states, nurses have made a choice to gain that voice and assume control of their practice by using a traditional collective bargaining model, commonly known as a labor union. In other states, particularly those that function under the right-to-work regulations, nurses attempt to control practice through interest-based bargaining (IBB), which is a nontraditional approach to collective bargaining that is used to accomplish the provision of a voice and control over practice (Budd et al, 2004) (Box 18-1). In some states nurses use both models to meet the needs of their diverse membership.

### **BOX 18-1 TERMS**

**Traditional collective bargaining**—A legally regulated collective bargaining unit or a union that assists members to gain control over practice, economics in the health care industry, and other health care issues that threaten the quality of patient care.

National Nurses United (NNU)—The new RN SuperUnion formalized in December 2009.

**Nontraditional collective bargaining**—Shared governance, or interest-based bargaining (IBB); a collaborative-based, problem-solving approach to assist nurses to have a voice in the workplace and control over issues that affect their practice.

**Center for American Nurses (CAN)**—Previous organization that represented the interests of nurses who were not formally represented by a collective bargaining unit or union (Budd et al, 2004). It will become an integral part of the ANA and no longer a stand-alone structure.

## WHEN DID THE ISSUES LEADING TO COLLECTIVE BARGAINING BEGIN?

Since World War II, there have been phenomenal advances in medical research and the subsequent development of life-saving drugs and technologies. The introduction of Medicare and Medicaid programs in 1965 provided the driving force and the continued resources for this growth. This initiative opened access to health care for millions of Americans who were previously disenfranchised from the health care system.

The explosion in knowledge and technology, coupled with an expanded population able to access health care quickly, increased the demands on the health care system and many of the providers in that system. These advances required nursing to adapt as the complexity of health care and the number of patients accessing it continued to increase. For example, at the time when the acuity of hospitalized patients increased because of shorter lengths of stay, organizations were responding to cost containment demands by downsizing the number of staff members. As more patients had access to all services in the health care system, the number of care hours available for each patient decreased, because fewer staff per patient were being hired. Overall, patients were sicker when they entered the system. Yet they were moved more quickly through the acute care setting because of such innovations as same-day admissions, same-day surgery, and early discharge. Add to these changes the periodic shortages of nurses prepared for all levels of care, the increased use of unlicensed assistive personnel to provide defined, delegated nursing care, and growing financial pressures on the health care system, and tensions became understandably high.

The time between 2000 and 2013 has also brought pressures on registered nurses, as the safety of hospitalization has become a paramount concern among both patients and health care staff. The publication of *To Err is Human* (IOM, 2000, p 31) stated that "Based on the results of the New York Study, the number of deaths due to medical error may be as high as 98,000 [yearly]." With registered nurses being at the bedside of acute care patients, their involvement in identifying and/or committing medical errors is high. Ensuring this staff has the appropriate resources to provide safe care is an issue that registered nurses need to address directly with the management of the facility and/or the collective bargaining agent for that hospital/organization. Enormous financial challenges confront health care institutions. As a registered nurse working in the health care industry, you will encounter and use newly developed and very costly health care technologies. At the same time, you will

experience, firsthand, the impact of public and private forces that are focused on placing restraints on cost and reimbursement for a patient's care.

As a professional RN, you are at the intersection of these potentially conflicting forces. For you, these forces will be less abstract; they are not just important concepts and issues facing a very large industry. As a nurse, these concepts and forces are patients with names, faces, and lives valued and loved within a family and a community. You are responsible for the care you provide and for advocating on behalf of these patients and—as you will soon discover—the health of the health care industry.

As a registered nurse, you will become familiar with how, when, and why events occur that adversely or positively affect the patient and the health of the organization. This places you in a unique position to take an active lead in developing solutions. These solutions must be good for patients and for your organization. During your interview for potential employment, while you are busy assessing the potential employer's mission and support of your practice and growth, it is easy to overlook those significant organizational attributes that will ultimately affect your everyday practice of nursing. Therefore, during your interview it would be important for you to ask those questions identified in the beginning of this chapter.

## THE EVOLUTION OF COLLECTIVE BARGAINING IN NURSING

In the early 1940s, 75% of all hospital-employed registered nurses worked 50 to 60 hours a week and were subject to arbitrary schedules, uncompensated overtime, no health or pension benefits, and no sick days or personal time (Meier, 2000). In 1946 the American Nurses Association (ANA) House of Delegates unanimously approved a resolution that formally initiated the journey of RNs down the road of collective bargaining. During the period between this resolution and 1999, the constituent organizations of ANA (state associations) were determined to be collective bargaining units for registered nurse members who desired this representation in the workplace. Not all states provided collective bargaining services, so the debate over the acceptance of collective bargaining as appropriate for nurses became a divisive issue in the ANA for decades.

Many formally organized unions outside of the ANA have competed for the right to represent nurses. It was the opinion of many nurses that the state nurses associations were the proper and legal bargaining agents and were also the preferred representatives for nurses in this country for purposes of collective bargaining. During the late 1980s, the demand among nurses for representation continued to grow; yet efforts to organize nurses for collective bargaining were being stymied by a decision from the National Labor Relations Board (NLRB) that stopped approving the all-RN bargaining units. A legal battle then ensued, with the ANA and other labor unions against the American Hospital Association (AHA). The NLRB issued a ruling that reaffirmed the right of nurses to be represented in all-RN bargaining units.

Seeking a broader base of representation and greater support from the ANA for the collective bargaining program led activist nurses within the ANA to establish the United American Nurses (UAN) in 1999. They believed in the creation of a powerful, national, independent, and unified voice for union nurses. In 2000, the UAN held its first National Labor Assembly annual meeting. The participants in this meeting were staff nurse delegates (UAN, 2008). In February 2009, the UAN, the California Nurses Association, and the Massachusetts Nurses Association joined forces to form one new union that claims to represent 150,000 members. The new union, called the United American Nurses–National Nurses Organizing Committee, will be part of the labor movement as an AFL-CIO affiliate

Union. Shortly after this move, the union was renamed the National Nurses United (NNU) (NNU, 2013).

As has been demonstrated, the representation of registered nurses for collective bargaining continues to change and grow to the point where affiliation with the ANA primarily for this purpose is no longer evident. Perhaps collective bargaining outside of ANA may be the route for registered nurses to gain the recognition most believe is essential for the growth of the profession. Others may see this as the least effective way to gain recognition and benefits afforded to members of a profession.

## WHO REPRESENTS NURSES FOR COLLECTIVE BARGAINING?

## **Traditional and Nontraditional Collective Bargaining**

The national professional organization for nursing is the ANA, with its constituent units, the state, and territorial nursing associations. Through its economic security programs, the ANA recognized state nursing associations as the logical bargaining agents for professional nurses, and the states have been the premier representatives for nurses since 1946! These professional associations are indeed multipurpose; their activities include economic analyses, provision of related education, addressing nursing practice, conducting needed research, and providing traditional as well as nontraditional collective bargaining, lobbying, and political action.

The creation of the UAN by the ANA, strengthened their collective bargaining capacity at a time when competition to represent nurses for collective bargaining was growing. The UAN was established in 1999 as the union arm of the ANA with the responsibility of representing the traditional collective bargaining needs of nurses (UAN, 2008). At the same time, a relatively new approach to collective bargaining was being developed and introduced into the labor market. This approach is a nontraditional process referred to as interest-based bargaining (IBB) or shared governance (Brommer et al, 2003; Budd et al, 2004). This is a nontraditional style of bargaining that attempts to solve problems and differences between labor and management. Although this style of bargaining and mediation will not always eliminate the need for the more traditional and adversarial collective bargaining, many believe this nonadversarial approach to negotiation may be closer to the basic fabric of the discipline of nursing and its ethical code.

The organization that represented IBB, or the nontraditional collective voice in nursing, was the Center for American Nurses (CAN). This was a professional association established in 2003, replacing the ANA's Commission on Workplace Advocacy that was created in 2000 to represent the needs of individual nurses in the workplace who were not represented by collective bargaining. CAN defined its role in workplace advocacy as providing a multitude of services designed to address the products and programs necessary to support the professional nurse in negotiating and dealing with the challenges of the workplace and in enhancing the quality of patient care (The American Nurse, 2013) (Critical Thinking Box 18-1).

## 8

## **CRITICAL THINKING BOX 18-1**

What is the status of your state nursing association in regard to workplace issues? Is your state a member of the NNU? What is being done on a local basis that reflects the activities of your state association related to registered nurses' control over their practice?

In June 2008, the American Nurses Association Board of Directors voted to "not renew either affiliation agreement with the UAN and the CAN and proposed significant bylaw changes to be debated at the June House of Delegates" (Wood, 2012, p 3). The delegates approved the changes to the bylaws. The rationale for these changes was to "strengthen and provide additional choices for our state nursing associations" (Wood, 2012, p 3).

In 2009, the largest union and professional organization of registered nurses was officially formalized. This organization is the National Nurses United (NNU), and it is an outgrowth of the merger of three individual organizations—the California Nurses Association, the Massachusetts Nursing Association, and the United American Nurses (the former UAN) (Nation's, 2009). The Michigan state association joined the NNU in early 2010, and there are 27 states that have an affiliation agreement with NNU (NNU, 2010). This NNU union includes an estimated 185,000 members in every state and is the largest union and professional association of registered nurses in U.S. history (NNU, 2013).

In 2013, what remained of the CAN was integrated into the structure of ANA and is now a part of the "products and services…and valuable resources that will directly assist nurses in their lives and careers" (CAN, 2013).

Whether your state is a member of ANA or NNU, or both, it is necessary to recognize that workplace advocacy is a concern that directly affects every practicing nurse. It is critical that nurses support the organizational efforts to address the growing problems regarding the safety of the workplace, as well as safe and competent patient care, managed by registered nurses.

## ANA and NNU: What Are the Common Issues?

## Staffing Issues

Staffing issues and policies related to nurse staffing are among the most prevalent topics discussed in any type of negotiation. There is much discussion in both the national and state legislatures regarding proposals aimed at addressing the way in which registered nurses should be staffed to be able to provide safe, as well as high-quality, patient care. There is also much objection to implementing mandated staffing plans rather than allowing nurses to maintain control over issues related to their professional practice. Because of the commonalities related to the topic of staffing, it would be helpful if all registered nurses supported the right to define the appropriate work environment in which RNs could practice safely and effectively. The Institute of Medicine (2004) completed a study entitled Keeping Patients Safe: Transforming the Work Environment of Nurses. The results of the study have led to significant recommendations that, if implemented, would begin to address the chronic shortage of sufficient RN staff without resorting to mandatory regulations from the legislatures.

Staffing requirements are already mandated by various agencies. For example, Medicare, state health department licensing requirements, and The Joint Commission (TJC) each publish staffing standards that define the need to have sufficient, competent staff for safe and high-quality care. All organizations that address staffing indicate that the registered nurse must demonstrate competencies for the processes that are needed to ensure the safety of the patients. The ANA has launched a campaign for safe staffing: Safe Staffing Saves Lives. The ANA encourages nurses to establish safe staffing plans through legislation (Trossman, 2008). Please refer to Chapters 17 and 25 for further discussion regarding staffing issues.

## **Objection to an Assignment**

Professional duty implies an obligation not to accept an assignment that one is not competent to complete. RNs cannot abandon their assigned patients, but they are obligated to inform their supervisor of any limitations they have in completing an assignment. Not to inform and not to complete the assignment, or not to inform and to attempt to complete the assignment, risks untoward patient outcomes and resultant disciplinary action up to and including some potential action taken by the Board of Nursing.

The right and the means for a nurse to register an objection to a work assignment are considered essential elements in a union contract that incorporates the values of a profession as the basis of the contract agreement. This same process must be provided to nurses not represented by a union, because nurses are obligated to only provide the care that they are competent to provide. While they are participating in the interview process, registered nurses should ascertain the presence of a written policy regarding objections to an assignment.

Nurses are encouraged to submit reports indicating an objection to the assignment when the assignment is not appropriate. The report should follow the process defined in the contract or facility policy. These same problems should also initiate constructive follow-through by management or staff-management committees to improve the situations described in the reports. Inaction could serve as a basis for a grievance or negotiated change in a union contract or an incident or change in policy in a nonunion environment.

## Concept of Shared Governance

Many facilities are implementing a variety of shared governance models called *shared governance*, *self-governance*, *participative decision-making*, or *decentralization of management*. In its simplest form, shared governance is shared decision-making based on the principles of partnership, equity, accountability, and ownership at the point of service (Swihart, 2006). The concept of shared governance can be a concern to unions representing nurses for purposes of collective bargaining. It is important to ensure that staff nurses who participate in shared governance are not ultimately seen to be performing management functions. The discussion and understanding that needs to be reached addresses who or what controls the practice of professional nursing.

Shared-governance models do not hide the fact that their purpose is to involve nurses in decision-making related to control of their practice while the organization maintains the authority over the traditional management decisions. Some may feel that participating in shared governance can be a disadvantage to the practicing nurse if this participation is considered an alternative to collective bargaining. Whether greater latitude in decision-making could be achieved through collective bargaining is the question to be considered. However, as more facilities are moving toward Magnet certification in which shared governance is a major function, it is recognized that some unionized facilities are also embracing the concepts of Magnet as recognition of the professional aspect of bargaining when representing the profession of nursing.

### **Clinical or Career Ladder**

The clinical ladder, or career ladder, has a place in both traditional and nontraditional styles of collective bargaining (Drenkard and Swartwout, 2005). The clinical ladder was designed to provide recognition of a registered nurse who chooses to remain clinically oriented. The

idea of rewarding the clinical nurse with pay and status along a specific track or ladder is the result of the contributions of a nurse researcher, Dr. Patricia Benner. Her descriptions of the growth and development of nursing knowledge and practice provided the basis for a ladder model that can be used to identify and reward the nurse along the steps from novice to expert (Benner, 2009).

## Negotiations

Registered nurse negotiators represent a diverse population of constituents, because registered nurses in a facility have varied educational backgrounds and represent the multiple practice specialties available to nursing. This variety leads to differences in practice needs that must be addressed by the nursing negotiating team.

Professional goals and practice needs are appropriate topics for contract negotiations. Because personnel directors, hospital administrators, and hospital lawyers may have difficulty relating to these discussions, the nurse negotiating team has to be able to provide sufficient information to help prepare these individuals to understand the inclusion of professional goals and practice needs into the collective bargaining process and as entries into the agreed-on contract. The resolution of disagreements about professional issues necessitates there be time for a thoughtful process by those who are appropriately prepared to reach agreements through the negotiating process. Perhaps the complex issues such as recruitment, retention, staffing, and health and safety, are better addressed in the more collegial setting of the nontraditional model; however, many of these issues are paramount to the creation of a safe and effective work environment for nurses, and they need to be addressed in both types of negotiation (Institute of Medicine, 2004).

## THE DEBATE ABOUT COLLECTIVE BARGAINING

## Collective Bargaining: Perspectives Regarding the Traditional Approach Is There a Place for Collective Bargaining in Nursing?

Should registered nurses use collective bargaining if they are members of a profession? Is nursing a profession or an occupation? Those in the nursing profession have debated these questions since the late 1950s, and the discussion and debate continues today. Nurses often look for assistance outside of nursing to help resolve issues, but these two questions can and should be resolved by nurses, if there is the desire to be recognized as independent and in control of their practice.

According to the New York Department of Labor, "The practice of the profession of nursing as a registered professional nurse is defined as diagnosing and treating human responses to actual or potential health problems through such services as case finding, health teaching, health counseling, and provision of care supportive to or restorative of life and well-being, and executing medical regimens prescribed by a licensed physician, dentist, or other licensed health care provider legally authorized under this title and in accordance with the commissioner's regulations. A nursing regimen shall be consistent with and shall not vary any existing medical regimen" (New York Department of Labor, 2011). Some hold that specialized education needed to prepare an individual for the nursing profession can only be found in a baccalaureate program, which is the minimum required for most professions.

Because of their expertise and the value of their service, members of a profession are granted a measure of autonomy in their work. This autonomy permits practitioners to make independent judgments and decisions on the basis of a theoretical framework that

is learned through study and practice. Although there may still be some who do not agree with the need for baccalaureate education so nursing can be designated as a profession, consider the fact that the absence of a professional designation continues to prevent nurses from reaching their potential of possible contributions to patients and the health care system. In each state, registered nursing is categorized as an occupation by the respective labor boards, and many decisions regarding the position of nursing in an organization are based on this classification as an occupation. For the purposes of the discussion on traditional and nontraditional collective bargaining, the role of nursing will be addressed as that of a profession.

Registered nurses need to consider the power granted to them and to the profession when they earn their license to practice nursing. The legal authority to practice nursing is independent from any other licensed professional or regulatory organization. This power of independence includes taking the responsibility for one's practice and for the practice of others when that practice negatively impacts patients and/or the community. This power is also an important element when entering into collective bargaining, because the independently licensed registered nurse must ensure the agreement supports this independence when addressing areas of clinical practice. Conflict arises as registered nursing employees advocate for a professional role in patient care when they are not classified as a profession by labor definitions and by the hiring facilities. The health care institutions hire registered nurses as members of an occupation who are essentially managed and led by the organization's formal leaders who often focus on productivity and savings. This is believed to be a factor leading registered nurses to consider unionization as the only way they can demonstrate control over their clinical practice. The hiring organization may not put registered nurses in situations where the independent clinical responsibilities cannot be met.

Nursing has used collective action to its benefit, achieving professional goals while protecting and promoting public interest through lobbying efforts in the political arena. Many registered nurses support collective bargaining in the workplace as a way to control their practice by redistributing power within the health care organization.

## **Legal Precedents for State Nursing Associations as Collective Bargaining Agents**

The legal precedent that determined that state nursing associations are qualified under labor law to act as labor organizations is the 1979 Sierra Vista decision. The important consequence of this decision that affected nurses was that they were free to organize themselves and not to be organized by existing unions (Kimmel, 2007). Many registered nurse leaders contend that these associations are not only proper and legal, but are the preferred representatives for nurses in this country for purposes of collective bargaining. Ada Jacox (1980) suggested that collective bargaining through the professional organization was a way for registered nurses to achieve that collective professional responsibility that is a characteristic of a profession. It was thought by many that the state nursing association was the only safe ground that could be considered as neutral turf on which registered nurses from all educational backgrounds could meet and discuss issues of a generic nature and of importance to all registered nurses. However, as discussed in the section on the history of collective bargaining, it is beginning to appear that the preferred platform for meaningful collective bargaining for the profession is through a structure, such as the National Nurses United.

## **Registered Nurse Participation in Collective Bargaining**

If the state nurses associations were considered to be logical bargaining agents for registered nurses, why do so few nurses join these associations and why are even fewer associations pursuing collective bargaining? "ANA, a nursing organization...reportedly represents somewhere between 180,000 to 190,000 RNs of the almost 3 million RNs that are active in this country" (Nurse Unchained, 2013). It is important to recognize that this low membership rate is not unique to nursing but is the same for most disciplines and for society in general. However, this low membership rate may also reflect the thinking of some that these professional organizations may not be the best organizations to represent the nursing population for collective bargaining. Perhaps the conflicts that may arise between a professional organization and a collective bargaining organization can be avoided by not combining these two distinct processes under one umbrella.

One of the problems with association memberships is that people tend to look at these associations and organizations for "what they can do for me"—for the work I do or the benefits I can receive. In reality, we need to look at these associations for what they can do for the profession and the population being served by the members of the profession/occupation. We then realize that the profession is only as strong as its members and the contributions they make to that occupation/profession. Perhaps looking at it in this way will encourage more to join and become members. The professional association can provide the standards and ethical platforms for a professional practice that would be used as the basis for a collective bargaining contract.

Collective bargaining for registered nurses occurs more frequently in states where there is significant union activity in other industries. The current labor climate is very volatile across the country. Unions are trying to organize new categories of workers, with special emphasis on the growing health care sector in states that have not traditionally been active in the labor movement. Some state nursing associations stopped providing collective bargaining services because of external pressures, including challenges from competing unions, excessive resistance by employers, or state policies that make unionization difficult, such as right-to-work laws. In states with right-to-work laws, it is illegal to negotiate an agency shop requirement. Membership and dues collection can never be mandatory, even if the workers are covered by a collective bargaining agreement. The cost of negotiating and maintaining a collective bargaining agreement in these states is often more than the income received for providing these services. Philosophical differences regarding the benefits and risks of a professional association as the bargaining agent have also led registered nurses in some states to abandon or avoid union activities or to avoid joining the professional association.

There are 2.6 million employed registered nurses in the United States, but only a few hundred thousand are organized for collective bargaining, and only 20% of RNs belong to a professional organization. Fifty-nine percent of these registered nurses are employed by hospitals (Bureau of Labor Statistics, 2010-2011).

How will collective professional goals be achieved if so many nurses depend on the time and finances of so few? Some believe that the profession's efforts to address workplace concerns from both the traditional and nontraditional perspectives will result in larger membership numbers in the near future. For now, there may be too few registered nurses involved in the nursing associations to make up the needed critical mass for the kinds of changes and support that need to take place. Perhaps learning that this is the case will motivate more RNs to join their professional organization to support the work that needs to be

accomplished. The announcement of the implementation of the National Nurses United as the "RN Super Union" (Nation's, 2009)) may supplant the state nurses associations as the primary provider of collective bargaining services for registered nurses.

## Where Does Collective Bargaining Begin?

Registered nurses in the private sector are guaranteed legal protection, as stated in the National Labor Relations Act, if they seek to be represented by a collective bargaining agent. After a drive for such representation is under way and 30% of the employed RNs in an organization have signed cards signaling interest in representation, both the employer and the union are prohibited from engaging in any antilabor action. Employers are prohibited from terminating the organizers for union activity, and they may not ignore the request for a vote for union representation. After the organizing campaign, a vote is taken; a majority, comprising 50% plus one of those voting, selects or rejects the collective bargaining agent.

The employer may choose to bargain in good faith on matters concerning working conditions by recognizing the bargaining agent before the vote. This approach usually occurs only if management believes a large majority of potential voters support the foundation of a union. In other cases, the employer may appeal requests for representation to the NLRB. Before and during the appeal, other unions may intervene and try to win a majority of votes for representation.

As a part of this appeal process, arguments are made before the NLRB regarding why, by whom, or how the nurses are to be represented. For example, the hospital may raise the question of unit determination. The original policy interpretation of the labor law simultaneously limited the number of individual units an employer or industry would have to recognize, yet allowed for distinct groups of employees, such as RNs, to receive separate representation. Nurses historically have been represented in all-RN bargaining units, and most bargaining units throughout the country reflect that pattern.

### What Can a Union Contract Do?

Generally speaking, what can a union contract do in a hospital setting? Many believe that, today more than ever, registered nurses need a strong union such as the New York State Nurses Association (NYSNA) (Why, n.d.). Nurse shortages and the rise of health care for profit have dramatically changed RNs' work environments and the demands placed on them. Too many nurses are spending too much time on non-nurse duties. Too many nurses are enduring too much overtime and are working under conditions that are unsafe for themselves and their patients.

Members of the NNU believe a strong, unified workforce is the best solution to the problems facing RNs and their patients today. When RNs become members of NNU, for example, they gain the ability to negotiate enforceable contracts that spell out specific working conditions such as acceptable nurse—patient ratios, what roles RNs will play in determining standards of care, circumstances under which RNs will agree to work overtime, pay scales, benefits, dependable procedures for scheduling vacations and other time off, and all other conditions important to nurses.

A contract can also include language related to clinical advancement, such as is measured by the use of a clinical ladder or a similar mechanism. This is one way to bring concepts that have traditionally been avoided in collective bargaining strategies into the contracts to address practice aspects of the profession. When actions such as this occur, it could be anticipated that more registered nurses will support collective bargaining.

Wages. Wages and benefits are the foundation of a contract. Wages are the remuneration one receives for providing a service and reflect the value put on the work performed. In an article on the history of nursing's efforts to receive adequate compensation, Brider (1990) reaffirmed the need to continue efforts to improve nursing salaries. The author correctly stated that "from its beginnings, the nursing profession has grappled with its own ambivalence which is how to reconcile the ideal of selfless service with the necessity of making a living" (Brider, 1990, p 77). The article confirmed the ambivalence of the nurses who recorded both their joy in productive careers and their disappointment with the way their work was valued. Registered nursing has certainly come a long way from the \$8 to \$12 monthly allowance in the early 1900s, but the challenge remains to bring nursing in line with comparable careers.

As we progress through the 21st century, it is clear there is another shortage of nurses already in place. Like other occupations and professions, when the supply and demand favors the employee, wages are more critically evaluated. There is usually an adjustment of entry level wages (to address recruitment) and of wages paid to registered nurses who remain in practice (for retention). This current shortage of registered nurses seems to be less responsive to some of the traditional solutions such as wage adjustments. This clearly indicates that wages are not the only, or perhaps not even the primary, reason that individuals are not choosing registered nursing as a career or that many registered nurses are choosing to leave the field.

Another aspect of registered nurse compensation involves the challenge of addressing the negative effects of wage compression. This economic concept means that registered nurses who have been in practice for 10 and 12 years may make less money than recent graduates in their first registered nursing jobs! Unfortunately, it is not uncommon during times of shortages to see hiring or relocation bonuses to attract registered nurses into new positions. It would be preferable to see those dollars redistributed for the purposes of maintaining the base that is formed by the retention of experienced registered nurses in the facility.

Job Security versus Career Security. It is probably not news to any student enrolled in a registered nursing program that he or she has entered a field that is facing many challenges—both from within and from outside nursing. Challenges related to the need for more registered nurses will occur primarily because of technological advancements; an increased emphasis on preventative care; and the large, aging baby-boomer population who will demand more health care services as they live longer and more active lives (Bureau of Labor Statistics, 2012). Additionally, challenges related to the implementation of the Affordable Care Act of 2010 are to be expected, and planning for ways to address these challenges is still in its infancy.

The total number of licensed registered nurses in the United States is 3.1 million with 2.6 million of those employed in some aspect of nursing. Of the 2.6 million who are employed in some aspect of nursing, 62.2% work in hospitals. Employment of registered nurses is expected to grow a total of 26% from 2010 to 2020, faster than the average for all other occupations (Wood, 2012). The need for so many additional registered nurses coupled with the anticipated growth in the profession provides an opportunity to achieve some of the professional goals that have eluded nursing thus far, including full recognition as a profession and all that entails.

These new paradigms will also challenge nurses and their representatives to modify bargaining strategies and turn attention to issues of sustaining quality in nursing care in the

face of shortages, to overcome negative practices such as mandatory overtime, and to advocate for health and safety initiatives.

**Seniority Rights.** Registered nurses who remain on staff at an organization accrue seniority that is based on the length of time employed as a registered nurse at that facility. Seniority provides specific rights, spelled out in the bargaining agreement, for those who have the highest number of years of service. These rights are derived from the idea that permanent employees should be viewed as assets to the organization and should therefore be rewarded for their service. In nurse employment contracts, there may be provisions (seniority language) that give senior nurses the right to accrue more vacation time and to be given preference when requesting time off, a change in position, or relief from shift rotation requirements. In the event of a staff layoff, the rule that states "the last hired becomes the first fired" protects senior nurses. Seniority rules may be applied to the registered nursing staff of the entire hospital or may be confined to a unit. However, transfers and promotions must reward the most senior qualified nurse in the organization.

**Resolution of Grievances.** Methods to resolve grievances, which are sometimes explicitly spelled out in a contract, are an important element of any agreement. A grievance can arise when provisions in a contract are interpreted differently by management and an employee or employees. This difference often occurs when issues related to job security (a union priority), job performance, and discipline (a management priority) arise. *Grievance mechanisms* are used in an attempt to resolve the conflict with the parties involved. The employer, the employee, or the union may file a grievance. Nurses who are covered by contracts should be represented at any meeting or hearing they believe may lead to the application of disciplinary action. A co-worker, an elected nurse representative, or a member of the labor union's staff can provide such representation.

**Arbitration.** If the grievance mechanism does not lead to resolution of the issue, some contracts allow referral of the issue for arbitration. A knowledgeable—but neutral—arbitrator acceptable to both parties (union and hospital) will be asked to hear the facts of the case and issue a finding. In preagreed, binding arbitration, the parties must accept the decision of the arbitrator. For example, some contracts require that when management elects to discharge (suspend or terminate) a nurse, the case must be brought to arbitration. Based on the arbitrator's finding, the nurse may be reinstated, perhaps with back pay, may remain suspended, or may be terminated. If the contract states that the arbitrator's decision is final and binding, there is no further contractual or organizational avenue for either party to pursue.

Arbitration has also been used to resolve issues involving the integrity of the bargaining unit. Arbitrators have been asked to decide whether nurses remain eligible for bargaining unit coverage when jobs are changed and new practice models are implemented.

Mediation, arbitration, and fact-finding have all been used to resolve conflicts in union contracts. There is strong support for the use of these methods, but hospital management personnel often resist using them. Nurses usually fare well when contract enforcement issues are submitted to an arbitrator and facts, not power or public relations, determine the outcome.

**Strikes and Other Labor Disputes.** What can nurses do in the face of a standoff during contract negotiations? The options that current RNs have are quite different from those before 1968, when nurses felt a greater sense of powerlessness. At that time, despite nurses' threats of "sickouts," walkouts, picketing, or mass resignations, the employer maintained an effective power base. Threats of group action attracted public attention, but nurses' threats

had little effect on employers, because nurses who were represented through the ANA had a no-strike policy. As negotiations became more difficult, it was apparent that nurses were in a weaker bargaining position because of the no-strike policy. The ANA responded to the state nursing associations, and in 1968, it reversed its 18-year-old no-strike policy. The National Nurses United union does not have a no-strike policy.

Strikes remain rare among nursing units, but as mentioned previously, when the efficacy of patient care and patient and staff safety are at risk, registered nurses may believe they have to strike. Increased strikes were seen beginning in 2000 as facilities were imposing mandatory overtime to cover the staff shortages. Many nurses are uncomfortable with the idea of striking, believing that they are abandoning their patients. This image may conflict with the service ideal. It is important for nurses who contemplate striking to discuss plans for patient care with nurses who have previously conducted strikes so that they will be assured that plans to care for patients are adequate.

When an impasse is reached in hospital negotiations, national labor law requires registered nurses to issue a 10-day notice of their intent to strike. In the public's interest, every effort must be made to prevent a strike. The NLRB mandates mediation, and a board of inquiry to examine the issue may be created before a work stoppage. The organization is supposed to use this time to reduce the patient census and to slow or halt elective admissions. In the meantime, the nurses' strike committee will develop schedules for coverage of emergency rooms, operating rooms, and intensive care areas. This coverage is to be used only in the case of real emergencies. Planning coverage for patient care should reassure nurses troubled by the strike scenario. Nurses who agree to work in emergencies or at other facilities during a strike often donate their wages to funds that are set up for striking nurses.

Business and labor are both in search of more positive ways to work together to be able to avoid the possibility of a work stoppage. Strikes are not easy for either side—one side is not able to provide services, and the other side is not able to earn its usual income. In the middle, when health care is involved, is the patient who loses trust in both the organization and in the body of employees who choose to strike, requiring the patient to seek care elsewhere. The Department of Labor and the Federal Mediation and Conciliation Service have sponsored national grants to undertake alternatives to traditional collective bargaining. At least two midwestern nursing organizations used win—win bargaining techniques and found them to be constructive methods for negotiation.

### What Are the Elements of a Sound Contract?

**Membership.** The inclusion of union security provisions is an essential element of a sound contract (Figure 18-1) and one of the defined goals of collective bargaining (union integrity). Security provisions include measures such as enforcement of membership requirements (collection of dues and access by the union staff to the members). A legal modification of the closed shop is the *agency shop*, in which new employees are required to join the union within a given time.

**Retirement.** The usual pension or retirement programs for registered nurses have been either the social security system or a hospital pension plan. Because many employers are eliminating defined pension plans, individual retirement accounts, which are transferable from hospital to hospital in case of job changes, are becoming increasingly popular. The method of addressing issues related to financial support at the time of retirement should be a topic of negotiations. The ANA has entered an agreement with a national company to



FIGURE 18-1 Effective elements of a sound contract.

provide a truly portable national plan, unrestricted by geographic location or employment site. Although this plan could be complicated by conflicting state laws governing pension plans, a precedent was set as long ago as 1976, when California nursing contracts mandated employer contributions to individual retirement accounts for each nurse with immediate vesting (eligibility for access to the fund) and complete portability for the participants (meaning that the nurse could take the established retirement account to another hospital and could continue to add to this account either directly or by rolling it over into the new employer's individual retirement account).

One of registered nursing's most attractive benefits has been a nurse's mobility, which is the opportunity to change jobs at will. A drawback of this mobility is the loss of long-term retirement funds. With financial cutbacks in the hospital industry, retirement plans are in danger of being targeted as givebacks in negotiating rights or benefits to be traded away in lieu of another issue or benefit that may be more pressing at the time. One of the major benefits of individual retirement accounts is that they do belong to the employee, and the employee's contributions to the plan plus the employer's contributions to the plan can be taken with the employee when he or she leaves that employment, assuming all the defined rules of the plan are followed.

Health insurance coverage continues to be a key concern of employees and has been at the root of the majority of labor disputes in all industries in the last few years. It is not inconceivable that nurses may be asked to trade off long-term economic security (pensions) for short-term security (e.g., health benefits, wages). There is less chance this will occur if the organization has moved from the defined pension benefit. What is more likely

to occur is that the employer will ask to contribute fewer dollars to health insurance premiums and/or retirement accounts and will ask employees to contribute an increased percentage of the cost of these benefits.

The provision of health insurance as a benefit of employment will undergo significant changes in the next few years as the Affordable Healthcare Act of 2010 is implemented. Because the essence of this legislation is to promise health care coverage for all Americans, coverage will become less of an issue for collective bargaining as it becomes more of a legal right.

Other Benefit Issues. Other issues that have affected RNs as employees are family-leave policies, availability of daycare services, long-term disability insurance, and access to health insurance for retirees. These are the same issues that affect many workers in this country but may have a greater impact on employees such as registered nurses because of the 24-hour/7-day-a-week coverage that needs to be provided by this professional group.

An issue of special concern to RNs involves the scheduling of work hours. Although more men have joined the nursing occupation/profession, registered nursing remains a female occupation (USDHHS, 2004). This reality must be addressed by providing benefit packages that provide flexibility for women who assume multiple roles in today's society. Generally, it is women who provide ongoing care to both children and parents. The nurse in the family may be called on to do this more than the spouse or the siblings. Registered nurses are asking nursing contract negotiators to secure leave policies that permit the use of sick time for family needs, that provide scheduling that is flexible, and that allow part-time employment and work-sharing.

"An increasing number of men are entering the nursing field. According to the Health Resources and Services Administration, three percent of all nurses were men in 1980. Today, that percentage has grown to 6.6 percent, or one in every 15 nurses" (Collegian, 2012). It is also noted that males who are practicing in the nursing profession earned a median weekly salary of \$1,168, whereas the median weekly salary for a female RN was \$1,011. Would this difference exist in an organization in which there was a collective bargaining agreement? Staffing issues, such as objection to an assignment, inadequate staffing, poorly prepared staff, mandatory overtime, nurse fatigue, and health hazards, are all concerns that can be addressed in a union contract; however, these are also issues of ongoing concern for all RNs, regardless of the type of bargaining situation in their respective states or organizations. These issues are discussed further in Chapter 25.

#### **How Can Nurses Control Their Own Practice?**

The essence of the professional nurse contract is control of practice. For example, registered nurse councils or professional performance committees provide the opportunity for registered nurses within the institution to meet regularly. These meetings are sanctioned by the contract. The elected registered staff nurse representatives may, for example, have specific objectives to:

- Improve the professional practice of nurses and nursing assistants.
- Recommend ways and means to improve patient care.
- Recommend ways and means to address care issues when a critical nurse staffing shortage exists.
- Identify and recommend the elimination of hazards in the workplace.

- Identify and recommend processes that work to ensure the safety of patients.
- Implement peer-review.
- · Implement shared governance.

#### **Nurse Practice Committees**

Registered nurse practice committees should have a formal relationship with the nursing administration. Regularly scheduled meetings with nursing and hospital administrators can provide a forum for the discussion of professional issues in a safe atmosphere. Many potential conflicts regarding contract language can be prevented by discussion before contract talks begin or before grievances arise. Ideally, physicians should also be a part of these forums, because they are an integral part of the care delivery system in a hospital and in other settings. Joint-practice language has been proposed in some contracts to facilitate these discussions.

Since the recognition of Magnet hospitals by the American Nurses Credentialing Center (ANCC) began in 1994, approximately 6.78% of all health care organizations in the United States have achieved ANCC Magnet recognition status (AHA, 2013). Magnet status is not a prize or an award. Rather, it is a credential of organizational recognition of nursing excellence. Approximately 20% of the organizations awarded the recognition have a collective bargaining agreement with the nurses. This helps to validate the fact that control of nursing practice by RN staff members can be successfully achieved within the context of a collective bargaining agreement when both Magnet and collective bargaining have this as a common goal.

## **Collective Bargaining: Perspectives of the Nontraditional Approach**

How to address effectively the concerns of the workplace advocacy, higher standards of practice, and economic security are not new issues. These concerns have caused nurses in some areas of the country to organize and use unions and collective bargaining models. This section is designed to provide you with information and a rationale for a different approach to the position of the traditional collective bargaining. In the end, it will be up to you and your concept of the RN's role to grapple with this issue during your professional career.

#### Simultaneous Debates

Registered nursing today has acquired the majority of the generally recognized characteristics of a profession. One of these characteristics is a lengthy period of specialized education and practice preparation. The activities that are performed by professions are valued and recognized as important to society. In addition, a member of a profession has an acquired area of expertise that allows the person to make independent judgments, to act with autonomy, and to assume accountability. Nurses also have specialty organizations and are eligible in some areas to receive specialty credentialing.

Another aspect of professional registered nursing is its strongly written ethical code. It is the obligation of every licensed RN to follow the tenets of the 2001 ANA Code of Ethics for Nurses (see Chapter 19). The Code articulates the values, goals, and responsibilities of the professional practice of nursing. The provisions of the Code that outline our duties to care for, advocate for, and be faithful to those people who entrust their health care to us are well integrated into the educational preparation of the RN. They are also widely recognized and respected by the public.

## Collective Bargaining: The Debate That Continues

The debate about the appropriateness of collective bargaining continues. The combination of an explosion in knowledge and technology and an expanded population able to access health care quickly brought both public and private sector payers of health care to the inevitable quest to rein in the cost of health care. This gave birth and life to a growing collection of payment systems. There are now gatekeepers, specific practice protocols, contractual agreements between payers and providers, and provider and consumer incentives that govern the place, provider, type, and quantity of a patient's care.

These developments have affected everyday care in a growing number of settings. Nurses are challenged daily in practice environments that have, by necessity, taken on business models and processes to survive financially. Many registered nurses feel this business and financial environment is not conducive to the patient-focused or family-centered models of care delivery and the ethical values that have been an inherent part of the professional education and practice preparation of nurses. Many registered nurses believe that issues related to the practice of professional nursing cannot be addressed through the process of collective bargaining.

All too often, the intense clinical education of the RN practicing in today's health care environment has not prepared the individual to appreciate the financial and regulatory realities of a large industry. Perhaps even more disconcerting is the fact that as RNs enter the workforce, they may not see the magnitude of their potential for leadership and problemsolving within an environment that continues to evolve so quickly while the environment continues to work hard to hold on to the traditional hierarchy of medicine and health care administration.

The history of the position of registered nursing during the first half of the 20th century may, in part, explain our slow journey toward leadership and control of nursing practice. In the last half of the 20th century, some registered nurses organized and relied on collective bargaining units to speak for them. Time and energy have been spent debating who can or should best represent professional nurses in the workplace. The transition of collective bargaining from the ANA, who established the foundation for acceptance of collective bargaining by registered nurses, to the growing NNU, may signal that the journey toward gaining control of nursing practice will move more quickly. These two strong organizations could take steps to gain acceptance of the concept that control of nursing practice by registered nurses is not congruent with "holding on to the traditional hierarchy of medicine and administration."

## **Traditional Collective Bargaining: Its Risks and Benefits**

The goal of the traditional collective bargaining model is to win something that is controlled by another. There is an "us versus them" approach. The weapon is the power of numbers. Although a desired contract is achieved, long-lasting adversarial relationships may develop between the nurses and the employer (Budd et al, 2004).

With the soaring cost of health care, the changes in health care reimbursement, and the subsequent reining in of health care costs, where does that leave nursing in the collective bargaining process? Does this not further aggravate the already adversarial relationship of nurses and their employers? Traditional collective bargaining held promise and assisted the professional nurse's evolution toward economic stability. These were important gains. However, the full power and potency of nursing as an industry leader has not emerged

through traditional collective bargaining efforts. This may explain the dissatisfaction of the nurses with traditional collective bargaining or may also be an indication that the other basic debates within the body of RNs need to be resolved before nurses take the place in the industry they feel is appropriate for them.

Can nursing effectively step away from the adversarial process of traditional collective bargaining into an effective leadership role? IBB and/or processes such as shared governance may offer nurses a nonadversarial approach, but it will require nursing leaders to demonstrate an understanding of interests and outcomes that are important both to the nursing occupation/profession and to other members of the health care industry (Budd et al, 2004). As discussed earlier in this chapter, IBB is a nontraditional style of bargaining that attempts to solve problems and resolve differences between the workforce and the employer—or the nurse and the hospital. Although this style of bargaining and mediation will not always eliminate the need for the more traditional and adversarial collective bargaining, this nonadversarial approach of negotiation may be closer to the basic beliefs underlying professional nursing as well as the nursing code of ethics.

In considering nontraditional approaches, it is important to recognize state nurse associations that have made significant contributions to their local membership by offering IBB services to that membership. This has also resulted in contributions to the advancement of nontraditional, nonadversarial bargaining for the promotion of workplace advocacy on a national level (Box 18-2). Do these commitments sound familiar?

## **FUTURE TRENDS**

The public should be concerned about an inadequate supply of nurses. Based on that concern, along with the multiple other issues that are impacting the provision of health care now and in the future, there is increased interest by the press and policymakers to be sure registered nurses are prepared in adequate numbers and that their working environment supports quality nursing care. This attention is helping nurses achieve improvements in overall compensation and working conditions and may also lead to support for the preparation of sufficient numbers of registered nurse faculty and methods of financial support for the education of RNs.

The nursing community should take a step back and try to identify those factors that appear to keep registered nursing from becoming a profession of choice, which should result in eliminating the continuous cycle of shortage/staff reduction/shortage. One of the classic issues is that nursing is still not considered a profession according to most definitions of a profession or according to the labor bureaus that classify employee groups. Until nurses accept the fact that we cannot just say we are a profession, without meeting the minimum criteria for this designation, we will continue to be classified as an occupation only.

The movement to gain recognition as a profession is the next issue to be addressed in the next few years. Discussions regarding this requirement are found within Chapter 9. Another issue that must be addressed by organized nursing is the silence of nursing, as defined and discussed by Buresh and Gordon (2006). These authors completed extensive research to determine why nurses were rarely seen or heard in the various forms of media. They discovered that, for the most part, the media cannot find registered nurses who are willing to talk, to be interviewed, or to write editorials stating opinions or positions. More

### BOX 18-2 EIGHT COMMITMENTS TO WORKPLACE ADVOCACY

Workplace advocacy is a nurse-to-nurse strategy that can give RNs a meaningful voice in their workplace. As a result of Texas Nurses Association (TNA) workplace advocacy efforts in the past, Texas now has one of the strongest nursing practice acts in the country. The following are eight commitments to workplace advocacy. The Texas Nurses Association will:

**Work** to secure mechanisms within health care systems that provide opportunities for registered nurses to affect institutional policies. Mechanisms include:

- Shared governance
- · Participatory management models
- Magnet hospital identifications
- Statewide staffing regulations

**Develop** with stakeholders a conflict resolution process for nurse/nurse employers that addresses registered nurse concerns about patient care and delivery issues.

 Active participation with the Texas Hospital Association and the American Arbitration Association to develop a conflict resolution process that meets the needs of nurses in resolving patient care issues.

**Provide** legislative solutions to Texas registered nurses by reviewing issues of concern to nurses in employment settings and introducing appropriate legislation. Previous initiatives include:

- Whistle-blower
- Safe Harbor Peer Review
- Support for Board of Nurse Examiners rules outlining strong nursing practice standards

**Explore** the development of a legal center for nurses that could provide legal support and decision-making advice as a last recourse in cases of unresolved workplace issues. Its purpose would be to:

- Provide fast legal assistance
- Earmark precedent-setting cases that could impact case law and health care policy

**Support** the RN in practice with self-advocacy and patient advocacy information by providing products that increase knowledge about:

- Laws and regulations governing practice
- Use of applicable standards of nursing practice
- Conflict resolution techniques
- Statewide reporting mechanisms that allow the nurse to report concerns about health care institutions and professionals
- Professional behaviors, core values, and conduct that support effective negotiation

**Promote** to RNs those health care institutions in Texas that demonstrate outstanding nurse/employer relations. **Work** with Texas schools of pursing to develop materials that incorporate self-advocacy and national advocacy.

**Work** with Texas schools of nursing to develop materials that incorporate self-advocacy and patient advocacy information into the nursing curriculum.

Advocate for the elimination of physician abuse of RNs with the physician community and employers by:

- Working with physician professional organizations to develop a campaign to end physician abuse of RNs
- · Working with health care facilities to establish Zero Tolerance for physician abuse of RNs
- Developing model policies against physician abuse of nurses
- Encouraging nurse-to-nurse advocacy to stop abusive situations

Reprinted with permission from Texas Nursing Association, 2006: 7600 Burnet Road, Suite 440, Austin, Tex., 78757; tna@texasnurses.org.

importantly, when nurses were available to talk to the media, they "too often unintentionally project an incorrect picture of nursing by using a 'virtue' rather than a 'knowledge' script" (Buresh and Gordon, 2006, p 4). They also noted that nurses tend to downplay or devalue basic registered nursing bedside care, the heart of what we do, while focusing on the greater status of the advanced practitioner.

As with many things in life, there is a tendency to look outside of the problem to define a cause for the problem and to look to others to find a solution. Nursing, as the largest group of health care providers and as the only group of providers entrusted to implement the majority of the medical plan of care, needs to look within to find how to communicate most effectively the vital role we take in the provision of health care.

Nurses throughout the country have felt firsthand the effects of cost containment. Those effects have often been detrimental to the quality of care that RNs are charged to provide. From a professional practice perspective, mandatory overtime and short staffing are some of the factors contributing to the preponderance of medical errors documented in the Institute of Medicine report *To Err Is Human: Building a Safer Health System* (IOM, 2000). The ANA was the initial voice in recognizing these as potential contributing factors and has led the way in encouraging research agendas that further quantify the number of work hours needed to provide safe care and further define how patient safety can be ensured. As with other major issues affecting the practice of RNs, the ANA and state nursing associations are in the lead in federal and state legislative efforts to address overtime and staffing in the context of safe patient care.

What lies ahead for collective bargaining and all forms of collective action for nurses must be viewed within the context of the overall changes occurring in the health care system and in the financing mechanisms for that system. As concerned nurses, we need to remain vigilant about our need to meet the basic obligation of licensure, which is to provide safe care to all patients. This issue of adequate access to health care services is one that will probably be with us for the rest of our professional careers. It is believed by many that one way to improve access to services is to deliver them in environments and by providers that have not traditionally been a part of our health care system. Each of these venues provides significant opportunities for RNs, because the essence of our work is the prevention of disease and the adaptability to chronic disease processes that will enable our patients to remain as active as possible in their own environment.

## CONCLUSION

Nursing has a unique contract with society to promote effective health care and, as a natural outcome, promote the health and welfare of the nurse and the occupation/profession of nursing. The multipurpose nature of the professional nursing association will continue to work to preserve the future of nursing. This chapter cannot stand alone, nor can the nurses in the workplace stand alone if they are to offset the forces that negate the contributions of nurses. Political action and lobbying, research, and education are necessary to further the cause of nursing and to meet the health care needs of the public we serve. As nurses work to transform aspects of the health system and to improve access to care, they will continue to depend on collective action and a collective voice through the structures and functions initially established within the ANA to advocate for optimal working conditions and standards of practice. There are now multiple opportunities to continue to advance the collective voice of nursing to ensure that the profession of nursing will be available to provide the quality care and services to all those who are in need of this care and service (see the relevant websites and online resources at the end of this chapter). Welcome to nursing! Join us in our efforts to unify our skills, knowledge, and voices as we ensure our vision is being met.

## RELEVANT WEBSITES AND ONLINE RESOURCES

#### National Nurses United (NNU)

www.nationalnursesunited.org/.

#### Online Journal of Issues in Nursing

OJIN is a peer-reviewed, online publication that addresses current topics affecting nursing practice, research, education, and the wider health care sector.

http://www.nursingworld.org/OJIN.

#### **Patient Protection and Affordable Care Act**

http://www.gpo.gov/fdsys/pkg/BILLS-111hr3590enr/pdf/BILLS-111hr3590enr.pdf.

#### IOM Report on the Future of Nursing

http://www.iom.edu/~/media/Files/Report%20Files/2010/The-Future-of-Nursing/Future%20of%20Nurs ing%202010%20Report%20Brief.pdf.

## **BIBLIOGRAPHY**

American Hospital Association. (2013). Fast facts on U.S. hospitals. Retrieved from http://www.aha. org/research/rc/stat-studies/101207fastfacts.pdf.

American Nurses Association. (2008). Nursing by the numbers. Retrieved from http://nursingworld. org/NursingbytheNumbersFactSheet.aspx.

American Nurses Credentialing Center. (2013). Growth of the program. Retrieved from http://www. nursecredentialing.org/Magnet/ProgramOverview/HistoryoftheMagnetProgram/Growthofthe Program.

Benner, P. (2009). Expertise in nursing practice (2nd ed.). New York: Springer.

Brider, P. (1990). Professional status: the struggle for just compensation. American Journal of Nursing, 90, 77-80.

Brommer, C., Buckingham, G., & Loeffler, S. (2003). Cooperative bargaining styles at federal mediation and conciliation services: a movement toward choices. Retrieved from www.fmcs.gov/internet/ itemDetail.asp?categoryID=35&;itemID=15880.

Budd, K., Warino, L., & Patton, M. (2004). Traditional and non-traditional collective bargaining: strategies to improve the patient care environment. Online Journal of Issues in Nursing, 9(1), 9.

Bureau of Labor Statistics. (2010). Occupational outlook handbook-2010-2011. Retrieved from www.bls.gov/oco/ocos083.htm.

Bureau of Labor Statistics. (2012). Occupational outlook handbook-2012. Retrieved from http://www .bls.gov/ooh/healthcare/registered-nurses.htm.

Buresh, B., & Gordon, S. (2006). From silence to voice. New York: Cornell University.

Collegian. (2012). Number of male nurses steadily increasing. Retrieved from

http://www.sdsucollegeian.com/2012/03/21/number-of-male-nurses-steadily-increasing/.

Drenkard, K., & Swartwout, E. (2005). Effectiveness of a clinical ladder program. Journal of Nursing Administration, 35, 502-506.

Institute of Medicine. (2000). To err is human: building a safer health system. In L. Kohn & J. Corrigan (Eds.), IOM report. Washington, DC: National Academy Press.

Institute of Medicine. (2004). Keeping patients safe: transforming the work environment of nurses. In L. Kohn & J. Corrigan (Eds.), IOM report. Washington, DC: National Academy Press.

Jacox, A. (1980). Collective action: the basis for professionalism. Supervisor Nurse, 11, 22-24.

Kimmel, N. (2007). Nurses and unions: changing times. Retrieved from http://EzineArticles.com/?ex pert=NancyKimmel.

Meier, E. (2000). Is unionization the answer for nurses and nursing? *Nursing Economic*\$, 18, 36–37.
 National Nurses United. (2010). Michigan nurse: new National Nurses United a reality. *Michigan Nursing*, 83(1), 2–3. Retrieved from www.nationalnursesunited.org/about/who-we-are.html.
 National Nurses United. (2013). Retrieved from http://www.nationalnursesunited.org/pages/who-we-are.

Nation's new RN SuperUnion names executive director, holds first public rally for RN rights, representation. (2009). Retrieved from www.prnewswire.com/news-releases/nations-new-rn-superunion-names-executive-director-holds-first-public-rally-for-rn-rights-representation-78853232.html.

New York Department of Labor. (2011). Retrieved from http://www.labor.ny.gov/stats/olcny/registe red-professional-nurse.shtm.

Nurse Unchained. (2013). Retrieved from http://thenurseunchained.com/?tag=ana.

NursingWorld. (2012). Retrieved from http://nursingworld.org/NursingbytheNumbersFactSheet. aspxNursingZone

Swihart, D. (2006). Shared governance: a practical approach to reshaping professional nursing practice. Marblehead, Mass: HCPro.

The American Nurse. (January 2013). Retrieved from http://www.theamericannurse.org/index.php/2010/11/30/center-for-american-nurses-services-to-be-integrated-into-ana/.

Trossman, S. (2008). ANA's Campaign to promote patient safety and quality health care. *American Nurse*, 40.

United American Nurses (UAN). (2008). *UAN: Power of nurses*. Retrieved from www.uannurse.org /who/history.html.

U.S. Department of Health and Human Services, Division of Nursing. (2004). *Sample survey*. Washington, DC: Bureau of Health Professionals, USDHHS.

Wendt, A., & O'Neill, T. (2006). Report of findings from the 2005 RN practice analysis: linking the NCLEX-RN examination to practice. Chicago: National Council of State Boards of Nursing.

Why. (n.d.). Retrieved from http://www.nysna.org/union/rns\_need.htm.

Williams, K. (2004). Ethics and collective bargaining: calls to action. *Online Journal of Issues in Nursing*, 9(3). Retrieved from www.nursing world.org.

Wood, D. (2012). *Nursing news: nurses happier with their careers, but 40% might not recommend*. Retrieved from http://www.nursezone.com/Nursing-News-Events/more-news/Nurses-Happier-with-Their-Careers-But-40-Might-Not-Recommend\_40813.aspx.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.


# 19

# **Ethical Issues**

Peter Melenovich, PhD, RN, CCRN, CNE

People of Orphalese, you can muffle the drum, and you can loosen the strings of the lyre, but who shall command the skylark not to sing?

Kahlil Gibran, The Prophet



Ethical dilemmas are not easy situations.

After completing this chapter, you should be able to:

- Define terminology commonly used in discussions about ethical issues.
- Analyze personal values that influence approaches to ethical issues and decision-making.
- Discuss the moral implications of the American Nurses Association and International Council of Nurses codes of ethics.
- Discuss the role of the nurse in ethical health care issues.
- Recognize the role of genetics and genomics in nursing practice.

In developing the content for this chapter, a deliberate effort has been made to "simplify" the presentation of ethical issues and avoid complex philosophical debate. Many nurses shy away from formal ethical discussions, because the terminology seems better suited to graduate school and a peer-reviewed journal. In reality, nurses deal with ethical issues every day in practice and need to have the tools to advocate effectively for patients, as well as for themselves. The first step in equipping oneself for ethical debate is becoming comfortable with

the language and issues. Ethics refers to principles of right and wrong behaviors, beliefs, and values. Thompson et al (2007) add, "ethics is essentially concerned with our life as members of a community, and how we behave and function in society" (p 36).

Concern about ethical issues in health care has increased dramatically in the past three decades. This interest has soared for a variety of reasons, including advances in medical technology; social and legal changes involving abortion, euthanasia, patient rights, end-of-life care, reproductive technology; and growing concern about the allocation of scarce resources, including a shortage of nurses. Nurses have begun to speak out on these issues and have focused attention on the responsibilities and the possible conflicts that they experience as a result of their unique relationship with patients and their families and their role within the health care team.

## UNDERSTANDING ETHICS

Let us begin by defining commonly used terms (Box 19-1).

## What Are Your Values?

Your values represent ideas and beliefs that you hold with high regard. Clarification of your values is suggested as a strategy to develop greater insight into yourself and what you believe to be important. Values clarification involves a three-step process: choosing, prizing, and acting on your value choices in real-life situations (Steele, 1983). Moreover, our values may impact how we practice as nurses and the decisions that we make each day in our professional practice (Wang, Chou, and Huang, 2010). Opportunities to make choices and improve your decision-making are included in the following pages. As you consider your values, you will, I hope, gain more understanding about the underlying motives that influence them. It is not intended as a "right" or

### **BOX 19-1 DEFINITION OF TERMS**

**Advance directive:** A written statement of a person's wishes about how he or she would like health care decisions to be made if he or she ever loses the ability to make such decisions independently.

**Bioethical issues:** Subjects that raise concerns of right and wrong in matters involving human life (e.g., euthanasia, abortion).

Bioethics: Ethics concerning life.

**Durable power of attorney for health care:** A document that allows a person to name someone else to make medical decisions for him or her if he or she is unable to do so. This spokesperson's authority begins only when the patient is incompetent to make those decisions.

Ethics: Rules or principles that determine which human actions are right or wrong.

#### Ethical dilemma:

- 1. A situation involving competing rules or principles that appears to have no satisfactory solution.
- 2. A choice between two or more equally undesirable alternatives.

**Living will:** A document that allows a person to state in advance that life-sustaining treatment is not to be administered if the person later is terminally ill and incompetent.

**Moral or ethical principles:** Fundamental values or assumptions about the way individuals should be treated and cared for. These include autonomy, beneficence, nonmaleficence, justice, fidelity, and veracity.

**Moral reasoning:** A process of considering and selecting approaches to resolve ethical issues.

**Moral uncertainty:** A situation that exists when the individual is unsure which moral principles or values apply in a given situation.

**Values:** Beliefs that are considered very important and frequently influence an individual's behavior.

"wrong" activity; rather, it is a discovery about the "what" and "why" of your actions. Do not be surprised if your peers or family hold different views on some topics. And remember, the values that are "correct" or "right" for you may not always be the "right" values for others, including patients and their families. Your values may also change through time as you face different life experiences.

Evaluate the critical thinking questions, write down your responses to them, and consider the possible reason or reasons for your choices. The critical thinking exercise (Critical Thinking Box 19-1), Listing Values, is suggested as a means of clarifying your values. Discuss your answers with peers and decide how comfortable you are in discussing and defending your values, especially if they differ from the values of your peers. Critical Thinking Box 19-2 involves reproductive issues and has been included here because of the proliferation of reproductive technology, including genetics, and the ongoing moral and political debate regarding abortion and the use of stem cells.



## **CRITICAL THINKING BOX 19-1**

#### Listing Values

List ten values that guide your daily interactions.

Choose a partner (if available).

- 1. Discuss with a partner each of the values you listed and how they guide your interactions.
- 2. Compare your list of values with your partner's list, and discuss similarities and differences in the two lists.
- **3.** Prioritize your list, and discuss why you feel some are more important than others.

From Steele, S., & Harmon, V. (1983). *Values clarification in nursing* (2nd ed.). East Norwalk, Conn: Appleton-Century-Crofts, p 90; with permission.

## **Moral/Ethical Principles**

## What Is the Best Decision, and How Will I Know?

Despite different ideas regarding which moral or ethical principle is most important, ethicists agree that there are common principles or rules that should be taken into consideration when an ethical situation is being examined. As you read through each principle, consider instances in which you have acted on the principles or perhaps felt some conflict in trying to determine what was the best action to take (Figure 19-1).

**Autonomy:** A Patient's Right to Self-Determination Without Outside Control. Autonomy implies the freedom to make choices and decisions about one's own care without interference, even if those decisions are not in agreement with those of the health care team. This principle assumes rational thinking on the part of the individual and may be challenged when the individual infringes on the rights of others.

Consider this:

What if a patient wants to do something that will cause harm to himself or herself? Under what circumstances can the health care team intervene?

## **? CRITICAL THINKING** BOX 19-2 Reproductive Exercise Identify your degree of agreement or disagreement with the statements by placing the number that most closely indicates your value next to each statement. 1 = Strongly disagree 2 = Disagree 3 = Ambivalent 4 = Agree5 = Strongly agree \_\_\_\_1. Contraception is a responsibility of all women. 2. Some types of contraception are more valuable than other types. 3. Abortion as a form of contraception is completely unacceptable. 4. Abortion decisions are the responsibility of the pregnant woman and her physician. \_5. The birth of a "test tube baby" is a valuable medical advance. \_6. Genetic screening should be done frequently. \_\_\_7. Genetic counseling should provide information so that patients can make informed choices about future reproductive decisions. 8. Amniocentesis should be required as part of prenatal care. \_9. Genetic engineering should be advanced and promoted by federal funding. \_10. Artificial insemination should be available to anyone who seeks it. \_\_11. Sperm used in artificial insemination should come from all strata of society as do blood transfusions. \_\_12. Fetal surgery should be done even when it places another fetus at risk (i.e., a twin). \_13. Surrogate mothers play an important role in the future of families. 14. Fetuses who survive experimentation should be raised by society. \_15. Women should be encouraged to participate in fetal research by carrying fetuses to desired dates and then giving the fetus to the scientist for research. 16. Contraception is reserved for women of legal age. \_\_\_\_\_17. Adolescents should require a parent's signature for abortion. \_18. Information about genetically transmitted diseases should be provided to all pregnant women. \_\_19. Women at high risk for genetically transmitted diseases should be encouraged to have amniocentesis. 20. Infants born with severe defects should be allowed to die through a natural course.

From Steele, S. & Harmon, V. (1983). *Values clarification in nursing* (2nd ed.). East Norwalk, Conn: Appleton-Century-Crofts, p 169; with permission.

**Beneficence:** Duty to Actively Do Good for Patients. For example, you use this principle when deciding what nursing interventions should be provided for patients who are dying when some of those interventions may cause pain. In the course of prolonging life, harm sometimes occurs.

Consider this:

Who decides what is good? Patient, family, nurse, or physician? How do you define good?

**Nonmaleficence:** Duty to Prevent or Avoid Doing Harm, Whether Intentional or Unintentional. Is it harmful to accept an assignment to "float" to an unfamiliar area that requires the administration of unfamiliar medications?

Consider this:

Is it acceptable to refuse an assignment? When does an assignment become unsafe?

**Fidelity: The Duty to Be Faithful to Commitments.** Fidelity involves keeping information confidential and maintaining privacy and trust (e.g., maintaining patient confidentiality regarding a positive HIV test or "blowing the whistle" about unscrupulous billing practices).




FIGURE 19-1 Moral/ethical principles.

#### Consider this:

To whom do we owe our fidelity? Patient, family, physician, institution, or profession? Who has the right to access patient medical records? When should we "blow the whistle" about unsafe staffing patterns?

Justice: The Duty to Treat All Patients Fairly, Without Regard to Age, Socioeconomic Status, or Other Variables. This principle involves the allocation of scarce and expensive health care resources. Should uninsured patients be allowed to use the emergency department (ED) for nonemergency care—the most expensive route for delivering this type of care? Who should be paying for their care?

Consider this:

What is fair, and who decides? Why are some patients labeled very important persons (VIPs)? Should they receive a different level of care? Why or why not? What kind of access to health care should illegal immigrants receive: preventive or more costly ED care?

**Veracity: The Duty to Tell the Truth.** The principle of veracity may become an issue when a patient who suspects that her diagnosis is cancer asks you, "Nurse, do I have cancer?" Her family has requested that she not be told the truth, because their culture believes bad news takes away all hope for the patient.

Consider this:

Is lying to a patient ever justified? If a patient finds out that you have lied, will that patient have any reason to trust you again?

Each of the aforementioned principles sounds so right; yet the "consider this" questions indicate that putting principles into practice is sometimes much easier said than done. Reality does not always offer textbook situations that allow flawless application of ethical principles. As Oscar Wilde, an Irish playwright, once said, "The truth is rarely pure, and never simple." You will encounter clinical situations that challenge the way you apply an ethical principle or that cause two or more principles to be in conflict, creating moral distress, which is often referred to as an ethical dilemma.

## Which Principle or Rule Is Most Important?

Current thinking on the part of ethicists favors autonomy and nonmaleficence as preeminent principles, because they emphasize respect for the person and the avoidance of harm. However, there is no universal agreement, and many individuals rely on their spiritual beliefs as the cornerstone to ethical decision-making.

Another possible approach to decision making is to consider the relative benefits and burdens of an ethical decision for the patient. If patients are capable of rational decision-making, they may choose a different treatment approach than the care team. This fact is sometimes difficult for health care team members to accept, especially if it involves a decision to stop treatment. If patients are not capable of autonomous decision-making, substituted judgment (decision-making) by their designated family is then used. Problems frequently arise when family members disagree regarding a treatment choice or quality-of-life issues, as evidenced by the Terry Schiavo case in Florida (2003), when the husband's wishes to discontinue life support for his wife were granted after a prolonged court case that included attempted government intervention.

Traditional and contemporary models of ethical reasoning offer worldviews from which ethical principles, spiritual values, and the concepts of benefits and burdens can be derived, interpreted, and comparatively emphasized. Nevertheless, models of ethical reasoning are not without their critics, including nurses, who feel that abstract ideas about right and wrong are not helpful or "practical" at the bedside.

In recent years, nursing ethicists have advanced a new approach to ethical issues, emphasizing an ethic of caring as the moral foundation for nursing. Nurses have been encouraged to consider all ethical issues from the central issue of caring. Because caring implies concern for preserving humanity and dignity and promoting well-being, the awareness of rules and principles alone does not adequately address the ethical issues that nurses confront, such as in cases of suffering or powerlessness. Research regarding the application of caring to ethical issues is underway, but a practical model for applying this ethic of caring to clinical situations does not yet exist. Currently, the most care-centered approach to ethical dilemmas is to consider the relative "benefits versus burdens" that any proposed solution offers to the patient. Health team members need to try to consider benefits and burdens from the patient's perspective versus their own values on life, death, and the vast degrees of illness between the two. It is a difficult task to undertake.

#### So How Do I Make an Ethical Decision?

A number of approaches to ethical decision-making are possible. The following is a brief overview of the three most commonly applied models of ethical reasoning. The first two types are considered normative because they have clearly defined parameters, or norms, to influence decision-making. The third type is a combination of the other two models.

**Deontological.** Derived from Judeo-Christian origins, the deontological normative approach is duty-focused and centered on rules from which all action is derived. The rules represent beliefs about intrinsic good that are moral absolutes revealed by God. This approach reasons that all persons are worthy of respect and thus should be treated the same.

All life is worthy of respect.

As a result of the rules and duties that the deontological approach outlines, the individual may feel that he or she has clear direction about how to act in all situations. Right or wrong is determined based on one's duty or obligation to act, not on the consequences of one's actions. Therefore abortion and

euthanasia are never acceptable actions, because they violate the duty to respect the sanctity of all life, and lying is never acceptable because it violates the duty to tell the truth. The emphasis on absolute rules with this approach is sometimes seen as rigid and inflexible, but its strength is in its unbending approach to many issues, emphasizing the intent of actions.

**Teleological.** Derived from humanistic origins, the teleological approach is outcome-focused and places emphasis on results. *Good* is defined in utilitarian terms: That which is useful is good. Human reason is the basis for authority in all situations, not absolutes from God. Morality is established by majority rule, and the results of actions determine the rules. Because results become the intrinsic good, the individual's actions are always based on the probable outcome.

That which causes a good outcome is a good action.

Simplistically, this view is sometimes interpreted as "the end justifies the means." Abortion may be acceptable, because it results in fewer unwanted babies. Euthanasia is an acceptable choice by some patients, because it results in decreased suffering. Giving preference for a heart transplant to a foreign national who can pay cash and donate money for a transplant program is acceptable, because this will create a greater good for others. Using this approach, the rights of some individuals may be sacrificed for the majority.

**Situational.** Derived from humanistic and Judeo-Christian influences and most commonly credited to Joseph Fletcher (1966), an Episcopalian theologian, the situational view holds that there are no prescribed rules, norms, or majority-focused results that must be followed. Each situation creates its own set of rules and principles that should be considered in that particular set of circumstances. Emphasizing the uniqueness of the situation and respect for the person in that situation, Fletcher appeals to love as the only norm. Critics of this approach argue that this can lead to a "slippery slope" of moral decline.

Decisions made in one situation cannot be generalized to another situation.

Chemically restraining a disruptive patient who has Alzheimer's disease provides a calmer atmosphere for other patients in a long-term care facility. This approach is used after all other efforts to calm the patient have failed. "Pulling the plug" on a terminally ill patient who does not want any more extraordinary care can be considered an act of compassion. Withholding or withdrawing treatment is ethically correct from the individual patient's perspective if the burden of treatment outweighs the benefit of merely extending life. Defining *burden* has to be approached from the patient's perspective, not from others who may feel burdened by the patient's need for care. Viewing a situation from the perspective of benefit versus burden can assist patients and families to make difficult decisions on the basis of the patient's clear or intended wishes discussed over a period of time. Nurses and other health care providers need to be patient advocates, speaking out for those who are disadvantaged and cannot speak for themselves.

Table 19-1 compares the relative advantages and disadvantages of each approach. Remember that there is no perfect worldview. If there were, debate would stop, and the need for continued ethical deliberation would cease. The ethical models presented here are not intended to be all-inclusive or exhaustive in depth. Rather, they should whet your appetite for further content. Many journals and texts are devoted to clinical ethics, and you are encouraged to see how ethicists apply these and other models to issues that affect your area of practice. Surveys of nurses indicate an ongoing interest and an expressed need for ethical discussion and support in practice. Nurses experience ethical distress along with other health care team members, but the 24/7 experience of nursing is unique from

TABLE 19-1 THREE APPROACHES TO ETHICAL DECISION MAKING: COMPARISON OF ADVANTAGES AND DISADVANTAGES		
ETHICAL APPROACH	ADVANTAGES	DISADVANTAGES
Deontological	Clear direction for action.	Perceived as rigid.
	All individuals are treated the same.  Does not consider possible negative consequences of action.	Does not consider possible negative consequences of actions.
Teleological	Interest of the majority is protected.	Rights of individual may be overlooked or denied.
	Results are evaluated for their good, and actions may be modified.	What is a good result? Who determines good? Morality may be arbitrary.
Situational	This approach mirrors the way most individuals actually approach day-to-day decision-making.	What is good? Who decides? Morality is possibly arbitrary.
	Merits of each situation are considered. Individual has more control/autonomy to make decisions in his or her own best interest.	Lack of rules of generalizability limits criticism of possible abuse.

the perspective of patient continuity and opportunities for advocacy. Nurses increasingly serve on hospital ethics committees and are encouraged to contribute their perspectives to ethical debates.

#### How Do I Determine Who Owns the Problem?

The decision to choose a particular model of ethical reasoning is personal (see Table 19-1) and is based on your own values. Familiarize yourself with various models to decrease your own moral uncertainty and gain some understanding of the values of others. The following guidelines are suggested as a means of analyzing ethical issues that will confront you in nursing practice. You will not be a pivotal decision maker in all situations, but these guidelines can assist you in making up your own mind and helping patients to voice their wishes and ask questions.

**First, Determine the Facts of the Situation.** Make sure you collect enough data to give yourself an accurate picture of the issue at hand. When the facts of a situation become known, you may or may not be dealing with an ethical issue.

For example, as an ICU nurse, you believe that the wishes of patients regarding extraordinary care are being disregarded. In other words, resuscitation is performed despite expressed patient wishes to the contrary. You need to:

- Determine whether discussion about extraordinary care is taking place among patients, their families, and health care providers.
- Clarify the institution's policy regarding cardiopulmonary resuscitation (CPR) and do-not-resuscitate (DNR) orders.
- Determine what input the families have had in the decisions, that is, whether the families are aware of the patient's wishes.
- Explore the use of advance directive documentation at your institution, and determine whether patients are familiar with the use and possible limitations of living wills.
- Share your concerns with health care providers to obtain their views of the situation. Discuss the situation with your clinical manager to clarify any misconceptions regarding policy and actual practice.

**Second, Identify the Ethical Issues of the Situation.** In the ICU scenario, if competent patients have expressed their wishes about resuscitation, this should be reflected in the chart. If a living will has been executed and is recognized as valid within your state, its presence in the chart lends considerable weight to the decision. The patient should be encouraged to discuss his or her decision with family to decrease the chances for disagreement if and when the patient can no longer "speak" for himself or herself. If immediate family members disagree with the living will, the physician may be reluctant to honor it, at least in part because of concern regarding possible liability. If a living will is executed without prior or subsequent discussion with the attending physician, there may be reluctance to honor the will, because the physician was not informed of the patient's decision. The physician may feel that the patient did not make an informed decision. However, a durable power of attorney for health care (DPAHC), combined with a living will completed before the patient's present state of incapacitation, would stand as clear and convincing evidence of the patient's wishes, preventing such a problem. The example of extraordinary care in the ICU illustrates the existence of values and principles in conflict. When the care team, family, and patient have different views of the situation, the patient is likely to be burdened with less than the best outcome, unless differences are resolved. The nurse can facilitate communication between the family and patient in resolving differences among all those involved.

Patient: Values autonomy, including the right to decide when intervention should stop.

**Family:** May value the patient's life at all costs and be unwilling to "let go" when a chance exists to prolong life regardless of life quality.

**Physician:** May feel that the patient has a fair chance to survive and that the living will was executed without the patient being "fully informed." The duty to care or cure may outweigh the physician's belief in the exercise of patient autonomy and fidelity. **Nurse:** Values patient autonomy and the need to remain faithful to the patient's wishes. Concern for the needs of the family, in addition to respect for the physician—patient relationship, may cause some conflict.

**Institution:** Examination of institutional policy may show a conflict between stated policy (e.g., honoring living wills) and actual practice (e.g., performing CPR on all patients unless written physician orders indicate otherwise).

In this situation, the ethical components of this second step involve autonomy and fidelity versus beneficence.

**Third, Consider Possible Courses of Action and Their Related Outcomes.** Having collected data and after having attempted to discuss the issue with all involved parties, you are faced with the following three options:

- 1. Advocate for the patient with physicians and the family by facilitating communication.
- 2. Encourage the patient and family to share feelings with each other regarding desires for care.
- 3. Encourage the family, patient, and attending physicians to discuss the situation more openly.

If the advocacy role does not bring about some change in behavior, consider the possible input and assistance of an interdisciplinary ethics committee (IEC). In the past two decades, such committees have evolved in response to the growing number of ethical issues faced in clinical practice. Most hospitals now have an IEC, which is typically composed of physicians, clergy, social workers, lawyers, and, increasingly, nurses. Any health team member can access the committee with the assurance at least of receiving a helpful, listening ear. If necessary, the committee will convene to review a clinical case and will offer an unbiased opinion of the situation. Committee members may be helpful in clarifying issues or offering moral support; they may also be persuasive in suggesting that involved parties (i.e., family, physician, patient, and nurse) consider a suggested course of action. The authority of an IEC is usually limited, because the majority of IECs are developed with the understanding that the advice and opinions offered are not binding to the individual. However, an IEC can serve as a potent form of moral authority and influence if used.

Taking the initiative to express your values and principles is not necessarily easy. As a recent graduate, it may seem safer to "swallow hard," remain quiet, and invest your energies in other aspects of your role. You may risk ridicule, criticism, and disagreement when you speak out or have questions on an ethical issue, especially if your view is different or unpopular. However, you risk something far more important if you do not speak out and ask questions for clarification. Silence diminishes your own autonomy as a person and as a professional. Depending on the situation, you may raise eyebrows, but it is important to make your concerns known, because some values may be imposed on the patient or on you in the clinical setting, and those values may not be morally correct. You may not agree with the values or believe that they are in the best interest of the patient. Unresolved moral distress is also cited as a cause for job resignation (Pendy, 2007). Find your voice, ask questions, and speak up so you can control your practice more effectively.

**Fourth, After a Course of Action Has Been Taken, Evaluate the Outcome.** In the ICU scenario, did improved communication occur among patients, families, and physicians? Were your efforts to advocate met with resistance or a rebuff? What could you try differently the next time? What values or principles were considered most important by the decision makers? What kind of assistance did you receive from the IEC? What role did nursing play in this situation, and was it appropriate?

### What Other Resources Are Available to Help Resolve Ethical Dilemmas?

Professional resources are also available to provide direction about ethical issues and behavior. The first of these is the American Nurses Association (ANA) *Code of Ethics for Nurses* (2001a) (see p. 196). The code is a statement to society that outlines the values, concerns, and goals of the profession. It should be compatible with the individual nurse's personal values and goals. The code provides direction for ethical decisions and behavior by repeatedly emphasizing the obligations and responsibilities that the nurse–patient relationship entails.

The provisions of the *Code of Ethics* allude to the ethical principles mentioned earlier in this chapter and certainly imply that fidelity to the patient is foremost. A copy of the code with interpretive statements is available from the ANA. If you did not purchase a copy as a reference for school, consider buying it for your own use in practice. A copy of the code should be accessible within your place of employment.

Critics of the *Code of Ethics for Nurses* cite its lack of legal enforceability. This is a valid criticism, because the code is not a legal document as licensure laws are. However, the code is a moral statement of accountability that can add weight to decisions involving legal censure. Many practicing nurses claim ignorance of the *Code of Ethics for Nurses* or believe that it is a document for students only. However, the *Code of Ethics* is for all nurses and was developed by nurses. In 2001, the American Nurses Association published a *Bill of Rights for Registered Nurses*, a first ever document of "rights" in contrast to the traditional focus on responsibilities. Awareness of these rights may provide nurses with a sense of comfort in voicing their advocacy for patients as well as for themselves. Take the opportunity to become familiar with its contents (ANA, 2001b). Box 19-1 presents the *International Council of Nurses Code for Nurses*. The international code is valuable, because it points out issues of universal importance to all nurses.

In 1973, the American Hospital Association published a *Patient's Bill of Rights*. Now revised (Box 19-2) and called The Patient Care Partnership, this document reflects acknowledgment of patients' rights to participate in their health care and was developed as a response to consumer criticism of paternalistic provider care. The statements detail the patient's rights with corresponding provider responsibilities. Read each statement and consider whether it seems reasonable. When first developed, many of the statements were considered radical. This document reflects the increasing emphasis on patient autonomy in health care and defines the limits of provider influence and control. Earlier beliefs that the hospital and physician know best (paternalism) have been challenged and modified. This document is likely to be refined further as joint responsibilities between patients and health care providers grow.

## **BOX 19-1 ICN CODE OF ETHICS FOR NURSES**

The ICN Code of Ethics for Nurses has four principal elements that outline the standards of ethical conduct.

#### **Elements of the Code**

#### 1. NURSES AND PEOPLE

- The nurse's primary professional responsibility is toward people requiring nursing care.
- In providing care, the nurse promotes an environment in which the human rights, values, customs and spiritual beliefs of the individual, family, and community are respected.
- The nurse ensures that the individual receives accurate, sufficient, and timely information in a culturally appropriate
  manner on which to base consent for care and related treatment.
- The nurse holds in confidence personal information and uses judgment in sharing this information.
- The nurse shares with society the responsibility for initiating and supporting action to meet the health and social needs
  of the public, in particular those of vulnerable populations.
- The nurse advocates for equity and social justice in resource allocation, access to health care, and other social and economic services.
- The nurse demonstrates professional values such as respectfulness, responsiveness, compassion, trustworthiness, and integrity.

#### 2. NURSES AND PRACTICE

- The nurse carries personal responsibility and accountability for nursing practice, and for maintaining competence by continual learning.
- The nurse maintains a standard of personal health such that the ability to provide care is not compromised.
- The nurse uses judgment regarding individual competence when accepting and delegating responsibility.
- The nurse at all times maintains standards of personal conduct, which reflect well on the profession and enhance its image and public confidence.
- The nurse, in providing care, ensures that use of technology and scientific advances are compatible with the safety, dignity, and rights of people.
- The nurse strives to foster and maintain a practice culture promoting ethical behavior and open dialogue.

#### 3. NURSES AND THE PROFESSSION

- The nurse assumes the major role in determining and implementing acceptable standards of clinical nursing practice, management, research, and education.
- The nurse is active in developing a core of research-based professional knowledge that supports evidence-based practice.
- The nurse is active in developing and sustaining a core of professional values.
- The nurse, acting through the professional organization, participates in creating a positive practice environment and maintaining safe, equitable social and economic working conditions in nursing.
- The nurse practices to sustain and protect the natural environment and is aware of its consequences on health.
- The nurse contributes to an ethical organizational environment and challenges unethical practices and settings.

#### 4. NURSES AND CO-WORKERS

- The nurse sustains a collaborative and respectful relationship with co-workers in nursing and other fields.
- The nurse takes appropriate action to safeguard individuals, families, and communities when their health is endangered by a co-worker or any other person.
- The nurse takes appropriate action to support and quide co-workers to advance ethical conduct.

From International Council of Nurses. (2012). ICN Code of ethics for nurses. Geneva: Imprimerie Fornara, with permission.

Consider the settings in which you have had clinical experiences, and evaluate how well these rights have been acknowledged and supported. In your future practice keep these rights in mind. Observing them is not only the "right thing to do," it is enforceable by law.

As a response to the rapidly growing home health care area of community nursing, the National Association for Home Care established a *Home Care Bill of Rights* for patients and families to inform

# BOX 19-2 THE PATIENT CARE PARTNERSHIP: UNDERSTANDING EXPECTATIONS, RIGHTS, AND RESPONSIBILITIES

Our goal is for you and your family to have the same care and attention we would want for our families and ourselves. The sections explain some of the basics about how you can expect to be treated during your hospital stay. They also cover what we will need from you to care for you better. If you have questions at any time, please ask them. Unasked or unanswered questions can add to the stress of being in the hospital.

#### What to Expect During Your Hospital Stay

- High-quality hospital care. Our first priority is to provide you with the care you need, when you need it, with skill, compassion, and respect. Tell your caregivers if you have concerns about your care or if you have pain. You have the right to know the identity of doctors, nurses, and others involved in your care.
- A clean and safe environment. We use special policies and procedures to avoid mistakes in your care and keep you free from
  abuse or neglect. If anything unexpected and significant happens during your hospital stay, you will be told what happened,
  and any resulting changes in your care will be discussed with you.
- Involvement in your care. Please tell your caregivers if you need more information about treatment choices. When decision-making takes place, it should include:
  - Discussing your medical condition and information about medically appropriate treatment. To make informed decisions
    with your doctor, you need to understand:
    - The benefits and risks of each treatment and whether the treatment is experimental or part of a research study.
    - What you can reasonably expect from your treatment and any long-term effects it might have on your quality of life.
    - What you and your family will need to do after you leave the hospital.
    - The financial consequences of using uncovered services or out-of-network providers.
  - Discussing your treatment plan. When you enter the hospital, you sign a general consent to treatment. In some cases, such as surgery or experimental treatment, you may be asked to confirm in writing that you understand what is planned and agree to it.
  - Getting information from you. Your caregivers need complete and correct information about your health and coverage so that they can make good decisions about your care. That includes:
    - Past illnesses, surgeries, or hospital stays; past allergic reactions; any medicines or dietary supplements (e.g., vitamins, herbs) that you are taking; and any network or admission requirements under your health plan.
  - Understanding your health care goals and values. Make sure your doctor, your family, and your care team know your wishes.
  - Understanding who should make decisions when you cannot. If you have signed a health care power of attorney stating
    who should speak for you if you become unable to make health care decisions for yourself, or a living will or advance
    directive that states your wishes about end-of-life care, give copies to your doctor, your family, and your care team.
- Protection of your privacy. State and federal laws and hospital operating policies protect the privacy of your medical
  information. You will receive a Notice of Privacy Practices that describes the ways that we use, disclose, and safeguard
  patient information and that explains how you can obtain a copy of information from our records about your care.
- Preparing you and your family for when you leave the hospital. The success of your treatment often depends on your efforts
  to follow medication, diet, and therapy plans. You can expect us to help you identify sources of follow-up care and to let you
  know if our hospital has a financial interest in any referrals. You can also expect to receive information and, when possible,
  training about the self-care you will need when you go home.
- Help with your bill and filing insurance claims. Our staff will file claims for you with health care insurers or other programs, such as Medicare and Medicaid. If you have questions about your bill, contact our business office. If you need help understanding your insurance coverage or health plan, start with your insurance company or health benefits manager. If you do not have health coverage, we will try to help you and your family find financial help or make other arrangements.

This is an abridged text. Full text is available at www.aha.org. Reprinted with permission of the American Hospital Association, copyright 2003. All rights reserved.

them of the ethical conduct they can expect from home care agencies and their employees when they are in the home (National Association for Home Care & Hospice, n.d.). This document is widely used and addresses: the rights of the patient and provider to be treated with dignity and respect; the right of the patient to participate actively in decision-making; privacy of information; financial information regarding payment procedures from insurance, Medicare, and Medicaid; quality of care; and the patient's responsibility to follow the plan of care and notify the home health nurse of changes in his or her condition. Surprising as it may seem, there are instances of nurses who have lost their licenses as a result of unethical behavior toward patients in their homes. These abuses include financial and sexual exploitation—major violations of professional boundaries.

Home care nurses often face difficult ethical dilemmas about the delivery of care to patients. For example, a patient will require or desire more care or visits than Medicare or private insurance will pay for. All home care agencies have policies written to guide them through the decision-making process when they can no longer receive reimbursement for a patient's care. Often it is the responsibility of the home care nurse to find another community agency that can meet the patient's needs at a cost the patient can afford.

An additional document with which you should be familiar is the *Nuremberg Code* (Box 19-3). This code grew out of the blatant abuses perpetrated by Nazi war criminals during World War II in the

## **BOX 19-3** THE NUREMBERG CODE

The great weight of the evidence before us is to the effect that certain types of medical experiments on human beings, when kept within reasonably well-defined bounds, conform to the ethics of the medical profession generally. The protagonists of the practice of human experimentation justify their views on the basis that such experiments yield results for the good of society that are unprocurable by other methods or means of study. All agree, however, that certain basic principles must be observed in order to satisfy moral, ethical, and legal concepts:

1. The voluntary consent of the human subject is absolutely essential. This means that the person involved should have legal capacity to give consent; should be so situated as to be able to exercise free power of choice, without the intervention of any element of force, fraud, deceit, duress, overreaching, or other ulterior form of constraint or coercion; and should have sufficient knowledge and comprehension of the elements of the subject matter involved as to enable him to make an understanding and enlightened decision. This latter element requires that before the acceptance of an affirmative decision by the experimental subject there should be made known to him the nature, duration, and purpose of the experiment; the method and means by which it is to be conducted; all inconveniences and hazards reasonably to be expected; and the effects upon his health or person which may possibly come from his participation in the experiment.

The duty and responsibility for ascertaining the quality of the consent rests upon each individual who initiates, directs, or engages in the experiment. It is a personal duty and responsibility that may not be delegated to another with impunity.

- 2. The experiment should be such as to yield fruitful results for the good of society, unprocurable by other methods or means of study, and not random and unnecessary in nature.
- 3. The experiment should be so designed and based on results of animal experimentation and a knowledge of the natural history of the disease or other problem under study that the anticipated results will justify the performance of the experiment.
- 4. The experiment should be so conducted as to avoid all unnecessary physical and mental suffering and injury.
- 5. No experiment should be so conducted where there is an a priori reason to believe that death or disabling injury will occur; except, perhaps, in those experiments where the experimental physicians also serve as subjects.
- 6. The degree of risk to be taken should never exceed that determined by the humanitarian importance of the problem to be solved by the experiment.
- 7. Proper preparations should be made and adequate facilities provided to protect the experimental subject against even remote possibilities of injury, disability, or death.
- 8. The experiment should be conducted only by scientifically qualified persons. The highest degree of skill and care should be required through all stages of the experiments of those who conduct or engage in the experiment.

Reprinted from *Trials of war criminals before the Nuremberg Military Tribunals under Control Council Law*, No. 18, vol. 2, Washington, DC, 1949, U.S. Government Printing Office, p 181.

name of science. Experiments were conducted by health care professionals without patient consent, resulting in horrific mutilations, disability, and death. The *Nuremberg Code* identifies the need for voluntary informed consent when medical experiments are conducted on human beings. It delineates the limits and restrictions that researchers must recognize and respect. Because of the preponderance of research in many clinical settings, nurses have a responsibility to understand the concept of voluntary informed consent and support the patient's rights throughout the research process. After reading this code, you should have increased awareness of the patient's right to autonomy and the health care provider's responsibility to be faithful to that right.

## **Controversial Ethical Issues Confronting Nursing**

Situations that raise ethical issues affect all areas of nursing practice. The following is a sampling of issues that consistently cause controversy.

#### **Abortion**

The debate over this issue has raged in the United States since the 1973 *Roe v. Wade* Supreme Court decision. The resolution of this case struck down laws against abortion, but left the possibility of introducing restrictions under some conditions. Efforts toward that end continue today with mixed results for both "pro-choice" and "pro-life" factions. Increasing efforts are focused on the need for parental notification/consent. The right to reproductive choice and access continues to be debated, and the argument affects nursing practice in both acute care and community settings.

Historic references to abortion can be found as far back as 4500 BC (Rosen, 1967). Abortion has been practiced in many societies as a means of population control and termination of unwanted pregnancies; yet sanctions against abortion are found in both ancient biblical and legal texts. It is interesting to note that the ancient sanctions against abortion generally related to fines payable to the husband if the pregnant woman was harmed. This form of sanction derived from the concept of the woman and fetus as male property. Greek philosophers, including Aristotle and Plato, made a distinction between an unformed fetus and a formed fetus. A fine was levied for aborting an unformed fetus, whereas the aborting of a formed fetus required "a life for a life." The number of gestational weeks that determine whether a fetus was formed was not stated, although the time of human "ensoulment" was understood: Aristotle believed that a male fetus was imbued with a soul at 40 day's gestation (quickening) versus 90 days for a female (Feldman, 1968). The subject of ensoulment became part of the ongoing debate regarding the time when the developing fetus becomes human. In other words,

When does life begin?

Judeo-Christian theologians generally came to identify the beginning of life as at conception or at the time of implantation. However, even within this tradition, the Jewish Talmud and Roman law stated that life begins at birth, because the first breath represents the infusion of life. These varied views continue to the present.

Social customs and private behavior regarding abortion have frequently differed from theological teaching. The first legal sanctions against abortion in the United States began in the late 19th century. Before that time, first-trimester abortions were not uncommon, and, in fact, were advertised, supporting the idea that abortion before quickening was acceptable.

The ethical debate about abortion today is a continuing struggle to answer the question of when life begins and to determine an answer to the following questions:

- Does the fetus have rights?
- Do the rights of the fetus (for life) take precedence over the right of the mother to control her reproductive functions?
- When is abortion morally justified?
- Should minors have the right to abortion without parental consent or awareness?
- Should fetal stem cells be used for research, helping to end the suffering of patients with chronic disorders such as Parkinson's disease?

The struggle to answer these questions has polarized individuals into pro-life or pro-choice camps. Yet opinion polls on the subject have shown that very few people are against abortion in all circumstances or favor abortion as a mandatory solution for some pregnancies. Most Americans express views somewhere between these extremes, and the legal battle to maintain or restrict abortion access continues. The controversy has escalated into violence in some areas of the country, with abortion clinics and personnel subjected to attack; some abortion providers have been killed. This violence has resulted in the decreased availability of abortion services in many areas. In recent years, some pharmacists have refused to fill prescriptions for birth control pills and the "morning after" pill, claiming that this violates their moral beliefs, an exacerbation of the pro-life/pro-choice debate.

The Roman Catholic Church has been the religious group most frequently identified with the pro-life movement, but there are other groups—religious and otherwise—that support a ban on abortion. Pro-life proponents generally condone abortion only to save the life of the mother. These antiabortion groups are often criticized by pro-choice as extremist, anti-woman, and repressive.

The pro-choice movement is vocal in championing the woman's right to choose and promoting the safety of legalized abortion. They cite the tragedy of past "back-alley" abortions and compare restrictions on abortion to infringements on the civil liberties of women. Within the pro-choice movement are many individuals who favor restrictions on abortions after the first trimester and oppose the use of abortion as a means of birth control. Pro-life proponents often view pro-choice supporters as anti-family extremists who do not represent the views of the majority of Americans.

**How Does the Abortion Issue Affect Nursing?** Nurses are involved both as individuals and professionals. The following are some general guidelines to consider.

Evaluate your values and beliefs in relation to abortion and how you can best apply these values to your work and to possible political action.

If you choose to work in a setting in which abortions are performed, review Provision 1 of the ANA *Code of Ethics for Nurses*: "The nurse, in all professional relationships, practices with compassion and respect for the inherent dignity, worth, and uniqueness of every individual, unrestricted by considerations of social or economic status, personal attributes, or the nature of the health problems" (ANA, 2001b).

This statement outlines your responsibility to care for all patients. If you do not agree with an institution's policy or procedure regarding abortion, the patient still merits your care. If that care (e.g., assisting with abortions) violates your principles, you should consider changing your job or developing an agreement with your employer regarding your job responsibilities. If you cannot provide the care that the patient requires, make arrangements for someone else to do so.

You do not have to sacrifice your own values and principles, but you are barred by the ANA *Code of Ethics* from abandoning patients or forcing your values on them. Such abandonment would also constitute legal abandonment, and you would be subject to legal action.

Some hospitals have developed conscience clauses that provide protection to the hospital and nurses against participation in abortions. Find out if your institution has such a clause.

Consider your response and the possible conflict in the following situations:

You are a labor and delivery nurse working on a unit that performs second-trimester saline abortions in a nearby area. You are not a part of the staff for the abortion area, but today, because of short staffing, you are asked to care for a 16-year-old who is undergoing the procedure.

- You work in a family-planning clinic that serves low-income women. Because of escalating violence
  against abortion providers, the nearest abortion clinic is 100 miles away. You are restricted from providing
  information regarding abortion services because of federal guidelines.
- A 41-year-old mother of five has expressed interest in terminating her pregnancy of 6 weeks' gestation. She confides that her husband would beat her if he knew she was pregnant and contemplating abortion.
- You are teaching a class on sexuality and contraception to a group of high school sophomores. Two of the
  girls state that they have just had abortions. In response to your information regarding available methods
  of contraception, one of the girls states, "I'm not interested in birth control. If I get pregnant again, I'll just
  get an abortion. It's a lot easier."
- You have a history of infertility and work in the neonatal ICU. You are presently caring for a 24-week-old baby born to a mother who admits to taking "crack" as a means of inducing labor and "getting rid of the baby." The mother has just arrived in the unit and wants to visit the baby.

These sample scenarios are meant to illustrate the conflicts that personal values, institutional settings, and patients may create for the recent graduate. In your responses, consider how you might lobby or participate in the political process to change or support existing policies regarding abortion and access to such services.

#### Euthanasia

Euthanasia is commonly referred to as "mercy killing." It is a Greek word that means "good death" and implies painless actions to end the life of someone suffering from an incurable or terminal disease. Euthanasia has been closely tied to a "right-to-die" argument, which has gained a good deal of attention in the past decade. Euthanasia is classified as active, passive, or voluntary. Active euthanasia involves the administration of a lethal drug or another measure to end life and alleviate suffering. Regardless of the motivation and beliefs of the individuals involved, active euthanasia is legally wrong and can result in criminal charges of murder if performed. In recent years, incidents of active euthanasia have become periodic news events, as spouses or parents have used measures to end the suffering of their mates or children from, for example, advanced Alzheimer's disease or persistent vegetative state. Passive euthanasia involves the withdrawal of extraordinary means of life support (e.g., ventilator, feeding tube). Voluntary euthanasia involves situations when the dying individual expresses his or her desires regarding the management and time of death to a sympathetic physician who then provides the means for the patient to obtain a lethal dose of medication.

Today, advanced technology routinely keeps alive patients who would never have survived a few short years ago. Concerns regarding prolonging life and suffering for those individuals have resulted in a movement to have right-to-die statutes and living wills accepted. In those states that have such statutes and recognize living wills, termination of treatment in such cases has become easier. Right-to-die statutes release health care personnel from possible liability for honoring a person's wishes that life be not unduly prolonged (Rudy, 1985). Many years ago, the state of Oregon enacted the Death with Dignity Act (2011), which allows terminally ill Oregonians to obtain and use prescriptions from their physicians for self-administered, lethal doses of medications.

Another legal document, the durable power of attorney for health care (DPAHC), helps ensure that a living will is carried out. The DPAHC identifies the individual who will carry out the patient's wishes in the event that he or she is incapacitated and also informs health care providers about the specific wishes of the patient regarding life-support measures.

A major impact on the availability of living wills and the DPAHC (which are referred to as advance medical directives) resulted from the introduction of the Patient Self-Determination Act in December 1991. Advance directives are federally mandated for all institutions receiving Medicare or Medicaid funds. On admission, information about advance directives must be offered to all competent adults. This means that all adults are told about the purpose and availability of living wills (treatment directive) and DPAHCs (appointment directive). They are then offered assistance with completing these documents if desired. After 15 years of having advance directive information available to patients, the impact of this document on decision-making is varied. It certainly has influenced the communication that many patients have with their families, physicians, and other health care providers regarding their wishes at the time of signing, but patients often change their minds when their health care status changes, frequently opting for the prolongation of life. A problem has surfaced regarding the timing of information to patients regarding advance directives. If patients first hear about advance directives on admission to an acute-care setting, anxiety regarding their admission and the separate concept of advance directives may seriously affect informed decision-making at that time. Advance directives should ideally be discussed before serious illness occurs, and at the very least in a noncrisis environment to encourage nonpressured decision-making. Cultural, religious, and racial issues regarding DPAHC have also surfaced and need to be researched to determine the best approaches for providing this information within a culturally diverse society. Patients and families need reassurance that declining extraordinary care does not mean the abandonment of caring and palliative care when needed. Both patients and families need to be reassured that palliative comfort care will never stop, even when aggressive curative efforts are withdrawn.

Decisions to withdraw or withhold nutrition and hydration from patients are complex and are the subject of ongoing debate by ethicists, health care personnel, and the legal system. In response to the issues of hydration and nutrition, the Ethics Committee of the ANA developed guidelines in 1988 and revised them in 1992. These guidelines state that there are instances when withholding or withdrawing nutrition and hydration are morally permissible. Although intended only as a guideline, this document provides direction for nurses who face such issues. Its wording has been both praised for its clarity and criticized for possible ambiguity. The primary exception to the withdrawal of hydration and nutrition is when harm from these measures can be demonstrated. This document is available from the ANA.

## **Futile Care and Physician-Assisted Suicide**

Futile care (futility) and physician-assisted suicide (PAS) are two ethical and human rights issues that have drawn a great deal of attention and debate. In a survey conducted by the ANA's Center for Ethics and Human Rights in June 1994, respondents were asked to identify 10 of the most frequently occurring ethical issues. Approximately 55% identified "end-of-life decisions" as one of the top four issues, and 37% identified "providing futile care" as an important priority issue facing nursing (Scanlon, 1994). These issues continue to be at the forefront for clinicians since that time (Robichaux and Clark, 2006).

What Is Futility? Medical futility refers to the use of medical intervention (beyond comfort care) without realistic hope of benefit to the patient. Benefit is defined as improvement of outcome. A concrete example of futility would be the continuation of ICU care for a patient in a persistent vegetative state who would, on discharge from the hospital, return to a nursing home incapable of interacting with the environment. The futility debate concerns the very nature of the definition of benefit, in

addition to who defines it. The economic pressure to control health care costs also causes a focus on ways to eliminate "unnecessary" intervention.

On paper, futility can be defined, but its application to diverse clinical situations remains a challenge. The debate involves multiple parties whose interests and values are not always compatible. For example, patients and families have argued both for the right to refuse care that they believe is futile and the right to receive all possible care in the face of a medical opinion of futility. This argument raises two related questions:

- 1. Do patients or families have the right to demand and receive treatment that health care providers believe is futile?
- 2. Do physicians have the right to refuse to provide treatments that they believe are futile, despite patient or family desire to initiate or continue such treatment?

Ethics committees have struggled to agree on a working definition of futility to provide support for clinicians, patients, and families who are faced with difficult decisions regarding care. Many institutions have developed guidelines for the withdrawal of treatment (except for comfort care). These guidelines emphasize the importance of clear, ongoing communication among all health care team members and with the patient and family. Accurate, compassionate discussion is essential to convey a unified approach to the realities and limitations of possible medical care. The guidelines should never be used as a threat or to imply abandonment of care. They are, as their name implies, guidelines. Lack of agreement among the patient, the family, and the health care team is likely to delay or prevent withdrawal of treatment, primarily because of the fear of liability, even in cases of brain death. Supporting the patient or family decision may be difficult because of personal values and professional opinions. It is crucial to clarify where professional loyalties should lie and to keep the discussion patient-centered.

Pressures to eliminate unnecessary costs also influence the futility debate. Insurers, clinicians, and health care institutions increasingly question medical expenditures that produce futile outcomes and prolong the inevitability of impending death. Insurance reimbursement payments are likely to be further limited or denied for treatment judged to be of no benefit to the patient. A possible risk is that beneficial treatment may be eliminated or denied solely because of economic concern in cases having an uncertain outcome. Nurses need to stay informed about institutional guidelines regarding medical futility and need to communicate clearly with patients, families, and physicians regarding expected goals and likely outcomes of care. The patient's welfare—and not economic concerns—should be the primary driving force for withdrawal of treatment. Studies continue to show that nurses experience moral distress when inappropriate treatments are used to prolong the dying process. Speaking out on behalf of the patient is an essential advocacy role even if the final decision regarding care differs from what the nurse believes is appropriate. Passivity in such situations only increases frustration and a sense of professional resignation (Robichaux and Clark, 2006).

**Physician-Assisted Suicide (PAS).** PAS has gained national attention because of Dr. Jack Kevorkian's persistent efforts to publicize and bring legitimacy to a formerly taboo topic. Kevorkian assisted or attended in the deaths of more than 130 terminally and chronically ill patients (Lowes, 2011). His work caused the state of Michigan to pass legislation barring PAS. Proponents of PAS managed to put the issue on the ballot in three Western states since 1991. In 1994, Oregon approved PAS legislation. It was immediately challenged in the Oregon court by right-to-life advocates, but the Death with Dignity Act finally went into effect October 27, 1997. Between 1998 and 2006, 292 people in Oregon have died as a result of prescriptions for lethal medications. Approximately 85,000 other Oregonians with similar conditions died during this time, pointing out the relatively small number of people and clinicians who chose to use approved lethal injections (State of Oregon, 2006). In 2008, voters in the

state of Washington approved a measure that legalized PAS, making Washington the second state to legalize PAS. The law took effect in early 2009, and in 2009, Montana became the third state to legalize PAS (Friend, 2011). For right-to-life advocates, even one of these deaths is too many and is a step down the path of state-approved murder. Quality-of-life advocates support PAS as an example of personal autonomy and control; however, the debate continues.

PAS has been debated for years, and opinions on both sides among physicians and the public are very strong. The American Medical Association opposes PAS, because it violates the most basic ethical principle: "First, do no harm." Physicians have traditionally taken care of the living patient, and support for PAS threatens to destroy this fundamental relationship. Many individual physicians have, however, changed their minds in recent years because of their work with terminally ill patients. More than a few of these clinicians have come to believe that the only option for the relief of some patients' intractable pain and suffering is death.

Although the legalization of PAS continues to be debated in the courts, the practice goes on—generally in private without headlines. Both critics and supporters of PAS state that the secrecy goes on because of the fear of arrest for homicide. There have been some court rulings supporting the right to PAS by terminally ill patients on the basis of the 14th Amendment's guarantee of personal liberty. These decisions have been assailed by right-to-life groups as an anti-life philosophy that dishonors the intrinsic value of life.

PAS affects nursing practice, because a decision to perform PAS may involve the nurse. The term *PAS* implies that the physician is the active agent, but a lethal dose may be ordered by the physician for the nurse to administer. Nurses need to be aware of the legal and ethical implications of such an order. The administration of a lethal dose for the explicit purpose of ending a patient's life is an illegal act that can be prosecuted as homicide. From an ethical point of view, many would consider this the ultimate act of mercy, yet it is an illegal act in the United States, except in Montana, Oregon, and Washington States. Clinicians, ethicists, the public, and the courts continue to struggle with how best to respect the life and wishes of terminally ill patients without "doing harm." Nurses need to remain aware of their nurse practice acts and the *Code of Ethics for Nurses* as they balance patient needs with their conscience and value systems. Although the debate regarding PAS has gained momentum in the last few decades, it is important to note that the ANA has not revisited the ethical implications of the role of nurses in PAS since 1994. In a position statement issued by the ANA in that year, the organization decreed that a nurse's participation in PAS is unethical (American Nurses Association, 1994).

Ethicists generally agree that although the prolongation of life by extraordinary means is not always indicated, clarifying the circumstances when such care may be stopped (withdrawn) or possibly never begun (withheld) frequently creates controversy, particularly when the quality of life (coma, persistent vegetative state) is likely to be questionable.

Opponents of the right-to-die movement believe that it represents the erosion of the value of human life and may encourage a movement toward the acceptance of suicide as part of a "culture of death." They caution that the lives of the weak and disabled may come to be devalued as society concentrates on the pursuit of "quality life." If passive euthanasia achieves societal acceptance, who will speak out in favor of protecting incompetent or dependent individuals who are not living what society views as a quality life? The well-publicized Schiavo controversy demonstrates the political polarization that this topic can cause (Nagourney, 2005).

Proponents of the right-to-die movement believe that it provides a more natural course of living and dying to the individual and family by avoiding the artificial prolongation of life through technology. The availability of technology to prolong life often raises the question, "We can, but should we?"

Surveys of medical and nursing school curricula in the United States continue to show minimal content on end-of-life care issues. Schools continue to focus curricula more on the curative approach to illness and disease, neglecting to address the palliative, comfort-directed needs of individuals who require care in the last months and days of their lives. This fact, combined with the aging of our population, points to the need for improvement in educating both current clinicians and students in health care institutions on ethical issues surrounding end-of-life care. A growing number of proactive clinicians and educators concerned with the quality of care provided to dying patients and their families has created an educational movement called End-of-Life Care. The specific program targeted for nursing is called End-of-Life Nursing Education Consortium Project, targeting nursing faculty and nursing leadership in many specialty organizations. This consortium project has educated hundreds of nurses in the past few years, slowly influencing a change in both education and clinical practice. Studies of patients facing end-of-life issues indicate that pain and symptom management, communication with one's physician, preparation for death, and the opportunity to achieve a sense of life completion are the most consistently important issues (Steinhauser et al, 2000). It will be interesting to see the impact of these efforts on patient care during the next decade. Perhaps we will be better prepared to accept the reality that everyone does die. As nurses, we are challenged to make this last event of life a better experience for all. The growing popularity of the palliative care movement in the United States is a significant paradigm change, acknowledging the value and complexity of supportive, noncurative care for many conditions. Supporting the broader picture of palliative interventions that may continue for months or years will increase our understanding of the needs of patients who do not have a cure awaiting them but who want to embrace the time they have left with our support.

Consider your response and possible conflict in the following critical thinking situations:

A 22-year-old quadriplegic repeatedly asks you to disconnect him from the ventilator. His family rarely visits, and he believes that he has nothing to live for.

The spouse of a patient with advanced Alzheimer's disease states that he can no longer watch his wife of 43 years suffer. "She would not have wanted to live this way." His wife is being treated for dehydration, malnutrition, and a urinary tract infection. She is confused and is frequently sedated to manage her combativeness. The use of a feeding tube is being contemplated because of her refusal to eat.

The attending physician for a patient with terminal AIDS refuses to order increasing doses of pain medication because of her concern that it may cause a repeat episode of respiratory depression. The patient's pain is unrelieved, and he begs you for medication. "Please help me. I know I'm dying."

A patient on long-term dialysis wants to discontinue treatment, citing the side effects of dialysis and her medications. She feels that the quality of her life has disappeared. Her life partner died a year ago, and she sees no reason to continue suffering. She has been on the transplant list for 6 years. She has indicated that her last appointment will be in 1 month, and she would like to know what kind of supportive care will be available.

For each of these scenarios, consider what your reaction would be and the possible resources you would use to resolve the conflicts.

## What Are the Ethical Issues Regarding Transplantation?

There are almost 110,000 people on transplant lists in the United States today, and the majority of these individuals will die without a transplant because of the shortage of available organs (United Network for Organ Sharing, 2010). On what basis should someone receive an organ? Should severity of illness serve as the primary criteria, or what other factors should be taken into consideration? Should

economic status be used as a contributing factor in the process? How are donors solicited? What are the religious and cultural issues that influence someone's decision to be considered as a potential donor? Should the government intervene to enlarge the donor pool by making a decision that victims of accidents imply donor consent if their driver's license does not have a statement specifically refusing donation? What protections need to be put into place to prevent coercion for organ donation, a reality in many countries where organs are paid for or where condemned prisoners are sources for donation?

All of the aforementioned questions offer a window into the complexity of issues surrounding organ transplantation. The technology exists with ever-increasing precision, but there is a tremendous scarcity of organs. On what basis do we as a society attempt to create a process of organ access that is just and equitable? Who decides?

## What Is the Ethical Issue Regarding the Use of Fetal Tissue?

Fetal tissue from elective abortions has been identified as potentially beneficial in the treatment of Parkinson's disease and other degenerative disorders because of its unique embryonic qualities. Proponents argue that it is available tissue that can be put to some beneficial use in patients who at present do not have any other hope of significant improvement or cure. They further argue that the availability of fetal tissue from elective abortions is a separate issue from the later use of the tissue for stem cell research. The abortion would have occurred regardless. Later use of the stem cell derives some good from the discarded tissue.

Critics who assail the use of fetal tissue for stem cell research as a further erosion of respect for the unborn were successful in spurring a federal ban on the use of fetal tissue for research in the United States during the 1980s. They believe that the limited research that has already occurred regarding fetal tissue has created the mentality that pregnancy can be used as a means of providing parts and tissues for others. This ban was removed in early 1993 after President Clinton took office, and in 2001, use of stem cells received narrowly defined approval by the Bush administration for genetic research. Individual states also have the authority to pass laws to permit human embryonic cell research using state funding. This state right has not been overridden by any congressional ban (NIH, 2007). Access any electronic news source or a print newspaper, and you are likely to see at least one article related to the continuing debate regarding the ethics of stem cell research. As the largest group of health care providers, nurses need to be informed regarding the issues. Consider your own viewpoint and how it can affect your nursing care. Does the good (beneficence) achieved from the use of fetal tissue for patients with Parkinson's disease outweigh the harm inflicted by viewing a fetus as a source of parts?

## What Are the Ethical Issues Regarding In Vitro Fertilization?

This procedure involves the fertilization of a mother's ovum with the father's sperm in a glass laboratory dish followed by implantation of the embryo in the mother's uterus. Since the birth of the first successful in vitro fertilization baby in 1978, the procedure has gained popularity as a last-chance method for some infertile couples to have a child. The availability of the technique has created a new subspecialty practice in obstetrics and has raised ethical issues for consideration. Opponents of the procedure argue that it is an unnatural act and removes the biological act of procreation from the intimacy of marriage. The cost of the procedure is also a source of criticism, calling into question whether it should be covered by insurance and whether the procedure should be available to all couples, regardless of ability to pay. Many couples are now lobbying to select the sex of their baby, choosing the desired embryo for implantation and destroying the undesired embryos. If technology can be made to meet our desires for a "designer baby," does that make it a morally correct course of action?

Questions concerning informed consent for the procedure merit attention as well. Many infertility clinics offer this service but have not been up-front about their success rates or qualifications. Standardized methods for reporting this information have just recently been established. To be ethical, all such clinics should define success the same way; for example, success equals pregnancy or success equals live birth. The two definitions are very different. Information about the qualifications of the staff should be available to patients, and the subspecialty should lobby for standards of practice that are enforceable and available to the public. Possible side effects from the drugs used to induce hyperovulation, from anesthesia, or from surgical injury during the laparoscopy should be explained.

Should anyone who desires the in vitro procedure have access, or should the procedure be limited to those in a heterosexual marriage? Most clinics have limited their services to heterosexual couples to avoid adverse publicity, but this policy is starting to change as single and lesbian women seek out avenues to become biological parents. Most important, to whom does the embryo belong, and what are the embryo's rights? There have been court cases involving marital disputes regarding the custody of frozen embryos. What are the rights of the embryos in such instances? Can a parent choose to destroy the embryos over the objection of the estranged spouse, or should one parent be able to obtain custody of the embryos when his or her spouse wants them to be thawed out and destroyed? What responsibility does the staff have for maintaining parental ownership of the embryos?

#### What Are Genetics and Genomics?

The study of genetics and genomics has led to the increased ability of health care professionals to assist patients in improving health outcomes and treatments of disease processes. Genetic research has led to an "improved understanding of the genetic contribution to the disease, the development of targeted drug therapy (pharmacogenomics)...and new and better ways to treat diseases such as gene therapy" (Greco and Salveson, 2009, p 558).

"Genetics is a term that refers to the study of genes and their role in inheritance—the way certain traits or conditions are passed down from one generation to another."

"Genomics is a relatively new term that describes the study of all of a person's genes including interactions of those genes with each other and the person's environment" (Lea, 2009, p 2).

But, what is the role of nursing in this emerging area? Nurses will provide education to patients about genetic and genomic testing, research, and treatment. As research-based improvements in the recognition of familial disease traits are identified and emerging disease treatments are discovered, nurses will play an increasingly important role in the study and application of genetic findings and the role of genetics and genomics in the health of the patients they serve. The role of genetics and genomics will undoubtedly play a significant role in current and future patient care. Nurses at all levels have the opportunity to engage in this opportunity and provide needed education, support, and treatment based in the most current research, even though ethical challenges may arise as the result of this emerging research and treatment (see the relevant websites and online resources at the end of this chapter). Kirk et al (2011) purported that the study of genetics and genomics is one of the fastest growing areas of health care research. The authors contended that nurses must have a sound understanding of the impact of this area of health care research to provide comprehensive, effective care to their patients.

How Should We Use the Ability to Diagnose Genetic Defects Prenatally? Genetic disorders such as Tay-Sachs disease, cystic fibrosis, Huntington's chorea, and retinoblastoma can be diagnosed early in pregnancy. As this detection technology advances, how should it be used? Should screening

remain voluntary, or as some have suggested, should it be mandatory to detect fetal disorders that could be aborted or possibly treated? Should the results of such genetic screening be made available to insurance companies? Critics argue that this information could be used as a means of coercion for couples regarding reproductive decisions if future insurance coverage is then limited. As this technology advances, safeguards need to be applied to prevent invasion of privacy and any societal movement toward eugenics. As the human genome project allows us to become capable of knowing our genetic code and possibilities for disease, it raises the question of who should have access to that information. And for what reason(s)? If a family with a known genetic disorder chooses to have more children with that disorder, is it the obligation of society to pay for their care? Is there any reason for insurance or the government to become involved with genetic counseling, or is this a private family affair?

### **Allocation of Scarce Resources**

When the subject of scarce resource allocation is mentioned, justice is the core issue. What is fair and equal treatment when health care financing decisions are made? Who should make such decisions and on what basis? Critics argue that health care is not a scarce resource in this country but that the *access* to such care is scarce for many. They believe that this scarcity of access could be eliminated if our priorities in governmental spending were altered. Managed care put a temporary brake on runaway costs in the 1990s, but that brake failed in the past few years. The solution to this issue remains unclear and highly politicized. In the meantime, managed care of one form or another is influencing a larger and larger share of the insured population, raising related issues of restricted access to specialized care and loss of patient and physician autonomy.

Allocation also raises a number of questions. For example, do all individuals merit the same care? If your answer is an immediate "yes," would you change your mind if the patient were indigent, with no chance of paying the bill? If you still say "yes," should this same indigent patient receive a liver transplantation as readily as someone who has insurance or cash to pay for it? Should taxpayers be responsible for the medical bills for organ transplants, cardiac bypass surgery, or joint replacements for incarcerated felons? These and other questions continue to be asked by individuals, government bureaucrats, and ethicists, in addition to health care providers. Perhaps at the core of this subject is a more fundamental question: Is health care a right or a privilege that comes with the ability to pay? If access to health care is a right that should be provided to all citizens, are we as a society prepared to pay the bill? And is there a level of health care that is essential for all, beyond which financing becomes a private matter?

The type of care that is provided and supported is another aspect of the debate. For example, should health promotion and prevention be emphasized as much as or more than illness-oriented and rehabilitative care? It is widely acknowledged that each dollar spent on preventive care (e.g., prenatal care) saves three or more dollars in later intervention (e.g., neonatal ICU); yet our national and state health care expenditures (Medicare and Medicaid) are traditionally weighted in favor of an illness model for reimbursement. Managed care is an effort to control health care costs, but it is increasingly criticized as prioritizing the financial bottom line over the quality of care.

## What Are Some of the Possible Solutions Being Debated?

Some individuals have proposed the idea of health care rationing for the older adult, specifically as it relates to the use of expensive technology that often prolongs the last few weeks of life and suffering (Lamm, 1986). Proponents of health care rationing argue that high-tech "11th-hour expenditures" are unwanted by many older adults and consume disproportionate amounts of health care resources. Proponents of rationing stress the need to acknowledge the finite resources of society. As our society

continues to age, younger workers will increasingly be asked to pay the costs for Medicare, Medicaid, and social security. Disparities between generations will increasingly become part of the conversation regarding health care financing.

Many believe that more vulnerable groups, such as uninsured children, should be given a more equitable portion of health care services (e.g., well-baby clinics, universal health insurance for children). Others argue that health care is already being rationed, and that we should recognize this fact and articulate our priorities. Few would disagree that our present health care financing is in need of a comprehensive overhaul before we experience a chaotic breakdown.

The state of Oregon has gone one step further, imposing guidelines on the type of care that its Medicaid funds will cover. Deciding that preventive care affects a majority of its citizens, Oregon made funding for measures such as immunizations and prenatal care a priority, whereas extraordinary care that benefits only a few individuals, such as a bone marrow transplantation, is not covered (Rooks, 1990). This utilitarian approach, emphasizing the greatest good for the greatest number, is not without its critics, but it is an effort to provide direction for health care priorities. Oregon's plan was initially vetoed by the federal government and has undergone some revision, still emphasizing preventive care and treatment for disorders that affect a majority of citizens. Other states are now looking at the Oregon model as they plan health care reform. Another state to watch is Massachusetts; universal coverage was implemented in 2007 (Belluck, 2007).

**Health Care Rationing.** You may have already experienced situations of health care rationing or limited access. As a nurse you may, on one hand, feel powerless and frustrated when patients do not receive care because they cannot afford it or, on the other hand, feel angry because indigent patients are placing heavy burdens on both private and public facilities. Consider your values and professional responsibilities as you think through this issue. Efforts to address this issue include the passage of the 1986 Emergency Medical Treatment and Active Labor Act (EMTALA), which requires hospitals to provide care to anyone needing emergency health care treatment regardless of citizenship, legal status, or ability to pay. As an individual and a nurse, you need to take a stand regarding health resource allocation and support efforts to improve access, while determining in your mind what type of health care you believe to be ethically justifiable.

## What Is the Impact of Social Media and Social Networking on Nursing Practice?

The use of social media and social networking sites have made it easy and convenient for nurses to stay connected to current events as well as to keep up to date on emerging clinical guidelines and evidence-based practice measures for implementation in the provision of patient care. However, with the increased use of technology and social media, nurses must be aware of the legal limitations for using social media in both their professional and personal lives. The National Council of State Boards of Nursing (2011) and other professional nursing organizations have developed guidelines for nurses and students to follow in an effort to avoid any potential legal ramifications (Box 19-4).

## CONCLUSION

As medical technology advances, ethical issues and concerns will play an ever-increasing role in your nursing practice. The general public, health care professions, religious traditions, increasing cultural diversity, and the legal system will all influence the attempts to resolve the ethical issues affecting health care in the 21st century. Keeping an open mind in these controversial dilemmas is difficult, but it is hoped you will examine your personal values and continue to make decisions that are based on the welfare of your patients.

### **BOX 19-4 GUIDELINES FOR USING SOCIAL MEDIA**

Nurses must be aware of potential patient confidentiality and privacy breaches that may occur as a result of sharing private and confidential patient information via social networking sites and on the Internet.

Here are a few points to consider:

- Any type of information, document, image, video, or material that you post on a social networking site or Internet is subject to being shared with others.
- There is no such thing as permanently deleting information from a site. Even if deleted, the information may still be accessible by others.
- It is a breach of confidentiality to discuss a patient's condition or identify the patient by another name, room number, agency location, or diagnosis, even if you do not disclose the patient's legal name.

When using social media, consider the following:

- Recall that you have an ethical obligation to maintain and protect patient privacy and confidentiality.
- Never share or post patient images, videos, or any information pertaining to a patient on any form of electronic media; this
  includes the use of cell phones, smart phones, cameras, and other electronic devices in the clinical setting.
- Follow the institution's policies and procedures for taking photos or videos of patients for treatment purposes on electronic devices provided by the employer.
- Do not disclose any information that may identify the patient; this includes but is not limited to biographical data (name, age, occupation), medical diagnosis, room number, implantable medical devices, and diagnostic reports.
- Do not write or verbalize negative or rude comments about a patient, family member, or health care team member.
- Do not make harassing, profane, uncivil, hostile, sexually explicit, racially derogatory, homophobic, threatening or other
  offensive comments about co-workers, the employing institution, patient, or patient's family.
- Recognize that professional boundaries between you, your patient, and the patient's family exist and must be carried out
  in both the practice setting as well as in the online environment.
- You have an ethical duty to report any type of breach of confidentiality or privacy.
- Know your employing institution's policies and procedures regarding the use of electronic media and personal devices in the work place.
- Never speak on behalf of your employer or a co-worker unless provided authorization to do so and ensure that you follow
  the employer's policies and procedures.

Data from National Council of State Boards of Nursing (NCSBN). August, 2011. White paper: A nurse's guide to the use of social media. Retrieved from https://www.ncsbn.org/Social\_Media.pdf

## **RELEVANT WEBSITES AND ONLINE RESOURCES**

#### **American Nurses Association**

Code of ethics for nurses with interpretive statements, 2010. http://www.nursingworld.org/MainMenuCategories/ EthicsStandards/CodeofEthicsforNurses/Code-of-Ethics.odf.

ANA Fact Sheet. Navigating the world of social media, 2011. http://www.nursingworld.org/FunctionalMenuCategories/AboutANA/Social-Media/Social-Networking-Principles-Toolkit/Fact-Sheet-Navigating-the-World-of-Social-Media.pdf.

Social networking principles toolkit, 2011. http://www.nursingworld.org/FunctionalMenuCategories/AboutANA/Social-Media/Social-Networking-Principles-Toolkit.aspx.

ANA position statement on ethics and human rights, 2013. http://www.nursingworld.org/MainMenuCategories/EthicsStandards/Ethics-Position-Statements.

#### **Center for Disease Control and Prevention (2013)**

Public health genomics. http://www.cdc.gov/genomics/.

## RELEVANT WEBSITES AND ONLINE RESOURCES—cont'd

#### **International Council of Nurses**

The ICN code of ethics for nurses, 2012. http://www.icn.ch/images/stories/documents/publications/free\_publications/Code%20of%20Ethics%202012%20for%20web.pdf.

Lea DH: Basic genetics and genomics: a primer for nurses, *OJIN: Online J Issues Nurs* 14(2), 2009. http://www.nursingworld.org/MainMenuCategories/ANAMarketplace/ANAPeriodicals/OJIN/TableofContents/Vol142009/No2May09/Articles-Previous-Topics/Basic-Genetics-and-Genomics.html.

#### National Council of State Boards of Nursing (2011)

ANA and NCSBN unite to provide guidelines on social media and networking for nurses.

https://www.ncsbn.org/2927.htm.

White paper: A nurse's guide to the use of social media. https://www.ncsbn.org/Social\_Media.pdf.

#### National Human Genome Research Institute (2013)

Policy, legal and ethical issues in genetic research. http://www.genome.gov/lssues/.

## **BIBLIOGRAPHY**

American Nurses Association. (1994). *Assisted suicide*. Retrieved from http://www.nursingworld.org/MainMenu Categories/Policy-Advocacy/Positions-and-Resolutions/ANAPositionStatements/Position-Statements-Alphabetically/prtetsuic14456.html.

American Nurses Association. (2001a). *Nurses' Bill of Rights*. Retrieved from www.nursingworld.org/MainMenu Categories/ThePracticeofProfessional Nursing/workplace/RightsofNurses/ BillofRights.aspx.

American Nurses Association. (2001b). Code of ethics for nurses. Kansas City, Mo: ANA.

Belluck, P. (July 1, 2007). Massachusetts universal care plan faces hurdles. *New York Times*. Retrieved from http://www.nytimes.com/2007/07/01/health/policy/01insure.html?pagewanted=all.

Emergency Medical Treatment and Active Labor Act of 1986 (EMTALA). Retrieved from http://www.cms.gov/Regulations-and-Guidance/Legislation/EMTALA/index.html?redirect=/emtala/.

Feldman, D. M. (1968). Marital relations, birth control and abortion in Jewish law. New York: Schocker.

Fletcher, J. F. (1966). Situation ethics. Philadelphia: Westminster.

Friend, M. (2011). Physician-assisted suicide: Death with dignity? *J Nurs Law*, 14(3–4), 110–116. doi:2048/10.1891/1073-7472.14.3.4.110.

Greco, K., & Salveson, C. (2009). Identifying genetics and genomics nursing competencies common among published recommendations. *J Nurs Educ*, 48, 557–565.

Kirk, M., Calzone, K., Arimori, N., & Tonkin, E. (2011). Genetics-genomics competencies and nursing regulation. *J Nurs Scholarship*, 43(2), 107–116. http://dx.doi.org.library.gcu.edu:2048/10.1111/j.1547-5069.2011.01388.x.

Lamm, R. D. (1986). Rationing of health care: the inevitable meets the unthinkable. Nurs Pract, 11(57), 61-64.

Lea, D. H. (2009). Basic genetics and genomics: a primer for nurses. *OJIN: Online J Issues Nurs*, 2(14), 1–11. Retrieved from www.nursing world.org.

Lowes, R. (2011). "Dr. Death" Jack Kevorkian dies at age 83. Retrieved from http://www.medscape.com/view article/743977.

Nagourney, A. (2005). 44 million with no health insurance and more to come. New York Times. A:14.

National Association for Home Care & Hospice. (n.d.) What are my rights as a patient? Retrieved from http://www.nahc.org/consumer/wamraap.html.

National Council of State Boards of Nursing. (2011). https://www.ncsbn.org.

National Institutes of Health (NIH). (2007). *Stem cell information*. Retrieved from www. stemcells.nih.gov/info/faqs.asp.

Oregon's Death with Dignity Act. (2011). Thirteen years. CD Summary, Oregon Public Health Division, 60(6). Retrieved from http://public.health.oregon.gov/DiseasesConditions/CommunicableDisease/CDSummary Newsletter/Documents/2011/ohd6006.pdf.

Pendy, P. S. (2007). Moral distress: recognizing it to retain nurses. Nurs Econ, (4), 217–221.

Robichaux, C. M., & Clark, A. P. (2006). Practice of expert critical care nurses in situations of prognostic conflict at the end of life. *Am J Crit Care*, *15*, 480–491.

Rooks, J. P. (1990). Let's admit we ration health care—then set priorities. Am J Nurs, 90, 38-43.

Rosen, H. (Ed.). (1967). Abortion in America. Boston: Beacon Press.

Rudy, E. B. (1985). The living will: are you informed? Focus Crit Care, 12, 51.

Scanlon, C. (1994). Ethics survey looks at nurses' experiences. Am Nurse, 26, 22.

State of Oregon. (2006). Characteristics of 292 DWDA patients who died during 1998-2006 after ingesting a lethal dose of medication compared with 85, 755 Oregonians dying from the same underlying diseases. Retrieved from http://public.health.oregon.gov/ProviderPartnerResources/EvaluationResearch/DeathwithDignityAct/Documents/year9.pdf.

State of Oregon. (2012). Oregon's Death with Dignity Act—2012. Retrieved from http://public.health.oregon.gov/ProviderPartnerResources/EvaluationResearch/DeathwithDignityAct/Documents/year15.pdf.

Steele, S. M. (1983). Values clarification in nursing (2nd ed.). East Norwalk, Conn: Appleton & Lange.

Steinhauser, K. E., et al. (2000). Factors considered important at the end of life by patients, family, physicians, and other health care providers. *JAMA*, 284, 2476–2482.

Thompson, I. E., et al. (2007). Nursing ethics (5th ed.). St Louis, Mo: Churchill Livingstone, Elsevier.

United Network for Organ Sharing. (2010). Data. Retrieved from www.unos.org.

U.S. Census Bureau. (2012). *Income, poverty, and health insurance coverage in the United States*. Retrieved from http://www.census.gov/prod/2012pubs/p60-243.pdf.

Wang, K., Chou, C., & Huang, J. (2010). A study of work values, professional commitment, turnover intention and related factors among clinical nurses. *J Nurs*, 57(1), 22–34.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# 20

## **Legal Issues**


### Nikki Austin, JD, RN

As long as I have any choice, I will stay only in a country where political liberty, toleration, and equality of all citizens before the law are the rule.

Albert Einstein

The good of the people is the chief law.

Cicero



Knowledge is the best way to prevent poor patient and professional outcomes. Thus, knowledge is the best offense as well as the best defense.

After completing this chapter, you should be able to:

- Discuss various sources and types of law.
- Relate the Nurse Practice Act to the governance of your profession.
- Understand the functions of a state board of nursing.
- Describe your responsibilities for obtaining and maintaining your license.
- Be able to identify the elements of nursing malpractice and how they are proved in a malpractice claim.
- Incorporate an understanding of legal risks into your nursing practice and recognize how to minimize these risks.
- Identify legal issues involved in the medical record and your documentation, including the use of electronic medical records.
- Take an active role in improving the quality of health care as required by legal standards.
- Participate as a professional when dealing with nurses who are impaired or functioning dangerously in the work setting.
- Discuss the concerns surrounding at least two controversial legal issues in nursing practice.

Then you graduate and become a registered nurse, you will also be achieving a new status under the law. An example of this change is that after meeting certain criteria, you will have a license to practice nursing. This license sets certain standards that you must follow as a nurse in the state in which you are both licensed and practice. Should you not live up to these standards (in other words, if you violate the Nurse Practice Act), a state board of nursing can take disciplinary action against you, which in rare instances may include revoking your ability to practice as a nurse.

If your actions are not what a reasonable and prudent nurse with the same knowledge and education would do, and this causes someone to be injured, you can be sued for malpractice. Of course, a person can always be sued if his or her behavior is negligent (unreasonable) and someone is harmed. However, when you are working as a professional, the expectations for your behavior are higher than simply being a reasonable person. You are expected to perform as a reasonable professional nurse. People react to these changes in legal status differently. Some nurses see the law as a big monster that is unpredictable, very frightening, and out to do harm to them. Other nurses find the law to be quite interesting and attempt to learn all they can about how it may affect their practice. These nurses often find the law to be a very helpful tool to ensure safe practices. I hope that this chapter is a start in your becoming a legally educated nurse. Remember, though, that the law is always changing, and as a nurse it is your responsibility to keep up with the changes taking place in the state where you practice.

Before beginning a discussion of legal aspects in nursing, there is some practical advice that you can use in any situation in which you wonder whether what you are doing or proposing to do is legal. It is called the "Mother Rule." When such a question about the legality of an action comes to you, ask yourself if you would feel comfortable telling your mother about what you are doing or propose to do. If your answer to this question is "no," then it probably is not advisable. Why?

If you are uncomfortable with what you are doing, it may involve lying in some manner, which is involved in a claim for **fraud** or **defamation**. Perhaps you are doing something outside your scope of practice or something that is unsafe for the patient and could cause injury. These types of actions are involved in **malpractice**. **Invasion of privacy** and **breach of confidentiality** are claims that involve gossip or talking about patients unnecessarily.

In addition to the aforementioned, mothers are on juries. As jurors, they are instructed about laws, but they often make their decisions based on what they think is "right" or "wrong." In every lawsuit, jurors are faced with evidence for both sides. In some respects, this forces them to simply make a human decision regarding the events. If you can feel comfortable when telling your mother (a jury) about what happened—truthfully and without hiding anything—then it is likely that you can do the same confidently with a jury. It is also likely that you will be believed and found to have acted reasonably. In simplified terms, that is all you need to do. Now let us address the more formal aspects of this thing called "law."

### SOURCES OF LAW

#### Where Does "The Law" Come From?

People will often tell you that you cannot do something because it is "illegal." Or, they will make a statement that the law is this or that. Some nurses, who are afraid of laws, will simply believe what they are told. Other nurses will ask, "What law?" This is an important question, because there is often much misinformation regarding the law floating around institutions where nurses work.

The first type of law affecting nurses is statutory law. The Nurse Practice Act of each state is an example of statutory law and is comprised of statutes and rules, both of which are the most common types of laws affecting nurses. These are the documented rules for living in your state (state laws) or in the United States (federal laws) that are passed by state legislatures and by Congress. Statutes cover

the rules for our relationships with one another and can be viewed as the written ethics of our society. The section on definitions is one of the most important parts of a statute. There you can find what the authors of the statute mean when they use a certain word. We all use words differently, but when reading laws, a more precise understanding is necessary. (Box 20-1 lists definitions of common legal terms.)

Nurse practice acts are examples of state statutory laws and administrative rules and can be easily found online, in a public library, or obtained from the state board of nursing. It would first be important to see how a "registered nurse" is defined in your state to see whether there is a clue there about what nurses can or cannot do. Usually, however, these laws are quite general and might not answer specific questions—for instance, whether or not registered nurses in your state can perform bone marrow aspiration and biopsy.

#### **BOX 20-1 COMMON LEGAL TERMS**

**Advance directive:** A document made by a competent individual to establish desired health care for the future or to give someone else the right to make health care decisions if the individual becomes incompetent; examples include living wills and medical powers of attorney.

**Defamation:** A civil wrong in which an individual's reputation in the community, including the professional community, has been damaged.

**Defendant:** The person who is being accused of wrongdoing. The person then must defend himself or herself against the charges. In a malpractice claim, this is the nurse or other health care provider.

**Deposition:** Out-of-court oral testimony given under oath before a court reporter. The purpose is to enable attorneys to ask questions and receive answers related to a case. The deposition process may involve expert witnesses, fact witnesses, defendants, or plaintiffs. It may be used to impeach (find inconsistencies or untruths) testimony in trials.

**Diversion program:** A program for treatment and rehabilitation of substance abusers. Such programs may be used by boards of nursing for encouraging treatment but are independent of such boards.

**Expert witness:** A person who has specific knowledge, skills, and experience regarding a specific area and whose testimony will be allowed in court to prove the standard of care.

**Good Samaritan law:** A law that provides civil immunity to professionals who stop and render care in an emergency. Care rendered cannot be done so in a grossly negligent manner.

**Interrogatory:** A process of discovering the facts regarding a case through a set of written questions exchanged through the attorneys representing the parties involved in the case.

Jurisdiction: The court's authority to accept and decide cases. May be based on location or subject matter of the case.

**Malpractice:** Improper performance of professional duties; a failure to meet the standards of care, resulting in harm to another person.

Negligence: Failure to act as an ordinary prudent person when such failure results in harm to another.

**Plaintiff:** The person who files the lawsuit and is seeking damages for a perceived wrongdoing. In medical malpractice, the patient and/or the patient's family.

**Reasonable care:** The level of care or skill that is customarily rendered by a competent health care worker of similar education and experience in providing services to an individual in the community or state in which the person is practicing.

**Standard of care:** A set of guidelines based on various types of evidence as to what is reasonable and prudent behavior for a health care professional.

**Statutes of limitations:** Laws that set time limits for when a case may be filed. These limitations differ from state to state.

**Telemedicine:** Using telecommunication technology, usually interactive, to provide medical information and services.

**Torts:** Civil (not criminal) wrongs committed by one person against another person or property. Includes the legal principle of assault and battery.

Whistleblower: Individual "on the inside" who reports incorrect or illegal activities to an agency with the authority to monitor or control those activities.

Whistleblower statute: Law that protects a whistleblower from retaliation. Usually involves specific criteria about how whistle was blown.

### **CRITICAL THINKING** BOX 20-1

In Case Study 1, can you identify where a constitutional law might have been broken?

#### Case Study 1

You are working in a hospital where a very well-known actor is admitted with a diagnosis of pneumocystis jiroveci pneumonia. You know that this is usually associated with AIDS. During the patient's stay, you are asked by a physician to administer an IV drug to sedate this patient while the physician does a procedure. The patient becomes oversedated, has a respiratory arrest, and dies. You are so upset about this that you call your best friend, who is also a nurse, to talk about the incident. You mention the actor's name and the fact that he had AIDS. Your friend says that it was "illegal" for you to be giving what he calls "IV conscious sedation," and you are in deep trouble. Where might you be able to search to determine whether this is true? What type of legal trouble might you have?

The next type of law is constitutional law. This type of law refers to the rights, privileges, and responsibilities that were stated in, or have been inferred from, the U.S. Constitution, including the Bill of Rights. States may not pass laws or institute rules that conflict with constitutionally granted rights or rules, because the Constitution is the highest law of the United States. Freedom of speech and religion are such rights. The right to privacy is an example of a right inferred from the Constitution (Critical Thinking Box 20-1).

The third type of law to consider is **administrative law**. This body of law is made by administrative agencies that have been granted the authority to pass rules and regulations and render opinions, which usually explain in more detail the state statutes on a particular subject. Examples of this type of law are the rules and regulations passed by boards of nursing to control nursing practice in each state. This might well be a source for finding out specifically about nurses giving IV conscious sedation in your state. There may also be an "advisory opinion" given by the state board of nursing on this topic. Your state board of pharmacy may also have other regulations that describe their rules for administering medications and who may do this.

Another type of law is **common law**, which includes decisions made by judges in court cases or is established by rules of custom and tradition. Case law is composed of the decisions rendered in court cases by appeal courts. Often, nurses will hear about something happening in a court case and think that there must be a document somewhere talking about that case. This is not necessarily true, because not all cases reach the level of an appeal court, where a record of the court's opinion and reasoning is recorded. Cases are usually appealed to higher courts because there is an issue of statutory law involved. Many cases do not have such issues and are therefore not appealed nor recorded.

After there is a recorded court opinion, the result is the legal principle of *stare decisis*, which means that if an issue has been decided, all other cases concerning the same issue should be decided the same way. Another word for this is **precedent.** Although you may hear of a case in which a nurse was found negligent in administering IV conscious sedation, there may not be case law on this issue to set a legal precedent in your state. Each state has its own case law. Each state's body of case law differs, because it is based on the decisions of individual judges, who often do not resolve issues in the same way as judges in another state and who base their decisions on differing state statutes.

#### COURT ACTIONS BASED ON LEGAL PRINCIPLES

There are two major classifications of legal actions that can occur as a result either of deliberate or unintentional violations of legal rules or statutes. In the first category are criminal actions. These occur when you have done something that is considered harmful to society as a whole. The trials will involve a prosecuting attorney, who represents the interests of the state or the United States (the public), and a defense attorney, who represents the interests of the person accused of a crime (defendant). These actions can usually be identified by their title, which will read "State v. [the name of the defendant]" or "U.S. v. Smith [the name of the defendant]." Examples include murder, theft, drug violations, and some violations of the Nursing Practice Acts, such as misuse of narcotics. Serious crimes that can cause the perpetrator to be imprisoned are called **felonies**. Less serious crimes resulting in fines are **misdemeanors**. The victim, if there is one, may or may not be involved in a decision to prosecute a case and is considered only a witness in the criminal trial. Laws differ in states as to victim rights and/or if the person or the state will receive any of the money from fines. In Case Study 1, your actions would not likely result in a criminal action. Recently, however, there have been instances in which a nurse was thought to have recklessly caused a patient's death, and a case was brought in criminal court for negligent homicide. The issues involved in such criminal actions will be discussed later in this chapter.

The second category of legal claims includes **civil actions**. These actions concern private interests and rights between the individuals involved in the cases. Private attorneys handle these claims, and the remedy is usually some type of compensation that attempts to restore injured parties to their earlier positions. Examples of civil actions include malpractice, negligence, and informed consent issues. The victim (patient) or victim's family (patient's family) brings the lawsuit as the **plaintiff** against the **defendant**, who may be the individual (nurse) or company (hospital) that is believed to have caused harm. In the situation presented, you might be sued for malpractice by the actor's spouse if it is felt that you acted below a standard of care and caused the actor's death.

Sometimes an event can include both criminal and civil consequences. When that happens, two trials are held with different goals. The amount of evidence required to support a guilty verdict is different for each type of trial. The criminal case requires that the evidence show that the defendant was guilty beyond a shadow of a doubt. The civil case requires only that the evidence show that the defendant was more likely guilty than not guilty. This is what makes it possible for someone such as O. J. Simpson to be found "not guilty" in a criminal trial but "guilty" or negligent in a civil trial.

### **LEGAL CONTROL OVER NURSING PRACTICE**

Having a license to practice nursing brings you into close contact with laws and government agencies. Nurse practice acts are statutes and rules governing nurses in your state. The board of nursing is the agency designated to apply the laws to individuals.

There are nurses who do not understand their responsibilities in relationship to their licensing board. Do not become one of these. State boards act under the police power granted each state from the federal government to protect the safety of its residents. Persons serving on such boards take this responsibility seriously. They expect that you will also.

#### ■ Case Study 2

After your incident with the actor, you decide to leave the state. You have to answer detailed questions on your licensure application for the new state about any previous malpractice claims. You had heard something about a claim being filed against your former hospital but had left shortly after that. Now you have received a notice from the state board of nursing of your previous residence inquiring about the incident with the actor and asking for a response within 2 weeks. The letter has taken a long time to be forwarded to you, and the 2-week deadline has passed. What should you do?

### What Are the Legal Aspects of Licensure?

Receiving a license to practice nursing is a privilege, not a right. Even the successful completion of an educational program in nursing and/or passing the National Council Licensure Examination for Registered Nurses (NCLEX-RN®) does not guarantee that a license will be granted. A license is granted by a state after a candidate has successfully met *all* the requirements in that particular state. Examples of these requirements may include high school education, successful completion of a nursing education program, application to the appropriate national and state agencies, fee payment, not being a felon (i.e., not having a criminal record), and passing the national examination for the appropriate level of licensure (NCLEX-RN® or PN). Because the license is intended to guarantee public safety, the level of expertise necessary to pass the test is the minimum level needed to provide safe care. The state also continues to monitor your practice and to investigate complaints regarding this practice.

When you move to a new state, you need to make some decisions with regard to your license. You may want to continue being licensed in the state of past residence. It is important to keep your past state board informed of your current residence so that you receive important documents in a timely fashion that can affect your future ability to practice. You also need to be informed of licensure and practice requirements of a new state of residence before you begin to practice there.

Each state's practice act may be different from any other state's act. In the past, this has posed many hurdles for nurses who traveled or had practices across state lines. States have attempted to resolve these issues by developing a licensure model that will allow participating states to recognize the licensure of another state. This works in the same manner as driver's licenses—your state driver's license is recognized in other states, but when driving in another state, you must adhere to *that* state's driving laws. As of January 2013, according to the National Council of State Boards of Nursing (NCSBN), 24 states had passed laws to accept the Nurse Licensure Compact (NCSBN, 2013). You can practice in those 24 compact states if your home state (your primary state of licensure) is part of the compact.

If you travel to another state or cross state lines in the normal course of your practice, either to care for a specific patient or to perform other nursing services in another state, you need to check with the board of nursing in the states in which you are performing nursing care to determine their rules about practice within their borders. An example of this would be telephone triage, telehealth nursing, or case management positions with patients outside of your primary state of licensure. Providing care to patients in states in which you are not licensed may legally constitute the unauthorized practice of nursing in those states. You can obtain copies of a state practice act from the board of nursing or licensing agency for nurses in that state. (See Appendix A on the Evolve website.)

Some practice acts regulate nursing by controlling who may use the titles "registered nurse" and "licensed practical nurse" or "licensed vocational nurse." Others regulate by controlling the scope of practice and determining the specific activities for each level of nursing—that is, who can perform what functions. In most states, the nurse practice act does the following:

- Describes how to obtain licensure and enter practice within that state.
- Describes how and when to renew your license.
- Defines the educational requirements for entry into practice.
- Provides definitions and scope of practice for each level of nursing practice.
- Describes the process by which individual members of the board of nursing are selected and describes the categories of membership.
- Identifies situations that are grounds for discipline or circumstances in which a nursing license can be revoked or suspended.
- Identifies the process for disciplinary actions, including diversionary techniques.
- Outlines the appeal steps if the nurse feels the disciplinary actions taken by the board of nursing are not fair or valid.

#### **BOX 20-2 PROTECT YOUR LICENSE**

- · Do not let anyone else borrow it.
- Do not let anyone copy it unless you write "copy" across it. In some states it is illegal to copy your license.
- If you lose it, report it immediately and take the necessary steps to obtain a duplicate.
- Periodically check to make sure that you are in good standing at the Board of Nursing because of the issues related to identity
  theft
- Be sure that the Board of Nursing knows whenever you change your address, whether you move across the street or across
  the nation
- Practice nursing according to the scope and standards of practice in your state.
- · Know your state law so you will not do anything that could cause you to be disciplined by the removal of your license.
- Meet all renewal requirements on time.

Some practice acts are very specific and detailed; others simply grant the board the authority to declare the rules and regulations (administrative law) and to establish the details. To understand the scope of practice within a specific state in which you are practicing or wish to practice, you must obtain a copy of the state's nurse practice act that includes the law, rules, and regulations that the board or administrative agency has established in that state.

Because you have gone to a great deal of expense and effort to obtain your nursing license, you should guard it carefully. Never ignore or take lightly any document received from your state board of nursing. Even if you think you have received a notice in error, contact the board of nursing immediately (Box 20-2).

The power of the board to discipline is the power that can have an adverse effect on the nurse's ability to practice. It is important that each nurse carefully review the power of the board within the state of their practice. Several levels of disciplinary actions can occur based on the severity of the problem and the ongoing risk to the public. Boards of nursing have the authority to censure, to place a license on probation, to suspend, to revoke, or to deny licensure. Each of these actions can be temporary or permanent. It would be prudent to consult an attorney who is versed in health care law if you receive notice of any possible action against your license. Such a person can be your advocate and explain your rights and how best to interact with the state board. Seeking legal advice is an investment to protect your investment. Some institutions assist nurse employees in these instances, and some nurse insurance policies will also defend nurses in these "administrative actions."

### What About the Impaired Nurse?

Impaired nurses are nurses who are unable to function effectively because of some type of substance abuse (i.e., alcohol, prescription drugs, illegal drugs). The American Nurses Association (ANA) has recently estimated that 6% to 8% of nurses abuse drugs or alcohol at a level sufficient to impair their professional judgment (NCSBN, 2011). One of the most common reasons for state board action against nurses involves the diversion of prescription medications for personal use (Brent, 2001). Boards of nursing are increasingly concerned about this issue, because it has significant impact on rendering safe, effective patient care (NCSBN, 2001). Many nurse practice acts have mandatory reporting obligations. Some states discipline nurses who fail to report an impaired colleague pursuant to the mandatory reporting requirement. Allowing an impaired nurse to practice not only puts the nurse and the patient at risk but also negatively impacts the facility's reputation and the nursing profession as a whole. It is important that you know what the reporting requirements are for your state board of nursing and your facility.

Do not ever assume that you or your colleagues are immune from impairment. High stress and easy access to drugs seem to contribute to this common problem for health care providers. A slippery slope occurs when a nurse first takes any medication, even an aspirin that does not belong to him or her. It is best to see that first wrong as a prelude to many future wrongs and never to do it. If you do find yourself in trouble with drugs or alcohol, it is far better to voluntarily report this to your state board of nursing rather than to be caught or to harm other persons. Most boards react more favorably to the nurse who seeks assistance than to the one who is reported by law enforcement agencies or by a hospital as required by law. The boards of nursing in 41 states, the District of Columbia, and the Virgin Islands have alternative monitoring programs to assist nurses with a substance-use disorder and prevent their licenses from being suspended or revoked. The nondisciplinary rehabilitative approach to this problem recognizes the importance of returning an abstinent nurse to the work force (NCSBN, 2011).

These states have programs set up to allow nurses to meet specific behavioral criteria, such as blood or urine testing, ordered evaluations, and attendance at rehabilitation programs, either while disciplinary action is being undertaken or instead of bringing formal disciplinary proceedings. The primary concern is to assist the impaired nurse back to safe nursing practice. If a nurse is involved in a voluntary rehabilitation program through a contract with a state board and suffers a relapse or has additional problems, the board may bring formal disciplinary action against the nurse that will negatively affect licensure for the rest of his or her life and can also involve criminal sanctions.

### Who Knows About the Disciplinary Actions Against Nurses?

When an action is taken by a state board against a nurse, states have differing methods of reporting such actions to health care providers and to others for public protection. **NURSYS** is a comprehensive electronic information system that includes the collection and warehousing of nurse licensing information and disciplinary actions. Previously called NIS and ELVIS as it underwent different stages of development, the term "NURSYS" is a derivative of "nurse" and "system." NURSYS contains details of a nurse's personal information (identity, residence), license information, education information, disciplinary action information, verification and fee tracking requests, and historical information (any changes to the aforementioned data). NURSYS is the information system that supports the mutual recognition of nurses' licenses. In 2003, NURSYS announced that it would be available to the public for nursing license verification. Nurses can also access the system to provide nursing license verification for a fee of \$30 (NCSBN, 2010).

The Healthcare Integrity and Protection Data Bank (HIPDB) and the National Practitioner Data Bank (NPDB) are two federal companion data banks of information about health care providers in the United States. Adverse actions taken against a health care professional's license are required by federal law to be reported to the HIPDB and NPDB. For example, the state board of nursing taking action against a nurse is required to report the action to the HIPDB. The NPDB was part of a federal law under Medicare called The Healthcare Quality Improvement Act. Although initially set up to identify physicians who had committed malpractice and/or who had licensure problems across state lines, the NPDB now extends to many licensed individuals, including nurses. Information related to malpractice payments made on behalf of a nurse and licensing actions are required to be made by professional insurance companies, federal and state agencies, and health care institutions. The Health Insurance Portability and Accountability Act of 1996 (HIPAA) initiated the creation of the HIPDB to combat fraud and abuse in health care. Individual states may restrict information that may be accessed through the NPDB (NPDB, 2006). The general public may not access information included in the NPDB and HIPDB, as the information is limited by law to entities such as hospitals and health plans and government agencies.

#### **TORTS**

Civil, as opposed to criminal, actions are also called *torts*. Remember that civil actions occur when a plaintiff files a lawsuit to receive compensation for damages he or she suffered as a result of a perceived wrong. The economic reason for filing the suit should never be forgotten. This is important to keep in mind should you or a colleague become involved in a tort action. Try not to interpret everything in terms of a personal insult and/or an intentional desire to cause you personal and professional harm. This is not a criminal action, and the terms "guilty" or "innocent" are not appropriate, nor are words such as "killed" that can sometimes be heard in the gossip mill or read in the media.

There are two categories of tort actions. Unintentional torts are those that usually involve an inadvertent, unreasonable act that causes harm to someone. We might call these acts "incidents" or "accidents." Intentional torts are those acts done deliberately by a defendant. Although sometimes occurring in the heat of a moment, they are not considered accidental in nature.

#### **NURSING MALPRACTICE**

The most common unintentional tort action brought against nurses is a malpractice claim.

According to the NPDB 2010 report, 50,338 professional nurses and paraprofessional nurses had an adverse action report filed against them between the years 2001 and 2010. There have been 6208 cases throughout the history of the NPDB in which malpractice payments were made on behalf of a specifically named nurse. This does not include the number of claims naming only a facility, yet involving nursing actions. Because malpractice can potentially affect every nurse, it is important to explore what this means.

#### ■ Case Study 3

You are a nurse working in a hospital. The physician tells you that you need to administer an injection of Vistaril (hydroxyzine pamoate). You make sure that the order is documented in the medical record. The medication comes up from the pharmacy, and you check it against the physician's order and find that it is correct. You walk into the patient's room and use at least two patient identifiers to make sure you have the right patient. You give the injection in the patient's right dorsogluteal muscle and document this in the medical record.

The patient leaves the hospital. A year later, you are told that a lawsuit has been filed against the hospital by the patient. It seems the patient is claiming that the injection you gave him caused sciatic nerve damage and his whole leg is numb (Critical Thinking Box 20-2).

### **Legal Commentary**

Many times nurses worry about being sued for something when, in the eyes of the law, no malpractice has occurred. Not all poor outcomes are a result of malpractice or are a violation of the nurse practice



#### **CRITICAL THINKING BOX 20-2**

Who may have malpractice liability in this situation and why? You? The physician? The hospital? What defenses may be available to you?

act. A nurse also may legitimately make an error in judgment. Therefore, it is important for a nurse to know the basic elements that must be proved before malpractice can occur. Then the nurse can evaluate incidents realistically.

### **Basic Elements of Malpractice**

What are the basic elements of malpractice?

- 1. You must have a duty. In other words there must be a professional nurse—patient relationship.
- 2. You must have breached that duty. In other words you must have fallen below the standard of care for a nurse.
- 3. Your breach of duty must have been a foreseeable cause of the injury.
- 4. Damages or injury must have occurred.

There are four elements that need to be present in each malpractice case. The job of the patient's (plaintiff's) attorney is to prove to a jury that each event has occurred. Your attorney, on the other hand, defends you by proving that all or even just one element did not happen. This is not always a black-and-white process, and it can be frustrating and confusing. Still, it is important for the nurse to evaluate events in light of these elements and to know how they are proved in court.

#### **Do You Have a Professional Duty?**

To make a claim of malpractice against a nurse, the plaintiff must establish that there is a nurse–patient relationship, or, in legal terms, that you had a professional duty to a patient. A duty is implied if you are employed by and render services at a health care institution such as a hospital or nursing home. This would also be true if you work as a registered nurse for a home health agency in the home, in a school, or in a physician's office.

In the case studies, you are working as a nurse in a hospital, and the nurse–patient relationship is implied. Therefore the first element can easily be proved. What if you are giving medical advice in your home informally as a friend, relative, or neighbor? In this setting, it is not implied that you are acting as a nurse, and proving that you owed your friend a duty as a professional might be difficult. There is no payment, institution, or formal contract. Therefore, although nurses are continually warned about being sued in this situation, it is unlikely that a plaintiff's attorney would easily prevail on the element of duty for such casual comments to others outside your employment.

What if you stop at an accident to assist someone who is injured? Because most states want to encourage medical professionals to help people at accidents without fear of lawsuits, Good Samaritan statutes have been passed. These laws provide immunity from malpractice to those professionals who attempt to give assistance at the scene of an accident. In essence, you do not have any professional duty to stop, although you may feel an ethical duty to do so. However, a nurse may be sued in some states for rendering Good Samaritan aid, if the nurse is found to have acted in a grossly negligent manner. If you do stop at the scene of an accident to provide aid, know that in most—if not all—states you cannot be sued for malpractice for what you might or might not do, unless the aid you provide is grossly negligent. That is, you do not have a professional standard of care to adhere to unless you are a professional at the scene as part of your employment. All persons, of course, are expected not to leave a victim in a position that is more dangerous than when found. After you stop to help the injured person, stay with him or her until you are given clearance by emergency responders.

Sometimes nurses volunteer to provide nursing assistance at sporting events or other activities where it is foreseen that professional services may be needed. In thinking about this, you may see that such a situation is not quite as clear as other situations. If you are at a first-aid station or if you are

wearing a badge indicating you are a nurse, then you have the appearance of a professional and people may rely on that appearance when seeking advice or assistance.

It is important to know your status under these various circumstances in your state. You should know whether you have immunity and whether you are covered by malpractice insurance.

#### **What Professional Duty Is Owed?**

After it is established that you owe a duty to a person, the question becomes, "What is that duty?" How does a plaintiff's attorney establish what the duty might be? The duty owed by a nurse is different from that owed by a physician or nursing assistant. The duty of a nurse will be to act as a reasonable nurse would act under the same or similar circumstances. The duty or standard of care for the physician will be to act as a reasonable physician. You can see that the two will be different. Of course, the most interesting question in any malpractice case will be, "How will my attorney prove that I acted as a reasonable nurse?" The following will be considered when attempting to establish through evidence what the standard of care for the nurse might be.

#### What About the Nurse Practice Act?

Perhaps the most important guideline for nurses will be the nurse practice act in the state in which you are practicing. Most acts describe in fairly general terms what a nurse may or may not do. Prohibitions, or things that are considered to be unprofessional conduct, are usually more specific. A nurse practice act violation means that you have fallen below a standard of care set by the state for nurses. It also may mean that you risk an action against your license. If you do not know what these prohibitions are, you are putting yourself in jeopardy. As stated previously, and as applied here to the standard of care, it is important that you obtain a copy of the nurse practice act for the state(s) in which you are or will be licensed to practice, and be sure to stay current with your licensing standards. For instance, Texas now requires that all applicants for licensure pass a nursing jurisprudence examination, which is based on the Texas Nursing Practice Act and the Texas Board of Nursing Rules and Regulations (Texas BON, 2010).

### What Is an Expert Witness?

The most common way to establish the duty owed by a nurse is by the testimony of a registered nurse who usually, but not always, has training and a background similar to yours. This expert witness will then testify regarding what a reasonable nurse in the same or similar circumstances would be expected to do—and, in the case of an expert witness for the plaintiff, will argue that you did not do it. If a plaintiff's attorney cannot find an expert nurse to testify that you did not act reasonably, then in most instances the case cannot go forward. In general, a patient cannot simply claim professional malpractice without having a professional witness to corroborate this.

In the same manner, if the plaintiff has an expert witness to prove you fell below the standard of care, you will need an expert witness to testify that you did not. Some nurses enjoy being expert witnesses either for the defense of a nurse or as part of the plaintiff's claim against a nurse. Either role requires both integrity and professionalism to be effective and believed by a jury (Di Luigi, 2004).

There is a type of malpractice case in which an expert is not required. This type of claim is called *res ipsa loquitur*, or "the thing speaks for itself." This claim is very difficult to prove, because the patient must have enough evidence to show that: (1) the injury would ordinarily not occur unless someone were negligent; (2) the instrumentality causing the injury was within the exclusive control of the defendant; and (3) the incident was not a result of any voluntary action on the part of the plaintiff.

If a patient can prove that all of these conditions exist, the burden then shifts to the defendant nurse to prove that malpractice did not take place. Incidents such as operating on the wrong body part or leaving a surgical sponge in a patient fall into this category of claim.

#### What Are Established Policies and Procedures?

Policies and procedures established by the institution in which you work are the most crucial pieces of evidence for establishing a standard of care. Most good attorneys who represent plaintiffs will request a set of hospital policies as soon as a lawsuit is filed. For instance, in Case Studies 1 and 3, a lawyer might ask for the hospital's policies on documentation and administration of medications. If you did not follow that policy, then you fell below a standard of care set by your institution.

You can see why you need to know and read the policies within your health care facility or corporation. These policies should also be a resource when you have questions about how to perform certain procedures or what your rights are in certain situations. Policies are the laws under which you must live. It is also important for you as a professional to participate in making or changing policies so that they accurately reflect what nurses are doing in your institution. In addition, the policies set standards for providing high-quality and consistent patient care. If you have followed a policy, it can also be used proactively to prove that you followed the standard of care set by your institution.

### What About Accreditation and Facility Licensing Standards?

Most health care facilities and other health care organizations such as health maintenance organizations (HMOs) must go through a process whereby they become licensed and/or accredited. The Joint Commission (TJC) and the National Committee of Quality Assurance (NCQA) are two such organizations that set standards for health care organizations. These standards can often be used as evidence of the standard of care for nurses working in such facilities. For instance, TJC has issued National Patient Safety Goals (NPSGs) every year since 2003 that include standards to improve safe identification of patients and their medications, prevent infections using proven guidelines, and improve communication among care providers (TJC, 2013). A state facility-licensing requirement would be that the facility develops policies and procedures to optimize patient safety when administering medications. Should a malpractice claim involving medications occur, the patient's attorney will require proof that these requirements have been followed.

#### What About Textbooks and Journals?

Articles, textbooks, or portions of such publications may be used as evidence of the standard of care for nurses to follow. For instance, if a nursing journal has published a recent article on correct administration of intramuscular injections, that may be used to demonstrate what you should have done.

### What Are Professional Standards for Organizations?

Professional organizations such as the American Nurses Association (ANA) or the Association of periOperative Registered Nurses (AORN) may publish certain standards or practice guidelines. These may also be used as evidence for what a reasonable nurse should do under certain circumstances.

In summary, there are many different types of evidence used by plaintiff attorneys to demonstrate an expected standard of care. The nurse needs to remember that these same documents can be used to demonstrate that you did follow the standard of care. Let us see how.

### **Applying the Standard of Care to the Case Study**

In Case Study 3, the plaintiff will have to find a nurse who will testify about the correct method for administering intramuscular injections. If you did not give the injection in such a manner, then the

jury can infer that you did not act reasonably. However, if the correct method is to give the injection intramuscularly in the right dorsogluteal site, and you have documented that you did this, an expert's testimony will not help to prove anything. Also, if you can show that you followed hospital policies in the administration of the medication, again, there will be no proof of falling below a standard of care.

What if the patient attempts to claim a case using the theory of *res ipsa loquitur?* Again, the patient's lawyer must prove that the claimed injury could not have happened unless there was negligence. As demonstrated earlier, you would be able to prove through your documentation that you were not negligent. In addition, your attorney would also demonstrate your lack of liability through the third element of malpractice. Do you remember what that is?

#### Was There a Breach of Professional Duty?

Not only must a plaintiff prove what the standard of care is in a given situation, the plaintiff must prove that you did not meet the standard of care. Other legal terms used regarding this needed element might be that you "fell below the standard of care" or you "breached the duty owed the patient." In other words, the plaintiff must demonstrate through the evidence listed previously that you did not act as a reasonable and prudent nurse under the circumstances. Please remember that even if you did not act reasonably, there are other elements that must be proved to claim malpractice successfully.

### Did the Breach of Duty Cause the Injury?

Causation is an element often overlooked by the nurse; yet this is often the most strongly argued by attorneys. Did the difficult birth cause the child to have cerebral palsy, or did a genetic birth defect cause the baby to experience a difficult delivery? Was the injury caused by the auto accident or by the medical care? Did the patient have the physical problem before the medical care or after? Was the injury caused subsequently by the patient's lack of compliance with the treatment plan, or did the patient subsequently injure herself after the medical care was rendered?

The causation requirement must be proved by the plaintiff's attorney, and as you can imagine, this may not be easy. Certain well-documented observations will make such proof impossible.

- 1. Clearly document the patient's physical and mental condition on admittance to and discharge from your health care facility or unit. Both of these observations can be used to demonstrate that either the patient had the symptom when she came and/or did not have the symptom when leaving. Therefore whatever happened during her stay in your unit or facility did not cause the problem.
- 2. After any incident, such as a patient fall, the patient's physical and mental condition must be documented. This will help demonstrate that subsequent complaints cannot be attached to or caused by the incident.
- 3. Document clearly any actions of a patient that demonstrate noncompliance with medical directives. When a patient states or clearly demonstrates that he is not taking medications as ordered or is not following a prescribed physical therapy regimen, this noncompliance, rather than the treatment itself, can cause therapeutic failure. A documented "no show" at an outpatient clinic can dispel later claims that you ignored a patient's complaints and so caused the injury.
- 4. *Document clearly when a patient complains and does not complain.* If, in Case Study 3, it is documented that the patient has been up and walking after the injection and has no complaints, it will be very difficult to prove that the injection caused the problem.
- 5. Be very careful when documenting what a patient states as opposed to what you think may have happened. If a patient states that an injection caused a problem, it is best to document "Patient states, 'My leg has felt numb since I received an injection in the hospital,' " rather than document "Hospital injection caused patient's leg to be numb." The latter documentation may inadvertently be condemning a health care provider who has done nothing wrong.

- 6. Document the patient's own admissions. "I knew I shouldn't have gotten out of bed so soon" can be helpful if a patient falls and then later tries to blame the nursing staff. "My wife tried to remove the stitches, but she could not get that deep one" can raise doubt regarding what caused the incision to become infected. Infection is very rarely considered to be malpractice unless it can be proved to have been caused by negligence such as not using good aseptic technique.
- 7. Document discharge instructions clearly. In today's managed care environment, many acutely ill patients are sent home to care for themselves. If they and/or their families have not been given clear instructions—not only about their care but also about symptoms to watch for that may need immediate medical attention—they may attempt to blame health care professionals for what occurs at home. A clear, documented discharge plan is imperative after any procedure that can have adverse outcomes, not only to prevent lawsuits, but also to promote good patient care. A warning to a patient to call a specific number if adverse symptoms occur can save a life and prevent a lawsuit. Emergency departments have long understood the importance of such instructions, and the age of specialized computer software programs makes them easily accessible to everyone.
- 8. Document allergies. Recording a patient's allergies or lack thereof is another way to prevent a malpractice claim. Neither nurses nor physicians cause patients to have allergies. They do have a duty not to give medications to a patient when previous experience has demonstrated that the medication has caused an allergic reaction. "No known allergies" can completely eliminate a claim involving an allergic reaction.

### Applying "Causation" to Case Study 3

Returning to Case Study 3, the patient will have to prove that your injection caused the numbness in his leg. There are many intervening factors that could have caused this numbness. You do not have to prove anything, because you, as a defendant, do not have the "burden of proof." The plaintiff may have a very difficult time, especially if there are no documented complaints by the patient of problems at the time of the injection or shortly thereafter.

Just remember that a patient's claim that you or another provider caused some particular injury or problem should not automatically be assumed to be true. Although you do not have to argue the point with the patient, you also do not have to agree. Injuries have many causes and many stories behind them:

- Document the facts.
- Document what you see and do.
- Your role is to render nursing services, not to judge or give your opinion.
- · Leave the determination of fault to the courts.
- Your actions and truthful documentation will be your best defense.

### Did the Patient Suffer Damages or Injury?

The last element that must be proved is that your breach of duty caused injury to the patient. This last element of malpractice can also be overlooked when the nurse becomes embroiled in the fact that a mistake has been made. For instance, in many cases of medication error, the patient is not permanently harmed, because a single dose of most medications will not cause a permanent change. This does not mean that medication errors should be taken lightly or that some medications cannot cause death with a single mistake. They can. It only means that it is very unlikely that a malpractice claim will be brought for a medication error that does not cause injury.

**Damages** can be viewed as the sum of money a court or jury awards as compensation for a tort action. **General damages** are those given for intangibles such as pain and suffering, disfigurement,

interference with ordinary enjoyment of life, and loss of consortium (marital services) that are inherent in the injury itself (Guido, 2006). Special damages are the patient's out-of-pocket expenses such as medical care, lost wages, and rehabilitation costs. Punitive damages are those damages that seek to punish those whose conduct goes beyond normal malpractice. Claims in which this might occur are rare, but they involve issues such as changed medical records, lies being told to patients, or intentional misconduct while under the influence of alcohol or drugs. Such punitive awards can add millions of dollars to an otherwise low-damage claim. Some states have limited the amount for specific types of damages that a plaintiff can receive (Critical Thinking Box 20-3).

### 8

### **CRITICAL THINKING BOX 20-3**

Does your state limit the amount of damages a plaintiff can receive?

For a malpractice plaintiff's attorney to take a claim to trial, it may cost that person more than \$100,000, and this does not include the attorney's time. Malpractice claims take much expertise and are time-intensive (Larson, 2005). Because malpractice claims are brought on a contingency fee basis, the attorney will receive payment only if he or she wins the claim. In this situation, to make the claim worthwhile the damages must be greater than the costs. When worrying about an incident and whether a suit will result, it is helpful to understand what factors make claims worthwhile:

- 1. In the majority of claims, the most important factor involved with damages is **the age of the patient.** The younger the patient with a permanent injury, the longer will be the time of suffering, the costs of future medical care, the loss of wages or income, and the emotional loss to the family. Therefore to assess damages, the first question an attorney asks is the age and status of an individual. An 83-year-old widower who has a numb leg will not have a large claim for damages. He will not lose wages. He does not have to support a family. It is likely that he has other illnesses or physical problems that might contribute to difficulty with ambulating. His life expectancy is not great. On the other hand, a 30-year-old single mother with three dependent children who has made her living as a waitress might well have costly damages if a numb leg hinders her ability to walk and provide for her family. However, in recent years, claims by nursing-home patients have become more common because of statutes involving abuse of "vulnerable adults." These statutes can give plaintiffs triple damages and other monetary awards, including the right to "punitive damages," thus making these claims very attractive to attorneys.
- 2. **The nature of the injury** is also a consideration in evaluating damages. Is the injury permanent? Is it one for which a jury will have great sympathy, as when there is a huge disfiguring facial scar? Is it one that demonstrates a blatant mistake such as surgery performed on the wrong limb?
- 3. Does the claim involve any act of **malicious misconduct** or an **intentional cover up?** Such acts inflame juries and can cause them to award punitive damages.

Again, the principles of good documentation can make the damages of a claim not worth pursuing. It is particularly important that there is accurate evidence of damages at the time the injury occurred. Any time there is an incident involving a patient, such as a fall, an immediate and thorough examination can greatly assist in substantiating the patient's condition and can thus affect the awarding of damages. The examination and findings need to be accurately documented. Subsequent examinations and evaluations should be completed. Documentation of the patient's complaints, or lack of complaints, at the time of an incident can prove extremely beneficial. A simple "No complaints" or "Denies pain" could refute a patient's later claim that "I was terribly injured by the fall."

Sometimes when a clear mistake has been made that falls below the standard of care and has caused an injury, your attorney will admit negligence. This is often a relief to the nurse who does not wish

to try to defend a mistake and/or not tell the truth. The case is then brought solely on the amount of damages. Often the patient's perception of the injury is greatly augmented. Usually, the patient will have to go through what is called an independent medical examination (IME) to substantiate injury.

### **Damages Applied to the Case Study**

In Case Study 3, numbness of a limb may be difficult to prove. Nerve conduction studies may be performed in an independent medical examination to demonstrate that the injection could not have caused the neurological injury about which the patient complains. Numbness also does not mean lack of function and would not usually prevent any activity of daily living. Again, the age and status of the claimant would play an important role, as would your documentation of the patient's lack of complaints and ability to ambulate.

### Who Might Have Liability (Responsibility) in a Claim?

#### ■ Case Study 4

You are a nurse working on a surgical unit in a hospital. One evening you are asked to float to pediatrics. The only experience you have had with children was when you were a student. A physician asks you to give digoxin to an infant and writes an order for 2 mL. This seems like a lot of medication to you, so you ask the head nurse on the unit about the dose. The head nurse assumes you are speaking about an oral dose of the medication and states that this is normal. You give the medication by injection and shortly thereafter the child's heart stops beating and he is coded. When you attempt to use an Ambu bag, it is not on the crash cart. The child eventually recovers; however, 21 years later, you receive notice that a young man is suing you for giving him the wrong dose of digoxin when he was an infant.

### **Personal Liability**

There is often confusion about who can be held accountable for your actions as a nurse. You may hear things such as, "Don't worry, I'll take responsibility for this." Understand that in the eyes of the law, each individual is accountable for his or her own actions. There is no defense called "She made me do it." Even if you are not personally named in a lawsuit, you will be asked to provide evidence regarding your involvement and will have to be able to defend your actions under oath. "I was just following orders" does not explain why you as a professional made a medication error. You are held to a professional standard of care to know about the medications you are administering, including the correct dose. In Case Study 4, you may be named and would most likely have liability.

### Physician and Other Independent Practitioner Liability

For many years, physicians were seen as the "Captain of the Ship" and thus ultimately responsible for everything that happened to the patient. This doctrine is no longer true. Unfortunately, some physicians still mislead nurses by ordering them to do things and then assuring them that they will assume any risk involved. Although nurses do have a duty to follow physician's orders under most circumstances, this is never true if the nurse believes or has reason to believe that the order is unsafe for the patient or not within the nurse's scope of practice. In Case Study 1, receiving an order to give IV conscious sedation does not relieve the nurse of a duty to determine whether this is within his or her scope of practice. If not, the order must be refused. In Case Study 4, if the nurse did not know the correct dose of IV digoxin, there was a duty to look up the correct dose. It is also true that if the physician's order is wrong or done in a negligent manner such as in the case study, the nurse's responsibility does not relieve the physician from having liability in addition to the nurse.

In instances when a nurse is hired directly by a physician to work in an office practice, the physician, as the employer, can be held vicariously liable on a theory of *respondeat superior*. This is a Latin term meaning that "the master is responsible for acts of the servant," translated in modern terms to "the employer is responsible for the acts of the employee." The physician, then, rather than the nurse, may be named in the lawsuit. Remember, though, that you will still have to answer for your actions.

Another issue involves the orders that the nurse should accept as delegated by other independent health care practitioners, such as nurse practitioners (NPs) and physician assistants (PAs). States may have different rules about who can give orders to the RN.

The general rule is that the RN can accept orders from other licensed health care providers who are working within their scope of practice. To be sure about your state, contact the board of nursing. When accepting delegated duties, remember that you should only accept duties you are competent to perform and that are within your scope of practice.

### **Supervisory Liability**

Questions often arise regarding the nurse's responsibility for the actions of those working under him or her. The standard of care for a supervisor is to act as a reasonable supervisor under the same or similar circumstances. A supervisor can be expected to ensure the following:

- The task was properly assigned to a worker competent to perform it safely.
- Adequate supervision was provided to the worker as needed.
- The nurse provided appropriate follow-up and evaluation of the delegated task.

As in Case Study 4, a supervisor could be expected to supervise more closely a float nurse or a recent graduate than someone who is an experienced nurse on a pediatric unit. It is also incumbent on a person being supervised to ask for assistance if that person is faced with a problem that he or she lacks the necessary skills to resolve. In Case Study 4, this was done, but the nurse administering the medication and the supervisor miscommunicated regarding the method or route of administration. How common do you think this is?

Delegation of nursing duties to unlicensed health care workers presents supervisory nurses with some special risks. Changes in health care delivery systems and financing are resulting in some unfamiliar categories of unlicensed caregivers with a wide variety of skills and expertise. Some boards of nursing have informed their licensees that each nurse remains personally liable for any task delegated to an unlicensed worker on the theory that the delegated task is considered the nurse's responsibility, rather than within the scope of practice of the unlicensed worker. Other boards of nursing have stated that they will apply to delegation the traditional standards for supervising any health care worker, as described earlier.

Certain nursing responsibilities, such as nursing diagnosis, assessment, teaching, and some portions of planning, evaluation, and documentation, should not be delegated to unlicensed staff. Contact the board of nursing in your state to understand better your responsibilities in the delegation of nursing duties.

### **Institutional Liability**

As in the aforementioned case involving physician liability, health care institutions such as hospitals are usually sued under a theory of *respondeat superior* for the actions of their employees. Of course, an institution cannot do or not do any act that can cause a lawsuit except through its employees or agents. That is why almost all health care institutions carry insurance to cover the acts and omissions of their employees. Otherwise, a corporation could go bankrupt if sued. For the most part, institutions, not individual nurses, are named defendants in a lawsuit, but again this does not relieve the nurse from having to answer formally to the court for his or her own actions or inaction. An institution's policies or lack thereof is also

a common claim in a lawsuit. For instance, there can be a claim in Case Study 4 that the institution should have had a policy on nurses floating to other units in the hospital and that such persons should never be given the responsibility of transcribing physicians' orders. Additionally, in this case, there may be institutional liability through the pharmacy. If the pharmacy filled the wrong medication dose, and there are systems in place to check dosages, the pharmacist and/or technician may also be brought into the claim through the institution. There are certainly more systems than ever before in place in most hospitals to prevent medication errors. When they all fail, many persons can be involved in the liability.

### Student Liability

Nursing students have responsibility for their own actions and can be held liable (Guido, 2006). Again, the adage that "students practice under their instructor's license" is not true. As a student, you may have an instructor supervising you closely in the early stages of your education, but at the end of your program, it is likely that you will have less supervision. Student nurses at all times will be held to the standard of an RN for the tasks they perform (Guido, 2006). It is therefore important that students never accept assignments beyond their preparation and that they communicate frequently with their instructors to obtain assistance and guidance.

Instructors are responsible for reasonable and prudent clinical supervision, and the standard may be higher than the standard for supervising other workers because of students' lack of experience. An instructor could be held liable for inadequate supervision in determining that a student was competent to perform a skill, which she indeed was not (Shinn, 2001).

It is important to know your status under these various circumstances in your state, and/or if you have immunity and/or are covered by malpractice insurance.

Instructors and preceptors need to remember that the level of expertise may vary for individual students, and the standard used to evaluate the students' performance usually involves more supervision than the standard used for some other, more experienced workers.

### What Defenses Might Be Available in Malpractice Claims?

If the plaintiff in a malpractice claim does not prove each of the elements previously discussed, the defense can ask for a dismissal of the claim by making various motions (formal requests) to the court. There are several other issues that may have an effect on the outcome of a malpractice claim.

A **statute of limitations** is a law that sets a time period during which a lawsuit must be filed after an event. States have different statutes and case law surrounding this time limit. Usually, the limit is measured from the time of the event or incident, last date of treatment, or the time the event was discovered (or should have been discovered). For minors, some states allow the time to be counted from the time they reach majority (usually 18 years old), unless a suit has already been brought on their behalf by parents or others. Therefore, in Case Study 4, a suit could be brought 2 or 3 years after a person reaches 18 years (majority) for an injury occurring as an infant. Other states do not permit this delay. Lack of mental competence will also delay the time requirements in some states.

Failure to file the lawsuit within the statute of limitations time results in the loss of the right to sue. This can be considered a defense, because filing after the date allows the defendants to have the case dismissed. It is important to know, however, that in most states, the statute starts running when the patient knows of the injury. If there is any type of cover-up regarding an incident, the statute will not run.

Proving that the patient assumed the risk of harm or that the patient contributed to the harm by his or her actions provides another type of defense. **Assumption of the risk** defense states that plaintiffs are partially responsible for consequences if they understood the risks involved when they proceeded

with the action (Guido, 2006). An example would be a mentally competent patient who has been warned to use a call light but instead crawls out of bed and thus injures herself.

Contributory negligence is an older doctrine that was at one time an "all or nothing" rule. Plaintiffs who had any part in the adverse outcome were barred from compensation. Today, most jurisdictions use a comparative negligence theory and reduce the money award by the injured party's responsibility for the ultimate harm done (Guido, 2006). The results of one case indicated that a patient could be negligent and thus be at least partially responsible by (1) refusing to follow advice or instructions; (2) causing a delay in treatment or not returning for follow-up; (3) furnishing false, misleading, or incomplete information to a health care provider; or (4) causing the injury that results in the need for medical care (*Harvey v. Mid-Coast Hospital*, 1999).

### What Evidence Can Help Me in a Lawsuit?

#### The Medical Record

An estimated one in four malpractice cases are decided on the basis of what is in the medical record (Sullivan, 2004). In many instances, you can become a nurse hero or be in deep trouble based on the accuracy and timeliness of your documentation in the medical record. One of the most important tools for all providers in a malpractice claim or licensure complaint is the medical record. This is the first piece of evidence that the attorney for the plaintiff requests. The nurses' notes are often the first part of the record to be examined. Their integrity, accuracy, and completeness will make a claim defensible or indefensible. Good documentation, therefore, is one of the best defensive actions a nurse can take. By recording the care administered, the specific time it was administered, the patient's response, and the overall status of the patient's condition, the nurse can demonstrate that the standard of care was met (Figure 20-1).

Your defense attorney will use the medical record extensively and will make a timeline of events that surrounded the incident. The most effective defense is to "put on a play" for a jury regarding what occurred to demonstrate all that was done for the patient. A good educational exercise is to take any patient's chart and see whether you can present a play regarding what happened to that patient during your care.



FIGURE 20-1 It is critical that the nurse's notes reflect the current condition of the patient.

Some nurses have advocated the maintenance of personal notes regarding the circumstances of a particular incident. The rationale for this is so they can carefully review the notes; it will also assist them to recall more clearly the situation should they be required to do so. However, these notes are also discoverable by the plaintiff's side and may be damaging to your case. Personal notes are frequently written on an emotional level. In most states what you write, unless to your attorney or under a peer-review privilege, will have to be produced. Personal documentation about what others did or did not do or what you think they did wrong or should have done will almost certainly come back to haunt you. Documentation regarding an incident should be thoroughly and factually done in the medical record and not in personal records or a diary (Figure 20-2).

There is an adage that states, "If it is not documented, it wasn't done." In reality, it is simply difficult to prove something was done if there is no documentation and the plaintiff claims it was not done. It is then a "he said/she said" type of argument. A more accurate statement might be "If it is documented, it was done." When an incident is documented at the time of the event, there is a strong presumption that the documentation is accurate and whatever a patient says to the contrary is simply self-serving. That is why it is so important to document extensively, accurately, and very factually in the medical record (Box 20-3). This is especially true when there is an adverse event.

Forms often provide a difficult problem for defense attorneys when they are not completed properly. A blank space on the form or a box that is not checked, when it appears that the space or box was there to indicate the performance of a needed therapy, can be very detrimental to the nurse involved.

Do not include forms in the record if they are not routinely completed in a correct manner.



FIGURE 20-2 Charting in the home setting can be challenging.

#### BOX 20-3 **GUIDELINES FOR DEFENSIVE CHARTING**

- · All entries should be accurate and factual.
- Make corrections appropriately and according to agency or hospital policies. Do not ever obliterate or destroy any information that is or has been in the chart.
- If there is information that should have been charted and was not, the nurse should make a "late entry," noting the time the charting actually occurred and the specific time the charting reflects. Example: "10/13/14, 10:00 late entry, charting to reflect that on 10/13/14..."
- All identified patient problems, nursing actions taken, and patient responses should be noted. Do not describe a patient
  problem without including the nursing actions taken and the patient response.
- It is often as important to document why you did not do something that you would routinely do, as why you did do something.
   For instance, "Pt. refused to ambulate because of..."
- Be as objective as possible in charting. Rather than charting "The patient tolerated the procedure well," chart the specific
  parameters checked to determine that conclusion. Example: "Ambulated, tolerated well" would be more effective if charted
  as "Ambulated complete length of hall, no shortness of breath noted, pulse rate at 98, respirations at 22."
- Each page of the chart should contain the current date and time. Frequently, chart forms are stamped ahead of time. Each time you enter information on a new page, make sure it reflects the current time of charting.
- Each page of the chart should include the full name and professional designation of every person making an entry on that page.
- Follow through with who saw the patient and what measures were initiated. Particularly note when the physician visited; if
  you had to call a physician for a problem, record the physician's response, the nursing actions, and the patient's response.
   If orders were received, be sure they are signed according to policy. This is especially important if you had to make several
  calls to the physician.
- Make sure your notes are legible and clearly reflect the information you intended. It is a good idea to read over your nurse's
  notes from the previous day to see whether they still make sense and accurately portray the status of the patient. If the notes
  do not make sense to you the next day, imagine how difficult it would be to decipher the information at an even later date.
- Pertinent notes from other providers should also be reviewed. The medical record is for communication. A jury will never
  understand if team members are not coordinating efforts and thought.

Most institutions are in the process of implementing the electronic medical record (EMR) or electronic health record (EHR). The federal government is encouraging all health care agencies to make the transition to an EHR by 2014. The conversion to an EHR will significantly improve the accessibility, quality, and efficiency of health care (NLN, 2008). The cardinal rules of documentation still apply, but additional safeguards will have to be considered. This is especially true when some of the health records are paper and some electronic. Both records will have to be accessed, coordinated, and made complete to manage and safeguard the patient. It is believed that the EHR will promote more accurate and safe record keeping. For instance, the problem of illegible handwriting will be eliminated. Additionally, certain programs have automatic safeguards to catch errors. It is therefore tempting to think that EHRs will solve all problems (Sullivan, 2004). Of course, this is not true as long as there are humans entering information. No jury will appreciate blame being placed on a computer glitch. NLN has issued a position paper that calls for nursing programs to prepare nursing graduates with up-to-date knowledge in the critical areas of computer literacy, information literacy, and informatics (NLN, 2008). Education and problem solving to ensure safe EHRs and effective computer documentation systems must continue as always.

### **How Can I Avoid a Malpractice Claim?**

There are certain situations that involve a high risk for a lawsuit against nurses. These situations most often relate to patient safety, improper treatment, problems with monitoring, medication errors, and failing to follow proper procedures and policies.

#### **Medication Errors**

A study by the Institute of Medicine (IOM) in 2006 reported that medication errors harmed 1.5 million people every year. The additional medical cost of treating drug related injuries in the hospital was at least 3.5 billion per year. The study did not indicate whether the sources of the errors were nurses, physicians, and/or pharmacists. The reporting committee found that medication errors are common at every stage, from the writing of the prescription, to the filling of the prescription, to the administration of a drug and the monitoring of the patient's response (IOM, 2006). Claims involving medication errors are augmented when the nurse fails to record the medication administration properly, fails to recognize side effects or contraindications, or fails to ascertain a patient's allergies. Any initiative that improves patient safety also lowers the chance of someone being sued. At the same time, it sets a benchmark on which the standard of care may rest and thus becomes important for every nurse to know and follow.

The nurse's ability to listen to a patient or family member who notices that a medication is new, or recheck when anything such as color or amount seems unusual, may prevent a serious error. Many nurses feel rushed by the amount of work they are expected to accomplish, and they do not want to take extra time for anything. Making this check a priority will prove to be time well spent. Dealing with an error and the consequences to the patient will take longer and will be more painful.

Although many medication errors do not cause permanent or serious damage to patients, there are certain medications that can. TJC standards require each institution to identify high-risk medications used in the institution and to initiate safety procedures for managing these medications. Medications, such as chemotherapy, should be stored separately, ordered on a special form to verify dosages, and attached to protocols that help ensure safe administration by qualified staff with specialized training. Through the years in TJC's NPSGs, there have been specific guidelines for safety in administering anticoagulants (TJC, 2010).

Whenever a medication error occurs, the source of the error and the system failure should be carefully investigated. Most institutions are now attempting to ensure that punitive measures are not attached to medication errors. This is to facilitate reports to be made and to implement systems, involving the team of ordering practitioner, dispensing pharmacy, and administering nurse, that provide checks and balances to prevent any team member from causing harm to a patient (Kohn et al, 2000) (Box 20-4). TJC also requires that health care organizations have a plan for

# BOX 20-4 TIPS FOR BEING AT YOUR BEST WHEN ADMINISTERING MEDICATIONS

- Be very careful if you have been interrupted during a task. This is very common in nursing. Many accidents happen, because
  nurses did not remember what they had been doing or where they were in a task. Shift change is also a common time for
  mistakes.
- If you are fatigued, you are more likely to make mistakes. Follow all the steps thoroughly when you are tired. This is one of
  the reasons that double shifts or long shifts may not be wise.
- Listen to your patients. Often they will tell you if what you are planning to do is different or unusual. Being able to take the
  time to do a second check may save you and your patient trouble.
- Never do a procedure you do not know how to do at the appropriate standard of performance. It is better to be embarrassed
  by admitting you need help or supervision than to risk hurting someone.
- Never be afraid to admit you made a mistake. Corrective action may stop or at least reduce harm.
- Keep current and up to date in your practice knowledge base. An article in a professional journal may keep a lawsuit away.
- Do not rush when you are especially busy. Set priorities regarding what must be done, and do everything carefully.

responding to adverse drug events and medication errors (e.g., sending reports to the Medication Error Reporting Program operated cooperatively by U.S. Pharmacopeia [USP] and the Institute for Safe Medication Practices) (IOM, 2006).

#### **Provide a Safe Environment**

Patient safety is more and more recognized as a duty of the health care team and health care institutions. Providing a safe environment and implementing a fall reduction program were originally included in TJC's 2010 NPSGs (TJC, 2010). In 2010, TJC move the goal to a standard for hospitals, but kept it as a goal for long-term care facilities and home care. Ensuring patient safety includes many aspects. Nurses sometimes do not recognize the multiple roles that they must play in this area. They are responsible for knowing how equipment should work and not using it if it is not functioning correctly; removing obvious hazards such as chemicals, which might be mistaken for medications; and making the environment free of hazards such as inappropriately placed furniture or equipment and spills on the floor. An additional preventive measure is knowing how to document correctly if an incident occurs, so that there cannot be a doubt regarding the facts of what happened and everything you did to protect the patient.

#### **Patient Falls**

TJC has specific safety standards that are directed toward preventing harm to patients as a result of falls (TJC, 2010). These may include falls out of bed, falls from slipping on something spilled on the floor, or falls resulting from inadequate nurse supervision of the patient. Falls, particularly repeated falls, are a major source of both physical and psychological injury to older patients (Tideliksaar, 1998).

Much time and effort has been spent attempting to change patient care so that falls do not occur. Proposals coming out of such efforts range from total lack of restraints (Walker, 1992), to environmental modifications (Tideliksaar, 1998), to decreasing the number of certain types of medications (Haumschild et al, 2003). It is important to keep up with the latest information so as not to be caught defenseless in a malpractice claim (Critical Thinking Box 20-4).

### **P**

#### **CRITICAL THINKING BOX 20-4**

What fall protocols have you observed in your clinical settings? How are they the same, and how are they different from each other? How are fall protocols in acute-care hospital settings different from long-term care settings?

Nurses are best able to defend themselves in these cases when their institution has a policy regarding protecting vulnerable patients against falls, sometimes called a "fall protocol." These policies establish levels of risk in patients, such as age, confusion, sedation, and steps the nurse must take to protect the patient, such as side rails, soft restraints, or bed position. If the nurse follows such a protocol, it is difficult for a plaintiff to prove that the nurse fell below a standard of care. In developing such protocols, however, it is important to know the laws in your state, Federal CMS guidelines, and TJC standards regarding restraints. Unnecessary and unsafe restraining of patients has become the focus of public and private attention, and restraint injuries can also be the basis of legal action (Medscape Medical News, 2000).

Documentation is extremely important when a patient falls. The following should be considered:

• Document factually how the fall was discovered, where the patient was found, and the facts surrounding the fall. An example is to document that the patient was found beside the bed, with the side rails up, and the bed in the low position.

- Document the nursing assessment data, any obvious injuries, and nursing actions to maintain patient safety.
- Document what the patient says regarding the fall. A statement such as "I know you told me to put on the call light, but you all seemed so busy that I didn't want to bother you," can be of great benefit to the nurse. Of course, a patient's statement "I put on the call light, but nobody came" can have the opposite effect.
- Document whom you notified, such as the physician or the family.
- Document what was done for the patient, such as an examination, radiographs, orientation to surroundings, monitoring after the incident, restraints, and assistance with further ambulation.
- Document your adherence to any policies of the hospital regarding vulnerable patients or those
  at risk for falls.

In *Shaw v. Plantation Management*, a nurse found a patient on the floor with a puddle of liquid next to him. The patient stated that the liquid was urine from another patient and that this caused him to fall. The nurse assessed the patient and got him the medical attention that he needed. The patient later died after surgery for a broken hip. The nurse did not know what the liquid was, and she did not know whether or not the patient had actually urinated after he fell. The nurse only charted what she had actually seen and what she did. Her clear documentation later prevented the patient's family from being able to prove that the incident was caused by any negligence on behalf of the facility (*Shaw v. Plantation Management*, 2009).

#### **Equipment Failure**

Today many nurses feel that they spend more time nursing equipment than they do patients. This can be true. What some nurses do not understand is that there is a certain standard of care connected with equipment. It must be used as directed by the manufacturer, and the nurse has a duty to know what that use is and to follow such directions. There is also a duty to make sure that the equipment is properly maintained and that records are kept of this maintenance. The equipment needs to be working properly and should not be used when a known defective condition exists. Additionally, the device must be available for use. For instance, in Case Study 4, the fact that the Ambu bag was not available can be viewed as a liability for either the nurse responsible for checking crash carts, or the institution for not seeing that the carts are checked.

When there is a failure of a device or piece of equipment and a patient is injured, the focus should of course initially be on helping the patient. After that, it is extremely important that the device (e.g., catheter, pump, instrument) be sequestered and a clear record of its handling (chain of custody) be maintained. In a lawsuit, the nurse will need to prove that equipment failure, rather than human error, caused the injury. Part of that proof will rest in the piece of equipment itself. Therefore one of the most important aspects of the defense will be not to lose or let go of the equipment or device before it is thoroughly evaluated by a neutral party after an incident. Often the manufacturer will ask for the equipment, but their interests might be adverse to yours to prove user error rather than equipment failure. Information regarding the failure can be shared, but never let the device or equipment out of the custody of the institution. In addition, the nurse should adhere to any institutional policies regarding incidents involving equipment failure.

Nurses may also have a duty to be sure their institution complies with the Safe Medical Device Act of 1990. This federal law requires that all medical device-related adverse incidents be reported to manufacturers and, in the case of death, to the U.S. Food and Drug Administration (FDA), within 10 days. The purpose of this act is to protect the public from devices that may be defective (Guido, 2006).

#### Case Study 5

A 67-year-old woman with chronic obstructive pulmonary disease is having increasingly difficult respirations, increased cyanosis, and increased anxiety. She tells you she just cannot breathe. You have done all the measures for which you currently have orders, without her obtaining relief. It is 2 AM. You call the physician. She orders Valium 10 mg intramuscularly now. Even as a recent graduate, you know that Valium is contraindicated in a patient with this respiratory status. You call your supervisor, who tells you that Dr. Jones is a good physician and must know what she is doing. What should you do?

#### Failure to Assess Adequately, Monitor, and Obtain Assistance

Most often, the nurse should not delegate to another the responsibility for assessing and evaluating patient care and progress. If some portions of this duty are handled by others (e.g., another RN, LPN/LVN, unlicensed personnel), the nurse who is primarily responsible for the care of the patient must still be aware of the findings and confirm them when they indicate a change in patient condition or progress. Documentation of the changes and events surrounding the changes is critical. The accreditation standards from TJC specifically address improving the effectiveness of communication between caregivers when reporting changes in a patient's condition. Effective communication includes clear documentation of critical events.

In Case Study 5, there may also be liability for failure to challenge an inappropriate order. These areas are uncomfortable for many experienced nurses, not just for the recent graduate. Frequently, these situations involve challenging a physician or other health care professional. They require that the nurse have current and accurate information. They also require the difficult balance between assertiveness and diplomacy.

It is not enough to identify problems. The nurse must identify the problems and contact the physician or other individuals to obtain appropriate care and follow up the chain of command as deemed necessary.

Most helpful in situations such as Case Study 5 is a policy that clearly delineates the chain of command for the institution. With a policy in place, the nurse can be clear about who must be notified about a potentially problematic order, and it can be documented appropriately. It is important that the nurse be protected from any retaliation in such instances by the institution that stands to lose if the patient's safety is not put first.

Accurate documentation of the nursing assessment and of frequent monitoring will be required to prove what you have done. Flow charts and forms can be timesaving devices in this area. Electronic communications now make such time-consuming documentation more readily available. This documentation is especially important in the critical care setting and in the obstetric suite. The attachment of accurate times to such monitoring activities will be your best defense tool in many malpractice claims.

### Failure to Communicate Adequately

Perhaps the most important role of everyone on the health care team is to communicate adequately. The patient's total care rests on this communication, whether it is verbal or written in the medical record.

The most frequent claim against nurses in this area is the failure to communicate changes in the patient's condition to a professional who has a need to know.

Good communication is especially needed in acute-care settings during the night hours, as in Case Study 5. Communication is not always welcomed in the middle of the night and can be impaired because it is not face to face and because the receiver may not be fully awake and alert. TJC now requires a verification "read back" of all verbal and telephone orders (not limited to medication orders) by the person taking the order and the use of a standardized set of abbreviations, acronyms, and symbols throughout the organization. Thorough documentation of the communication will protect the nurse, but it should not be done defensively nor thought of as a substitute for proper care.

Communication with certain hearing- and speech-impaired patients and with ethnically and culturally diverse patients will often provide a challenge to good nursing care. The Americans with Disabilities Act is a federal statute that has requirements for institutions rendering health care to have certain translators available for key health care interactions. The failure to do so may put the institution at risk for fines and penalties (*Freydel v. New York Hospital*, 2000)<sup>8</sup>.

#### **Failure to Report**

States have many statutes that require health care providers to report certain incidences or occurrences. If the provider fails to report as required, and a person is injured, there can be negligence per se, and no expert testimony will be needed to prove the case. In addition, both institutional and professional licensure can be affected. It is important that nurses be aware of the reporting statutes in the state in which they are practicing. In some states, it is not only a duty, but also the law to report certain incidences. The following are examples of such statutes involving a duty to report.

- A duty to report other health care professionals whose behaviors are unprofessional and/or could cause harm to the public. This includes drug and alcohol abuse.
- A duty to report evidence of child or adult or elder abuse and neglect, including any acts of a sexual nature against vulnerable (i.e., anesthetized) patients.
- A duty to report certain communicable diseases.
- A duty to report certain deaths under suspicious circumstances, including deaths during surgery.
- A duty to report certain types of injuries that are or could be caused by violence.
- A duty to report evidence of Medicare fraud.
- Emergency Medical Treatment and Active Labor Act (EMTALA) violations.

The nurse needs to know what areas must be reported, who should report, how the report should be accomplished, and to whom a report should be made. Institutional policies and nurse practice acts on these topics are invaluable. In *State v. Brown*, criminal charges were brought against an emergency room nurse who failed to report suspected child abuse to a physician or agency when a 2-year-old boy was brought in with suspicious bruises. The trial court dismissed the charges on the grounds that the Missouri statute was unconstitutionally vague as to the term "reasonable cause to suspect"; however, the Missouri Supreme Court later reversed that decision, reinstating criminal charges against the nurse (*State v. Brown*, 2004).

Many nurses are afraid to report their employers, other professionals, or other agencies because of the possibility of retaliatory action against them. Most mandatory reporting statutes provide immunity to those who report in good faith. Some states have specific "whistleblower statutes" that not only protect nurses from retaliatory action but also may reward them. The content of these statutes differs from state to state, so the nurse must find out whether one exists in his or her state of practice and learn what protection is provided. A federal statute, the False Claims Act, provides protection under certain situations for reporting Medicare fraud. Additionally, federal compliance standards require that institutions maintain a mechanism to report unlawful activities, such as a "hotline" where problems can be reported anonymously. In response to such reports, institutions

### **CRITICAL THINKING** BOX 20-5

Which states have "whistleblower" protection?

must demonstrate that they responded appropriately and that they disciplined all individuals engaged in the illegal activities (Green, 2000) (Critical Thinking Box 20-5).

#### INTENTIONAL TORTS

Intentional torts are civil claims that are closely related to criminal acts in that they involve intent to do the wrong. Instead of seeking to put the defendant in jail, however, these claims attempt to right the wrong by compensating the plaintiff. These lawsuits are less common than malpractice claims, but the following charges can be brought against a nurse.

**Assault and battery** are the legal terms that are applied to nonconsensual threat of touch (assault) or the actual touching (battery). Of course, in health care, there is a lot of touching. Permission to do this touching is usually implied when the patient seeks medical care. Sometimes, however, a patient refuses certain procedures or has certain procedures done without giving an informed consent. The Louisiana Supreme Court awarded \$25,000 to a patient's family in a lawsuit wherein the nurses had ignored the patient's refusal of a Foley catheter. The patient was ultimately injured in the process of removing the catheter, and the Court determined that the nurses had committed battery by performing an invasive procedure against his wishes (Robertson v. Provident House, 1991). Also, a patient may wish to leave an institution "against medical advice" (AMA). If nurses use physical restraint or touching to keep this patient from leaving, these actions can lead to a civil claim of assault and battery.

**False imprisonment** means making someone wrongfully feel that he or she cannot leave a place. It is often associated with assault and battery claims. This can happen in a health care setting through the use of physical or chemical restraints or the threat of physical or emotional harm if a patient leaves an institution. Threats such as "If you don't stay in your bed, I'll have to sedate you" constitute false imprisonment. This tort might also involve telling a patient that he or she may not leave the emergency department until the bill is paid. Another example is using restraints or threatening to use them on competent patients to make them do what you want them to do against their wishes. Unless you are very clearly protecting the safety of others, you may not restrain a competent adult (Critical Thinking Box 20-6) (Guido, 2006).



#### **CRITICAL THINKING BOX 20-6**

In what situations would it be acceptable to restrain a patient?

Even in a psychiatric case in which someone is thought to be a danger to self or others, there are many very specific state and federal laws to follow. The challenge, of course, is preventing the patient from committing suicide while also maintaining the patient's rights to liberty. This is not an easy balance, and very specific policies are needed to provide legal guidance for those in the many difficult situations of the emergency department and psychiatric nursing. There are also many restrictions on the appropriate use of both hard and soft restraints and elevated scrutiny on their use in long-term care facilities (Tideliksaar, 1998). Claims of elder abuse have been filed for the misuse of restraints. You must be aware of the policies in your agency and state statutory requirements.

**Defamation** (libel and slander) refers to causing damage to someone else's reputation. If the means of transmitting the damaging information is written, it is called **libel**; if it is oral or spoken, it is called **slander**. The damaging information must be communicated to a third person. The actions likely to result in a defamation charge are situations in which inaccurate information from the medical record is reported, such as in Case Study 1, or when speaking negatively about your co-workers (supervisors, doctors, other nurses).

Two defenses to defamation accusations are *truth* and *privilege*. If the statement is true, it is not actionable under this doctrine. However, it is often difficult to define truth, because it may be a matter of perspective. It is better to avoid that issue by not making negative statements about other people unnecessarily. An example of privilege would be required for good-faith reporting to child protective services of possible child abuse or statements made during a peer-review process. If statements made during these processes are without malice, state statutes often protect the reporter from any civil liability for defamation.

Recovery in defamation claims usually requires that the plaintiff submit proof of injury—for instance, loss of money or job. Some categories, such as fitness to practice one's profession, do not require such proof, as they are considered sufficiently damaging without it. Comments about the quality of a nurse's work or a physician's skills in diagnosing illness would fit in this category. You can avoid this claim by steering clear of gossip and by not writing negative documents about others in the heat of the moment and without adequate facts.

### **Invasion of Privacy and Breaches of Privilege and Confidentiality**

A good general rule in relationship to torts involving the sharing of patient information is always to ask yourself, "Do I have the patient's consent to share this information, or is it necessary to the health care services for this patient?" If the answer to either is "no," then the information should not be communicated.

The public's attention has been recently focused on privacy because of new privacy regulations under an older federal law called the Health Insurance Portability and Accountability Act of 1996 (HIPAA). These specific privacy regulations became effective in April 2003 and include an elaborate system for ensuring privacy for individually identifiable health information. Information used to render treatment, payment, or health care operations does not require the patient's specific consent for its use. This includes processes such as quality assurance activities, legal activities, risk management, billing, and utilization review. However, the rules require that the disclosure be the "minimum necessary," and a clear understanding of what information can be shared under this exception is necessary (Annas, 2003). Notice must be given to the patient regarding how the information will be used. All nurses working in health care must be aware of this law and how their institutions specifically comply with it.

Another aspect of HIPAA involves electronic information and the security measures necessary to ensure that protected patient information is not accessed by those without the right or need to know. These rules came into effect in April 2005. Each institution must have data security policies and technologies in place based on their own "risk assessment." Many institutions will now require that any health information transmitted under open networks, such as the Internet, telephones, and wireless communication networks, be encrypted (coded).

Many states have physician—patient privilege laws that protect communications between caregivers and their patients. This enables information to pass freely between physician and patient without concern that it will be shared with those who do not need to know it. This includes law enforcement organizations. The privilege usually extends to information about a patient in the medical record or obtained in the course of providing care. Most states extend physician—patient privilege to nurses and sometimes to other health care providers as well. This privilege belongs to the patient, not the health care giver, which means that only the patient can decide to relinquish it.



FIGURE 20-3 Maintaining confidentiality is both an ethical and a legal consideration in nursing.

As a professional it is important to observe **confidentiality** when talking about patients at home and at work (Figure 20-3). Nurses must be very careful to keep information about the patient, or from the patient, to themselves and to share it only with health care workers who must know the information to plan or to give proper care. This is often difficult to do, as seen in Case Study 1.

EHRs and national clearinghouses for health information present significant confidentiality concerns. Such technologies offer many advantages, including easier and broader access to needed information and more legible documentation. These same advantages also create issues, because they make it more difficult to ensure confidentiality. Many hospitals and agencies already have policies and procedures in place, such as access codes, limited screen time, and computers placed in locations that promote privacy. The nurse is still responsible for the protection of confidentiality when computers, faxes, e-mail, or other rapid communication techniques are used.

A similar cause of action is in cases of **invasion of privacy.** This cause of action can apply to several behaviors, such as photographing a procedure and showing it without the patient's consent, going through a patient's belongings without consent, or talking publicly about a patient's private life.

# Miscellaneous Intentional Torts and Other Civil Rights Claims Involved with Employment

The aforementioned torts, and others, can be relevant to nurses in relation to their employment. These intentional torts can be brought personally against the nurse and are not usually covered by any insurance. **Tortious interference with contract** is a claim alleging that someone maliciously interfered with a person's contractual (often employment) rights. This can occur, for instance, if a nurse attempts to get another nurse fired through giving false or misleading facts to a supervisor. **Intentional infliction of emotional distress** is described by its name, and it can also be attached to malicious acts in the employment setting. These and certain civil rights claims such as **sexual harassment** and **discrimination** are both rights and potential liabilities for every person in the work force. Although beyond the

scope of this text, policies and information regarding these issues demand further investigation by each health care employee to ensure that their rights and the rights of others are not violated.

#### What Is a Defense to Intentional Torts?

#### Informed Consent

Consent is usually a complete defense to all of the aforementioned intentional torts. You cannot have a claim for assault and battery if the patient has given consent for the procedure. Likewise, there can be no invasion of privacy if the patient has given consent to share confidential information with someone else, such as his or her lawyer.

There is much confusion about informed consent in that many people believe that it must be a piece of paper with "Informed Consent" written on it. This is not true.

Informed consent in the health care setting is a process whereby a patient is informed of:

- 1. The nature of the proposed care, treatment, services, medications, interventions, or procedures
- 2. The potential benefits, risks, or side effects, including potential problems related to recuperation
- 3. The likelihood of achieving care, treatment, and service goals
- 4. Reasonable alternatives and their respective risks and benefits including the alternative of refusing all interventions (TJC, 2008a)

After being thus informed, the patient then gives consent for the procedure to be done. The piece of paper is simply evidence that the informed consent process has taken place.

The nurse's role in the consent process is often confusing. Remember that it is ultimately the responsibility of the person doing the procedure to provide the basic explanation of its risks, benefits, and alternatives. In regard to most procedures and operations, this person is the physician. However, in some settings, the nurse is part of an educational process involving videos, booklets, handouts, and other aids to the patient's understanding.

As nurses perform more invasive procedures, the process of informing the patient of what is to occur is the nurse's.

For surgeries and other physician-performed procedures, nurses may be asked "to get the consent." Be clear about what this means. In essence, it means to witness the patient's voluntary signature on a form that should be filled out by the person performing the procedure. That is all. However, as a witness to a signature, documentation of the patient's level of understanding, or the patient's refusal to receive information, or reluctance to have the procedure done, is critical to the witnessing role.

Consent forms must be signed when a patient is considered able or competent to make informed decisions and before the procedure is performed. This means that the form must be signed before the administration of preprocedure medications, which often contain narcotics or other mind-altering drugs. Nurses are sometimes asked to obtain a patient's signature consenting to a procedure that has not yet been explained. The nurse is told that the physician will explain the procedure when the patient arrives to the procedure area and that for convenience it is better to have all forms signed before sending the patient. As an advocate for the patient, and to protect your license, never obtain a patient's consent to a procedure that has not been fully explained to the patient.

The patient is the only person who may give consent if he or she is competent. Competency (also called "capacity") is defined differently from state to state, and the nurse should be aware of how it is defined in his or her state of practice. Competency is presumed, and therefore any claim

of incompetence would have to be proved. Some situations may require special consideration. An example would be a patient suffering from "sundowning" syndrome, who shows no signs of cognitive impairment during the day but is quite confused and/or agitated throughout the night. Although the patient may verbalize understanding of an upcoming procedure, and you believe that he is currently competent to sign a consent form, his competency could possibly be brought into question in a malpractice case if the record reflects periods of confusion.

#### **Advance Directives**

It is important to allow patients to direct the course of their care and treatment whenever possible; however, they must be protected from making harmful decisions when their cognitive status is unclear or fluctuates. States differ with regard to how consent can be given if the patient is incompetent or lacks capacity to make medical decisions. Advance directives such as a medical power of attorney or a living will may provide information about the patient's wishes. These documents allow individuals to prepare in advance for possible incompetence by formalizing their wishes in writing about their further health care decisions. The living will is used to allow a competent adult to direct what he or she wishes in regard to health care upon becoming incompetent. This may include that the person does not want any unusual medical procedures or lifesaving equipment used to prolong life.

Often used in conjunction with the living will is the "durable" or "medical" power of attorney. This document allows the competent adult to appoint a specific person to authorize care if he or she becomes incompetent. The durable power of attorney does not usually become effective until a person loses competency. This document may be used in conjunction with or without a living will (see Chapter 19 for more information on advance directives). Congress has passed the Patient Self-Determination Act of 1990 requiring hospitals to inform their patients of the availability of advance directives. State law defines the required wording for these documents and any other formalities necessary in their preparation. Because patients must be educated on these laws and documents, so should nurses. If not, you could be caught in a violation of the law at a crucial moment of life and death.

If a family challenges a living will or a medical power of attorney, a nurse will need to go through the administrative chain of command. A general rule is for nurses to follow the advance directives unless or until there is a court order to do otherwise. This means that families need to obtain legal services and go to court to overturn or challenge these documents. All persons, no matter what their ages, should complete advance directives. The Terri Schiavo case is a sad demonstration of the difficulties faced by families when there are no documented advance directives, and family members differ in beliefs about what should or should not be done. Questions then arise as to whether acts or omissions of health care providers prolong life or prolong the dying process. Judges are certainly not the preferred ultimate decision makers.

When a patient does not have an advance directive and is incompetent, there are also state laws that give guidance regarding who can act as a *surrogate decision maker*. Parents must usually sign for minor children. Spouses or immediate family members may sign for unconscious adults. In other instances, if no one is available or designated, a court can appoint in a very short time someone for the purpose of making medical decisions. Informed consent is not required if the procedure is necessary to save a life and is done during an emergency. A special consent under stricter standards applies to research studies, and often surrogates may not be able to make such decisions (Truog, 2002).

Competent patients may always decline to give consent for a procedure, even if doing so may have serious consequences for their health status. This legal standard respects the fundamental liberty interest in personal autonomy protected by American jurisprudence (Moore, 1999). In certain

instances, pregnant women may not be permitted to refuse a treatment if doing so will result in serious harm to the fetus. Such a case should be referred for evaluation of risk management and should be resolved before the procedure is done. Consent may be withdrawn at any time before the procedure.

Documentation of informed refusal should be accurate, complete, and in accordance with the policies and procedures for your facility. It should include the results of a mental status assessment to show that the patient was neurologically and psychologically capable of refusing treatment. Clearly document the information that was provided to the patient, quoting the patient's reason(s) for refusing treatment, any questions he or she may have had, and your responses (Smith, 2004).

#### **CRIMINAL ACTIONS**

Nurses who violate specific criminal statutes (such as those having to do with illegal drug use, negligent homicide, and assault and battery) risk criminal prosecution. Conviction of certain types of crimes must be reported to the state board of nursing and will usually result in a review of licensure status. You must be aware of the rules in the state in which you practice.

#### What Criminal Acts Pose a Risk to the Nurse?

#### Theft and Misappropriation of Property

- Protect patient's property by thoroughly documenting and locking up all valuables when patient is admitted to the facility.
- Keep all items and property owned by the facility at the facility. This includes tape, bandages, and pens, to name a few.

Sometimes, nurses fail to protect a patient's property adequately and thus open themselves up to claims of theft. Many patients bring valuables to health care facilities or think that they do. It is helpful to give clear notice to the patients before admittance to leave valuables at home. A thorough and documented list of property on admission is imperative to prevent such claims, as is the locking up of valuables. When dentures and other property have not been adequately stored or monitored, the nurse may be held responsible.

Another aspect of this problem is stealing from the employer. Because of the extensive and costly nature of this problem, many employers have developed elaborate systems to discourage theft. With an ever-increasing focus on lowering health care costs, those costs related to employee theft will not be tolerated. Occasionally, nurses accidentally leave the job with tape, bandages, or other supplies in their pockets. These should be returned. Better yet, establishing a routine of checking your pockets before leaving for home will help reduce this risk. A nurse should never intentionally take property belonging to an employer.

### **Nursing Practice Violations**

Scope-of-practice violations that result in the death of a patient may be the result of nurses performing tasks or procedures that the state board of nursing has not accepted as being within the appropriate scope for nurses, or these violations could be a result of doing actions that have been approved for advanced practice nurses only. In some states these violations and other possible violations of the nurse practice act are misdemeanors, but in other states they may be felonies.

In rare cases, charges of murder or negligent homicide may be filed against the nurse (Kowalski and Horner, 1998). In November 2000, the State of Hawaii convicted an individual of manslaughter in the death of a nursing home patient for permitting the progression of decubitus ulcers without seeking appropriate medical help (Di Maio and Di Maio, 2002). In November 2006, the Wisconsin State Attorney General's Office charged nurse Julie Thao with "neglect of a patient causing great

bodily harm" when she accidentally connected an epidural infusion bag instead of penicillin to an IV, resulting in the death of a 16-year-old mother during childbirth. The felony charge was later reduced to two misdemeanors through a plea bargain, and the nurse's license was suspended for 2 years (Weier, 2007).

This fairly new trend should be of concern to all nurses, because mistakes will always occur in medicine. To err is human. According to Kohn and colleagues (2000), "It may be part of human nature to err, but it is also part of human nature to create solutions, find better alternatives, and meet the challenges ahead" (p 15). If fear of criminal prosecution and prison are added to these personal responses, how can we believe thoughtful, caring people will continue in the profession? As Curtin (1997) asks, "What conceivable social good will be achieved by putting these nurses in jail?" (Kowalski and Horner, 1998, p 127).

#### **Violations of the Food and Drugs Act**

Participating in any activity with illegal drugs or the misappropriation or improper use of legal drugs may result in criminal action against the nurse. Conviction for a crime in this area will almost always result in action against a nurse's license. As described earlier, there is a high incidence of substance abuse in the medical profession, so nurses need to be aware of the risks and avoid them. Writing prescriptions for drugs without the authority to do so is a criminal activity. Obtaining drugs illegally for friends and/or family needs, even if they seem legitimate, will still have criminal consequences.

#### RISK MANAGEMENT AND QUALITY IMPROVEMENT

### **How Do I Protect Myself and My Patient From All These Risks?**

The safety of patients often involves many different formalized processes in institutions. One involves quality and goes by many names, such as "quality assurance" (QA), "continuous quality management" (CQM), or "continuous quality improvement" (CQI). In relationship to nursing practices, *peer review* is the process of using nurses to evaluate the quality of nursing care. This means that you, as a professional nurse, will be continuously involved in evaluating the care that you and other nurses provide. In the past, this was only done through retroactive review of care using techniques such as nursing audits to evaluate care already given. The current focus is on looking for ways to do better all the time. Examples of activities that may be involved in this process include the following:

- Evaluation of what nurses are doing for patients
- Policy and procedure development
- Staff preparation, competency, and skill documentation
- Continuing education and certification
- Employee evaluations
- Ongoing monitoring, such as infection control and risk management systems

TJC requires that peer review be driven by the following: (1) the organization's delineation of circumstances that require review; (2) the designation of who will participate in the process; (3) the time frame of the review; and (4) the timely reporting of the results (TJC, 2008b).

Risk management is a process that becomes involved when incidents or untoward events occur that may pose a financial risk or risk of lawsuit to the institution. This department, through a risk manager, will often take the first step, which is to gather evidence surrounding the event in "anticipation of litigation." Such evidence will include interviews with those involved and physical evidence such as relevant documents. If you are being interviewed, understand that a truthful accounting is the most important aspect of this process and will best serve the institution and you.

Risk management will often then evaluate how to prevent a recurrence by changing systems that have broken down to have allowed the adverse occurrence. This might mean setting a new standard that can then be evaluated and ensured through a quality assurance process.

One tool used by a risk management team is the **incident or occurrence report.** Incident reports generate many legal concerns, because in most states they must be produced in a lawsuit and can be used as evidence against individuals and the institution (Guido, 2006). Therefore extreme caution should be used when completing an incident report, and only the person directly involved should objectively document the facts. Conclusions, opinions, defensiveness, and judgment or blame of others have absolutely no place in this document or process. In addition, the form should never be used for punitive reasons, because this will almost certainly increase the possibility that the report will not be completed honestly if at all (Kohn et al, 2000).

Although you would not mention in the medical record that you filled out an incident report, the person involved in the incident should make the same objective, factual documentation of an incident in the medical record. Lack of documentation in the face of a known occurrence will always be considered a cover-up and will thus be extremely detrimental to any subsequent legal action. Never speculate about who or what caused an incident, because this may inadvertently give the plaintiff "causation" proof, which may not be true.

An example of risk management and quality assurance working together would be the following. A fire breaks out in the operating room, and a patient is burned. Immediately after this event, a risk manager might be notified through a telephone call and then later in an incident report. The risk manager would come immediately to the scene and collect all items and/or equipment involved in the fire (evidence) to determine the cause of the fire. He or she would also interview those who saw the fire (witnesses) to determine facts involved. The risk manager may also take specific actions to assist the patient and/or family, in addition to giving advice to those involved regarding documentation of the event and/or communications. Sometimes financial settlements are made very early to avoid the costly process of a lawsuit. Risk management might also identify ways to prevent another occurrence, such as removal of all alcohol-based skin preparations from the operating room. The quality-assurance department may then periodically evaluate this standard to ensure the continued safety of patients.

Risk managers usually work very closely with insurance companies that cover institutions and their employees for all types of financial risk, including malpractice and general liability. The defense and prevention of many claims start with good risk management. Yet every individual on the health care team who identifies a risk to patient safety and does something constructive to correct it must also make such efforts. Several simple risk management actions by nurses can often prevent a lawsuit. These include the following:

- Approaching angry patients with an apology and an offer to help (Gutheil et al, 1984). Moving
  toward the patient who has experienced an unexpected outcome rather than away is always the
  best policy. Isolation and a feeling of abandonment in the face of an untoward event can only
  augment the feeling that a wrong was done.
- Sharing uncertainties and bringing patient's expectations down to a realistic level during the informed consent process can also prevent claims based on disappointment that an outcome is not perfect (Gutheil et al, 1984).
- Refusing to participate in hospital gossip, to joust in the medical record, or to judge others on the medical team will contribute to an atmosphere of teamwork and compassion, rather than competition, blame, and retaliation. The latter can ultimately contribute to unsafe patient care. An inadvertent negative remark to patients and families about a physician, the pharmacy, the laboratory, or other nurses is very frequently the genesis of a lawsuit. Such remarks are often based on limited knowledge and personal bias. Making such remarks could cause you to end up as a witness in a malpractice claim against your peers and/or other medical team members. This is seldom a desirable position for anyone.

### Malpractice Insurance

One of the more controversial topics for nurses involves the need for nurses to purchase individual malpractice insurance policies. There is often misinformation about what these individual policies will do or cover, and there is little substantiation for what most authors say. Part of the problem is that lawyers, rather than insurance professionals, talk about what the policies mean. In addition, insurance companies sometimes use scare tactics to induce nurses to purchase their products.

As the nurse's role continues to expand, so does the amount of liability exposure in a medical malpractice claim. According to the U.S. Department of Health and Human Services 2003 Annual Report on Malpractice, a nurse can expect at least 1.11 malpractice reports against her during her career. This means that careful consideration should be given to a decision about whether or not to carry an individual malpractice insurance policy. An informed nurse should at least know what questions to ask.

### **What About Individual Malpractice Insurance?**

Some individual nurse policies claim that you can prevent settlement of a claim if you wish to do so (have a consent clause). However, a close reading of the policy might demonstrate that if the case is then lost at trial or settled for more than the insurance company wished to offer, the company has the right to collect that difference and the cost of defense from you. Therefore the consent you have a right to withhold has very little meaning.

The fact that registered nursing insurance costs have not changed much since introduced on the market, although all other malpractice insurance costs have risen drastically, is an indication of its lack of use. The cost for a nurse to purchase an individual malpractice policy is based on the area of nursing and the state of practice. Check your professional journals and your professional associations for insurance companies that offer malpractice insurance for nurses.

### What Is Institutional Coverage?

Almost all health care corporations or institutions carry very large insurance policies that specifically cover acts or omissions of their employed nurses. This includes cases in which only the institution is named under the previously described *respondeat superior* doctrine or when an individual nurse employee is named. Most individual personal nursing malpractice policies are secondary to this policy. This means that they cannot be used in any manner if the institutional policy is used to cover the claim. It is not correct to assume that you can have your personal attorney present to represent your personal interests in addition to the institutional attorney. Even if you could, having two attorneys will often divide the defense and augment the claim.

A representation that the institutional attorney will only look out for the institution's interests and not yours is questionable in that attorneys ethically must represent both your interests and those of the institution. In addition, the institution's interests are rarely, if ever, adverse to yours. Both of you wish to settle claims that have liability and defend claims when there is no liability.

The claim that an institution will insure you but then turn around and sue you is belied by the fact that one cannot find statistics to verify this common assumption. Institutions spend millions of dollars on insurance specifically to cover the acts of nurses. In addition, if institutions sued the nurses working for them, they would not retain many nurses.

It is true that if an employee commits a criminal act that by its nature is outside the scope of the employment, such as forced sexual intimacies with a patient, an institution may not defend the employee or cover costs. In this regard, however, criminal acts are not insurable under laws in most states and therefore are not covered by any policy (Simpson, 1998).

### What Should I Ask About Institutional Coverage?

There are certain things that a prudent nurse concerned about coverage should do. All nurses should request and have a right to receive a document that provides the following information regarding their employer's insurance coverage for them:

- The name of the institution's insurance carrier, the limits of the policy, and the rating of the insurance company (Best Rating A+++ is the highest).
- Whether they are covered for all acts occurring within the scope of their employment and during the time they are employed.
- The acts for which they do not have coverage.
- Whether the hospital will cover them if they need to appear before the state board of nursing in relationship to a malpractice claim. If not, an individual insurance policy that clearly does cover them may be valuable.
- How the nurse is covered by the institutional employer. This is particularly important if the nurse is an independent practitioner and/or in an extended practice role.

### What Happens When I Go to Court?

Sometimes, despite all your efforts, you find yourself in litigation as a defendant. Know that very few claims go to trial. Therefore you do not need to picture yourself in a setting from "Law and Order" with a prosecutor tearing you apart. In reality, 95% of personal injury lawsuits are either dismissed or settled out of court, usually after an investigatory process called "discovery" (Fish et al, 1990). This involves written questions about situations surrounding a case called **interrogatories**, as well as a recorded oral questioning process called a **deposition**.

Depositions are oral statements given under oath and are extremely important in any malpractice claim. They are used to evaluate the merits of the case, the credibility of the witnesses, and the strength of the defendants. Cases are won or lost in this process; thus with the help of your attorney, you must be very well prepared. If you have not been offered the chance to meet with your attorney long before your deposition, request the time to do so. This is your right and an ethical obligation of the attorney. Being prepared ahead of time can have a significant effect on your performance under stress. Many attorneys will role-play situations with you so that you can get the feel of the process. Helpful books, videos, and other aids are available. Ask your attorney for supportive resources, or check with your hospital risk management department, in addition to public libraries and websites (Box 20-5).

Depositions occur in a less formal setting than the courtroom. Attorneys for both sides will be present, but this is not the time to tell your story. The attorney questioning you will be either the attorney for the plaintiff or for the other defendants, whose interests may be adversarial to yours. Your attorney can object to certain questions, but on the whole you will have to answer them anyway, because in the deposition there is no judge to rule on the objections.

Remember, in a deposition you are there to answer questions in a truthful manner, but not to teach or inform.

A lawsuit is a very disconcerting and disheartening process to everyone involved. Your ability to realize this and not to feel alone in the process is extremely important. Often institutions mandate that persons involved in litigation receive counseling to help them resolve the anger and depression that almost inevitably occurs. Be sure to use the resources available to you, including your lawyer. Your risk management team is often a good resource as well and can usually answer questions or help resolve problems you might have in relationship to the case. Remember the truth of the old adage that "this too will pass."

#### BOX 20-5 TIPS FOR TESTIFYING IN A DEPOSITION

- 1. You need to look and act professionally. That means that you must be prepared. Know the case and review your documented record ahead of time.
- 2. Be clear, accurate, and very concise. It is often said that if you say more than seven words, it is too much. If you do not know an answer, say so—do not guess.
- 3. Never give opinions unless asked for them. Stick to the facts!
- 4. Speak slowly and in a well-modulated tone of voice. Do not allow yourself to be rattled by the opposing attorney.
- 5. If you do not remember a question or do not understand it, ask for it to be repeated or clarified. Many attorneys use long, multipart questions to confuse you. Do not get caught in this trap.
- If you have made a statement and later realize it is not correct, do not be afraid to say so rather than to skirt issues or contradict yourself.
- 7. Do not allow yourself to be goaded into an angry or emotional response. You can always ask for a break during a deposition to collect yourself and your thoughts.
- 8. Avoid the use of "always" and "never" and vague comments like "maybe," "I think," or "possibly."
- 9. Do not answer more than is asked for by the question. This helps maintain focus and clarity. The attorney wants to catch you in contradictory statements. The shorter your statements, the less likely that is to happen.

# CONTROVERSIAL LEGAL ISSUES AFFECTING NURSING

Because developments and advances in medical and nursing care occur constantly, many areas of practice do not have firm rules to follow when making decisions. Changes in health care delivery and society's values have sparked controversy about a variety of issues.

# **Health Care Costs and Payment Issues**

One example of a controversial issue is third-party reimbursement, or the right of an individual nurse, usually a nurse practitioner, to be paid directly by insurance companies for care given. Medicare has passed rules that allow nurse practitioners to bill independently under their own provider number. This is a very important step in the field of independent practice for nurses, because many health care insurers follow the lead of Medicare as related to billing issues.

In relationship to the right to bill, all nurses need to understand billing and reimbursement rules so that they cannot be accused of participating in fraudulent billing schemes. For instance, although a bill can be generated for certain follow-up care performed by nurses in the outpatient clinic, as services rendered "incident to" what the physician does, there are strict requirements of physician involvement that nurses must understand. Nurse practitioners need to be careful that physicians with whom they collaborate are not also illegally billing for the nurse's services.

The seven most frequent areas where nurses can inadvertently become involved in fraud and abuse claims are the following:

- 1. Questionable accuracy and monitoring of physician visit coding
- 2. Improper use of diagnosis codes
- 3. Failure to provide patient care or providing patient care that is sloppy
- 4. Anesthesia services
- 5. Unneeded critical or acute-care services
- 6. Billing for physician assistant services
- 7. Improper billing of nursing or physician services (Nelson, 2005)

To avoid these areas, it is important to know about and understand your institution's compliance plan and to report suspected abuses through the required "hotline" or directly to nursing administration (Green, 2000).

From another perspective, the high cost of health care is also resulting in the proliferation of health care workers with less training and education than nurses, who can be hired for less money. Often these unlicensed workers have no laws circumscribing their practice and are doing tasks that have traditionally been done by RNs or LPN/LVNs, such as administering medications and giving injections. This is an important issue for nurses, especially when asked to supervise such workers and/or compete for positions in the health care market.

Controversial legislative changes have been made in an attempt to address some of these problems. In response to concerns about whether or not increased acuity of patients, increased caregiver workload, and declining levels of training among patient-care personnel have threatened the quality of patient care, California passed Assembly Bill 394. This bill set a minimum nurse–patient ratio in acute-care general, special, and psychiatric hospitals (Lang et al, 2004). A year after it went into effect, nurses were battling Governor Arnold Schwarzenegger to keep what they fought so hard to obtain—an RN-to-patient ratio of 6 to 1 in 2004 and 5 to 1 in 2005. The controversy seems to stem from the difficulty of maintaining ratios "at all times" and in finding enough nurses to fulfill the ratios.

Related topics involve practice models and case management. Practice models involve attempts by institutions to answer what types and ratios of health care providers should constitute a patient-care team. Case management looks at how patient-care teams can best derive better outcomes and continuity for patients while effectively managing the variable costs of care delivery. Institutional decisions on these matters become policies and thus the "laws" under which you must deliver patient care.

Your knowledge of the issues, participation in the processes, and support for legislation and policies that are favorable for your profession and for patient care will be important when your state and/or institution decides such issues. Professional behavior includes concern with and participation in the direction that health care, and particularly nursing care, will take in the future.

# **Health Care Delivery Issues**

Changes made in the types of systems used to deliver health care and in the techniques used by the systems have created many concerns for nurses. Hospitals and other expensive acute-care settings are giving way to outpatient clinics and same-day surgery centers. This means that people are being sent home while still acutely ill to take care of themselves or to be cared for by relatives without the benefit of hospital nursing services. This makes the nurse's role in discharge planning and patient education extremely important to prevent deterioration of certain health or surgical conditions in the home. In addition, it means that home health care nurses are routinely organizing care that formerly was rendered only in hospitals. For example, respirators in the home are not unusual. With this change, however, come more independent responsibilities for nurses. Responsibility can translate into liability.

Telephone nursing triage and telemedical nursing care present new and unusual legal concerns because of the difficulties of providing accurate long-distance care and the independent nature of these tasks. Although these nurses bring nursing care to many areas that have not had access to this care in the past, selecting appropriately prepared individuals to provide the care and educating them to function effectively when they cannot see the patient are challenging tasks.

HMOs and other forms of prepaid health care have helped reduce the rapidly growing costs of health care through a process called **utilization review**. Nurses hired to do this review are often asked to make judgments regarding whether or not a patient should be discharged. Early discharge of patients and limits on insurance reimbursements for certain allowable medications, equipment, and external services have sometimes caused ethical and legal problems for health care professionals (Deloughery, 1998).

Past laws protecting the HMOs from malpractice claims when patients were harmed because of flawed utilization review practices are now being challenged. There is a growing public concern that

managed care organizations are making large profits while patients covered under their programs are not receiving adequate care. Both Congress and state legislatures are attempting to pass statutes to curb the practice of protecting HMOs (Kongstvedt, 2001).

The many changes occurring in the workplace often create levels of confusion and frustration, which make it more difficult to focus on the quality of the care being given on a day-to-day basis. These issues are examples of how legal issues interweave with all the other events in your professional life. Nurses must remain involved in these matters to stay aware of how their legal responsibilities are influenced by them.

# **Issues About Life-and-Death Decisions**

Controversial ethical issues surrounding life and death also, of course, present controversial legal issues. Scientific research and new technologies can blur the line between life and death. As a nurse, you can often find yourself in the center of such controversies, so you need to be very aware of your state's laws at least on the following subjects.

#### **Abortions**

Where can abortions be performed? Who can perform them? When can an abortion be performed? Under what conditions? Under what, if any, conditions can teenagers obtain an abortion without parental consent?

# **Fetal Rights**

If a fetus is born alive, what rights does it have? What rights do the parents have? What rights do health care workers have? What are the laws surrounding fetal death and/or the cessation of life-preserving treatments?

# **Human Experimentation or Research**

What can be done legally with the products of conception? What types of consent are necessary to enroll a patient in research studies? What types of boards and oversight must be involved to approve and monitor human research studies?

# **Patient Rights**

What rights do patients in your state have in relationship to medical records, medical information, giving consent, participating in their care, suing providers, dictating issues surrounding their death, donating organs, being protected from abuse, receiving emergency treatment, being protected from the practice of unlicensed providers, transplantation of organs, accessibility of the disabled to health care, privacy, and confidentiality?

## CONCLUSION

As time goes on, laws will change and new areas will arise that nursing will have to address. Continuing education, critical thinking, and an open mind will help you to learn about and deal with the legal issues that will touch your professional life daily. Get involved whenever possible with patient safety, quality, and risk management processes in your institutions, and become familiar with your state's nurse practice act and advisory opinions. Be someone who has an educated opinion about conflicts inherent in medicine and nursing (see the relevant websites and online resources at the end of this chapter). Take the opportunity to visit the hearings conducted by your state's board of nursing and by the state legislature. By becoming involved with the legal and disciplinary process, you

will be much more aware of how you can protect yourself and your patients and influence the direction of health care issues. By concluding this chapter, it is hoped that you also feel more confident when faced with "the law."

# **RELEVANT WEBSITES AND ONLINE RESOURCES**

#### **American Nurses Association (2013)**

www.nursingworld.org.

#### **Centers for Disease Control and Prevention (2013)**

www.cdc.gov.

#### Centers for Medicare & Medicaid Services (2013)

www.cms.gov.

#### Institute for Healthcare Improvement (2013)

www.ihi.org.

#### Institute of Medicine (2013)

www.iom.edu.

#### **National Center for Biotechnology Information (2013)**

U. S. National Library of Medicine. Retrieved from www.pubmed.gov.

#### **National Council of State Boards of Nursing**

www.ncsbn.org.

#### **National Council State Boards of Nursing (2013)**

*Nursys online verification*. Retrieved from www.nursys.com.

#### **National Network of Libraries of Medicine (2013)**

Resources for members of the national network of libraries of medicine. Retrieved from www.nnlm.gov.

#### **National Patient Safety Foundation (2013)**

www.npsf.org.

#### The Joint Commission (2013)

www.jointcommission.org.

#### U.S. Department of Health and Human Services (2013)

Agency for Healthcare Research and Quality. Retrieved from http://www.ahrq.gov/clinic/epcix.htm.

#### U.S. Department of Health and Human Services (2013)

www.hhs.gov.

#### U.S. Department of Health and Human Services (2013)

The Data Bank: National practitioner healthcare integrity and protection. Retrieved from http://www.npdb-hipdb.hrsa.gov.

#### **United States Department of Veterans Affairs (2013)**

VA National Center for Patient Safety. Retrieved from www.patientsafety.gov.

#### **BIBLIOGRAPHY**

Annas, G. J. (2003). HIPAA regulations—a new era of medical-record privacy? N Engl J Med, 348, 486–1490.

Brent, N. (2001). Nurses and the law (2nd ed.). New York: Saunders.

Curtin, L. L. (1997). When negligence becomes homicide. Nurs Manag, 28, 7–8.

Deloughery, G. (1998). Issues and trends in nursing. St Louis: Mosby.

Di Luigi, K. (2004). What it takes to be an expert witness. RN, 67, 65–66.

Di Maio, V. J., & Di Maio, T. G. (2002). Homicide by decubitus ulcers. Am J Foren Med Path, 23, 1-4.

Fish, R. M., Ehrhardt, M. E., & Fish, B. (1990). *Malpractice: managing your defense*. Montvale, NJ: Medical Economics Books.

Freydel v. New York Hospital, No. 97 Civ 7926 (SHS), Jan 4, 2000.

Green, E. (2000). Creating an effective corporate compliance program. Drug Benefit Trend, 12, 37–38.

Guido, G. (2006). Legal and ethical issues in nursing (4th ed.). Upper Saddle River, NJ: Prentice Hall.

Gutheil, T. G., Bursztajn, H., & Brodsky, A. (1984). Malpractice prevention through the sharing of uncertainty: informed consent and the therapeutic alliance. *N Engl J Med*, *311*, 49–51.

Harvey v. Mid-coast Hospital, 36 F., Supp. 2d 32, D. Maine, 1999.

Haumschild, M., et al. (2003). Clinical and economic outcomes of a fall-focused pharmaceutical intervention program. *Am J Health-Syst Phar*, 60, 1029–1032.

Institute of Medicine. (2006). *News medication errors injure 1.5 million people and cost billions of dollars annually*. Retrieved from www.nationalacademies.org/onpinews/newsitem.aspx?RecordID=11623.

Kohn, L. T., Corrigan, J. M., & Donaldson, M. S. (2000). *To err is human: building a safer health system*. Washington, DC: National Academy Press.

Kongstvedt, P. R. (2001). Essentials of managed health care (4th ed.). Rockville, Md: Aspen.

Kowalski, K., & Horner, M. D. (1998). A legal nightmare. Denver nurses indicted. MCN Am J Matern Child Nurs, 23, 125–129.

Lang, T. A., et al. (2004). Nurse–patient ratios: a systematic review on the effects of nurse staffing on patient, nurse, employee and hospital outcomes. *JONA*, *34*, 326–327.

Larson, A. (2005). Medical malpractice law and litigation. Retrieved from www. expertlaw.com/library/malpractice/malpractice.html.

Medscape Medical News. (2000). *Joint Commission releases revised restraints standards for behavioral healthcare*. Retrieved from www.doctor.medscape.com/viewarticle/411832.

Moore, R. (1999). A guide to the assessment and care of the patient whose medical decision-making capacity is in question. *Medscape Gen Med*, 10, E7.

National Council of State Boards of Nursing. (2001). Chemical dependency handbook for nurse managers—a guide for managing chemically dependent employees. Chicago: NCSBN.

National Council of State Boards of Nursing. (February 12, 2003). NCSBN introduces online public access to NURSYS (letter).

National Council of State Boards of Nursing. (2010). *NURSYS.com—e-verify*. Retrieved from https://www.nursys.com/Default.aspx.

National Council of State Boards of Nursing. (2011). Substance use disorder in nursing—a resource manual and guidelines for alternative and disciplinary monitoring programs. Retrieved from https://www.ncsbn.org/SUDN\_10.pdf.

National Council of State Boards of Nursing. (2013). *Nurse Licensure Compact*. Retrieved from https://www.ncsbn.org/nlc.htm.

National League for Nursing (NLN). (2008). Workforce to practice in 21st-century, technology-rich health care environment, New York. Retrieved from www.nln. org/aboutnln/PositionStatements/informatics\_052808.pdf.

National Practitioner Data Bank. (2006). Fact sheet on the National Practitioner Data Bank. Retrieved from www.npdb-hipdb.hrsa.gov/pubs/stats/2006\_NPDB\_Annual\_Report.pdf.

National Practitioner Data Bank. (2010). *Annual Report, Graph 7*. Retrieved from www.npdb-hipdb.hrsa.gov/resources/reports/2010NPDBAnnualReport.pdf.

Nelson, R. (2005). Staffing in California one year later. Am J Nurs, 105, 25–26.

Robertson v. Providence House, 576 So. 2d 992 (La. 1991).

Shaw v. Plantation Management, 2009 WL 838680 (La. App., March 27, 2009), cited in Patient's Fall: Solid Nursing Documentation Afterward, Negligence Lawsuit Dismissed. Leg Eagle Eye Newsl 17(5), 2009. Retrieved from http://nursinglaw.com.

Shinn, L. J. (2001). Yes, you can be sued, ANA continuing education: the nursing risk management series—an overview of risk management. Retrieved from www. nursingworld.org/mods/archive/mod310/cerm101.htm.

Simpson, K. R. (1998). Should nurses purchase their own professional liability insurance? *Am J Maternal Child Nurs*, 23, 122–123.

Smith, L. S. (2004). Documenting refusal of treatment. *Nursing*, 34, 79.

State v. Brown, No. SC85582 (Mo. Aug. 03, 2004).

Sullivan, G. H. (2004). Does your charting measure up? RN, 17, 61–65.

Texas Board of Nursing (Texas BON). (2010). Examination information. Retrieved from www.bon.state.tx.us/olv/examination.html.

The Joint Commission. (2008a). *Ethics, rights, and responsibilities*. Retrieved from www.jointcommission.org/N R/rdonlyres/940FBF10-AB6A-410C-B396-53FEEB11E58C/0/LTC2008RI Chapter.pdf.

The Joint Commission. (2008b). Comprehensive accreditation manual for hospitals: the official handbook. Oakbrook Terrace, Ill: TJC.

The Joint Commission. (2013). 2013 National Patient Safety Goals. Retrieved from http://www.jointcommission. org/standards\_information/npsgs.aspx.

Tideliksaar, R. (1998). Falls in older patients: prevention and management. Baltimore: Health Profession Press.

Truog R: *Inadequacies in use of informed consent may limit potential for research in intensive care*, 15th Annual Congress of European Society of Intensive Care Medicine, Sept 19-Oct 2, 2002, Barcelona, Spain.

Walker, R. S. (1992). Falls and serious injuries before, during and after a nursing home became restraint free (thesis). Tucson, Ariz: University of Arizona.

Weier, A. (Jan 26, 2007). St. Mary's nurse case spurs proposal to halt health care worker prosecution. Madison, Wis: The Capital Times.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# UNIT VI

# **Contemporary Nursing Practice**

21

# **Cultural and Spiritual Awareness**

Peter G. Melenovich, PhD, RN, CCRN, CNE

A nation's culture resides in the hearts and in the soul of its people.

Mahatma Gandhi



Our communities need culturally competent nursing care.

After completing this chapter, you should be able to:

- Define cultural competence.
- List practice issues related to cultural competence.
- Identify challenges in defining spirituality.
- Determine the cultural and spiritual beliefs of patients in the health care setting.
- Assess the spiritual needs of patients in the health care setting.

# **CULTURE AND SPIRITUALITY**

# What Is Meant by Cultural Competence?

**In today's global society, cultural competence is necessary for excellence in nursing care.** People can travel like never before. Nurses are connecting to patients through the Internet. Medical "tourism" is now a reality. These factors demonstrate the need for nurses to understand cultural and spiritual differences among themselves and others.

The American Nurses Association (ANA) affirms in the *Code of Ethics* the necessity for the nurse to be sensitive to individual needs: "The need for health care is universal, transcending all individual differences. The nurse establishes relationships and delivers nursing services with respect for human needs and values, and without prejudice. An individual's lifestyle, values system, and religious beliefs should be considered in planning health care with and for each patient" (ANA, 2010).

Dr. Margaret Leininger, considered a top authority on culture care diversity, proposed that cultural understanding would allow for peaceful relations among people groups (Leininger, 2007). Some considered this philosophy so important that Dr. Leininger was nominated for the Nobel Peace Prize. Cultural competence is essential for nurses.

But what exactly is cultural competence? It is defined as "developing an awareness of one's own existence, sensations, thoughts, and environment without letting it have an undue influence on those from other backgrounds; demonstrating knowledge and understanding of the patient's culture; accepting and respecting cultural differences; adapting care to be congruent with the patient's culture" (Purnell and Paulanka, 2008, p 6).

The culturally competent nurse has an enhanced ability to provide quality care, which fosters better patient understanding of the plan of care.

"Inattention to cultural competence in patient care leads, at best, to suboptimal patient outcomes and, at worst, to active harm," says Carla Serlin, PhD, RN, director of ANA's Ethnic/Racial Minority Fellowship Programs. "When we fail to address issues of difference such as language, ethnicity, and race, our patients will have lower levels of compliance with care instructions and longer hospital stays" (as cited in Stewart, 1998, p 1).

The mnemonic CULTURE, developed by Zerwekh (2013), can help nurses to assess and improve their level of cultural competence (Box 21-1). In addition, nurses need to use effective cultural interviewing questions, which are best if left semistructured and open-ended. Spector (2000) has identified nine suggestions for enhancing communication when gathering cultural data (Box 21-2).

# What Practice Issues Are Related to Cultural Competence?

#### **Barriers to Cultural Competence**

Two categories of barriers to cultural competence exist: provider barriers and systems barriers (Mazanec and Tyler, 2003). Provider barriers are those that a nurse may have, including lack of

#### BOX 21-1 CULTURE—A NURSING APPROACH

Consider your own cultural biases and how these affect your nursing care.

**U**nderstand the need to recognize cultural implications in planning and implementing nursing care.

Learn how to use cultural assessment tools.

Treat patients with dignity and respect.

Use sensitivity in providing culturally competent care.

Recognize opportunities to provide specific culturally based nursing care.

Evaluate your own previous encounters with patients from other cultures and backgrounds.

Zerwekh, J. (2013). *CULTURE: a mnemonic for assessing and improving cultural competence*. Chandler, AZ: Nursing Education Consultants, Inc.

#### BOX 21-2 NINE SUGGESTIONS FOR GATHERING CULTURAL DATA

- 1. Determine the patient's level of fluency in English and arrange for an interpreter if needed.
- 2. Ask how the patient prefers to be addressed.
- 3. Allow the patient to choose seating for comfortable personal space and eye contact.
- 4. Avoid body language that may be offensive or misunderstood.
- **5.** Speak directly to the patient, whether an interpreter is present or not.
- 6. Choose a speech rate and style that promotes understanding and demonstrates respect for the patient.
- 7. Avoid slang, technical jargon, and complex sentences.
- 8. Use open-ended questions or questions phrased in several ways to obtain information.
- 9. Determine the patient's reading ability before using written materials in the teaching process.

Spector, R. E. (2000). *Cultural diversity in health and illness*. (5th ed,). Upper Saddle River, NJ: Prentice-Hall Health, as cited in Ignatavicius, D. & Workman, L. (2008). *Medical-surgical nursing: critical thinking for collaborative care*. St Louis: Elsevier.

information about a culture's customs regarding health care. Systems barriers are those that exist in an agency, because the agency's structure and policies are not designed to support cultural diversity (McGibbon et al, 2008).

For instance, an American Indian family may wish to spend the night in the intensive care unit room with a critically ill family member. However, the room does not have a cot on which to sleep, and the waiting room is not large enough to accommodate all the family and extended family members who are present to support the patient. The community in which the hospital is located has a large American Indian population. The nurse, as an advocate for patients and their families, can intervene through activities such as joining a hospital committee focused on hospital redesign. The nurse can point out the need for space for family members to stay all night near their loved ones. In this way the nurse supports the needs of the cultural diversity in her community.

Many organizations are involved in improving cultural competency in the health care industry. One governmental organization (Office of Minority Health) provides extensive continuing education for health care professionals (AHRQ, 2011). Through a web resource (www.thinkculturalhealth.org) and other offerings, this organization assists providers in delivering respectful, understandable, and effective care to patients of all ethnicities. This sort of education is crucial because of the increasing diversity of the American population.

# **Health and Health Care Disparities**

One of the goals of *Healthy People 2020* is to eliminate health disparities (*Healthy People 2020*, 2012a). Health disparities are inequalities in disease morbidity and mortality in segments of the population. These disparities may be a result of differences in race or ethnicity. They are believed to be the result of the interaction among genetic variations, environmental factors, and health behaviors. For instance, the infant death rate among blacks is more than double that of whites. American Indians and Alaska Natives have an infant death rate almost double that for whites. Also, their rate of diabetes is more than twice that for whites. Hispanics are almost twice as likely to die of diabetes than are non-Hispanic whites. New cases of hepatitis and tuberculosis also are higher in Asians and Pacific Islanders than in whites (*Healthy People 2020*, 2012b). Visit www. thinkculturalhealth.org.

# OFFICE OF MINORITY HEALTH AND DISASTER PREPAREDNESS

OMH is a part of the Department of Health and Human Services. In 2009, OMH launched an initiative to help first responders better manage disasters and crises in diverse populations. Some of the issues addressed include:

- Using interpreters
- · Using bilingual materials
- · Managing cultural variation
- Implementing culturally based standards

Inequalities in income and education are at the root of many health disparities. In general, those populations who have the worst health status are those that have the highest poverty rates and the least education. Low income and low education levels are associated with differences in rates of illness and death, including heart disease, diabetes, obesity, and low birth weight. Higher incomes allow better access to medical care, enable people to afford better housing and live in safer neighborhoods, and increase the opportunity to engage in health-promoting behaviors. Recent initiatives are even focusing on identifying social and physical environments that promote optimal health (*Healthy People 2020*, 2012b).

According to the Institute of Medicine (IOM) report *Unequal Treatment*, conscious bias and unconscious bias from health care professionals affect quality of care and hence lead to health disparities (Smedley et al, 2003; White-Means et al, 2009). Some of the causes of health care disparities include provider variables and patient variables. Provider variables are provider/patient relationships, lack of minority providers, as well as provider bias and discrimination. Studies have clearly demonstrated that providers will often make different plans for different patients when the only difference is culture or skin tone. Patient variables are mistrust of the health care system and refusal of treatment (Baldwin, 2003). Often this mistrust comes from barriers in communication.

The solutions to challenges of health and health care disparities are complex and are still being discovered (Critical Thinking Box 21-1). Some solutions involve increasing the diversity of health care providers; ensuring that all people have access to affordable, basic health care; promoting wellness and a healthy lifestyle; strengthening provider/patient relationships; increasing cultural competency of health care providers; and conducting research to determine why certain diseases affect minorities so greatly and to discover effective intervention strategies (Baldwin, 2003).



## **CRITICAL THINKING BOX 21-1**

Can you think of ways to decrease disparities in health and health care in your community? What projects could you do as a nursing student to make a positive impact? Could you devise a project as part of a class assignment or a Student Nurses Association activity?

# **Culturally Diverse Work Force**

To meet the health care needs of an increasingly diverse society, it would be beneficial to have such diversity represented in the nursing profession. Unfortunately, the diversity of the nursing workforce does not mirror that of the U.S. population (AACN, 2011). For instance, in 2008 the U.S. Census Bureau reported that one third of the American population was from a minority background. However, in 2008 the *National Sample Survey of Registered Nurses* showed that minorities accounted for 16.8% of registered nurses. It is also important for minority faculty to mentor nursing students. In 2010, 12.6% of nursing faculty reported their ethnicity as one that falls under a minority category.

The American Hospital Association (2012) recommends that exposure to health careers begin early in the education of minority populations, as well as of males, to reach out to those who are currently underrepresented in nursing and who will account for an increasing share of the labor pool. The AHA states, "In addition to training all staff on cultural competency, look for opportunities to employ bicultural clinical and administrative staff to improve education, care delivery, and ultimately, outcomes" (p 12). See Research for Best Practice Box 21-1 for information about culturally diverse nurse—patient interactions. And see the end of this chapter for additional relevant websites and online resources.

# Q

# **RESEARCH FOR BEST PRACTICE 21-1**

## **Cultural Diversity**

#### Practice Issue

Nurses and all health care providers have a responsibility to provide quality care to all patients. In light of the changing cultural demographics in the United States, nurses must gain an understanding of the variances that exist in communication, health beliefs, health rituals, and patient perception of health care based on the diverse population of patients we serve. It is imperative that nurses and all health care professionals create a positive environment for all patients if improved patient outcomes are to be realized.

#### **Implications for Nursing Practice**

Four themes resulted from this study: family perceived inequity based on ethnicity, language, ability to pay, and appearance.

- Families described perceived inequity by health care staff toward them based on their ethnicity in relation to other patients and families.
- Families described perceived inequity in explanations related to the plan of treatment based on language barriers.
- Families reported perceived substandard care based on their ability to pay or access to insurance.
- Families described perceived bias based on the color of their skin or their dress.

#### **Considering This Information:**

How can we as nurses not only provide equal care to all patients, but also improve the families' view of the care that we provide?

#### Reference

Davies, B., Larson, J., Contro, N., & Cabrera, A. P. (2011). Perceptions of discrimination among Mexican American families of seriously ill children. *J Palliat Med*, *14*(1), 71-76.

# What Is the Meaning of Spirituality?

One of the challenges for the nurse in providing spiritual care to patients is that there is not yet a clear definition of spirituality (MacLaren, 2004). Many people confuse religion with spirituality, when in fact, they can be separate entities. Pesut et al (2008) contend that current trends in health care tend to define religion as a set of institutionalized beliefs and rituals, whereas spirituality can be defined "as an individualized journey characterized by experiential descriptors such as meaning, purpose, transcendence, connectedness and energy" (p 2804).

McSherry (2006) presents several components of spirituality with relevance to nursing, which is a helpful framework for understanding the spirituality concept (Box 21-3). At times, a spiritual advisor or chaplain may be called on for a patient's or family's spiritual needs. But there are times these spiritual needs may be met most appropriately by the nurse (Bokinskie and Evanson, 2009).

A definition of spiritual nursing care is "an intuitive, interpersonal, altruistic, and integrative expression that is contingent upon the nurse's awareness of the transcendent dimension of life but that reflects the patient's reality" (Sawatzky and Pesut, 2005, p 23). Spiritual distress is an approved nursing diagnosis (Carpenito-Moyet, 2007). Examples of spiritual nursing interventions include prayer, presence, scripture reading, peaceful environment, meditation, music, pastoral care, inspiring hope, active

#### **BOX 21-3 COMPONENTS OF SPIRITUALITY**

- Spirituality is a universal concept relevant to all individuals.
- The uniqueness of the individual is paramount.
- · Formal religious affiliation is not a prerequisite for spirituality.
- An individual may become more spiritually aware during a time of need.

From McSherry, W. (2006). *Making sense of spirituality in nursing practice: an integrative approach.* Edinburgh: Churchill Livingstone, p 48.

listening, validation of patients' thoughts and feelings, values clarification, sensitive responses to patient beliefs, and developing a trusting relationship (Callister et al, 2004).

Free online services allow your patients to listen to religious works such as the Bible. This is useful for the patient that is too ill to read or for family members who would like to offer this service to their loved ones (www.biblegateway.com/resources/audio).

#### **CULTURAL AND SPIRITUAL ASSESSMENT**

# What Are Cultural and Spiritual Beliefs About Illness and Cures?

Patients will have different responses to illness based on their cultural and spiritual beliefs. It is vital for the nurse to be aware of the variety of responses that may be encountered (Box 21-4).

The nurse needs to be careful, however, not to stereotype a patient based on his or her cultural or spiritual background.

# BOX 21-4 CULTURAL AND SPIRITUAL BELIEFS AFFECTING NURSING CARE

#### African-American

Extended family has large influence on patient.

Older family members are honored and respected, and their authority is unquestioned.

Oldest male is decision maker and spokesman.

Strong emphasis on avoiding conflict and direct confrontation.

Respect authority and do not disagree with health care recommendations—but, they may not follow recommendations.

#### Chinese

Chinese patients will not discuss symptoms of mental illness or depression, because they believe this behavior reflects on family; therefore, it may produce shame and guilt. As a result, there may be psychosomatic symptoms.

Use herbalists, spiritual healers, and physicians for care.

#### Japanese

Believe physical contact with blood, skin diseases, and corpses will cause illness.

Also believe improper care of the body, including poor diet and lack of sleep, cause illness.

Believe in healers, herbalists, and physicians for healing, and energy can be restored with acupuncture and acupressure. Their high regard for the status of physicians decreases the likelihood that they will question their care.

Use group decision making for health concerns.

Disability is a source of family shame. Mental illness is taboo.

Pain is not expressed, as it is considered a virtue to bear pain.

Addiction is a strong taboo.

# BOX 21-4 CULTURAL AND SPIRITUAL BELIEFS AFFECTING NURSING CARE—cont'd

#### **Hindu and Muslim**

Indians and Pakistanis do not acknowledge a diagnosis of severe emotional illness or mental retardation, because it reduces the chance of other family members getting married.

Medical beliefs are a blend of modern and traditional practice.

#### Vietnamese

Vietnamese are slow to trust authority figures because of their refugee experiences. They accept mental health counseling and interventions, particularly when they have established trust with the health care worker.

Very patriarchal society.

Although home remedies are tried first, Vietnamese are compliant with Western health care treatment after they seek such treatment.

#### Hispanic/Latino

Older family members are consulted on issues involving health and illness.

Patriarchal family—men make decisions for family.

Illness is viewed as God's will or divine punishment resulting from sinful behavior.

Prefer to use home remedies and consult folk healers known as curanderos or curanderas rather than traditional Western health care providers.

Many believe in the hot and cold theory of disease, although they may differ about what constitutes hot or cold.

#### Asian/Pacific Islander

Family- and church-oriented.

Extensive family bonds.

Key family member is consulted for important health-related decisions.

Illness is a punishment from God for wrongdoing or is caused by voodoo, spirits, or demons.

Illness is prevented through good diet, herbs, rest, cleanliness, and laxatives to clean the system.

Wear copper and silver bracelets to prevent illness.

#### **American Indian**

Oriented to the present.

Value cooperation, family, and spiritual beliefs.

Strong ties to family and tribe.

Believe good state of health exists when patient lives in total harmony with nature.

Illness is viewed as an imbalance between the person and natural or supernatural forces.

May use medicine man or medicine woman instead of or in conjunction with seeking Western health care.

Illness is prevented through rituals and prayer.

Some distrust health care providers because of historical conflicts in the United States, lack of culturally competent care, and underrepresentation of American Indians as health care providers.

Adapted from Smith, S. F., Duell, D. J., & Martin, B. C. (2004). *Clinical nursing skills: basic to advanced skills* (6th ed.). Upper Saddle River, NJ: Pearson-Prentice Hall, p 111.

People of many cultures may use complementary, alternative, or integrative modalities that can affect their health status (Box 21-5). Complementary and alternative medicines are often grouped together using the acronym CAM. The National Center for Complementary and Alternative Medicine (NCCAM, 2012) defines CAM as "a group of diverse medical and health care systems, practices, and products that are not presently considered to be part of conventional medicine." Because the public is increasingly using CAM in the United States (Barnes et al, 2002; Eisenberg et al, 1998),

#### **BOX 21-5 DEFINITIONS OF TERMS**

**Complementary therapies:** those that are used in conjunction with mainstream treatments. **Alternative therapies:** those that are used instead of mainstream medical therapies.

**Integrative therapies:** those for which there is some scientific basis for use.

From National Center for Complementary and Alternative Medicine. (2013). What is complementary and alternative medicine? Retrieved from www.nccam.nih.gov/health/whatiscam/.




**FIGURE 21-1** Complementary health care therapy is on the rise.

it is vital that the nurse have a basic understanding of various therapies, as well as their benefits and risks. For instance, a patient with diabetes may be ingesting ginger for general health or to address a concern (e.g., nausea). However, the nurse needs to know that ginger may decrease blood glucose levels (Al-Amin et al, 2006). It is possible that ginger ingestion by the patient could influence the dosage of an oral antidiabetic agent needed by the patient (Figure 21-1). The nurse will also need to consider that ginger could increase bleeding times if the patient is taking an anticoagulant (Kee et al, 2009).

The American Holistic Nurses Association (AHNA) says that holistic nursing is defined as "all nursing practice that has healing the whole person as its goal" (AHNA, 2012). Holistic nursing is an attitude, a philosophy, and a way of being; it is not just something a person or a nurse does. Vital components of a holistic nursing assessment are the identification of cultural and spiritual practices (AHNA, 2012). Nurses need to be aware of all aspects of a patient's life, as there are many factors that must be considered for providing adequate care (Migrant Clinicians Network, 2009). Having access to a comprehensive assessment tool will assist in identifying important transcultural variations for each patient (Figure 21-2).

The Joint Commission (TJC; formerly JCAHO) acknowledges a patient's right to receive care that respects his or her cultural and spiritual values: "JCAHO recommends that health care organizations (1) acknowledge patients' rights to spiritual care, and (2) provide for these needs through pastoral



**FIGURE 21-2** Giger and Davidhizar's transcultural assessment model. (From Giger, J. N., & Davidhizar, R. E. (2008). *Transcultural nursing: assessment & intervention* (5th ed.). St Louis: Elsevier.)

care and a diversity of services that may be offered by certified, ordained, or lay individuals" (LaPierre, 2003, p 219). It is imperative that nurses perform a spiritual assessment to determine the patient's individual needs (Critical Thinking Box 21-2).



## **CRITICAL THINKING BOX 21-2**

How much knowledge do you have regarding various CAM therapies, such as acupuncture, Reiki, herbal medicine, and aromatherapy? Use the NCCAM website <a href="http://www.nccam.nih.gov/health">http://www.nccam.nih.gov/health</a> to enhance your knowledge base. Identify possible referral sources for integrative therapies in your community. You never know when a patient may ask you for information and/or a referral regarding integrative therapies.

# **How Do You Assess Spiritual Need?**

Specific spiritual assessment tools can be used by the nurse as guides to determine the spiritual needs of her patients. Aspects of these tools may also be integrated into an agency assessment document or into the electronic health record. Box 21-6 lists dimensions of spirituality with corresponding assessment questions. These questions can assist the nurse in determining needs that exist in any of the six spiritual dimensions.

# BOX 21-6 DIMENSIONS OF SPIRITUALITY WITH CORRESPONDING ASSESSMENT QUESTIONS

#### **Spirit-Enhancing Practices or Rituals**

How do you express your spirituality (or philosophy of life)?

What spiritual or religious practices or activities are important to you?

How has being sick affected your spiritual practices?

How does being sick have an impact on your praying (or meditation, scripture reading, fasting, receiving sacraments, service attendance, etc.)?

How and for what do you pray?

What spiritual or religious books or symbols are helpful to you?

What effect do you expect your illness to have on your spiritual practices or beliefs?

What kinds of readings, artwork, or music are inspirational for you?

How do Holy Scriptures (e.g., Koran, Bible) help you in daily life?

How can I as a nurse help you with your spiritual practice?

How do your religious practices help you to grow spiritually?

#### **Experience of God or Transcendence**

Is religion important to you? Why or why not?

Does God/Higher Power/Ultimate Other/The Transcendence, etc., seem personal to you?

Do you feel close now?

How does God or a deity function in your personal life?

How is God working in your life?

How would you describe your God and what you worship?

What is your picture of God?

What do you feel you mean to God?

Are there any barriers between you and God? Is there anything for which you think that God could not forgive you?

How do you make sense of feeling angry with God?

How does God respond when you pray?

Do you feel a source of love from God or any spiritual being? Where is God in all this?

What kind of relationship do you have with the leader of your spiritual community (e.g., priest, rabbi, guru)?

In what ways does your spiritual community help you when times are bad?

What kinds of confusion or doubt do you have about your religious beliefs?

Are you having difficulty performing your religious duties?

#### Sense of Meaning

What gives most meaning to your life? What is the most important thing in your life?

When you are sick, do you have feelings that you are being punished or that it is God's will for you to be sick?

What are your thoughts about or explanations for suffering? Are these beliefs helpful?

What do you see as the cosmic plan/God's plan or purpose for your life?

Have you been able to answer any of the "why" questions that often accompany illness?

What, if any, have been the good outcomes from having this difficult time in life?

What, if anything, motivates you to get well?

#### Giving and Receiving Love, or Connectedness to Self (Degree of Self-Awareness) and Others

What do you do to show love for yourself?

What are some of the most loving things that people have done for you?

What are the loving things that you do for others?

How do others help you now? How easy is it to accept their help?

For what do you hope? How do you experience hope?

How have you experienced forgiveness during your life/illness (Forgiveness toward self, toward or from others and God)?

# BOX 21-6 DIMENSIONS OF SPIRITUALITY WITH CORRESPONDING ASSESSMENT QUESTIONS—cont'd

#### Sources of Hope and Strength

What helps you to cope now?

What (or who) is your source of hope? Of strength? How do they help?

To whom do you turn when you need help? Are they available?

What helps you most when you feel afraid or when you need special help?

How can I help you maintain your spiritual strength during this illness?

To what degree do you trust your future to God?

What brings you joy and peace in your life?

What do you believe in?

What do you do to make yourself feel alive and full of spirit?

#### Link Between Spirituality and Health

How does your spirituality affect your experience of being sick?

How has your current situation/illness influenced your faith?

How has being sick affected your sense of who you are (or how has being sick affected you spiritually)?

What has bothered you most about being sick (or in what is happening to you now)?

What do you do to heal your spirit?

Has being sick (or your current situation) made any difference in your feelings about God or your faith experience (or in what you believe)?

Is there anything especially frightening or meaningful to you now?

Do you ever wish for more faith to help you with your illness?

Has being ill ever made you feel angry, guilty, bitter, or resentful?

How involved in a spiritual/religious community/organization (e.g., church, temple, covenant group) are you? (As a visitor? Member? Leader?)

From Taylor, E. J. (2002). Spiritual care: nursing theory, research, and practice. Upper Saddle River, NJ: Pearson-Prentice Hall, pp 121-124.

#### CONCLUSION

As you enter the world of nursing, you will come into contact with patients from various cultures, and they will have many different spiritual beliefs (Critical Thinking Box 21-3). As nurses, we must be able to address these issues as they relate to health care. Nurses need to become "culturally competent" to understand better the health care needs of our vast, multicultural patient population. It will not be enough to recognize and accept these cultural implications; we must plan nursing and health care that will achieve the most positive patient results. Because of the melting pot of cultures in the patient population, nurses must increasingly implement a more holistic approach to providing health care. The place to begin is with each individual nurse, who must assess his or her own value system and become more culturally competent. "Cultural humility and a desire to better understand your patients are essential" (Migrant Clinicians Network, 2009).

In clinical settings, spiritual assessment tools can help the nurse gain a deeper understanding of the patient from a holistic perspective. However, these tools are merely guides and are not multipurpose checklists that can be completed all at once during an initial assessment period.

# 8

#### **CRITICAL THINKING BOX 21-3**

If your patient asked you to pray with him, would you feel comfortable? If not, what other resources could you call on to meet the spiritual needs of this patient?

# RELEVANT WEBSITES AND ONLINE RESOURCES

American Association of Colleges of Nursing: *Cultural competency in baccalaureate nursing education*, 2008. Retrieved from <a href="http://www.aacn.nche.edu/leading-initiatives/education-resources/competency.pdf">http://www.aacn.nche.edu/leading-initiatives/education-resources/competency.pdf</a>.

Deal B: A pilot study of nurses' experience of giving spiritual care, *Qual Rep* 15(4):852-863, 2010. Retrieved from http://www.nova.edu/ssss/QR/QR15-4/deal.pdf.

Lowe J, Archibald C: Cultural diversity: the intention of nursing, *Nurs Forum* 44(1):11-18, 2009. Retrieved from http://www.emfp.org/DocVault/Publications/John-Lowe-Cultural-Diversity-The-Intention-of-Nursing.aspx.

Jeffreys M: Becoming better nurses through diversity awareness, 2008. Retrieved from http://www.nsna.org/Portals/0/Skins/NSNA/pdf/Imprint\_NovDec08\_Feat\_Jeffreys.pdf.

Mayo Clinic: Spirituality and stress relief: make the connection, 2013. Retrieved from http://www.mayoclinic.com/health/stress-relief/SR00035.

Standards of Practice for Culturally Competent Nursing Care: Expert panel on global nursing & health, 2010. Retrieved from <a href="http://www.tcns.org/files/Standards\_of\_Practice\_for\_Culturally\_Compt\_Nsg\_Care-Revised\_.pdf">http://www.tcns.org/files/Standards\_of\_Practice\_for\_Culturally\_Compt\_Nsg\_Care-Revised\_.pdf</a>.

The Office of Minority Health: What is cultural competency? 2005. Retrieved from http://minorityhealth.hhs.gov/templates/browse.aspx?lvl=2&lvlID=11.

The Ohio State University: Spirituality, 2013. Retrieved from http://swc.osu.edu/about-us/spirituality/.

Transcultural Nursing: Cultural competence, 2012. Retrieved from http://www.culturediversity.org/cultcomp.htm.

University of Maryland Medical Center: Spirituality, 2013. Retrieved from http://www.umm.edu/altmed/articles/spirituality-000360.htm.

Vanderbilt University Medical Center: *Nursing diversity: religious cultures*, 2013. Retrieved from http://www.mc.vanderbilt.edu/root/vumc.php?site=nursingdiversity&doc=30099.

# **BIBLIOGRAPHY**

Agency for Healthcare Research and Quality. (2011). *National healthcare disparities report 2010*. Retrieved from http://www.ahrq.gov/qual/nhdr11/key.htm.

Al-Amin, Z. M., et al. (2006). Anti-diabetic and hypolipidaemic properties of ginger (*Zingiber officinale*) in streptozotocin-induced diabetic rats. *Br J Nutr*, *96*, 660–666.

American Association of Colleges of Nursing. (2011). Fact sheet: enhancing diversity in the nursing workforce. Retrieved from www.aacn.nche.edu/media-relations/diversityFS.pdf.

American Holistic Nurses Association. (2012). What is holistic nursing?. Retrieved from www.ahna.org/AboutUs/WhatisHolisticNursing/tabid/1165/Default.aspx.

American Hospital Association. (2012). Eliminating health care disparities: implementing the national call to action using lessons learned. Retrieved from http://www.hpoe.org/Reports-HPOE/eliminating\_health\_care\_d isparities.pdf.

American Nurses Association. (2010). *Code of ethics for nurses with interpretive statements*. Silver Springs, Md: ANA. Retrieved from http://www.nursingworld.org/MainMenuCategories/EthicsStandards/CodeofEthics forNurses/Code-of-Ethics.pdf.

Baldwin, D. M. (2003). Disparities in health care: focusing efforts to eliminate unequal burdens. Washington, DC: American Nurses Association. Retrieved from http://www.nursingworld.org/MainMenuCategories/ANAMarket place/ANAPeriodicals/OJIN/TableofContents/Volume82003/No1Jan2003/DisparitiesinHealthand HealthCare.html.

Barnes, P, et al. (2002). CDC Advance Data Report #343. Complementary and alternative medicine use among adults: United States. May 27, 2004. Retrieved from www.nccam.nih.gov/news/report.pdf.

Bokinskie, J. C., & Evanson, T. A. (2009). The stranger among us: ministering health to migrants. *J Christian Nurs*, 26, 202–209.

Callister, L. C., et al. (2004). Threading spirituality through nursing education. *Hol Nurs Pract*, *18*, 160–166. Carpenito-Moyet, L. J. (2007). *Handbook of nursing diagnosis*. Philadelphia: Lippincott, Williams & Wilkins. Eisenberg, D. M., et al. (1998). Trends in alternative medicine use in the United States: 1990-1997. *JAMA*, *280*, 1569–1575.

- Healthy People 2020: Understanding and improving health. (2012a). Washington, DC: U.S. Department of Health and Human Services. Retrieved from http://healthypeople.gov/2020/implementing/assess.aspx.
- *Healthy People 2020: 2020 topics and objectives.* (2012b). Washington, DC: U.S. Department of Health and Human Services. Retrieved from http://healthypeople.gov/2020/topicsobjectives2020/default.aspx.
- Kee, J. L., Hayes, E. R., & McCuistion, L. E. (2009). *Pharmacology: a nursing process approach* (6th ed.). St Louis, Mo: Saunders Elsevier.
- LaPierre, L. L. (2003). JCAHO safeguards spiritual care. Hol Nurs Pract, 17, 219.
- Leininger, M. (2007). Theoretical questions and concerns: response from the theory of culture care diversity and universality perspective. *Nurs Sci Quart*, 20, 9–15.
- MacLaren, J. (2004). A kaleidoscope of understandings: spiritual nursing in a multi-faith society. *J Adv Nurs*, 45, 457–462.
- Mazanec, P., & Tyler, M. K. (2003). Cultural considerations in end-of-life care: how ethnicity, age, and spirituality affect decisions when death is imminent. *Am J Nurs*, 103, 50–58.
- McGibbon, E., Etowa, J., & McPherson, C. (2008). Health-care access as a social determinant of health. *Can Nurs*, 104(7), 22–27.
- McSherry, W. (2006). *Making sense of spirituality in nursing practice: an integrative approach.* Edinburgh: Churchill Livingstone.
- Migrant Clinicians Network—cultural competency: Chico. (2009). Calif: Author. Retrieved from http://www.migrantclinician.org/services/education/training/cultural-competency.html.
- National Center for Complementary and Alternative Medicine. (2012). What is complementary and alternative medicine? Retrieved from http://nccam.nih.gov/health/whatiscam/.
- Pesut, B., et al. (2008). Conceptualizing spirituality and religion for healthcare. *J Clin Nurs*, *17*(21), 2803–2810. Purnell, L. D., & Paulanka, B. J. (2008). *Transcultural healthcare: a culturally competent approach* (3rd ed.). Philadelphia: FA Davis.
- Sawatzky, R., & Pesut, B. (2005). Attributes of spiritual care in nursing practice. J Hol Nurs, 23, 19-33.
- Smedley, B. D., Stith, A. Y., & Nelson, A. R. (2003). *Unequal treatment: confronting racial and ethnic disparities in health care, Institute of Medicine report.* Washington, DC: National Academy Press.
- Spector, R. E. (2000). Cultural diversity in health and illness. (5th ed.). Upper Saddle River, NJ: Prentice-Hall Health, as cited in Ignatavicius, D. & Workman, L. (2008). Medical-surgical nursing: critical thinking for collaborative care. St Louis: Elsevier.
- Stewart, M. (January–February, 1998). Nurses need to strengthen cultural competence for next century to ensure quality patient care. Washington, DC: NursingWorld. Retrieved from www. nursingworld.org/MainMenu Categories/ANAMarketplace/ANAPeriodicals/TAN/1998/TANJanFeb98FeaturesCulturalCompetence.aspx.
- White-Means, S., Dong, Z., Hufstader, M., & Brown, L. T. (2009). Cultural competency, race, and skin tone bias among pharmacy, nursing, and medical students. *Med Care Res Rev*, 66, 436–455.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.


# 22

# **Quality Patient Care**

Tess (Theresa) M. Pape, PhD, RN, CNOR, CNE

Anyone who has never made a mistake has never tried anything new.

Albert Einstein



By working together using Improvement Science, we can rebuild our health care system.

After completing this chapter, you should be able to:

- Define quality standards in health care management.
- Describe the history and evolution of quality in health care.
- Define and discuss core measures.
- Identify the role of regulatory agencies in health care quality.
- Discuss the use of key indicators to measure performance.
- Describe your role in quality and performance improvement.
- Identify tools and processes for continuous quality improvement.
- Identify the role of regulatory standards and agencies.
- Incorporate successful process improvement strategies.
- Consider the value and requirements of quality credentialing.

You may wonder why nurses need to know about quality issues to provide patient care. All nurses know that they should provide high-quality care, right? Of course they do—at least in an ideal world—but many new graduates soon discover that not all nurses do the right thing all the time for the patient and the health care environment. That is why we have quality improvement departments within health care settings. Someone must monitor quality care compliance. According to the Institute of Medicine (2011), the

enactment of the Affordable Care Act will require nurses to play a key role in transforming health care to provide higher-quality and safer care than ever before, and to be involved at every level to redesign the system to improve the quality of care.

Look at almost any news show or sensational tabloid, and you will find health care errors featured. Today more than ever, these incidents seem to have become the focus of news stories. Who or what makes this happen?

Issues that are on the forefront of news will take precedence over those that are routine or commonplace. Recently, medical errors have become of primary concern. Quality-assurance departments have the job of helping nurses and health care team members avoid errors by implementing various prevention methods. They also ask for the help of nurses in mobilizing process improvement teams that work to identify risk areas and develop prevention plans. Quality care can be likened to fire prevention instead of firefighting. Illegible handwriting continues to contribute to errors and has led to regulations about what medical abbreviations are appropriate. (See Table 11-1, The Joint Commission Official "Do Not Use" List of Abbreviations.)

In the 1980s, the topic of human immunodeficiency virus (HIV) and hepatitis B virus caused an increased use of gloves to prevent the transmission of infection. The increased need for more gloves led to a need to produce them quickly, which resulted in the introduction of foreign supplies of latex gloves. More latex allergies surfaced. In the 1990s, more emphasis was placed on using needleless systems to prevent needle stick injuries, resulting in legislation to increase the number of needless devices used. In the 2000s, there has been concern and controversy regarding the nursing shortage and access to health care. In the 2010s, increasing demands will continue to be placed on nurses and health care providers to provide high-quality care with less money and fewer resources. Each decade brings new topics that need to be addressed with quality initiatives, demonstrating how history and events shape the quality paradigm.

#### STANDARDS OF QUALITY HEALTH CARE MANAGEMENT

Several agencies have established standards that guide quality in health care. Some of these include the American Nurses Association (ANA) Standards of Nursing Care, accrediting group standards such as those of The Joint Commission (TJC), which accredits health care organizations. The Agency for Healthcare Research and Quality (AHRQ) has established clinical practice treatment guidelines. These guidelines are designed to improve patient outcomes and reduce costs. Each health care facility also sets its own standards of practice.

TJC publishes monthly a sentinel event alert. A *sentinel event* is an unexpected occurrence involving death or loss of limb or function. Such events are called "sentinel," because they sound a warning of the need for immediate investigation and response (Figure 22-1) (The Joint Commission [TJC], 2013a).

Without continual growth and progress, such words as improvement, achievement, and success have no meaning.

—Benjamin Franklin

# What Is Root Cause Analysis?

When errors occur, the primary cause needs to be determined so that a solution can be found. *Root cause analysis* (RCA) is a process designed for use in investigating and categorizing the root causes of




FIGURE 22-1 Root causes of sentinel events.

events that occur. In the health care setting, there are many factors that can contribute to the cause of errors. Rather than placing blame on any one person or thing, RCA, when conducted appropriately, can identify all factors leading to the error. A hospital's risk management department often conducts an RCA, and the results are presented to the *quality improvement* (QI) department for follow-up action. The role of the QI department is to become proactive at finding ways to prevent similar incidents from occurring.

Imagine an occurrence during which a nurse administers the wrong dose of a medication instead of the correct dose. The typical investigation would probably conclude that the nurse was at fault. However, if the analysis stops here, the reasons for the mistake may not be fully understood, and we may never discover what to do to prevent the error from occurring again.

In the case of the nurse who gave the wrong dosage of medication, we are likely to make recommendations such as reprimanding the nurse, reeducating the nurse, and reminding all other nurses to be alert when administering the same medication. However, this does little to resolve the real problem. That is because medication administration involves a complex set of steps to provide the correct medication to the correct patient in a timely manner. Many things contribute to medication errors, as nurses encounter problems within the system, work-design problems, or human and environmental factors. This means that there may be problems getting medications to the nursing unit, or there may be problems with the labels.

Common causes of medication errors include wrong-dose errors, lack of drug knowledge, rule violations, slips, memory lapses, inadequate monitoring, misuse of infusion pumps, faulty-dose checking and failure to identify the correct drug, medication stocking problems, and using the wrong technique. System failures include lack of easy access to drug information, look-alike packaging, sound-alike drug names, transcription errors, lack of patient information, poor communication, distractions, interruptions, and excess workloads (Pape, 2003). The environment plays a part because of the many distractions the nurse must attend to.




FIGURE 22-2 Root cause factor flow diagram.

The environment and behavior are as much a part of the system as are the processes within the organization. Nurses are often interrupted as they prepare medications for their patients. Sometimes the lighting is bad, or there is a great deal of noise and confusion that can distract a nurse. Technology can be helpful and is an integral part of the system components, but it cannot address the human factors and issues. Therefore, each aspect of medication errors should be considered when evaluating a cause-and-effect relationship of medication errors (Pape, 2006).

A root cause factor flow diagram should be generated to find the real origin of the error. As an example, Figure 22-2 depicts a simplified version of the root cause analysis performed. As the investigation proceeded, it became evident that a look-alike vial meant that the nurse was not entirely at fault. In addition, distractions and hurriedness also contributed to the error.

# HISTORY AND EVOLUTION OF QUALITY IN HEALTH CARE

The advent of quality in health care began when hospitals found the need to look outside their own expertise for error prevention strategies. The year is not as important as the fact that health care organizations found a need to borrow from other industries that were successful at managing risk.

Manufacturing industries began focusing on error prevention in the early 1920s, whereas the evolution of improved quality techniques in health care was not adopted until the 1960s, and quality techniques are still evolving.

Historically, the focus of quality improvement was in controlling processes by inspection so that errors were prevented. Later, the emphasis changed from inspection to proactive approaches to error prevention. Included with prevention are monitoring processes to control errors.

# Who are Edward Deming, Joseph M. Juran, and Philip Crosby?

Edward Deming is often considered the father of quality improvement, although quality concepts have developed and have improved throughout several decades. What once began simply as a method for discovering how to prevent defects has evolved into highly skilled methods for tracking and improving quality today. Deming's teachings embraced the philosophy that quality is everyone's responsibility within an organization.

Another valuable forefather of quality initiatives is Joseph M. Juran, who emphasized the meaning of the Pareto principle. This principle means that 80% of problems are caused by 20% of sources, people, or things. Therefore if you can fix the 20%, you can fix almost the entire system. Juran's work marked the beginning of the idea of *total quality management* (TQM).

Philip Crosby is considered the father of "zero defects." He often proposed simplifying things so that everyone could understand. (Where was he when your Nursing Fundamentals textbooks were written? (a) He also believed in the importance of communicating quality efforts and their results to the entire organization. Afterward, ideas such as "lean" manufacturing, "just-in-time" product delivery, and "Six Sigma" methods crossed over into health care.

Recently, there has been a real change in how we view quality improvement within health care settings. What once was considered work only for the QI department is now brought to the frontline workers, who can best affect the outcomes. By frontline workers, we mean the nurses at the bedside and other workers in direct patient care areas who know the problems that need to be resolved. This is also termed *Improvement Science*. An ongoing commitment to improvement strategies supports an atmosphere of teamwork. The focus is on the process rather than on blaming the people who are doing the work according to what they have been taught (Figure 22-3).

Still, the regulation of health care is conducted at the national level by regulatory governmental bodies. These government agencies are responsible for approving many of the licenses for educational institutions that educate personnel. Examples of government agencies that regulate nursing include state boards of nursing. Institutional accreditation is also conducted by some government agencies. That is why knowledge of what these regulatory agencies do is important. The Joint Commission (TJC) is the primary agency used for hospital accreditation. The Commission's role has not changed, just the name (from JCAHO to The Joint Commission [TJC]).

The mere mention of a visit by TJC can strike fear in the minds of nurses and hospital administrators. This is because hospitals must meet certain quality standards to pass TJC's inspections to maintain accreditation, and achieving accreditation is required to receive government funding for the health care provided. In the 1990s, TJC first began to mandate the use of *continuous quality improvement* (CQI) and to recommend that organizations adopt a quality improvement model for all process improvement activities. TJC typically endorses the use of the *plan–do–study–act* cycle (PDSA) as one tool for process improvement.

Some hospital QI departments have combined newer strategies with PDSA, including *define–measure–analyze–improve–control* (DMAIC) and *rapid cycle changes* (RCCs), which further incorporate a team focus. These are components of CQI, but more discussion of these methods will come later. TJC has also mandated specific quality outcome measures for all hospitals. Outcome measures mean



FIGURE 22-3 Bedside nurses often have great ideas!

looking for real patient results to determine whether the organization's goals were achieved. TJC wants to know if the care that patients receive is meeting standards or is improving.

# WHAT ARE CORE MEASURES?

Core measures include those for patients admitted with a diagnosis of acute myocardial infarction, congestive heart failure, community-acquired pneumonia, surgical-infection prophylaxis, pregnancy-related conditions, deep vein thrombosis, and whether specific best practices were implemented within the health care setting. These measures are those that the public consumer considers important for choosing one hospital over another.

Hospitals must continue to assess the core measures that were developed by The Joint Commission. There are 33 core measures divided into 4 categories (Acute Myocardial Infarction, Heart Failure, Pneumonia, and the Surgical Care Improvement Process), as defined by the Centers for Medicare & Medicaid Services (CMS). The goal is to improve the quality of health care by implementing a national standardized performance measurement system. Key actions are listed in each category that define the best research-based care process that is appropriate for that category. By tracking these core measures, hospitals improve patient care by focusing on the results of that care. CMS will soon start monitoring separate sets of core measures: one for adults and one for children. This information is available from the CMS website at cms.gov (Centers for Medicare & Medicaid Services, 2013a).

## WHAT IS HCAHPS?

HCAHPS is a national program for collecting and providing health care information from the consumer perspective, and the results are used to improve health care services. HCAHPS refers to the Hospital Consumer Assessment of Health Plans Survey. The patient survey was developed for public

reporting as a way to compare hospitals across the continuum of patient care. The HCAHPS contains ratings of communication, responsiveness, pain management, discharge information, cleanliness of the hospital environment, and quietness of the hospital environment (HCAHPS, n.d.).

#### WHAT IS HOSPITAL COMPARE?

The Hospital Compare website is designed so consumers can compare how well selected hospitals serve to provide the care recommended to their patients. This information is provided through the efforts of Medicare and the Hospital Quality Alliance so consumers make informed decisions about health care. The performance measures that can be compared include information related to heart attack, heart failure, pneumonia, surgery, and other conditions (Centers for Medicare & Medicaid Services, 2013b). Consumers can go to <a href="http://www.healthcare.gov">http://www.healthcare.gov</a> and search by zip code to compare hospitals and prescribers.

## **JUST WHAT IS THE JOINT COMMISSION?**

The Joint Commission (TJC) is the major accrediting body for health care institutions that are funded by Medicare and Medicaid. The Center for Medicare & Medicaid Services (CMS) is a part of the U.S. Department of Health and Human Services. Both organizations set the standards for safe practice and evaluate compliance. Having TJC accreditation symbolizes the organization's commitment to quality. This means that nearly all hospitals must be TJC accredited to stay in business.

In the past, TJC standards have directly addressed patient safety in many areas. Beginning on July 1, 2001, additions to these standards required hospitals to develop a systematic approach to error reduction and to design patient care processes with safety in mind. For CQI initiatives, TJC recommends using things such as flow charts, Pareto charts, run charts or line graphs, control charts, and histograms to display data. We call these "tools" or "instruments," because they help depict the measurements and track the problems and improvements. After the data have been collected, these tools help visualize results of performance improvement understood by most nurses. Other valuable tools are discussed later.

# What Are Patient Safety Goals?

A primary driving force for CQI activities is TJC's National Patient Safety Goals (NPSG). In 2001, TJC began instituting annual patient safety goals intended to improve the quality of health care. The hospital national patient safety goals are summarized in Box 22-1 (The Joint Commission [TJC], 2013b).

TJC's Board of Commissioners approved the first NPSGs in July 2002. TJC established these goals to help accredited organizations address specific areas of concern regarding patient safety. Each goal includes brief, evidence-based recommendations. Evidence-based means the goals are based on real-world research and/or expert opinions. Each year, the goals and associated recommendations are reevaluated; most are continued and others may be replaced because of emerging new priorities or evidence from research studies. New goals and recommendations are announced in July and become effective on January 1 of the following year (TJC, 2013b); for more information on the NPSGs for specific organizations, one can access TJC's website.

# MONITORING THE QUALITY OF HEALTH CARE

It is important for nurses to know how to design and conduct simple quality improvement projects to improve processes within their nursing units. Nurses need to know the basics of collecting and analyzing data, and what to do with the results. They must be able to teach other nurses about performance improvement as well.

# BOX 22-1 THE 2012-2013 JOINT COMMISSION HOSPITAL NATIONAL PATIENT SAFETY GOALS

**Goal 1:** Use at least two ways to identify patients, such as using the patients' names and dates of birth. Make sure that the correct patient receives the correct blood during a blood transfusion.

**Goal 2:** Improve the effectiveness of communication among caregivers. Get important test results to the right staff person on time.

**Goal 3:** Improve the safety of using medications. Before a procedure, label medicines that are not labeled, for example, medicines in syringes, cups, and basins. Do this in the area where medicines and supplies are set up. Take extra care with patients who take medicines to thin their blood. Record and pass along correct information about a patient's medicines.

Goal 4: Improve the safety of using infusion pumps.

**Goal 7:** Reduce the risk of health care—associated infections. Use the Centers for Disease Control and Prevention (CDC) hand hygiene guidelines or the current World Health Organization (WHO) hand hygiene guidelines. Implement evidence-based practices to prevent health care—associated infections caused by multidrug-resistant organisms in critical access hospitals.

Goal 8: Accurately and completely reconcile medications across the continuum of care.

Goal 9: Reduce the risk of patient harm resulting from falls.

Goal 13: Encourage the active involvement of patients and families in the patient's care as a patient safety strategy.

Goal 14: Prevent health care—associated pressure ulcers.

**Goal 15:** The organization identifies safety risks inherent in the patient population.

**Goal 16:** Improve recognition and response to changes in patient's conditions.

#### Universal Protocol – The Organization Meets The Expectations of The Universal Protocol

For more information on the National Patient Safety Goals, visit the Joint Commission website: www.jointcommission.org/ PatientSafety/NationalPatientSafetyGoals/.

#### Universal Protocol For Eliminating Wrong Site, Wrong Procedure, Wrong Person Surgery

The Universal Protocol applies to all surgical and nonsurgical invasive procedures that use general anesthesia or deep sedation.

#### **Preoperative Verification Process**

The Joint Commission believes that delegation of site marking to another individual is acceptable in limited situations as long as the individual is familiar with the patient and involved in the procedure.

Note: Site marking is not required when the individual doing the procedure is continuously with the patient from the time of the decision to do the procedures through to the performance of the procedure.

#### Performance for UP.01.02.01

Identify those procedures that require marking of the incision or insertion site. At a minimum, sites are marked when there is more than one possible location for the procedure and when performing the procedure in a different location would negatively affect quality or safety.

Note: For spinal procedures, in addition to preoperative skin marking of the general spinal region, special intraoperative imaging techniques may be used for locating and marking the exact vertebral level.

Mark the procedure site before the procedure is performed and, if possible, with the patient involved.

A licensed independent practitioner, who is ultimately accountable for the procedure and will be present when the procedure is performed, marks the procedure site. In limited circumstances, the licensed independent practitioner may delegate site marking to an individual who is permitted by the organization to participate in the procedure and has the following qualifications:

- An individual in a medical residency program who is being supervised by the licensed independent practitioner performing
  the procedure; who is familiar with the patient; and who will be present when the procedure is performed.
- A licensed individual who performs duties requiring a collaborative agreement or supervisory agreement with the licensed
  independent practitioner performing the procedure (i.e., an advanced practice registered nurse [APRN] or physician assistant
  [PA]); who is familiar with the patient; and who will be present when the procedure is performed.

The method of marking the site and the type of mark is unambiguous and is used consistently throughout the hospital.

# BOX 22-1 THE 2012-2013 JOINT COMMISSION HOSPITAL NATIONAL PATIENT SAFETY GOALS—cont'd

Note: The mark is made at or near the procedure site and is sufficiently permanent to be visible after skin preparation and draping. Adhesive markers are not the sole means of marking the site.

A written, alternative process is in place for patients who refuse site marking or when it is technically or anatomically impossible or impractical to mark the site (for example, mucosal surfaces or perineum).

Note: Examples of other situations that involve alternative processes include:

- Minimal access procedures treating a lateralized internal organ, whether percutaneous or through a natural orifice.
- Interventional procedure cases for which the catheter/instrument insertion site is not predetermined (e.g., cardiac catheterization, pacemaker insertion).
- · Teeth.
- Premature infants, for whom the mark may cause a permanent tattoo.

#### Performance for UP.01.03.01

- A time-out is performed before the procedure.
- The purpose of the time-out is to conduct a final assessment so that the correct patient, site, and procedure are identified. This requirement focuses on those minimum features of the time-out. Some believe that it is important to conduct the time-out before anesthesia for several reasons, including involvement of the patient. A hospital may conduct the time-out before anesthesia or may add another time-out at that time. During a timeout, activities are suspended to the extent possible so that team members can focus on active confirmation of the patient, site, and procedure.
- A designated member of the team initiates the time-out, and it includes active communication among all relevant members
  of the procedure team.
- The procedure is not started until all questions or concerns are resolved. The time-out is most effective when it is conducted
  consistently throughout the hospital.

#### Elements of Performance for UP

Conduct a time-out immediately before starting the invasive procedure or making the incision.

The time-out has the following characteristics:

- It is standardized, as defined by the hospital.
- · A designated member of the team initiates it.
- It involves the immediate members of the procedure team, including the individual performing the procedure, the anesthesia providers, the circulating nurse, the operating room technician, and other active participants who will be participating in the procedure from the beginning. When two or more procedures are being performed on the same patient, and the person performing the procedure changes, perform a time-out before each procedure is initiated.

During the time-out, the team members agree, at a minimum, on the following:

- Correct patient identity.
- · The correct site.
- The procedure to be performed.
- Document the completion of the time-out.

Note: The hospital determines the amount and type of documentation.

From http://www.jointcommission.org/assets/1/18/NPSG\_Chapter\_Jan2013\_HAP.pdf.

# What Is Quality Improvement?

Quality improvement (QI) refers to the process or activities that are used to measure, monitor, evaluate, and control services, so that we can provide some measure of confidence to our health care consumers. It includes reports that must be generated to track progress. Incidence reports are sometimes referred to as QI reports or variance reports. These help guide the hospital risk management (RM) department and QI department to make system improvements (Box 22-2).

#### BOX 22-2 COMMON QUALITY TERMS

Audit: A formal periodic check on quality measures to verify correctness of actions.

**DMAIC:** A Six Sigma process for improving existing processes that fall below institutional goals or national norms. DMAIC stands for *define, measure, analyze, improve, control*.

**Key indicators:** Selected data based on TJC mandates or on specific problem areas that may show the need for more extensive data collection or remedial action to resolve an identified problem (e.g., fall rates, medication error rates).

**Key performance indicators (KPI):** Reflect the things that the team wants to change. These are a part of the DMAIC and RCC process. Typical KPIs are time, costs, distance, numbers of incidents, or items.

**Metric:** A measurement to determine the rate of compliance or noncompliance with an indicator.

**Monitor:** Similar to auditing; checking or verifying that an established practice has been retained.

**Operational definitions:** A statement detailing the thing or event using specific identifiable and measurable wording with written inclusion and exclusion criteria.

**Outcome or core measures:** Measures that the public consumer considers important for choosing one hospital instead of another.

**Pareto principle:** 80% of the problems are caused by 20% of sources, people, or things. If you can fix the 20%, you can fix the system.

Patient safety goals: Annual goals established by TJC that highlight problematic areas in health care and describe evidence and expert-based solutions to these problems. Goals are derived primarily from informal recommendations made in TJC's safety newsletter, Sentinel Event Alert.

**Performance improvement:** A plan and documentation method to demonstrate the procedures that have been used in the past and those that will be implemented for changes in the quality of services based on this previously collected data.

Plan-do-study-act (PDSA): Contained within an RCC for planning, doing, studying, and performing actions intended to drive and maintain change.

**Quality assurance:** Activities that are used to monitor, evaluate, and control services to provide some measure of quality to consumers.

**Quality indicators:** Data that indicate whether high-quality care is being maintained. Items of concern that have arisen because of a nursing practice problem (e.g., Foley catheter securing).

**Rapid cycle changes (RCCs):** A strategy for process improvement as a part of DMAIC where changes are tried for very short time frames (3 to 7 days).

**Six Sigma:** A measurement standard in product variation that began in the 1920s when Walter Shewhart showed that three sigma from the mean is the point where a process requires correction. No fewer than 3.4 errors per million opportunities.

**Stakeholders:** Key people who will be affected by change and who can either positively or negatively influence the improvement. **Total quality management (TQM):** A management style where the goal is producing quality services for the customer and where the customer defines what *quality* means.

# **How Do We Monitor Quality?**

As stated earlier, someone must monitor quality care compliance; otherwise, people tend to go back to their old ways of doing things. The QI department is typically the department that receives data, analyzes trends, and recommends actions to facilitate improvement in the organization. However, there should also be a Continuous Quality Improvement (CQI) Council as a primary decision-making nursing team, as well as *quality circles* (QCs) that function along service lines, collaborating to improve care for a group of patient types.

Examples of service lines include surgical units, medical units, neurological units, rehabilitation units, and outpatient units. These teams of nurses and other staff review specific problems or indicators each month to determine whether quality care is being delivered. The idea is to keep patients safe by encouraging everyone to practice according to established standards. Each service line provides an annual quality plan for the following year, based on recent problem areas or hot topics identified.

TABLE 22-1	INDICATOR AND METRIC DESCRIPTORS
INDICATOR	METRIC DESCRIPTORS
Admission documentation	Metric 1—Rate of patient's identified learning needs not documented within 24 hours of admission.  Metric 2—Rate of skin assessment (Braden scale) not documented within 24 hours of admission.  Metric 3—Rate of patient's identified spiritual needs not documented within 24 hours of admission.
Foley securing	Metric 1—Rate of Foley catheters not secured in place according to the procedure described in Potter and Perry.
IV tube labeling	Metric 1—Rate of continuous flow IV tubing that has not been labeled with the date and time it needs to be changed.
	Metric 2—Rate of intermittent flow tubing (IVPB) has not been labeled with the date and time it needs to be changed.
Skin care	Metric 1—Rate of high-risk patients, as defined by the Braden scale (<17), who have pressure ulcers within 2 to 4 days of admission.
	Metric 2—Rate of those patients with pressure ulcers that are:
	Stage 1 Stage 2
	Stage 3
	Stage 4
	Eschar
TORAV/VORAV Telephone or verbal orders	Metric 1—Rate of telephoned physician's orders that did not contain read back verification by using "TORAV" (telephone order read back and verified) documentation with signature of person taking the order on the first two charts of each odd-numbered day.

Because it is impossible to track everything that nurses consider important to quality care, QCs use various methods to prioritize or target their reviews. They establish unit-specific *quality indicators* for tracking problems on the nursing unit using measurable questions that provide data for trending improvements.

#### What Is an Indicator and a Metric?

A *quality indicator* is an item of concern that has arisen because of a nursing practice problem. It is often a risk management problem as well. For example, a quality team may have identified a problem with securing urethral catheters properly. This seems to be a recurrent issue. Perhaps several patients had urethral catheters that were inadvertently pulled out. After some investigation and collecting baseline data, the problem was identified as having to do with not securing the catheters properly. Thus the team will collect data for a specific time and will track the nurses' practices. They would count the number of urethral catheters not secured correctly and divide that by the total number of urethral catheters during a specific time frame to obtain the rate. The metric or measure is the actual rate of urethral catheters that are secured properly (Table 22-1). The correct practice would be clarified with all nurses according to an established policy. Later, when most of the nurses were securing urethral catheters correctly, there may not be a need to monitor this particular practice any longer. In essence, the indicator is the problem, and the metric is the measurement of that problem.

A unit-based quality improvement (QI) nurse is usually assigned the responsibility to audit charts or to verify a procedure by direct observation to determine compliance with a specific nursing practice. The results are compiled and sent to the QI department. After nurses are reeducated about the correct practice, the same indicator is tracked for several months to see whether there has been an improvement. This is done until noncompliance reaches preestablished criteria (e.g., below 5%) and/or compliance is 95%.

# **CRITICAL THINKING** BOX 22-1

An audit review committee composed of the quality coordinator, three nurses, two case managers, a physical therapist, and a pharmacist, was charged with the task of reviewing the care for patients undergoing total hip replacement surgeries. The patients' care did not seem to conform to the expected length of stay (LOS) as established by Medicare DRG reimbursement charts. As committee members reviewed the chart and discussed the care of all 20 patients, they noted that Mr. Garcia had been ready for discharge at 10:00 AM on Tuesday, but the case manager for that nursing unit was not able to place him in a rehabilitation unit until 48 hours later. Many of the other 19 charts depicted similar scenarios. As a result, the hospital was not reimbursed for the entire LOS, at a loss of approximately \$4000 per incident.

- 1. Who is responsible for the error?
- 2. What do you think should be done in this situation?
- 3. What steps (if any) can be taken to prevent this situation from occurring in the future?

Indicators are sometimes selected based on a risk management issue. For example, a patient may have suffered an injury because a catheter was not secured to her thigh correctly. The critical thinking exercise (Critical Thinking Box 22-1) can help you discover another example of how important chart auditing can be.

Table 22-1 shows some examples of metrics. Metric descriptors contain more detailed information about what is to be measured and what is not measured. For example, if bedside nurses were measuring the rate of IV tubing labeled according to policy, they would further define what type of IV tubing is used. Further exploration would determine whether data should include only primary IV lines or both primary and piggyback lines. Most likely, the metrics would include both, but it is always best to be specific about what is to be counted. TJC surveyors typically look at these details.

Of primary importance, metrics and key indicators are developed after baseline data have been collected and careful consideration has been given to how things really exist before any actions toward improvement are implemented. Improvement should not be based on hearsay or what someone thinks the problems are. When collecting baseline data, the QI nurse does not tell anyone what indicator is being measured. In this way, the true patterns of clinical practice can be discovered. Otherwise, the results will not be as accurate or would be skewed.

The results of the data are analyzed on a monthly or quarterly basis by the QI department. They are tracked and trended with graphic displays, such as run charts or graphs, or bar graphs. Written committee reports are prepared to explain the graphs and to keep a record of the findings. Based on the results over time, new processes may need to be developed or more education done. The QI department personnel generally develop the final reports for major hospital committees, for the Chief Nursing Officer, and for other Councils. Such reports are usually reviewed at each Joint Commission visit. Thus we see that the contributions of each bedside nurse and the unit QI nurse are quite valuable in TJC survey process. TJC often commends hospitals based on their QI efforts.

#### What Are Core Measures?

TJC mandates that organizations continuously track certain core measures so as to monitor quality care. Some of these include advance directives, autopsy rates, leaving against medical advice (AMA) and elopement rates, blood-product use rates, blood-transfusion reaction rates, code blue rates, conscious-sedation complication rates, fall rates, medication error rates, mortality rates, pain management effectiveness, restraint use, perinatal care, rates of deep vein thrombosis, and surgical-site infection rates. Simply put, these remain a part of TJC accreditation standards. Core measures are selected based on TJC problem areas that tend to recur. These may show the need for more extensive data collection or remedial action to resolve an identified problem. Regardless of whether there is improvement, TJC core measures must be continually tracked.

# What Is Performance Improvement?

Performance improvement (PI) is synonymous with quality improvement (QI), and the terms are used interchangeably. Today, Improvement Science is the term often used, because the process has become very data driven. PI is a plan and documentation method that demonstrates what the standard procedures will be for nurses and others within the hospital. It includes changes that have been implemented based on previous data collection. PI is similar to the nursing process (assess, diagnose, plan, implement, and evaluate). Often QI nurses are called on to conduct small data collection processes and provide reports. Critical Thinking Box 22-2 provides a sample scenario so you can try out these skills.

# Ø

# **CRITICAL THINKING BOX 22-2**

#### **Metrics and Indicators**

Your nursing unit has experienced a problem with the IV tubing not being labeled to show when it needs to be changed. You are the QI (quality improvement) nurse who must collect data for a process improvement project. The nurse manager has asked you to determine baseline data for a month and report your findings to her.

- 1. How would you go about doing this?
- 2. What would be your indicators?
- 3. What would be the metrics?
- 4. Pretend that you have some results after a month. How will you report the information to the manager?

After the Risk Management (RM) and Quality Improvement (QI) departments assess performance within the hospital system regarding the patient care services rendered, a diagnosis of sorts is made that demonstrates where the majority of problems lie. We often use the Pareto principle by looking for the 20% of sources that caused 80% of the problems. Planning involves fixing the 20% that contributed to the problem. Implementation occurs as new strategies are put into place to resolve the problems or errors. Evaluation takes place as data are collected through time, demonstrating compliance or noncompliance with the new technique. If noncompliant, in-service education may be conducted to emphasize the problem areas, and the measurement process continues.

The United States Pharmacopeia (USP) has played a major role in collecting and trending medication error rates related to patient deaths. This organization has existed since 1820 to promote quality standards for medication use. In 1991, the USP began more intense investigation on prevention of medication errors. This organization has been instrumental in focusing on problems with both the product and the system where medications are prescribed, dispensed, administered, and used. Many hospitals establish medication policies and quality initiatives based on USP standards (United States Pharmacopeia [USP], 2013a).

One important quality initiative started by the USP is that of the ongoing MEDMARX study, in which hospitals can enter their medication error data in an effort to help other hospitals understand why errors occur. MEDMARX reports help hospital QI departments and nurses avoid similar errors in the future (USP, 2013b).

# What Are the Barriers to Quality Improvement?

One of the primary barriers to implementing effective QI programs is cost. The cost of providing high-quality services within the health care organization has increased greatly during the past few decades. This is because of decreased payments from health insurance companies, including Medicare

and Medicaid, as well as to the increased costs of doing business. Health care organizations continue to look for ways to cut expenses by reducing the high cost of supplies or by reducing staff. However, with the continuing shortage of qualified registered nurses, reducing the number of nurses is neither advisable nor acceptable, especially when we think about the errors that can occur as a result. Nevertheless, improving quality can help offset many of the internal costs of care. When quality is high, liability costs are typically low and vice versa. Liability risks are often reduced as quality initiatives prevent problems from happening. Soon, the organization begins to reap the rewards of "fire prevention" rather than constant "firefighting." After the hospital organization realizes that the cost of a lawsuit for each death or disability related to a medication error far outweighs the cost of nurses, then quality becomes critical.

Other barriers to QI are nurses' loyalty to old practices and failure to recognize that changes are needed. Hospital administrators often oppose change of any kind, because they may value traditional practices, have an authoritative management style, or may not value innovators.

Nurses are often unaware of the need to change or are unwilling to change their practice from the way they have always done things. Many practicing nurses remain resistant to change, because it seems threatening and because it requires effort, retraining, and restructuring of habits. However, if we always do things the same old way, we will always receive the same results, which might not be good.

Many nurses have learned about how evidence-based practice (EBP) can help them in evaluating current practice. By looking into research studies about hospital issues and using EBP, nurses can make process changes that are tested in practice. This new knowledge provides the confidence nurses need when telling patients, physicians, and other nurses why they used specific practices. In addition, it is important to remain a lifelong learner of new information, especially because there is always uncertainty in decision-making.

# WHAT ARE SOME OTHER AGENCIES INFLUENCING PATIENT SAFETY?

The National Patient Safety Foundation (NPSF) is a nonprofit organization that for years has demonstrated a commitment to patient safety in health care by providing resources for both health care providers and consumers. Part of their mission is to promote understanding among caregivers and consumers. The NPSF holds an annual conference where patient safety knowledge is shared, and where patient safety research results are presented. The organization also funds research to improve safety and quality care (National Patient Safety Foundation, 2013).

The Institute for Healthcare Improvement (IHI) is another nonprofit organization that is highly involved in patient safety initiatives. Founded in 1991, the IHI works to advance quality improvements, and conducts seminars and conferences on patient safety topics. Their website has free open school courses in quality, and anyone can take these mini-courses. They are also involved in helping organizations implement patient safety ideas. They offer learning modules in their "open school," where continuing education units or credits are offered (Institute for Healthcare Improvement, 2013).

The Quality and Safety Education for Nurses (QSEN) site has been developed to help prepare future nurses who will be needed in their health care environments to improve patient safety. The idea is to teach student nurses how always to be thinking about how to improve care for patients. It began in 2005 when the American Association of Colleges of Nursing (AACN) emphasized the importance of quality improvement systems thinking in nursing education. They said that nurses today need to begin their nursing careers with knowledge about how to create and continuously improve systems of care.

Funded by the Robert Wood Johnson foundation, the QSEN project group came up with six competencies for teaching quality improvement. The six core competencies include: patient centered care, teamwork and collaboration, evidence-based practice, quality improvement, safety, and informatics. QSEN was developed with the help of 15 faculty members from across the nation. Within each category are specifics about knowledge, skills, and attitudes.

In 2012, the QSEN project transitioned into the Case Western Reserve University QSEN Institute. A textbook has been published entitled *Quality and Safety in Nursing: A Competency Approach to Improving Outcomes* that is designed to have a lasting impact on nursing education. Continued focus of the institute's important work will be on educating faculty in graduate programs to teach quality and safety competencies (Quality and Safety Education for Nurses, 2013).

The Institute of Medicine (IOM) was established in 1970 as a nonprofit organization whose goal is to supply unbiased health care information so health care providers could make informed health decisions by providing reliable research evidence. This organization is responsible for several patient safety publications such as To Err is Human: Building a Safer Healthcare System; Keeping Patients Safe: Transforming the Work Environment of Nurses; Crossing the Quality Chasm: A New Health System for the 21st Century; and the Future of Nursing Report—The Future of Nursing: Leading Change, Advancing Health (Institute of Medicine [IOM], 2013). In The Future of Nursing Report, the IOM lays out important information that promotes nursing and nurses and their role in quality care. The report names nurses as key figures in promoting the needed changes to support health, prevent illness, and care for all kinds of people. A successful and safe health care system rests on the future of nursing. Nurses have specific strengths in such areas as care coordination, health promotion, and quality improvement, and they need the required education to promote quality measures. Nurses can fill new and expanded roles in a redesigned health care system. This will require that nurses be allowed to practice in accordance with their professional training, and they will need higher levels of education, which will better prepare them to deliver patient-centered, equitable, safe, high-quality health care services. They must be able to engage with physicians and other health care professionals to improve care and assume leadership roles in the redesign of the health care system. In this new system, primary care and disease prevention are the drivers of the system. Payment is based on value not quantity of services performed, which should slow the increasing costs of health care (IOM, 2011).

Change is vital, improvement the logical form of change.

—James Cash Penney

# QUALITY IMPROVEMENT METHODS

There are several methods used with quality improvement. Whatever approach is used, the values of the institution will be evident in the quality plan. For example, if an organization places emphasis on worker injury prevention, their CQI program will include this idea. Leadership personnel must be genuinely committed to CQI, or it will not work. They must empower nurses and other employees to help plan and implement the needed strategies for change. Data must be collected systematically—not sporadically or on a whim. Blaming previous personnel for making mistakes does nothing to improve things. The work involves examining systems issues with a proactive approach rather than always being reactive. This means anticipating risks and preventing them.

Many organizations use quality teams, working groups, or quality circles (QCs) to conduct much of the data collection and improvement techniques. These groups need to have a sense of collaboration and appreciation for the value and ideas each person brings to the table. They must be committed to being a part of the solution, not a part of the problem.

Some problems we typically encounter in hospitals are delays in room assignments, delays in medication delivery, delays in treatments or other care, and internal system delays (e.g., dietary, linen). All of these time delays ultimately cost us more. Yet efficient people may not even realize these time traps are occurring, because they are so accustomed to developing and using "work-arounds" to eliminate them (Pape, 2006). "Work-arounds" are a safety threat, because working around something means getting around the problem instead of solving it. This can leave patients vulnerable to medication errors. An example of a "work-around" is the habit of borrowing medications from another patient in the interest of saving time. This type of practice is dangerous and does nothing to solve the system problem. Perhaps the pharmacy technician missed placing the medication in the patient's drawer or put it in the wrong one.

Other people simply ignore these time traps or delays in getting their work done. Instead, they just put in their 8 or 12 hours and go home, hoping perhaps tomorrow will be better. This is also not a productive way to solve problems on the nursing unit.

Everyone wins when nurses join others who are willing to make things work well. Thus, it is critical to know about current CQI methods.

#### TOOLS AND PROCESSES FOR CONTINUOUS QUALITY IMPROVEMENT

Tools for *continuous quality improvement* (CQI) include forms, methods, and analytical techniques that assist in understanding a problem. Quality tools are more specific, because they include tools applied to solving organizational or unit-specific problems. This discussion does not include all the tools that can be used for CQI, but it provides an overview of the more up-to-date tools used today (Figure 22-4).




FIGURE 22-4 Stair steps to quality health care.

## What Is Six Sigma?

Six Sigma (SS) quality improvements methods are the newest wave of change initiatives for CQI. As with any new wave (e.g., root cause analysis; pain as the fifth vital sign), TJC will most likely be inclined toward recommending SS methods in the future for accreditation purposes. If this is the case, CQI employees will need SS education to understand and use the information to benefit the institution.

SS is a measurement standard that began in the 1920s, when Walter Shewhart showed that three sigma from the mean is the point where errors start to occur. Shewhart was one of Edward Deming's teachers and is responsible for the PDSA cycle of process improvement. Credit for coining the term "Six Sigma" goes to Bill Smith of Motorola. SS uses statistics to improve the efficiency of business processes. The primary goal of SS is to increase profits and reduce problems by improving standard operating procedures, reducing errors, and decreasing misuse of the system.

SS methodology is used with Improvement Science and involves reducing variation in practice through the application of DMAIC. In other words, after a protocol is found to be effective, everyone is trained to do it the same way. The SS DMAIC process (define, measure, analyze, improve, control) is used primarily for improving existing processes that do not meet institutional goals or national norms. DMAIC can save companies thousands of dollars per project. SS means having no more than 3.4 defects per million opportunities, or 99.99966% accuracy. The idea is to focus on the voice of the customer (VOC), whether internal or external, and to reduce risks associated with high-volume, high-risk, problem-prone areas of practice. Internal customers are nursing staff that we work with and personnel from other departments. External customers include patients and visitors. This means that even the bedside nurse has a voice as an internal customer of the system. From the time DMAIC is adopted, nursing administrators must be supportive and trained in rapid cycle changes (RCCs) as a part of process improvement.

They must provide both financial and human resources and allow sufficient time for project teams to work. Then they need to be supportive of the efforts put forth. The entire organization must be behind the effort and be enthusiastic about change. Nurses and other health care providers need to have education on the DMAIC and RCC processes, as well. If the organizational culture is too resistant to change, it will be difficult. Often a cultural change is needed before the process will be successful. Every organization tends to have a certain culture by which it operates. When an organization is dealing with DMAIC, the culture should be one that rewards innovative ideas and is not resistant to change.

When referring to *data-driven methods*, we mean looking at real results that have been measured using numbers (calculations). The bottom line is that we know that we are not perfect, but we can strive to perform up to this 99.99966% goal.

Let's put this goal into perspective. If you take a million blood pressure readings, there should be no fewer than 3.4 that were incorrect.

Another important point is that most processes function more effectively if they are kept within a certain range of error. The intent is to control peaks and valleys in performance (those things that are way off target). In this instance, a flat line is a good thing, as long as it is near the 100% mark of compliance.

The DMAIC process (Table 22-2) provides more reliability and validity than other QI models and has become a national trend in QI strategies. Many companies will only do business with those who are using DMAIC.

In September 2002, The Robert Wood Johnson Foundation (RWJF) started the Urgent Matters organization, which launched improvement programs in selected hospitals as a way to reduce

	 		_	_		
_ ^ ^		2-2			ΑI	
	 _ /	/ / - /		1 7 A B	/ A W I	

DMAIC is pronounced *DUH-MAY-ICK* and includes:

**DEFINE**Define the issue, possible causes, and goals.**MEASURE**Measure the existing system with metrics.

**A**NALYZE Analyze the gap between the existing system and goal.

IMPROVE Improve the system with creative strategies.

CONTROL Control and sustain the improvement.

emergency department crowding. As a result of this project, this author learned the improvement process using rapid cycle changes. Changes were made in multiple hospital systems and were effective at improving patient safety as well as improving hospital throughput (Urgent Matters, 2013).

Rapid cycle tests of change are part of DMAIC. Recent use of the DMAIC model was found helpful in improving medication administration and reducing medication errors for several hospitals. As a result of a medication administration checklist, nurses' focus was improved and there was less variation in practice. Signs with the words "Do Not Disturb during Medication Administration" reminded other people of the process. The protocol checklists and signs remained as reminders to reduce distractions and were simple, inexpensive tools to keep patients safe. Nurses also liked them because they could get their work done more quickly (Pape et al, 2005; Pape, 2012).

In another QI project, an operating room team improved patient outcomes from postoperative hypothermia by using the DMAIC model. Because of the DMAIC team approach and the use of real data, patients' temperatures showed improvement in the postanesthesia care unit (PACU) because they warmed patients in the preoperative holding area before surgery (Bitner et al, 2007). (See Research for Best Practice Box 22-1)

## **HOW DO WE USE DMAIC?**

The DMAIC flow diagram (Figure 22-5) provides an overview of the DMAIC process. The framework shows how the process flows from start to finish and on to the next project. However, depending on the project, the steps may not always follow the path directed by the arrows. Depending on the situation, teams may need to change direction at times.

Sometimes the process may need to stop at the measure phase and go back to the design phase to develop formats for measuring. For example, the team may want to do some brainstorming or to conduct RCCs to develop the best data collection form before moving on. Other times the form that was developed did not work, and the team might make a different one to use for data collection. Now we see that the plan–do–study–act (PDSA) cycle also fits well with DMAIC (Figure 22-6).

PDSA is used to plan and conduct rapid cycle changes (RCCs). However, there is no "one size fits all" for organizations using DMAIC. Nevertheless, the organization needs to standardize the DMAIC process somewhat so that everyone understands his or her roles and functions during each step. As indicated, the PDSA cycle is contained with the RCC. Thus each project will be done slightly differently. The main focus is to keep on track with the goal in mind and to use real data, not guesswork or gossip, to direct decisions. As they say, if you do not measure it, you cannot fix it.

Through an initiative called *Transforming Care at the Bedside* (TCAB), the IHI and the RWJF used rapid cycle changes on medical/surgical units. Bedside nurses were involved in making needed changes that improved patient care. The result was the development of many tools and innovative care practices (IHI, 2012).

## RESEARCH FOR BEST PRACTICE BOX 22-1

## Nurse-Physician Rounding

#### **Practice Issue**

One of the most important steps for reducing error and improving efficiencies is in improving nurse—physician relationships. This quality improvement study considered the impact of nurse—physician rounding on making improvements to their practice and patient care. The author of this quality chapter has lived long enough to experience nurse—physician rounding that occurred before the advent of "for profit" hospitals a couple of decades ago. But since that time, the practice changed so that nurses no longer accompany the physician or other health care provider on patient visits or rounds.

The study showed that using nurse—physician rounds in this 350-bed hospital did improve communication and efficiencies. The researchers began with a desire to improve patient satisfaction by having their medical needs met. Studies have shown that patients value collaborative communication at the bedside and active participation in their care.

For this pilot project, the team used behavior modification, specific communication techniques, and scripting to help with the process improvement project. Before implementation of the rounding project, an outline of expected behaviors and communication tips was given to all nurses on the unit. Staff members offered feedback on implementation at weekly meetings. The team piloted the project on one unit for 4 weeks. Nurse assignments were faxed to the hospitalist office at 6:00 AM each day so they would be aware of which nurse to contact when they arrived on the unit. Nurse managers and hospitalist managers were visible and available to guide the process.

In the early stages, nurses felt that hospitalists did not value nursing time, and compliance with rounding was low (25% to 30% compliance). However, as the weeks progressed, fewer reminders were needed from nursing leaders about the importance of the project, and rounding increased to 67% compliance. The patients seemed to enjoy the verification by the nurse of what the hospitalist said while at the bedside. The nurses enjoyed knowing first hand what the medical plan of treatment would be. By the end of the pilot study, patient satisfaction scores showed an increase in physician communication with the patient, and overall teamwork went from 0 percentile to the 100th percentile ranking.

#### Implications for Nursing Practice

- Nurse—physician relationships can improve through collaborative care.
- Of importance is frequent input and communication in planning and implementation of such a project.
- Support from management is critical to the success of physician/care provider—nurse rounding. The nurse manager needs significant coaching and intervention.
- Physician/care provider support is also critical to the success of the rounding process.
- Daily communication between physicians and nurses will promote the success of the process.
- Collaborative rounds between physicians and nurses can improve patient satisfaction scores.

#### **Considering This Information:**


What would you do to promote rounding with physicians or other care providers?

#### Reference

Burns, K. (2011). Nurse-physician rounds: a collaborative approach to improving communication, efficiencies, and perception of care. *MEDSURG Nurs: J Adult Health, 20*(4), 194–199.

#### The Define Phase

In the define phase, a charter is developed as a written document of the work the team will accomplish. The charter is an agreement among the team members as to what they see as the problem and where they want to go. First, they identify the business case, main goals, team leaders, and team responsibilities or roles. The business case is a statement about why it is important to consider resolving the problem in terms of cost, injury, or standards.




**FIGURE 22-5** This flow diagram provides an overview of the define—measure—analyze—improve—control (DMAIC) process using rapid cycle changes (RCCs). The framework depicts the flow from the starting point of Define through Control to the next project. However, depending on the project, the process may not always follow the path directed by the arrows. Depending on the situation, teams may need to change direction at times.

When team members are chosen, it is important to include only those who want to be a part of the solution, and not a part of the problem. This is no place for "whiners" or complainers. Then set team rules (attendance, absence, how decisions are made). During meetings, ask that only one conversation go on at a time (no sidebars). Determine what the limits are on resources (financial, personal, time) and plan to discuss those.

Allow brainstorming during meetings. **Brainstorming** is a process by which a group of people thinks about, talks about, and lists many solutions to the problem. Some ideas may sound crazy at first, but group members should not ridicule them. The oddest ideas can often be changed into very useful ones. Although this may cause some delays in meeting goals, it is a valuable part of the process. That is how great innovative ideas start. During meetings, identify who the stakeholders are and how they will be affected. Stakeholders are key people who will be affected by change and those who can either influence or derail the improvement. Consider how to sell ideas to the stakeholders. Also, identify support resources and supportive people. Who will provide the money and/or support the recommended changes?

Next, write the problem statement and goal statement. The problem statement will be similar to the business case. Write down the cost of doing nothing differently (firefighting) versus the cost of



**FIGURE 22-6** The Six Sigma engine depicts the parts of DMAIC to (1) improve processes, (2) design or redesign processes, and (3) manage processes. The diagram here, designed by Dr. Pape, depicts how the PDSA and RCCs tie into DMAIC. The most powerful difference between Six Sigma's DMAIC and other improvement methods is the precision used in finding and keeping solutions to problems. The plan–do–study–act (PDSA) cycle also fits well with DMAIC (define–measure–analyze–improve–control). PDSA is used to plan and conduct rapid cycle tests (RCCs) of change. There is no "one size fits all" for organizations using DMAIC to move toward Six Sigma.

improving. These costs can be in dollar amounts or lost time, injury, errors, or dissatisfaction, for example. Set the goal in terms of how much saving is planned—10%? 25%? By what date?


Example: Problem statement—The number of patients waiting to be seen by an MD in the emergency department (ED) is excessive, and patients are dissatisfied. Controls are needed so that there is a limited number of minutes between bed placement and MD arrival to bedside. Patients need to be cared for efficiently so that they can get through the system in a timely manner, thus making room for more patients who are waiting in the waiting room. The hospital needs to contain costs and improve patient satisfaction.

*Example:* Goal Statement—There will be a 25% decrease in amount of time patients must wait in the ED after being placed in a bed.

In the example, the team would "flow out" or make a diagram of the processes (Figure 22-7) that take place within the problem or the unit. When flow diagramming, use large sheets of paper or write on a dry erase board. If a board is used, someone should still take notes and record the flow process on paper so that it can be kept as a record. Flow the current, "as is" process. At this point, the team needs to know how things are actually happening, not how they are supposed to happen.

Ask lots of questions, such as why things happen at each step. Identify problem areas for improvements. Think "outside the box" and slay "sacred cows!" This means being willing to be innovative and objective in thinking of possible solutions.

At the start of each team meeting, review the agenda or plan for the meeting. Ask for any additions to the agenda, listen to each person's past assignment results, and review the overall progress that individuals have made. It is important to allow time for discussion and brainstorming. At the end of the meeting, review what lessons have been learned and set assignments for the next meeting.



**FIGURE 22-7** This is a process flow example. There are inputs, processes, and outputs in a typical flow diagram.

Develop a work plan using an Excel spreadsheet used for tracking plans. This keeps the team focused and is used to track brainstorming sessions. Figure 22-8 provides another flow process example with a medication delivery process diagrammed step by step as a group.


#### **The Measure Phase**

Everyone within the team needs to agree on what is to be measured. These are called *key performance indicators* (KPIs). KPIs should reflect the things that the team sees as problem areas. Typical KPIs are time, costs, distance, numbers of incidents, or items. It is best to use whole numbers (with decimals) and measurable facts. Never use what someone *thinks* is a problem. Measure the problem first. It is also important to identify who will be responsible for data collection, retrieval, and analysis. Ultimately, if the team fails to document everything, things will fall apart quickly.

Identify what specifically will be measured to determine improvements and what will not be measured. Operational definitions for the KPIs detail the thing or event using specific wording with written inclusion and exclusion criteria. These are similar to metric descriptors discussed earlier. They define in detail what is to be measured. These definitions tell the team what is not going to be measured. This helps get everyone in agreement on what is identifiable and measurable.

For example: KPI #1—The number of near-miss medication incidents on the nursing unit because of wrong medications found in the automated dispensing machine. We are including only those kept in the automated dispensing machine and are excluding any kept in other areas.

Begin by measuring baseline numbers. That is, start with what exists currently before any changes are made. In other words, do not meddle with things until you know how bad the problem is. Do not tell anyone what is being investigated or measured. Otherwise, it could skew the measures and you will



**FIGURE 22-8** This is a process flow example. There are inputs, processes, and outputs in a typical flow diagram.

not see any true changes when you do rapid cycle changes (RCCs). Baseline measures can be retrospective if data have already been collected, or you can go forward for a couple of weeks to find out what the real data show. Find out what the actual losses are in time, errors, or dollars.

- 1. Get all the facts about the numbers of errors first. Record them in the work plan.
- 2. Measure and track the issue throughout a defined period of time based on what would be a realistic time frame to obtain a sample of what is occurring. This may need to be done for 2 to 4 weeks or longer.
- 3. Document data in words, graphs, pie charts, and bar charts.

## The Analyze Phase

The analyze phase is usually a short phase, but it can be longer depending on the issue. Analyze the baseline data collected. Be objective in identifying where the real problems exist. These may be indicated by peaks in the graphs related to the number of incidences over a 2- to 4-week period and may relate to problems with processes. What could the underlying causes of the peaks in the graph be?

- 1. Identify the *gaps* between the current performance and the goal. Identify how far you need to come to get to the goal.
- 2. When looking at the data to identify possible sources of variation, avoid blaming people or blaming past ways of doing things.
- 3. Look at the current process flow diagram again and determine where to begin making a change.
- 4. Move quickly to the next phase to improve.

## The Improve Phase

The improve phase is a good place to determine whether measures reflect the true problems. The problem statement and goal statement may need to be revised based on the findings. The data collected may have shown that no real problem exists or that the problem involves other issues.

Now use the PDSA cycle (Table 22-3) to plan and implement some RCCs. The idea is to think of creative ways to improve things. Brainstorm ideas for the RCCs that you might try based on a problem process step within the flow diagram and the baseline metrics. Brainstorming is the process where all team members spontaneously contribute and gather ideas without excluding any idea given. It is usually performed rapidly with all ideas considered and recorded. Be clear about what the target is and play off of each other's suggestions.

The group may consider using a fair voting method or writing out RCC ideas. Otherwise, whoever talks the loudest is usually the one heard. Sometimes some great ideas come from those quiet people, who may be more comfortable writing their ideas. The collective ideas can then be reviewed by the group leader and presented to the group.

- 1. Ask yourself: Can a step in the process be eliminated? Simplifying steps and deleting steps in a process can often eliminate big defects.
- 2. Could you try a new method?
- 3. Next, conduct the RCC using the PDSA cycle (see Table 22-3) for 3 to 7 days. Include staff education before starting the RCC so that everyone understands what is expected.
- 4. Conduct the RCC and study the results. Document everything in the work plan.
- Analyze the data with percentage calculations for improvements over baseline for the previous week.
- 6. Document all brainstorming sessions.

Use data to determine whether there were improvements or a lack of improvement. What percentage of improvement was there this week compared with last week? Compared with the baseline measure? How many minutes difference is there? Make decisions based on fact, not assumptions. Small improvements still mean improvement, and they help determine whether you are on the right track or not.

Small changes may need to be made in the process that was tried...so tweak it...and test it again with a change in the RCC over 3 to 7 days. Compare percentages again (against baseline or the previous week) and determine whether there was any improvement.

TABL	E 22-3 THE PDSA CYCLE WITHIN THE RCC
PLAN	<ol> <li>State the goal of the RCC cycle. Make predictions about what will be expected to happen. Who will be responsible, at what time, and what place? When will it occur? Where will it take place first?</li> <li>What are we trying to accomplish?</li> <li>How will we know when we get there? Roughly, how far do we expect to come (percentage, minutes)? Use only data that are reflective of the KPIs. For example, you would not measure the time it takes to do something if you are looking at the number of incidences.</li> <li>What change can we feasibly make that will result in improvement? Be realistic about what can be changed.</li> <li>How long should it take? How many days should you run the RCC to see a result? Keep it as short as pos-</li> </ol>
<b>D</b> 0	sible7 to 10 days.  First, carry out the RCC on one or two nursing units for 3 to 7 days. If it needs tweaking, make a small change, and RCC again for 3 to 7 days or longer, depending on the issue. Then move to another nursing unit.
<b>S</b> TUDY	Compare the resulting data to your predictions, to baseline, and contrast it to previous time frames. For example: What was the improvement in time compared with last week?
ACT	Act on what was discovered after the initial RCC. What are the new changes the team can make based on results? What might the next cycle be? Go on to do another RCC to improve the process further.

Market the solutions to the people whose cooperation is needed. If frontline people have been involved at the outset, this part is easier. Prepare for possible objections to the implementation of the change, and plan to overcome them.

#### The Control Phase

Now you are ready to establish controls to keep things going in the right direction. Controlling and sustaining the improvement is not easy and requires the development, documentation, and implementation of an ongoing monitoring plan.

- 1. Standardize the steps in the new process and detail new flow diagrams. Write standard operating procedures, protocols, steps, guidelines, or policies so that it will be easier for people to do the right thing and more difficult for them to do the wrong thing.
- 2. Educate everyone about the new practice. Distribute the information in a systematic manner so that everyone in the organization has an equal chance of being informed. Educate new employees in correct procedures and be an example for them to follow.
- 3. Keep people informed of any changes.
- 4. Prevent reversion back to old ways or breaks in the "critical links" in the process by developing a process to monitor that changes have stuck and gains are sustained. Keep the process on its new course and maintain the new practices you worked so hard to develop. Backsliding can occur easily, because people tend to return to old habits. Change is difficult for some people who are used to tradition or who have been absent from the job for a time.
- 5. Continue to measure KPIs routinely to see whether solutions are still working. If slipping occurs, reinforce the new change or do more RCCs.

Box 22-3 provides a simplified example of DMAIC used successfully in one emergency center. Many of the important details have been left out because of limited space. However, the basic process can be seen. Now see what you can do with the DMAIC process on a small scale using the scenario in Critical Thinking Box 22-3.

## BOX 22-3 **EXAMPLE OF DMAIC IN THE EMERGENCY CENTER**

Problem statement: An MD does not see Emergency Department patients in a timely manner.

#### **Define**

The team Defined the cause of the problem as having to do with where the charts are placed.

Goal—Get the charts to the MDs sooner.

Business case—Cost of doing nothing different = Unhappy patients, possible patient complications, lack of bed space, and bottlenecks in throughput.

#### Measure

Key performance indicator (KPI) #1 = Time between patient bed placement and being seen by MD.

The team *Measured* the actual average baseline data (KPI #1) during a period of 2 weeks. Baseline = 90 minutes (15 minutes). Target = Patients should be seen within 30 minutes of bed placement (a 50% improvement) within a month.

#### Analyze

The team *Analyzed* the gap between existing situation and goal of 30 minutes (gap is 60 minutes). The gap also depended on which MD was on duty.

Can something be done about which MD was on duty? Not really.

The team brainstormed for other ideas. Can something be done about where charts are placed? Yes.

#### BOX 22-3 EXAMPLE OF DMAIC IN THE EMERGENCY CENTER—cont'd

#### **Improve**

The team Improved by doing RCCs.

KPI #1 = Time of patient bed placement to seen by MD.

RCC #1: For the next 5 days, the team members who were involved placed charts in a separate bin and measured KPI #1.

Result = The MD saw patients on time 34% of the time. So they tweaked the plan and did more RCCs.

RCC #2: For the next 5 days they placed charts on separate bedside table (the deck) and set up a log book of times that charts were placed and picked up.

Still measured KPI #1 = Time of patient bed placement to time seen by MD and added another KPI.

KPI #2 = Time between charts placed on deck and picked up from deck.

Result = MD saw patients on time 20% of the time.

The team again brainstormed, tweaked the plan, and did more RCCs.

Next 5 days, one MD was assigned as deck officer to oversee the process.

Result = MD saw patients on time 99% of the time within 30 minutes.

#### Control

The team *Controlled* and sustained the improvement by establishing a standard practice.

They wrote a protocol and announced the new practice:

The protocol was always to place charts on deck and to assign a deck officer to monitor timeliness of chart retrieval.

The Department Director monitored effectiveness of the protocol and watched for slippage into old ways.

## **? CRITICAL THINKING** BOX 22-3

A retrospective review of several charts showed that documentation for 40% of PRN medications was lacking a previous assessment of pain. About 50% of the charts did not have documentation that the pain was evaluated according to policy within 30 to 45 minutes after the PRN medication was administered. You have been asked to lead a team to resolve the problems that mostly occurred on your nursing unit.

- 1. What standard of practice has been violated?
- 2. How would you go about conducting your problem resolution using the DMAIC approach for process improvement?
- 3. Who would you include on your team?
- 4. Who will develop the work plan and issues solutions sheet?
- 5. When will meetings be held? What are the ground rules?
- **6.** What is the business case?
- 7. What are the goals and targets?
- 8. What are the KPIs?
- 9. What RCC can be performed?
- 10. Imagine that you have some excellent RCC results. What will you do to control the improvement?

Practice improves results with time, and it can be a lot of fun.

## HEALTH CARE PROVIDER CREDENTIALING FOR QUALITY IMPROVEMENT

Some larger health care organizations require that an individual obtain a certification in health care quality within a certain period after the hire date. Persons can become a *Certified Professional in Healthcare Quality* (CPHQ) after taking a certification test to determine one's knowledge of quality management, quality improvement, case/care/disease/utilization management, and risk management at all employment levels and in all health care settings.

Although there is no longer a minimum education requirement, those who test should have worked in quality management for a minimum of 2 years and should review testing requirements before investing money into taking the examination. Approximately 75% of those who apply to test actually achieve certification.

## CONCLUSION

Quality is about fire prevention, not firefighting, and accountability for one's actions is critical in nursing. We must provide quality care that is cost-effective and meets the health needs of our patients. We do not have the luxury to give a patient all the time we would like, or to use any equipment and supplies we want. That is why it is important to find solutions that save time and money. Nurses must be accountable to both the quality of care and the economics of providing that care. In quality improvement, the organization must first consider the voice of the customer, whether internal or external. The "squeaky wheel" issues are sometimes where organizations start implementing improvements. However, action should be taken first on those matters that are associated with high-volume, high-risk, problem-prone practices, and where errors frequently occur. Proven methods for quality improvement should be emphasized in all health care settings.

DMAIC is one of those methods for improving quality, and it should be taught as a standard process so that everyone in the organization understands the roles and functions during each step. PDSA is used to plan and conduct rapid cycle tests of change (RCCs). Certainly each organization must evaluate using DMAIC to move toward Six Sigma. The future of quality and patient safety is promising, as more and more health care providers and organizations get on the "band wagon" for safety changes. Improvement is everyone's business, as costs savings are realized with improved processes and reduced liability. Increasingly, nurses are required to know about quality improvement processes as soon as they begin their careers. See the end of this chapter for relevant websites and online resources that will serve as great resources for you while in nursing school and in your professional practice—so be sure to check them out! The future of health care will demand more vigilance as the Healthcare Affordability Act takes nurses in new directions.

Change is inevitable! It is the one thing you can always count on. Things will never be the same as they once were. So if you want to prevent other people from making changes for you, you have to get involved in the process. Rather than resist change, embrace it and make it yours! He who fails to invent change is at the mercy of those who will!

## RELEVANT WEBSITES AND ONLINE RESOURCES

Agency for Healthcare Research and Quality (AHRQ) (2013)

Innovation exchange. http://www.innovations.ahrq.gov/.

#### Agency for Healthcare Research and Quality (AHRQ) (2012)

Innovation exchange—checklists with medication vest or sash reduce distractions during medication administration. http://www.innovations.ahrq.gov/content.aspx?id=1799&tab=1.

#### Agency for Healthcare Research and Quality (AHRQ)

AHRQ's mistake-proofing the design of healthcare processes, n.d. http://www.ahrq.gov/qual/mistakeproof/mistake2.htm.

#### Agency for Healthcare Research and Quality (AHRQ) (2013)

AHRO's patient safety network. http://www.psnet.ahrq.gov/.

## RELEVANT WEBSITES AND ONLINE RESOURCES—cont'd

#### Agency for Healthcare Research and Quality (AHRQ) (2013)

AHRO's patient safety network glossary. http://www.psnet.ahrq.gov/glossary.aspx.

AHRO's tools and strategies for quality improvement and patient safety. http://www.ncbi.nlm.nih.gov/books/NBK2682/.

#### American Nurses Association (ANA) (2013)

ANA National Database of Nursing Quality Indicators (NDNQI). https://www.nursingquality.org/data.aspx.

#### **ATRANE (2012)**

A timely resource for advancing the nursing environment. http://www.atrane.org.

#### Centers for Medicare & Medicaid Services (CMS) (2013)

http://www.cms.gov.

#### **Center for Transforming Healthcare (2013)**

Safety culture. http://www.centerfortransforminghealthcare.org/projects/detail.aspx?Project=6.

#### **HCAHPS (2013)**

Hospital care quality information from the consumer perspective. http://www.hcahpsonline.org/home.aspx.

#### Institute of Medicine (2013)

http://www.iom.edu/.

#### Institute for Healthcare Improvement (IHI) (2013)

http://www.IHI.org.

Transforming care at the bedside.

http://www.ihi.org/offerings/Initiatives/PastStrategicInitiatives/TCAB/Pages/Materials.aspx.

IHI Open School's online course The Fairness Algorithm You Tube Video.

http://www.youtube.com/watch?v=8le7vYPUwaM.

#### Institute for Safe Medication Practices (ISMP) (2013)

http://www.ismp.org/.

#### Little K (2009)

Creating run charts. http://www.youtube.com/watch?v=03-8vtwCW9c.

#### National Patient Safety Foundation (NPSF) (2013)

http://www.npsf.org/.

#### Quality and Safety Education for Nurses (QSEN) (2013)

http://gsen.org/.

#### The Joint Commission (TJC) (2013)

http://www.jointcommission.org/.

National patient safety goals. http://www.jointcommission.org/standards\_information/npsgs.aspx.

#### **Urgent Matters (2013)**

http://urgentmatters.org/.

#### World Health Organization (WHO) (2008)

The Joint Commission patient safety solutions. http://www.ccforpatientsafety.org/Patient-Safety-Solutions/.

#### **BIBLIOGRAPHY**

- Bitner, J., et al. (2007). A team approach to the prevention of unplanned postoperative hypothermia. *AORN Journal*, 85, 921–929.
- Centers for Medicare & Medicaid Services. (2013a). Core measures. Retrieved from http://www.cms.gov/Regulations-and-Guidance/Legislation/EHRIncentivePrograms/Recommended\_Core\_Set.html.
- Centers for Medicare & Medicaid Services. (2013b). *Hospital compare*. Retrieved from http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/HospitalQualityInits/HospitalCompare.html.
- HCAHPS. (n.d.). *Hospital care quality information from the consumer perspective*. Retrieved from http://www.hcahpsonline.org/home.aspx.
- Institute for Healthcare Improvement. (2012). *Transforming care at the bedside*. Retrieved from http://www.ihi.org/knowledge/Pages/IHIWhitePapers/TransformingCareattheBedsideWhitePaper.aspx.
- Institute for Healthcare Improvement. (2013). *About IHI*, 2013. Retrieved from http://www.ihi.org/about/pages/default.aspx.
- Institute of Medicine. (2013). About the IOM. Retrieved from http://www.iom.edu/About-IOM.aspx.
- Institute of Medicine. (2011). *The future of nursing: leading change, advancing health.* Committee on the Robert Wood Johnson Foundation initiative on the future of nursing, at the Institute of Medicine. National Academy of Sciences. 1–620.
- National Patient Safety Foundation. (2013). About us. Retrieved from http://www.npsf.org/about-us/.
- Pape, T. M. (2003). Applying airline safety practices to medication administration. MEDSURG Nursing: Journal of Adult Health, 12, 77–94 April.
- Pape, T. M. (2006). Workaround error, *AHRQ WebM&M*. Retrieved from www.webmm.ahrq.gov/case.aspx? caseID=118.
- Pape, T. M. (2012). Innovation profile: checklists with medication vest or sash reduce distractions during medication administration AHRQ Innovations Exchange. Retrieved from http://www.innovations.ahrq.gov/content.aspx?id=1799&tab=1.
- Pape, T. M. (2013). ATRANE: A timely resource for advancing the nursing environment. Retrieved from www. atrane.org.
- Pape, T. M., et al. (2005). Innovative approaches to reducing nurses' distractions during medication administration. *Journal of Continuing Education in Nursing*, 36, 33–39.
- Robert Wood Foundation. (2011). Urgent matters: a RWJF National program. Retrieved from http://www.RWJF.org/en/research\_publications/find\_rwjf\_research/2011/02/urgent\_matters.html.
- Quality and Safety Education for Nurses. (2013). Quality and safety education for nurses (QSEN). Retrieved from www.qsen.org.
- The Joint Commission. (2013a). Sentinel event alert. Retrieved from http://www.jointcommission.org/topics/hai\_sentinel\_event.aspx.
- The Joint Commission. (2013b). *The 2012-2013 National Patient Safety Goals*. Retrieved from http://www.jointcommission.org/standards\_information/npsgs.aspx.
- The Joint Commission. The Joint Commission news conference to discuss progress and healthcare quality facing American hospitals on November 12, 2007 at 11:45 a.m. central time, 12 November 2007, TJC.
- United States Pharmacopeia. (2013a). *About the United States Pharmacopeia*. Retrieved from http://www.usp.org/about-usp.
- United States Pharmacopeia. (2013b). *MEDMARX® data reports*. Retrieved from http://www.usp.org/search/site/medmarx%20data.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

23

## **Nursing Informatics**

Cheryl D. Parker, PhD, RN-BC, FHIMSS

If we cannot name it [nursing practice], we cannot control it, finance it, research it, teach it, or put it into public policy.

Norma M. Lang, PhD, RN, FAAN, FRCN



Nursing informatics—a specialty practice of nursing.

After completing this chapter, you should be able to:

- Define nursing informatics.
- Discuss the necessity of using recognized taxonomies and standardized nursing languages in nursing documentation.
- Discuss laws and regulations impacting nursing informatics.
- Discuss trends associated with the computerized electronic record, e-health, and mobile devices.
- Describe what a nurse specializing in nursing informatics might do.
- Review the steps in evaluating the validity of a website.
- Discuss future trends in nursing informatics.

At the crossroads of technology and patient care stand the nurses who have chosen nursing informatics (NI) as their specialty. Nursing Informatics is a well established specialty within nursing, which today has evolved to be an integral part of health care delivery and a differentiating factor in the selection, implementation, and evaluation of health IT that supports safe, high quality, patient-centric care.

Healthcare Information Management Systems Society (HIMSS) Position Paper: Transforming Nursing Practice through Technology & Informatics, June 17, 2011

**Computer technology is pervasive today.** Everywhere we turn technology is in evidence. The neighborhood grocery store has automated scanners and checkout lines. Your bank has automated tellers, check scanners, wire transfers, and online services. The school and local libraries have automated catalogs, interlibrary lending,

and online books. From our homes and smartphones, we can access the world through the Internet, researching any question, texting and e-mailing, watching streaming videos, and purchasing just about anything. You can complete an advanced degree without ever stepping foot on a campus with a faculty and fellow students who can be literally half a world away. A litany of computerized marvels could fill volumes.

Technology has impacted our culture in multiple ways. When answering machines were first introduced, many people considered their use to be quite rude. Now, just the opposite is true—it is rude if your voice mailbox is full. Sending handwritten invitations with an RSVP has been replaced with online invites with automatic tracking of accepts.

The explosion of new technology since the early 1980s that makes all this possible is truly phenomenal. What is even more incredible, and perhaps a bit frightening to some, is that this seems just to be the beginning. The time has come when the thoughts, communications, creations, manuscripts, learning material, and financial assets of the civilized world will exist primarily in electronic form. If the lights went out, civilization as we know it would cease to exist, as most of modern society depends on the electrical and information infrastructure.

Health care is not immune. Some of the most complex automated systems, and certainly some of the most complex requirements for these systems, can be found in the health care environment. Systems to serve the diverse needs of the health care industry—from the administration and financial departments to the many clinical disciplines—need to be implemented and integrated across the continuum of care within modern health care organizations. As a result, the demand for health care professionals who are knowledgeable in the application of this technology is growing rapidly.

Even with technology all around us, some users do not always feel comfortable with it, especially in the patient care environment where everything may be new to us. Health care technology is sometimes confusing, intimidating, and—in large part because it changes so rapidly—downright bewildering to some. Even so, there are some relative constants that make the field less confusing and easier to manage. One of the biggest challenges we face is how to properly harness and apply the available technology. The good news is that while the technology will continue to change and become more robust, the fundamentals of nursing care do not. The goal of this chapter is to explore how nursing and health care are embracing, harnessing, and using technology to increase the quality of patient care in all health care settings.

Always remember that technology is only a tool to help us care for our patients...it should never replace our critical thinking and nursing judgment!

#### NURSING INFORMATICS

## Nursing Informatics—Why Do I Care?

In the back of your mind you may be thinking, "So why do I care about nursing informatics and technology? I'm still learning to take care of patients." Well, in today's world, technology and patient care are completely interwoven. From the electronic medical record, to the devices you will use to monitor and care for your patients, to the accumulation of data that will allow you to provide care most effectively, technology and informatics are a part of our daily nursing practice whether we realize it or not. Take a look at Figure 23-1 and see how many technology-enabled items you can pick out.

And who knows? Maybe someday you'll decide that nursing informatics is the specialty for you.



**FIGURE 23-1** Nurses are finding that technology supports many areas of nursing practice. (Courtesy Rubbermaid Healthcare, Huntersville, NC.)

## What Is Nursing Informatics?

In 1994, the American Nurses Association (ANA) recognized the field of nursing informatics. In 2008, the ANA updated the definition of nursing informatics (NI) as "a specialty that integrates nursing science, computer science, and information science to manage and communicate data, information, knowledge, *and wisdom* in nursing practice" (ANA, 2008, p 1).

The ANA further identified two distinct roles in nursing informatics: the informatics nurse (IN) and the informatics nurse specialist (INS). The informatics nurse has experience in nursing informatics but does not have an advanced degree in the specialty. The informatics nurse specialist has graduate level education in informatics or a related field (ANA, 2008). Nurses in both IN and INS roles "support consumers, patients, clinical nurses, and other providers in their decision-making in all roles and settings. This support is accomplished through the use of information structures, information processes, and information technology" (ANA, 2008, p 1).

With the advent of both specialty and integrated clinical information systems (CIS), the longitudinal electronic health record (EHR) has become the ultimate goal of health care organizations and is now supported by federal mandate. The EHR will reflect a record of patients' health care throughout their lives. Although this realization of 100% integrated patient data in one longitudinal electronic record is becoming more technologically feasible, few organizations have actually reached this goal. There are still outstanding issues regarding how to handle outside information that comes into a facility, for example, old systems may not be able to interface with new ones, corrupt data may be received from old systems, and resources may be unavailable to enter all the data from old paper charts. Although solutions are being developed to solve some of these problems, it will take time to reach the ultimate goal.

Information is power. The extensive clinical background of the IN/INS is invaluable to the success of the implementation of the hardware and software applications needed to transform health care. Nurses have a unique understanding of workflow, the hospital and clinical environment, and the specific procedures that are necessary for effective health care information infrastructure. Moreover, the

IN/INS is critical to the translation of standard information into practical models that can be applied to improve the health care work environment (Delany, 2004).

The 2009 Healthcare Information Management Systems Society (HIMSS) Informatics Nurse Impact Survey asked organizational leaders to provide input on the roles and impact of informatics nurses in their organizations. Organizations responding included hospital or health systems (75%), vendor or consulting firms (11%), and other organizations such as home health, ambulatory care facilities, and academic or government facilities. Nearly all respondents noted that informatics nurses play a significant role in user education. Informatics nurses are also widely involved in system implementation, user support, workflow analysis, and gaining buy-in from end users. A primary success indicator for the informatics nurse was making sure that information technology did no harm to the patient (HIMSS, 2009). In short, the focus of nursing informatics is to improve patient care with health care technology that encourages clinicians to make more accurate and timely decisions.

So how does one become an expert in this unique field of nursing? What does a nurse specializing in nursing informatics do on a daily basis? And how does informatics impact the work of a clinical nurse?

## **Experience and Education**

In the past, many nurses in informatics roles did not have formal education beyond their nursing preparation. They were "recruited" by their employers to help build and implement an electronic medical record application. These nurses learned as they went along, and advanced degrees were not required. However, this is no longer true. According to the 2011 HIMSS Nursing Informatics Workforce Survey, "Fifteen percent have received on-the-job training and more than half of the 2011 respondents reported having a postgraduate degree (56 percent), which includes Masters in Nursing or other field/specialty and PhD in Nursing or other field/specialty."

Informatics nurses who want to hold leadership roles in nursing informatics will need graduate-level preparation. A student who held a leadership role in NI and was enrolled in a nursing informatics master's program once said that she thought she knew all about nursing informatics, but she learned that she only knew about it at her own organizational level. Her graduate-school education had broadened her perspectives and introduced her to new concepts and ways of thinking (C. Parker, 2011, personal communication).

### Role of the IN/INS

The IN/INS must have a basic knowledge of how computers and networks work as well as an understanding of systems analysis, design principles, and information management. It is important for the IN/INS to converse with both the clinical staff and the technology staff regarding hardware, software, communications, data representation, and security. An IN/INS will be comfortable with software and hardware implementation, training, testing, presenting, and facilitating knowledge (Critical Thinking Box 23-1). During the publication of this textbook, the majority of IN/INSs are working with EMR/EHR development and implementations. Typical job responsibilities consist of (a) product evaluation, (b) system implementation, including preparing users, training, and providing support, (c) systems development and quality initiatives, including system evaluations/problem solving and

## Ŷ

#### **CRITICAL THINKING BOX 23-1**

What has been your experience and exposure to the use of technology in the hospital? Your school? At home? Think of ways to become more familiar with the use of computers and other technology.

quality improvement/patient safety, and (d) other duties as assigned (HIMSS 2011 Nursing Informatics Workforce Survey, 2011).

But not all nurses in IN/INS roles work on implementation of the EMR/EHR. Some work for health care product vendors in both the hardware and software areas. They help to inform the next generation of existing products, and they work with engineers/design teams to create new products, always bringing the patient care viewpoint and the needs of the end user to the design process. Others work for consulting firms and specialize in workflow improvement using technology, whereas still others work for government, third party payers, and educational institutions (HIMSS Nursing Informatics Workforce Survey, 2011). The variety is seemingly endless.

#### The Certification Process

In 1994, the American Nursing Credentialing Center (ANCC) (www.nursecredentialing.org/default .aspx) provided a method for nurses to become certified in this specialty. The baccalaureate degree is the minimum requirement needed to take the certification exam. Nurses can obtain RN-BC certification in informatics nursing through the ANCC.

## PROFESSIONAL PRACTICE, TRENDS, AND ISSUES

## What Are Regulatory and Accreditation Requirements?

Although there are many regulatory and governmental agencies instituting health care policy, the Health Insurance Portability and Accountability Act (HIPAA) and The Joint Commission (TJC) impact the daily work of every clinician and organization. The nurse must have a clear understanding both of HIPAA regulations and of TJC requirements to be able to provide safe nursing care.

## **Privacy and Confidentiality**

Every health care organization has a responsibility to itself, to its patients, and to the community at large to have good control of its information systems. Because the internal workings of health care rely on accurate and current data and information, personal data about employees and patients must be kept safe and confidential. A corporate security plan is important to an organization.

Maintaining confidentiality implies a trust of the individuals who handle that data and information. These health care workers ensure the privacy of this information and use it only for the purpose for which it was disclosed.

Security policies must be explicit and well defined. Confidentiality agreements should be reviewed and signed when starting employment and yearly thereafter. Breaches of security, confidentiality, or privacy should be addressed and resolved quickly, and the offender should be charged accordingly. Every lapse should be treated openly and made an example for others to note. The informatics nurse may be involved in the investigation process and the writing of the policies and procedures.

#### **HIPAA**

In 1996, the HIPAA was signed into law. The law defines standards that were developed to ensure that health care organizations collect the right data in a common format so that the data can be shared, as well as protect the privacy and security of patient data (Simpson, 2001). The major impact from this regulatory legislation is in these areas:

- Health information privacy law
- Data security standards
- · Electronic transactions standards

Among many requirements, health care entities must adopt written privacy policies and procedures that define how they intend to abide by the highly complex regulations and how they will protect individually identifiable health information. Each health care organization must ensure that all staff members who have access to patient information have an understanding of the consequences of noncompliance (Gale Group, 2001).

In 1998, it was proposed that all health plans, health plan providers, and health care clearing-houses that maintain or transmit health information electronically be required to establish and maintain responsible and appropriate safeguards to ensure the integrity and confidentiality of the information. Although this seems logical, it is a very difficult and time-consuming task when using automated systems that did not previously meet these requirements (Critical Thinking Box 23-2).

## 8

## **CRITICAL THINKING BOX 23-2**

How have your clinical facility and/or school made changes to accommodate the Health Insurance Portability and Accountability Act (HIPAA) requirements?

The year 2013 brought another wave of "sweeping change" to the HIPAA Privacy, Security, Enforcement and Breach Notification Rules according to Leon Rodriguez, director of the HHS Office for Civil Rights. HHS Secretary Kathleen Sebelius stated, "The new rule will help protect patient privacy and safeguard patients' health information in an ever expanding digital age." According to the 17 January 2013 press release issued by the U.S. Department of Health & Human Services:

The changes in the final rulemaking provide the public with increased protection and control of personal health information. The HIPAA Privacy and Security Rules have focused on health care providers, health plans and other entities that process health insurance claims. The changes announced today expand many of the requirements to business associates of these entities that receive protected health information, such as contractors and subcontractors. Some of the largest breaches reported to HHS have involved business associates. Penalties are increased for noncompliance based on the level of negligence with a maximum penalty of \$1.5 million per violation. The changes also strengthen the Health Information Technology for Economic and Clinical Health (HITECH) Breach Notification requirements by clarifying when breaches of unsecured health information must be reported to HHS.

Individual rights are expanded in important ways. Patients can ask for a copy of their electronic medical record in an electronic form. When individuals pay by cash they can instruct their provider not to share information about their treatment with their health plan. The final omnibus rule sets new limits on how information is used and disclosed for marketing and fundraising purposes and prohibits the sale of an individual's health information without their permission.

The final rule also reduces burden by streamlining individuals' ability to authorize the use of their health information for research purposes. The rule makes it easier for parents and others to give permission to share proof of a child's immunization with a school and gives covered entities and business associates up to one year after the 180-day compliance date to modify contracts to comply with the rule (U.S. Department of Health & Human Services, 2013a).

Violation of HIPAA standards is no laughing matter. Violations of health information privacy can include termination of employment and even indictment and prison time. In 2010, a former researcher at the UCLA School of Medicine was sentenced to 4 months in federal prison and was

fined \$2000 for violations of the HIPAA privacy rule. He accessed 323 confidential patient records, including celebrities Drew Barrymore, Arnold Schwarzenegger, Tom Hanks, and Leonardo DiCaprio, without a valid reason or authorization but without profiting from it through the sale or use of the information (Dimick, 2010). If a data breach affects more than 500 individuals, Section 13402 (e) (4) of the HITECH Act requires that the Secretary of the U.S. Department of Health & Human Services post notification of the covered entity on the HHS website found at http://www.hhs.gov/ocr/privacy/hipaa/administrative/breachnotificationrule/breachtool.html.

## **HIPAA** and the Use of Mobile Computing Devices

Knox and Smith (2007) encourage everyone to think about patient privacy and HIPAA compliance in the clinical area, especially because of the growing use of laptops, tablet PCs, and cell/smartphones that take pictures and record videos (Critical Thinking Box 23-3). According to a research study by Ponemon Institute (2012) on patient privacy and data security, 94% of the organizations that participated in the study had a data breach with a cost impact that was between \$10,000 to more than \$1 million in a 2-year period.

You can violate an organization's HIPAA policies and not even realize it!



## **CRITICAL THINKING BOX 23-3**

Do you know your clinical facility's policies on cell phone/smartphone use in patient care areas? How about picture taking, Internet use, Internet access policy, information security access, and user-ID/password agreement?

The influx of new mobile computing technology, such as tablet computers or smartphones, is creating new implications for protection of privacy and security. How to protect confidential information is something that we learn at the beginning of our nursing careers; however, protecting that same information on a mobile device may not be so easily understood. The following is a list of some simple precautions to take to help secure patient information that may be stored on a mobile device. These recommendations should be followed as standard practice.

- Keep careful physical control of the device at all times.
- Use a password or other user authentication and a time-out to reactivate the authentication.
- Install and enable encryption.
- Install and activate remote wiping and/or remote disabling.
- Disable and do not install or use file-sharing applications.
- Disable the infrared ports and Wi-Fi except when they are actually being used.
- Do not send infrared or Wi-Fi transmissions in public locations.
- Keep your security software up to date.
- Research mobile applications (apps) before downloading.
- Use adequate security to send or receive health information using public Wi-Fi networks.
- Delete all stored health information before discarding or reusing the mobile device (Pancoast et al, 2003, p 611; U.S. Department of Health & Human Services, 2013b).

With the use of new technologies there is potential to improve patient safety and outcome, as well as to reduce potential injury; however, at the same time there is an increased risk for exposing confidential patient information. A cautionary approach along with assuming the responsibility for safeguarding the confidentiality of information should be used if you download patient information into a mobile device.

#### The Joint Commission

The Joint Commission (TJC) wrote the information management (IM) standards in the mid-1990s. The 10 standards outline the need for information management regulation (Clark, 2004). Since that time, information management has been woven throughout the various standards and the National Patient Safety Goals. An example of this is noted in Standard IM.02.01.03 of the revised requirements for the Laboratory Accreditation Program, where the lab must have a "written policy addressing the integrity of health information against loss, damage, unauthorized alteration, unintentional change, and accidental destruction" (The Joint Commission, 2012, p 1).

The Joint Commission sends out a team of experts for a review of every health care organization that wishes to be certified. This team inspects and reviews a variety of areas within each organization. The IN/INS may be called on to lead the effort for preparing for TJC visit and for maintaining ongoing compliance (Critical Thinking Box 23-4).



#### **CRITICAL THINKING BOX 23-4**

Have you had the opportunity to be in clinical during a visit by The Joint Commission? If so, what did you observe? How was the staff prepared for the visit?

#### **Models and Theories**

#### Nomenclature, Classification, and Taxonomy

The quote from Dr. Lang at the beginning of the chapter has never been truer. Traditionally, nurses documented care using personal preference, unit standards, or facility policy (Keenan, 1999). Standardized nursing languages, sometimes called nomenclatures, offer a recognized, systematic classification and consistent method of describing nursing practice. Nomenclatures act as descriptors or labels; classifications are group or class entities; and taxonomy is the study of the classifications.

In 1995, the ANA approved the establishment of the Nursing Information and Data Set Evaluation Center (NIDSEC) to review, evaluate against defined criteria, and recognize information systems from developers and manufacturers who support documentation of nursing care within automated nursing information systems (NISs) or within computer-based patient record systems (CPR). They recognized the following 12 nursing practice classification systems (ANA, 2012). Note that the Patient Care Data Set (PCDS) was retired in 2003.

- 1. North American Nursing Diagnosis Association International (NANDA) Nursing Diagnoses, Definitions, and Classification
- 2. Nursing Interventions Classification System (NIC)
- 3. Nursing Outcomes Classification System (NOC)
- 4. Nursing Management Minimum Data Set (NMMDS)
- 5. Clinical Care Classification (CCC) [formerly Home Health Care Classification (HHCC)]
- 6. Omaha System
- 7. Perioperative Nursing Dataset (PNDS)
- 8. SNOMED CT
- 9. Nursing Minimum Data Set (NMDS)
- 10. International Classification of Nursing Practice (ICNP)
- 11. ABC codes
- 12. Logical Observation Identifier Names and Codes (LOINC)

If the unique nomenclature of these classification systems is used consistently, gathered data elements can be captured, stored, and manipulated accurately in the electronic medical record. Without a common

language, data cannot be aggregated into useful language (Simpson, 2000). The need for consistency causes problems for software vendors as they attempt to produce unique and robust software packages that still use the recognized labels and groupings of nursing practice elements. So what happens?

Currently, each software vendor uses a unique, possibly patented naming convention for their specific functionality and then must "explain and define" these names and labels in their literature or presentations by relating them back to recognized nursing practice or data elements. This causes confusion to the user community.

The ANA Committee for Nursing Practice Information Infrastructure requires that classifications or languages meet certain criteria, including:

- The language provides a clinical, useful terminology and rationale for development.
- The language consists of clear and unambiguous terms.
- The developer provides evidence of reliability, validity, and utility.
- · The language includes a unique identifier for each item.

Each of these classifications or languages has made a unique contribution to knowledge development in nursing. Learning about and working with standardized nursing languages will ensure nursing contributions are an integral part of any electronic medical record. Understanding those contributions through research and teaching will help to define further the scope of nursing practice. Until complete standardization occurs, nurses must be prepared to use different classification systems at different facilities or even with systems from different vendors within a single facility (Critical Thinking Box 23-5).



## **CRITICAL THINKING BOX 23-5**

What has been your experience or exposure to these different standard nursing languages? What does your clinical agency use?

#### **Theories**

Although there multiple theories that are applicable to nursing informatics practice, the three most common are:

- General Systems Theory—This theory organizes interdependent parts working together to produce a product that none used alone could produce. Key elements are input, process, output, control, and feedback.
- Rogers' Diffusion of Innovation Theory—A 5-step process of an individual's decision to adopt an innovation includes knowledge, persuasion, decision, implementation, and confirmation (Rogers, 2003).
- Change Theory—Kurt Lewin's change theory is discussed in Chapter 10.

## **CLINICAL INFORMATION SYSTEMS**

Every day, nurses encounter technology, and this technology is changing the ways that health care is delivered in the hospital, physician's office, or the patient's home. Clinical information systems (CISs) have replaced pencil and paper charting. Florence Nightingale expressed a desire for medical records that were standardized, organized, and legible, and these goals are equally valid today.

In attempting to arrive at the truth, I have applied everywhere for information, but in scarcely an instance have I been able to obtain hospital records fit for any comparison.

—Florence Nightingale (Notes on a Hospital, 1873)

A 2001 Institute of Medicine (IOM) report, *Crossing the Quality Chasm: A New Health System for the 21st Century*, identified the development and application of CISs as essential for health care to be able to leverage state-of-the-art technology to deliver the highest-quality, lowest-cost patient care.

## The e-World is Coming...Wait, It's Here

Although most "e-words" come from the commerce or business sector, the term is generally understood, despite its lack of precise definition, because of the dynamic environment of the Internet. E-health has come to characterize not only a technical development but also a state of mind, a way of thinking that focuses on improvement of health care via information and communication technology.

The World Health Organization (WHO) provides the following definition "eHealth is the cost-effective and secure use of information and communications technologies in support of health and health-related fields, including health-care services, health surveillance, health literature, and health education, knowledge and research" (WHO, 2005, p 121). However, despite its appearance in 2000, by 2011 there is no single consensus definition nor is it included in MeSH taxonomy (OpenClinical.com, 2011).

Eysenbach (2001) feels that it stands not only for "electronic" but implies a lot of other *e*'s, which he feels represent what e-health is all about (Box 23-1). He states that it should also be easy to use, entertaining, exciting, and most of all, in existence (Critical Thinking Box 23-6)!

#### BOX 23-1 THE 10 E'S IN "E-HEALTH"

- Efficiency leading to decreasing costs by avoiding duplicate or unnecessary diagnostic or therapeutic interventions, through enhanced communication possibilities between health care establishments, and through patient involvement.
- Enhancing quality of care by allowing comparisons between different providers, involving consumers as additional power for quality assurance, and directing patient streams to the best-quality providers.
- Evidence-based intervention effectiveness and efficiency should not be assumed but proven by rigorous scientific evaluation.
- 4. Empowerment of consumers and patients by making the knowledge bases of medicine and personal electronic records accessible to consumers over the Internet; e-health opens new avenues for patient-centered medicine and enables evidence-based patient choice.
- 5. **Encouragement** of a new relationship between the patient and health professional, toward a true partnership where decisions are made in a shared manner.
- Education of physicians and health care providers through online sources (continuing education) and consumers (health education, tailored preventive information for consumers).
- 7. Enabling information exchange and communication in a standardized way between health care establishments.
- 8. **Extending** the scope of health care beyond its conventional boundaries.
- 9. **Ethics** e-health involves new forms of patient—physician interaction and poses new challenges and threats to ethical issues such as online professional practice, informed consent, privacy, and equity issues.
- 10. Equity to make health care more equitable is one of the promises of e-health, but at the same time there is a considerable threat that e-health may deepen the gap between the "haves" and "have nots," deepening the "digital divide."

Adapted from Eysenbach, G. (2000). What is e-health? J Med Internet Res, 3(2). Retrieved from www.jmir.org/2001/2/e20/.



## **CRITICAL THINKING BOX 23-6**

A June 2009 survey from the Pew Internet & American Life Project estimates that 61% of American adults surf the Web for health information. How have you (or your family) used the Internet for your own health or medical care?

## **Electronic Medical Record (EMR) and Electronic Health Record (EHR)**

There is still some debate about whether an electronic health record (EHR) and an electronic medical record (EMR) are the same or different. The Office of the National Coordinator for Health Information Technology (ONC) defines EMR as "a digital version of the paper charts... An EMR contains the medical and treatment history of the patients in one practice...but the information in EMRs doesn't travel easily out [to other providers or facilities]...in fact, the patient's record might even have to be printed out and delivered by mail to specialists" (Garrett and Seidman, 2011, para 4-5).

They go on to describe an EHR as all that and more. EHRs focus on the total health of the patient—going beyond standard clinical data collected in a single event such as a provider's visit or hospitalization. They provide a broader view on a patient's care. EHRs are designed to reach out beyond the health organization that originally collects and compiles the information. They are built to share information with other health care providers so they contain information from all the clinicians involved in the patient's care (Garrett and Seidman, 2011, para 6). Figures 23-2 and 23-3 illustrate screenshots from a patient's EMR.

For example, a patient is seen in a primary care provider (PCP) office for complaints of indigestion. The PCP completes a history and physical, does an ECG, and basic lab studies. All data are in the computer at the office comprising one EMR for that patient. The patient is sent home with instructions. Later that evening, the patient feels worse and goes to the emergency department (ED). Using standalone EMRs, the following would occur: because it is after hours, the data in the patient's EMR at the PCP office is not available. A new EMR is begun. The next day the PCP would have no idea that the patient was seen in the ED.

Using an integrated EHR, the emergency department would be able to access the information from the PCP's system, and the next day the PCP would be notified that the patient was seen in ED and would have access to all the data collected during the ED visit.

Advantages of the EHR are listed in Box 23-2. This patient-centric approach to documentation of care is becoming the new standard of care.



FIGURE 23-2 Patient information screen. (Courtesy Medicware, Irwindale, Calif.)




FIGURE 23-3 Patient encounter screen. (Courtesy Medicware, Irwindale, Calif.)

#### BOX 23-2 ADVANTAGES OF ELECTRONIC HEALTH RECORDS

- Simultaneous, remote access to patient from many locations
- Legibility of record—no handwriting
- Safer data—backup and disaster recovery system, so less prone to data loss
- · Patient data confidentiality—authorized use can be restricted and monitored automatically
- Flexible data layout—can recall data in any order (chronologically or in reverse chronological order)
- Integration with other information resources
- Incorporation of electronic data—can automatically capture physiological data from bedside monitors, laboratory analyzers, and imaging devices
- Continuous data processing—check and filter the data for errors, summarize and interpret data, and issue alerts and/or reminders
- Assisted search—can search free-text or structured data to find a specific data value or to determine whether a particular item has been recorded previously
- Greater range of data output modalities—data can be presented to users via computer-generated voice, two-way pagers, e-mail, and smartphones
- Tailored paper output—data can be printed using a variety of fonts, colors, and sizes to help focus the clinician's attention
  on the most important data; images can be included to help see a more complete "picture" of the patient's condition
- Always up to date

As mentioned in the IOM report, *Key Capabilities of an Electronic Health Record System* (2003), a listing of essential features of the EHR (Box 23-3) must be addressed for our outdated health care system model to take advantage of the potential benefits of the "e-revolution." With an estimated 100 million Americans going to the Internet daily to obtain information, including health information, to make decisions it is imperative to recognize the influence the Internet can have on making changes to improve patient self-management, patient satisfaction, and health outcomes (Forkner-Dunn, 2003). With federal initiatives pushing the adoption of EHRs throughout all health care institutions by the

## BOX 23-3 EIGHT CORE FUNCTIONS OF THE ELECTRONIC HEALTH RECORD

A committee of the Institute of Medicine of the National Academies has identified a set of eight core care delivery functions that electronic health records (EHR) systems should be capable of performing to promote greater safety, quality, and efficiency in health care delivery.

These eight core functions are:

- Health information and data
- Result management
- Order management
- Decision support
- · Electronic communication and connectivity
- Patient support
- Administrative processes and reporting
- Reporting and population health

Data from Institute of Medicine. (2003). Key capabilities of an electronic health record system, *Data Standards for Patient Safety*. Retrieved from www.iom.edu/Reports/2003/Key-Capabilities-of-an-Electronic-Health-Record-System.aspx.

year 2014, how nursing is practiced will be significantly changed. Nursing students need to know how to interact with informatics tools and systems to ensure safe and quality care. "In addition, there is a growing consumer movement wanting to interact with health care professionals through personal health records and various electronic communication devices" (NLN, 2008, p 1).

Nursing informatics leaders are reporting that we are just starting to see nurses who have never documented in a paper record.

#### **Personal Health Record**

There is movement toward inclusion of data collected by the patient into the EHR. This is called the personal health record (PHR) and "is an electronic record of an individual's health information by which the individual controls access to the information and may have the ability to manage, track, and participate in his or her own health care" (HHS.gov, n.d.). Personal health records are available from several sources. A health provider may provide them as an extension of an EMR. Insurance providers may have PHRs for their clients. Online services such as WebMD and Microsoft Health Vault are also available. These data could include family history, real-time blood glucose readings, or exercise information sent directly from glucometer to the personal health record. Then, with permission of the patient, these data elements could be uploaded into the patient's PCP's EMR. Sounds good? Well, yes and no. The concepts of a PHR raise some interesting questions concerning data ownership, how to move data from one EMR to another, the rights of the patient to withhold data from a health care provider, and what happens if an online PHR provider ceases operation, such as when Google Health terminated services as of January 1, 2013. The coming few years will bring many changes in the concepts of a PHR...what the successful PHR model will be has yet to be determined.

## Technology Changing Workflow for the Better—Medication Fulfillment

Another IOM study, *Preventing Medication Errors* (2006), recommends greater use of information technologies in prescribing and dispensing medications (medication fulfillment), such as

point-of-care reference information (handheld devices). Having detailed information about a medication at your fingertips addresses the issue of trying to keep up with all of the relevant information needed for the nurse to administer, and the physician or health care provider to prescribe, a medication safely (Figure 23-4).

## **CPOE** and Clinical Decision Support

Computerized provider order entry (CPOE) completely changes the workflow for writing orders. CPOE is a technology-enabled process that allows providers such as physicians, nurse practitioners, and pharmacists to enter patient care orders directly into a computer system that transmits these orders directly to the receiving department (pharmacy, radiology, dietary, etc.) without intervening steps such as RN review for clarity and completeness. The true benefits of CPOE come with implementing clinical decision support systems (CDSSs) at the same time (Dixon and Zafar, 2009). With this combination, research has begun to confirm benefits such as "averting problems with handwriting, similar drug names, drug interactions, and specification errors; integration with electronic medical records, decision support systems, and adverse drug event reporting systems; faster transmission to the pharmacy; and potential economic savings" (AHRQ, 2012).

## **Technology-Enabled Medication Administration**

At the current time, technology-enabled medication administration is primarily based on barcoding technology combined with an electronic medication administration record (eMAR), and technology-controlled medication dispensing equipment in both pharmacy and nursing units. The combination of bar-coded medication administration (BCMA) with an eMAR has been shown to reduce substantially medication administration and transcription errors along with potential drug-related adverse events (Poon and colleagues, 2010). The process of scanning a patient's identification band as one method of patient confirmation, as well as each medication, so that the five rights are verified electronically may take a few more moments, but the rewards for both the patient and nurse are worthwhile. Taking the steps to protect our patients is also protecting our license to practice as an RN or LVN/LPN.



FIGURE 23-4 Accessing patient information at point-of-care. (Courtesy PatientSafe Solutions, San Diego, Calif.)

## e-Prescribing

In addition, electronic prescriptions (e-prescriptions) can reduce many of the mistakes that occur with handwritten prescriptions. The e-prescription software guarantees that all necessary information is completed legibly. In addition, the software program correlates the patient's prescription with his or her medical history. This allows for automatic checking of drug allergies, drug—drug interactions, and overly high doses. According to *Preventing Medication Errors*, "In addition, once an e-prescription is in the system, it will follow the patient from the hospital to the doctor's office or from the nursing home to the pharmacy, avoiding many of the 'hand-off errors' common today. In light of all this, the committee recommends that by 2010 all prescribers and pharmacies will be using e-prescriptions" (IOM, 2006, p 3). Unfortunately, despite statistically significant reductions in errors, including complete elimination of legibility errors, e-prescribing did not meet the IOM recommendations by 2010 (Kaushal et al, 2010).

But progress is being made. Medicare Part D requires drug plans that are participating in the new prescription benefit to support electronic prescribing. In a brief prepared by the Office of the National Coordinator for Health Information Technology, Hufstader, Swain, and Furukawa (2012) reported that in December 2008, 7% of physicians in the United States were e-prescribing using an EHR; by June 2012, almost half (48%) of physicians were e-prescribing using an EHR on the Surescripts network. "Surescripts is an e-prescription network utilized by approximately 95% of all community pharmacies in the U.S. routing prescriptions, excluding closed systems such as Kaiser Permanente" (Surescripts, 2012).

The American Hospital Association strongly supports the use of technology to protect and improve the quality of care in the hospital. Research data support the proposition that the computerized physician order system (CPOE), computerized decision support systems and bar-code medication administration (BCMA), and electronic medication administration record (eMAR) for medication administration can limit errors and improve care (AHA, 2006).

## What Is Meaningful Use?

In 2009, the *American Recovery and Reinvestment Act* (ARRA) and the Centers for Medicare & Medicaid Services (CMS) released a proposed rule on Medicare and Medicaid payment incentives for "meaningful users" of EHRs by hospitals and physicians with financial incentives in the first few years and penalties thereafter. Federal initiatives such as ARRA are pushing the adoption of EHRs throughout all health care institutions by the year 2014, which is an initiative that will dramatically change how nursing is practiced (CMS, 2012a,b,c).

The goal of meaningful use is to promote the spread of electronic health records to improve health care in the United States by complete and accurate information, better access to information, and empowerment of patients to participate more actively in their health. There are three stages described in Table 23-1.

#### **Barriers Still Remain**

Despite this new law, there still remain major barriers to the full integration of health information technology. These barriers include:

- Lack of standardization across care areas—that is, the need for laboratory data and pharmacy systems to be integrated with the patient's EHR, and the emergency department systems need to share data with the inpatient systems.
- Funding—information technology is costly, and often the major costs are borne by hospitals rather than shared by other providers, payers, and employers.
- Privacy laws—a single set of privacy laws is needed to simplify the task of communicating across facilities, agencies, and local, state, and federal governments.
- Lack of a uniform approach (number) to match patients to their record—a single authentication number is needed to reduce safety risks and to provide a uniform access to a patient's data (AHA, 2006).

TABLE 23-1 STAGES OF MEANINGFUL USE							
STAGE 1 2011-2012 DATA CAPTURE AND SHARING	STAGE 2 2014 ADVANCE CLINICAL PROCESSES	STAGE 3 2016 IMPROVED OUTCOMES					
STAGE 1: MEANINGFUL USE CRITERIA FOCUS ON:	STAGE 2: MEANINGFUL USE CRITERIA FOCUS ON:	STAGE 3: MEANINGFUL USE CRITERIA FOCUS ON:					
Electronically capturing health informa- tion in a standardized format	More rigorous health information exchange (HIE)	Improving quality, safety, and efficiency, leading to improved health outcomes					
Using that information to track key clinical conditions  Communicating that information for care	Increased requirements for e-prescribing and incorporating lab results Electronic transmission of patient-care	Decision support for national high-priority conditions Patient access to self-man-					
coordination processes Initiating the reporting of clinical quality measures and public health information	summaries across multiple settings More patient-controlled data	agement tools Access to comprehensive patient data through					
Using information to engage patients and their families in their care		patient data through patient-centered HIE Improving population health					

Reprinted from HealthIT.gov. (n.d.). What is meaningful use? Retrieved from http://www.healthit.gov/policy-researchers-implementers/meaningful-use.

### **TRENDS**

When the first edition of this textbook was published in the early 1990s, the section on computer technology was new and innovative. It was the cutting edge of technology that sent many nurse educators, students, and practicing nurses scrambling to make sense of how the computer might affect them. The explosion of knowledge and technology has visibly changed our mindset on the use of computer technology to the extent that computer literacy is integrated within nursing education. Being faced with devices, equipment, computer sensors, "smart" body parts, and EHRs that involve technological skills, information technology impacts the way that nursing is practiced and delivered. In the 2013 NCLEX-RN® Detailed Test Plan, the subcategory of Information Technology is a content section under the category of Management of Patient Care, which is part of the patient need category of Safe and Effective Care Environment (National Council of State Boards of Nursing, 2012) (Box 23-4).

As Forkner-Dunn (2003) so cleverly states, "time to byte the bullet...the e-health train has not only left the station but is rapidly moving down the track carrying tens of millions of e-patients and many possibilities for transforming patient self-management, improving health outcomes, and enhancing [health provider] patient relationships" (p 8). Although there are numerous trend areas, using the Internet to communicate and to provide patient self-care, evaluating Internet resources, and using mobile computing devices are certainly in the forefront.

## USING THE INTERNET: THE NEXT GENERATION OF HEALTH CARE DELIVERY

Undoubtedly, the Internet has transformed our ability to locate health information and to connect via e-mail and social networking such as Facebook, Twitter, or Pinterest with other individuals who have similar interests. Websites such as PatientsLikeMe.com allow people with chronic illnesses to share their feelings, disease progression, and responses to treatments with others in similar situations.

# BOX 23-4 NCSBN DETAILED TEST PLAN FOR NCLEX-RN® EXAMINATION

The following is an excerpt from the 2013 Detailed Test Plan for the NCLEX-RN regarding the content area of Information Technology on the NCLEX-RN exam:

#### Information Technology

- Receive and/or transcribe health care provider orders\*
- Apply knowledge of facility regulations when accessing client records
- Access data for client through online databases and journals
- Enter computer documentation accurately, completely, and in a timely manner
- Use information resources to enhance the care provided to a client (e.g., evidenced-based research, information technology, policies, and procedures)\*

#### Confidentiality/Information Security

- Assess staff member and client understanding of confidentiality requirements (e.g., HIPAA)
- Maintain client confidentiality and privacy\*
- Intervene appropriately when confidentiality has been breached by staff members

Retrieved from https://www.ncsbn.org/2013\_NCLEX\_RN\_Detailed\_Test\_Plan\_Candidate.pdf.

The federal government recognizes the importance of having access and quality information and has established a series of goals in the *Healthy People 2020 Topics and Objectives* (U.S. Department of Health & Human Services, 2012). According to Forkner-Dunn (2003), Internet-based patient self-care is the "next generation of health care delivery" (p 1). Health information on the Internet can dramatically improve patients' abilities to manage their own health care conveniently. Of course, not all Web-based information is accurate, which raises concerns about the quality of information individuals are using and the impact this information has on the overall health of an individual.

Internet users must still proceed with caution when seeking health care information online, because there is a plethora of incomplete and inaccurate information that can be dangerous.

As nurses, we need to understand better how consumers find health information on the Internet, how to evaluate the quality of information retrieved, and how to help our patients to evaluate critically and manage information (ANA, 2011; Greenberg et al, 2004).

A 2001 study by RAND for the California Healthcare Foundation showed that the information on health websites is often incomplete or out of date and highly commercialized. This might be of little concern if consumers routinely consulted health care professionals about the information. However, the Pew Internet and American Life Project (Pew) found that 69% of consumers did not discuss the information they found online with a doctor or nurse, and considering that most health information on the Internet is written in a style that is above the ninth-grade reading level, many individuals come away from the source of information confused, especially the underserved populations who need the information the most.

The U.S. National Library of Medicine and National Institutes of Health provide an excellent website on Evaluating Health Information at http://www.nlm.nih.gov/medlineplus/evaluatinghealthinformation.html, including some in Spanish.

<sup>\*</sup> Activity Statements used in the 2011 RN Practice Analysis.

Data from National Council State Board of Nursing. (2013). NCLEX-RN® Detailed Test Plan Candidate Version.

Imagine having access to your complete EHR no matter where you are in the world and being able to download portions of whatever documentation you need to a CD-ROM or removable drive (thumb drive).

To meet the requirements of Meaningful Use Stage 2, health care providers will need to more actively engage patients in their health care process. The requirements will necessitate that hospitals and providers supply patients with "the capability to electronically view, download, and transmit relevant information from their provider's electronic health records. This could include lab test results, a list of current medications, and hospital discharge instructions" (McGraw, 2012).

A study by Hill-Kayser and colleagues (2009) described how patients who had survived breast cancer were willing to use and were satisfied with the information provided in a web-based survivorship care plan called Oncolink. Oncolink was described as "a cancer information website based at the University of Pennsylvania that averages 3.9 million page views and more than 385,000 unique visits per month (para 3). It was interesting to note that only 12.6% of the respondents reported receiving cancer survivorship information before visiting Oncolink.

#### **Electronic Communication**

Practically everyone is familiar with e-mail. Your instructor may require you to complete assignments and submit your work via e-mail attachment instead of submitting a hard copy. You probably send e-mail to family and friends on a daily basis. Although more than 78% of people in the United States now use the Internet and e-mail daily (and many access health information), few physicians communicate with their patients through e-mail (Ye et al, 2010; Internet World Stats, 2013). Considering the popularity of e-mail and despite its potential for rapid, asynchronous, documentable communication to improve both the quality and efficiency of health services delivery, the use of e-mail communication has not been widely adopted by many physicians. There are several reasons for this, ranging from HIPAA concerns to billing issues.

But e-mail is rapidly being supplemented or even replaced by texting, Twitter, and other forms of social media. Classes are moving online and may be 100% asynchronous or may be combined with video conferencing.

## DATA ACCESS AT THE POINT OF CARE

Point-of-care (POC) documentation has surfaced as a need in health care because of the interruption in workflow created by electronic documentation. Thirty plus years ago, patient's flow sheet documentation was kept on a clipboard at the bedside. Nurse walked into room, collected vital data, wrote it on the flow sheet, and went on to the next patient. While this was an excellent workflow for the clinical nurse, it made aggregating data across patient visits or patient aggregates a monumental task. Picture the emergency department (ED) nurse, with an unconscious patient, who is confronted with a stack of paper records that have been rolled to the ED in a wheelchair by a medical records person—trying to put together a concise, cohesive picture of the patient's history was next to impossible.

## **Computers in the Nurses' Station**

Enter electronic clinical documentation. This made it easier to review patient data from previous visits and to do research across patient populations, and it completely changed the workflow of the clinician at the bedside. We went from collecting data on multiple patients until we finally had time to sit down in front of a computer to enter the data into the patient's chart. We then attempted to regurgitate all

the data we have either scribbled on a piece of paper or, worse yet, tried to commit to memory. And even worse than that, we have had multiple person-to-person conversations, telephone calls, alerts, etc., between gathering data and documentation, all of which interfere with our recall of the details of care that was given to a patient in the previous hours.

Research has shown that point-of-care documentation reduces data latency and data errors (Gearing et al, 2006; Parker and Baldwin, 2008; Wager et al, 2010). A variety of point-of-care devices are now available to return documentation back to the point of care and to help us handle the vast amount of data that we receive every day.

## **Mobility in the Clinical World**

To free clinicians from computers at the nurses' station, computers were put on carts—first desktops, then laptops. The next generation of workstations on wheels added medication storage to improve workflow. In 2013, the first "smart carts" with embedded computers to monitor power consumption, to provide nursing and communication tools that were separate from the EHR computer, and to provide data use analytics were introduced, as shown in Figure 23-5.



FIGURE 23-5 Smartphone communication application using text messaging. (Courtesy Voalté, Sarasota, Fla.)

While tablet computers have been "the thing" for providers since the introduction of the iPad in 2010, there has not been widespread adoption by nurses at the bedside. Mobile application development has focused on the providers, and nurses have been reluctant to give up a keyboard and large monitor because of the design of the clinical applications they use. Expect this trend to change in the next 5 years as software applications continue to evolve.

## **Smartphones**

Nurses in the workplace know little about the use of smartphones, as only one study that focused on smartphone adoption by nurses could be found (Wyatt and Krauskopf, 2012). And just as PDAs and phones merged to become the smartphone, the current trend of smartphone and tablet computers merging is rapidly occurring. By the time you read this chapter, the differences between two devices will be almost imperceptible if they not have vanished altogether (Critical Thinking Box 23-7).



## **CRITICAL THINKING BOX 23-7**

Do you have a smartphone? If so, how do you use it? If not, do you anticipate purchasing one in the near future? Do you find nurses in the hospital or clinic setting using smartphones on a regular basis? What programs do they or you use?

Smartphones can run applications that can perform cardiac monitoring, monitor blood glucose levels, blood pressure, diet, and activity, as well as allowing users to check for drug interactions, calculate dosages, analyze lab results, schedule procedures, order prescriptions, and automate other clinical tasks, thus reducing the probability of errors and increasing patient safety (Abrahamsen, 2003), but smartphones can also be used for multiple modes of communication as well. We just have to be careful not to violate HIPAA when using our personal phones! Check Chapter 19 for tips on effectively using social media and other virtual environments in both your profession and personal life.

Applications are now being developed to aid in managing the constant influx of information using multiple modes of communication such as text messaging, voice messages and calls, and alarms (Figures 23-6 and 23-7). However, because of their limited memory and scaled-down operating systems, it is still impossible to access the entire scope of the patient's electronic record on a smartphone.

### **EVALUATING INTERNET RESOURCES**

#### What Do I Need to Know to Evaluate an Internet Resource?

McGonigle (2002) suggests a five-step plan to evaluate websites (Box 23-5).

Remember that anybody can publish anything on the Web. Make sure you critically evaluate the source of the information.

It is important to encourage patients to focus their Internet searching endeavors to well-known and reputable sites. For example, the U.S. Surgeon General's Family History Initiative is a great place to start with promoting the importance of a well-documented family health history. In addition to the Office of the Surgeon General, other U.S. Department of Health & Human Services (USDHHS) agencies involved in this project include the National Human Genome Research Institute (NHGRI), the Centers for Disease Control and Prevention (CDC), the Agency




FIGURE 23-6 Smartphone communication application text messaging templates. (Courtesy Voalté, Sarasota, Fla.)

## BOX 23-5 **HOW TO EVALUATE WEBSITES**

#### Step 1: Authority

Who is/are the author(s)? Describe each author's authority or expertise. Are professional qualifications listed? How can you contact the author(s)? Who is the site's sponsor? Is the site copyright protected?

#### Step 2: Timeliness and Continuity

When were the site materials created? When did it become active on the Web? When was it last updated/revised? Are the links up to date? Are the links functional? When were data gathered? What version/edition is it?

#### Step 3: Purpose

Who is the targeted audience? What is the purpose? Are the goals/aims/objectives clearly stated?

#### Step 4: Content: Accuracy and Objectivity

Does the information provided meet the purpose? Who is accountable for accuracy? Are the cited sources verifiable? What is the value of the content of this site related to your topical needs? How complete and accurate are the content information and links? Is the site biased? Does it contain advertisements?

#### **Step 5: Structure and Access**

Does the site load quickly? Do multimedia, graphics, and art used on the page serve a purpose, or are they just decorative or fun? Is there an element of creativity?

Is there appropriate interactivity? Is the navigation intuitive? Are there icons? Is this a secured site?

From McGonigle, D. (2002). How to evaluate websites. Online J Issues Nurs, 6(2).



FIGURE 23-7 Smartphone communication application alarm. (Courtesy Voalté, Sarasota, Fla.)

for Healthcare Research and Quality (AHRQ), and the Health Resources and Services Administration (HRSA). A downloadable, free tool, entitled "My Family Health Portrait," is available at <a href="http://www.genome.gov/27527640">http://www.genome.gov/27527640</a>. This tool helps patients organize their family trees and helps them identify common diseases that may run in their families. After completing the required information, the tool will create and print out a graphic representation of the patient's family generations and the health disorders that may have moved from one generation to the next. This is a powerful tool for predicting illnesses (USDHHS, 2004) and can be brought by the patient to a health care provider appointment.

#### The CARS Checklist

Acronyms are always helpful for remembering important key features. The CARS checklist (Credibility, Accuracy, Reasonableness, Support), developed by Harris in 1997 and updated in 2007, is designed to help evaluate a website. Although few sources will meet the majority of the criteria, the checklist will help in separating the high-quality information from the poor-quality information.

- ✓ Credibility—an authoritative source, includes author's credentials, evidence of quality control such as peer review.
- ✓ Accuracy—a source that is correct today (not yesterday); comprehensive.
- ✓ Reasonableness—look at the information for fairness, objectivity, moderateness, consistency, and worldview.
- ✓ Support—a source that provides convincing evidence for the claims made; a source that you can triangulate (find at least two other sources that support it).

Harris (2007) notes that you will also need a little "café" advice to live with the information you obtained from your Internet search.

- Challenge the information and demand accountability.
- Adapt and require more credibility and evidence for stronger claims—it is okay to be skeptical of the information.
- File new information in your mind rather than immediately believing or disbelieving it.
- Evaluate and reevaluate regularly. Recognize the dynamic, fluid nature of information.

## **NURSING INFORMATICS AND YOU**

Do you see now how your practice will involve informatics on a daily basis? From electronic documentation, to using technology-laden equipment such as smart IV pumps and beds, bar-code medication administration, and a variety of POC diagnostics equipment, to communication tools such as smartphones and use of clinical decision support systems, technology will touch every part of your patient care (Research for Best Practice Box 23-1).

In addition, you may become part of the implementation team for a new software application as a super user. Super users are individuals who have been through additional training for a software application and who are responsible for helping others on your unit. You may be a subject-matter expert (SME) at some point in your career and help design the data input screens of an application.

Basic computing and information literacy skills are rapidly becoming required for all nurses, whether working directly with patients in any environment, teaching, or any of the other varied positions held by nurses today.

## **Informatics Competencies for the Practicing Nurse**

A grassroots effort known as TIGER (Technology Informatics Guiding Educational Reform) Initiative was begun. The TIGER Initiative "is focused on using informatics tools, principles, theories and practices to enable nurses to make healthcare safer, more effective, efficient, patient-centered, timely and equitable (TIGER, 2013, para 1). Based on an extensive literature review, the TIGER Informatics Competency Collaborative (TICC) developed the *TIGER Nursing Informatics Competencies Model* that includes basic computer competencies, information literacy, and information management (Gugerty and Delaney, 2009). This is an outstanding self-assessment tool to determine if you have gaps in your skill set.

## **Basic Computer Competencies**

There seems to be a lack of consensus regarding what skills are needed to demonstrate basic computer competence (Elder and Koehn, 2009). Rather than develop another set of skills, the TICC basic competencies recommendations are based on The European Computer Driving License (ECDL) Foundation's syllabus, which can be found at: www.ecdl.org/programmes/index.jsp?p=102&n=2227.

The basic skills include:

- · Concepts of information and communication technology
- · Using the computer and managing files
- Word processing
- Spreadsheets
- Using databases
- Presentation
- Web browsing and communication

## **RESEARCH FOR BEST PRACTICE** BOX 23-1

## Use of Technology Improves Safety of Medication Administration

#### **Practice Issue**

Approximately 1.5 million Americans are injured each year because of medication errors. Medication errors in the inpatient setting cost the health system well over \$3.5 billion per year. Leape and colleagues (1995) broke medication errors into five phases: 39% of errors occurred during the prescribing phase, 12% during transcription, 11% during dispensing, and 38% during administration. It is the nurse at the patient's side who is the last link in the chain of medication administration. In a 300-bed community hospital, use of bar-code technology reduced medication errors by 80%. The Veteran's Administration in Eastern Kansas prevented 549,000 medication errors between 1995 and 2001. At Medical University of South Carolina, a retrospective review of high-alert medication system triggers showed that 17% of scanned medications triggered an error alert. Of that, 55% were for high-alert medications including insulin, hydromorphone, potassium chloride, and morphine (Miller, Fortier, and Garrison, 2011).

Most nurses have heard of the case of the newborn twins of actor Dennis Quaid and his wife Kimberly receiving 10,000 units of heparin instead of 10 units. Although not all adverse drug events (ADEs) are preventable, using bar-code technologies can prevent those that are the result of a breakdown in the Five Rights of Medication Administration. But the technology only works when nurses use it. In a study by Koppel and colleagues (2008), nurses were found to use a work-around instead of using BCMA in more than 10% of the medications delivered.

#### **Implications for Nursing Practice**

- Don't use a work-around as a quick-fix solution to a bigger problem. If technology is hampering your work, tell your manager.
- Don't try to save time by bypassing the BCMA process.
- Many of the medication errors were made unknowingly by nurses—BCMA can help ensure that the Five Rights are followed
  every time.

#### **Considering This Information:**

Have you used BCMA yet? Has anyone taught you a work-around? Why would you want to bypass a BCMA alert and when?

#### References

Coyle, G. A., & Heinen, M. (2005). Evolution of BCMA within the Department of Veterans Affairs. Bar Code Medication Administration. *Nursing Administration Q, 29,* 32–38.

Foote, S. O., & Coleman, J. R. (2008). Success story: Medication administration—the implementation process of bar-coding for medication administration to enhance medication safety. *Nursing Economic\$*, 26, 207–210.

Koppel, R., Wetterneck, T., Telles, J. L., et al. (2008). Workarounds to barcode medication administration systems: their occurrences, causes, and threats to patient safety. *Journal of American Medical Informatics Association*, *15*, 408–423.

Institute of Medicine. (IOM). (2006). *Medication errors injure 1.5 million people and cost billions of dollars annually*. Retrieved from www.nationalacademies.org/onpinews/newsitem.aspx?RecordID=11623.

Leape, L. L., Bates, D. W., Cullen, D. J., et al. (1995). Systems analysis of adverse drug events. JAMA, 274, 35–43.

Miller, D. F., Fortier, C. R., & Garrison, K. L. (2011). Bar code medication administration technology: Characterization of high-alert medication triggers and clinician workarounds. *The Annals of Pharmacotherapy*.

Sakowski, J., Newman, J. M., & Dozier, K. (2008). Severity of medication administration errors detected by a bar-code medication administration system. *AJHP: Official Journal of the American Society of Health-System Pharmacists, 65,* 1661–1666.

## **Information Literacy**

The second competency identified by the TIGER initiative is information literacy. The Association of College and Research Libraries (2010, para 1) defined information literacy as "the set of skills needed to find, retrieve, analyze, and use information." After a systematic literature review, Hart (2008) concluded that nurses in the United States are not prepared for evidence-based practice because of the lack of competency in information literacy skills. The TIGER recommendation is that all practicing nurses and graduating nursing students will have the ability to:

- Determine the nature and extent of the information needed
- Access needed information effectively and efficiently
- Evaluate information and its sources critically and incorporate selected information into his or her knowledge base and value system
- Individually, or as a member of a group, use information effectively to accomplish a specific purpose
- Evaluate outcomes of the use of information (Gugerty and Delaney, 2009, p 5)

## CONCLUSION

Nursing informatics is a specialty grounded in the present while planning for the future. Informatics nurses face many challenges in their daily activities, because they are in a position to wear many hats and bear many responsibilities. The next challenge after EHR implementation will be using the data in a meaningful way—to improve patient care and lower costs. Computing devices and applications will continue to evolve and improve point-of-care access. Touch screens and voice input are already beginning to have an impact. Change is the only constant. At the end of this chapter are relevant websites and online resources on the concepts that have been presented.

The challenge will be for informatics nurses and informatics nurse specialists to assume leadership roles in informatics, while the nurse educator, manager, and practicing nurse prepare to embrace the generalized applications of working within a computerized environment. No longer will it be sufficient to be able to turn on a computer and complete a simple task. A nurse will need to be able to use technology in all the forms found in health care organizations, access information, as well as access and use data and evaluate the content of the information provided to the patient population. Wishing will not make technology go away, so savvy nurses will focus on the benefits that technology brings to patient care, learn the skills they need, and embrace the future with all the changes it will bring.

## **RELEVANT WEBSITES AND ONLINE RESOURCES**

American Health Information Management Association (AHIMA) (2013)

Website on PHRs. http://www.myphr.com/StartaPHR/what\_is\_a\_phr.aspx.

American Medical Informatics Association (AMIA) (2013)

AMIA NI Working Group. http://www.amia.org/programs/working-groups/nursing-informatics.

American Nursing Informatics Association (ANIA) (2013)

https://www.ania.org/.

Centers for Medicare & Medicaid Services (CMS) (2013)

Medicare and Medicaid Electronic Health Records (EHR) Incentive Programs. http://www.cms.gov/Regulations-and-Guidance/Legislation/EHRIncentivePrograms/index.html?redirect=/ehrincentiveprograms/.

## RELEVANT WEBSITES AND ONLINE RESOURCES—cont'd

## HealthIT.gov (n.d.)

Health Information Privacy, Security, and Your EHR. http://www.healthit.gov/providers-professionals/ehr-privacy-security. What is Meaningful Use? http://www.healthit.gov/policy-researchers-implementers/meaningful-use.

#### **HIMSS**

Nursing informatics. (2013a). http://www.himss.org/ASP/topics\_nursingInformatics.asp. Meaningful Use OneSource. (2013b.) http://www.himss.org/ASP/topics\_meaningfuluse.asp.

#### Medicare.gov (2013)

Personal Health Records (PHRs).

http://www.medicare.gov/manage-your-health/personal-health-records/personal-health-records.html.

#### Microsoft (2013)

Microsoft Health Vault. http://www.microsoft.com/en-us/healthvault/.

#### U.S. Department of Health & Human Services (HHS) (2013)

Health Information Privacy. http://www.hhs.gov/ocr/privacy/.

#### WebMD (2013)

WebMD Personal Health Record. http://www.webmd.com/phr.

## **BIBLIOGRAPHY**

- Abrahamsen, C. (2003). Patient safety: take the informatics challenge. *Nursing Management*, 34, 48–51. AHRQ. (2012). *Computerized provider order entry*. Retrieved from http://psnet.ahrq.gov/primer.aspx?prime rID=6.
- American Hospital Association. (2006). *Protecting and improving care for patients and communities health information technology*. Retrieved from www.aha.org/aha/content/2006/pdf/ Iss-Paper-Health-IT-06.pdf.
- American Nurses Association. (2008). ANA scope and standards of nursing informatics practice. Washington, DC, ANA.
- American Nurses Association. (2011). Fact sheet: Navigating the world of social media. Retrieved from http://www.nursingworld.org/FunctionalMenuCategories/AboutANA/Social-Media/Social-Networking-Principles-Toolkit/Fact-Sheet-Navigating-the-World-of-Social-Media.pdf.
- American Nurses Association. (2012). ANA recognized terminologies that support nursing practice. Retrieved from http://nursingworld.org/npii/terminologies.htm.
- Association of College and Research Libraries. (2010). *Introduction to information literacy*. Retrieved from www. ala.org/ala/mgrps/divs/acrl/issues/infolit/overview/intro/index.cfm.
- Clark, J. (2004). *Information management: the compliance guide to JCAHO standards* (4th ed.). Danvers, MA: HCPro Inc.
- CMS.gov. (2012a). *Meaningful use*. Retrieved from http://www.cms.gov/Regulations-and-Guidance/Legislation/EHRIncentivePrograms/Stage 2.html.
- CMS.gov. (2012b). EHR incentive program. Retrieved from http://www.cms.gov/Regulations-and-Guidance/Legislation/EHRIncentivePrograms/Downloads/Dec\_EHRIncentivePrograms\_PaymentandRegistration\_Report.pdf.
- CMS.gov. (2012c). *Stage 2*. Retrieved from http://www.cms.gov/Regulations-and-Guidance/Legislation/EHRIncentivePrograms/Meaningful Use.html.
- Delany, C. (2004). IN/INSCTF activities: Response to the President's Information Technology Advisory Committee. CIN: Computers, Informatics, Nursing, 22, 299, 302–305.

- Dimick, C. (2010). Californian sentenced to prison for HIPAA violation. *Journal of AHIMA*. Retrieved from http://journal.ahima.org/2010/04/29/californian-sentenced-to-prison-for-hipaa-violation/.
- Dixon, B. E., & Zafar, A. (2009). *Inpatient computerized provider order entry: findings from the AHRQ Health IT Portfolio* (Prepared by the AHRQ National Resource Center for Health IT). AHRQ Publication No. 09-0031-EF, Rockville, MD: Agency for Healthcare Research and Quality.
- Elder, B. L., & Koehn, M. L. (2009). Assessment tool for nursing student computer competencies. *Nursing Education Perspectives*, *30*, 148–152, 2009.
- Eysenbach, G. (2001). What is e-health? J Med Internet Res 3(2). Retrieved from www.jmir.org/2001/2/e20/.
- Forkner-Dunn, J. (2003). Internet-based patient self-care: the next generation of health care delivery. *J Med Internet Res*, 5, e8. 2003. Retrieved from www.pubmedcentral.nih.gov/articlerender.fcgi?artid+1550561.
- Tale Cross (2001) HIDA A privacy rule taken of fact. Healthcare Eigeneigh Manage 55 0
- Gale Group. (2001). HIPAA privacy rule takes effect. *Healthcare Financial Manage*, 55, 9.
- Garrett, P., & Seidman, J. (2011). EMR vs EHR—What is the difference? Retrieved from http://www.healthit.gov/buzz-blog/electronic-health-and-medical-records/emr-vs-ehr-difference/.
- Gearing, P., Olney, C. M., Davis, K., et al. (2006). Enhancing patient safety through electronic medical record documentation of vital signs. *J Healthcare Information Management*, 20, 40–45.
- Greenberg, L., D'Andrea, G., & Lorence, D. (2004). Setting the public agenda for online health search: a white paper and action agenda. *J Med Internet Res* 6(2). Retrieved from www.jmir.org/2004/2/e18/.
- Gugerty, B., & Delaney, C. (2009). TIGER informatics competencies collaborative (TICC) final report. Retrieved from http://tigercompetencies.pbworks.com/f/TICC\_Final.pdf.
- Harris, R. (2007). Evaluating Internet research sources. Retrieved from www. virtualsalt.com/evalu8it.htm.
- Hart, M. D. (2008). Informatics competency and development within the US nursing population workforce: a systematic literature review. CIN: Computers, Informatics, Nursing, 26, 320–329.
- HHS.gov. (n.d.). *Personal health records (PHRs) and the HIPAA privacy rule.* Retrieved from http://www.hhs.gov/ocr/privacy/hipaa/understanding/special/healthit/phrs.pdf.
- Hill-Kayser, C., Vachani, C., Hampshire, M., Jacobs, L., & Metz, J. (2009). An internet tool for creation of cancer survivorship care plans for survivors and health care providers: Design, implementation, use and user satisfaction. *Journal of Medical Internet Research*, 11(3), e39. doi:10.2196/jmir.1223.
- HIMSS Informatics Nurse Impact Study. (2009). *Final report*. Retrieved from www.himss.org/content/files/HIMSS 2009NursingInformaticsImpactSurveyFullResults.pdf.
- HIMSS. (2011). Nursing Informatics Workforce Survey. Retrieved from http://www.himss.org/content/files/2011HIMSSNursingInformaticsWorkforceSurvey.pdf.
- Hufstader, M., Swain, M., Furukawa, M.F. (November 2012). State variation in e-prescribing trends in the United States. *ONC Data Brief, no. 4*. Washington, DC: Office of the National Coordinator for Health Information Technology.
- Institute of Medicine: Committee on Quality of Health Care in America. (2001). *Crossing the quality chasm: a new health system for the 21st century.* Washington, DC: National Academy Press.
- Institute of Medicine. (2003). *Key capabilities of an electronic health record system. Data standards for patient safety*. Retrieved from www.providersedge.com/ehdocs/ehr\_articles/Key\_Capabilities\_of\_an\_EHR\_System.pdf.
- Institute of Medicine. (2006). *Preventing medication errors, report brief.* Retrieved from www.iom.edu/Object. File/Master/35/943/medication% 20errors%20new.pdf.
- Internet World Stats. (2013). Internet usage and population statistics for North America. Retrieved from http://www.internetworldstats.com/stats14.htm#north.
- Kaushal, R., Kern, L. M., Barron, Y., Quaresimo, J., & Abramson, E. L. (2010). Electronic prescribing improves medication safety in community-based office practices. *J Gen Intern Med*, 25(6), 530–536.
- Keenan, G. (1999). Use of standardized nursing language will make nursing visible. *Michigan Nurse*, 72, 2–13.
- Knox, C., & Smith, A. (2007). Handhelds and HIPAA. Nursing Management, 38(6), 38-40.
- McGonigle, D. (2002). How to evaluate websites. *OJIN*, *6*(2). Retrieved from http://eaa-knowledge.com/ojni/ni/602/web\_site\_evaluation.htm.
- McGraw, D. (2012). Meeting patient engagement objectives of meaningful use stage 2: Credentialing patients. Retrieved from http://www.healthit.gov/buzz-blog/meaningful-use/patient-engagement-objectives-meaningful-stage-2/.

- National Council of State Boards of Nursing. (2012). *NCLEX-RN® detailed test plan candidate version*. Retrieved from https://www.ncsbn.org/2013\_NCLEX\_RN\_Detailed\_Test\_Plan\_Candidate.pdf.
- National League for Nursing. (2008). Workforce to practice in 21st-century, technology-rich health care environment New York. Retrieved from www.nln.org/aboutnln/PositionStatements/informatics\_052808.pdf.
- OpenClinical.com (2011). e-Health. Retrieved from http://www.openclinical.org/e-Health.html.
- Pancoast, P. E., Patrick, T. B., & Mitchell, J. A. (2003). Physician PDA use and the HIPAA privacy rule. *J Am Med Informatics Assoc*, 10, 611.
- Parker, C. D., & Baldwin, K. (2008). Mobile device improves documentation workflow and nurse satisfaction. *CARING Newsletter*, 23(2), 14–18.
- Ponemon Institute. (2012). Third annual benchmark study on patient privacy & data security sponsored by ID experts. Retrieved from http://www.ponemon.org/local/upload/file/Third\_Annual\_Study\_Patient\_Privacy\_FINAL5.pdf.
- Poon, E. G., Keohane, C. A., Yoon, C. S., et al. (2010). Effect of bar-code technology on the safety of medication administration. *New England Journal of Medicine*, 362(18), pp. 1698–1707.
- RAND Corporation. (2001). *Proceed with caution: a report on the quality of health information on the Internet*. San Francisco, Calif: Rand Corporation. Sponsored by the California Health Care Foundation. Retrieved from www.chcf.org/documents/consumer/ProceedWith CautionCompleteStudy.pdf.
- Rogers, E. M. (2003). Diffusion of innovation (5th ed.). New York, NY: Free Press.
- Simpson, R. (2000). A systems view of information technology. Nurs Admin Q, 2, 80.
- Simpson, R. (2001). Size up the big three. Nurs Manage, 12.
- Surescripts. (2012). http://www.surescripts.com.
- The Joint Commission. (2012). New and revised requirements for the laboratory accreditation program. Retrieved from http://www.jointcommission.org/assets/1/18/Prepub\_LAB\_v21.pdf.
- TIGER. (2013). *The TIGER collaborative teams phase ii activities*. Retrieved from http://www.tigersummit.com/9\_Collaboratives.html.
- U.S. Department of Health and Human Services. (2004). U.S. Surgeon General's family history initiative. Retrieved from www.hhs.gov/familyhistory/.
- U.S. Department of Health and Human Services. (2012). *Healthy People 2020*. Retrieved from http://healthypeople.gov/2020/topicsobjectives2020/overview.aspx?topicid=18.
- U.S. Department of Health and Human Services. (2013a). New rule protects patient privacy, secures health information. Retrieved from http://www.hhs.gov/news/press/2013pres/01/20130117b.html.
- U.S. Department of Health & Human Services. (2013b). How can you protect and secure health information when using a mobile device? Retrieved from http://www.healthit.gov/providers-professionals/how-can-you-protect-and-secure-health-information-when-using-mobile-device.
- Wager, K. A., Schaffner, M. J., Foulois, B., et al. (2010). Comparison of the quality and timeliness of vital signs data during a multi-phase EHR implementation. *Computers, Informatics, Nursing*, July-Aug, 205-212.
- World Health Organization. (WHO). (2005). *Resolutions and decisions*. Retrieved from http://apps.who.int/gb/ebwha/pdf\_files/WHA58/WHA58\_28-en.pdf.
- Wyatt, T., & Krauskopf, P. (June 2012). E-health and nursing: Using smartphones to enhance nursing practice. *Online Journal of Nursing Informatics (OJNI)*, 16(2). Retrieved from http://ojni.org/issues/?p= 1706.
- Ye, J., Rust, G., Fry-Johnson, Y., & Strothers, H. (2010). E-mail in patient-provider communication: A systematic review. *Patient Education and Counseling*, 80, 266–272.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

24

## **Using Nursing Research in Practice**

Mary Mackenburg-Mohn, PhD, RN, CNP

The new challenge is for nurses to use research methods that can clearly explicate the essential nature, meanings and components of nursing so that nurse clinicians can use this knowledge in a deliberate and meaningful way.

Madeline Leininger



Nursing research is the road map to professional practice.

After completing this chapter, you should be able to:

- Identify the steps in the process of research utilization.
- Discuss the difference between conducting research and research utilization.
- Identify resources for evidence-based nursing practice.
- Identify the characteristics of your practice context.
- Describe ways in which nursing research can be used to guide your nursing practice.
- Describe the function of the National Institute of Nursing Research.

## THE NEED FOR NURSING PRACTICE BASED ON RESEARCH

In the recent past, there has been a continuing increase in costs associated with the delivery and receipt of health care in the United States. At the same time, there has been more and more scrutiny of how those health care dollars are spent. The decision of which health care treatments receive funding from health care insurance is now based primarily on documentation of favorable patient outcomes. In addition, patients want to know that

the dollars they spend on health care will help them to get well and feel better—they want to purchase something that works for them. As providers of today's health care, nurses must be able to demonstrate that the nursing care they provide is cost-effective and improves the health of patients.

Although nursing care in the past was largely based on traditional knowledge, given the current health care environment, today's nurses must base their practice on nursing care that has been documented as being beneficial to patients. Such practice is based on sound scientific research in which nursing care has been able to demonstrate cost-effective, predictable, and measurable practice outcomes. In this chapter, two methods of incorporating nursing research findings into nursing practice are discussed: *nursing research utilization* and *evidence-based practice*.

## WHAT IS NURSING RESEARCH UTILIZATION?

The ability to transfer research into clinical practice is essential for ensuring quality in nursing. The process of research utilization involves transferring research findings to clinical nursing practice. In the process of research utilization, the emphasis is on using *existing* data (findings or evidence) from previous nursing research studies to evaluate a current nursing practice. A major component of the process is reviewing completed nursing research studies that have been published in the literature. In contrast, conducting new research involves the collection of *new* data to answer a specific clinical practice question. Nursing research utilization is a step-by-step process incorporating critical thinking and decision-making to ensure that a change in practice has a sound basis in nursing science.

## What Are the Steps for Nursing Research Utilization?

## **Step 1: Preutilization**

The first step in the application of nursing research to nursing practice is the recognition that some aspect of nursing practice could be done in a safer, more efficient, more beneficial, or simply a different way. This begins an exploratory phase in which nursing colleagues in the practice setting are consulted regarding their opinions about the need to find a new approach for some aspect of nursing practice. An early question should be: "Is the current practice research based?" When current practice is research based, the next question should be "Is the research on which the practice is based current?" (e.g., the specific details of taking temperatures with mercury thermometers became outdated when digital thermometers were used exclusively in practice).

A second phase of Step 1 is consensus building, which is used to identify the specific practice to be changed. In this phase, the incorporation of the principles of change theory will increase the possibility of success. (See Chapter 10 for information about the challenges of change.) In any practice setting in which there are several nurses, a change will be more acceptable if those affected are included in the decisions related to the change. Clear communication and teamwork are essential elements of this process. Group consensus is crucial for the successful application of research findings.

The third and final phase of Step 1 delineates the aspect of nursing practice that will be changed into a concise statement of the *practice problem*. This statement will answer the question, "In our current nursing practice, what do we want to change, improve, or make more efficient?" The narrower and more specific the statement of the practice problem, the easier your task will be in Step 2.

## Step 2: Assessing

The second step in research utilization is the identification and critical evaluation of published research that is related to the practice problem you have identified (Figure 24-1). Nursing literature is searched to identify those studies that address your practice problem. Although some studies may have explored the exact practice problem that you are examining, it is likely that most research will have approached the




FIGURE 24-1 Nine out of ten nurses recommend...

problem from a different point of view. Your task will be to analyze and critically evaluate the research reports to determine which findings are adaptable to your practice problem and context.

While reviewing the literature for research reports that have examined your practice problem, it is essential that the research reports you are reviewing are peer-reviewed to ensure credibility. Peer-reviewed or refereed research studies are different from popular sources and non-peer-reviewed research reports, in that the research manuscript is submitted to a scholarly journal where it is reviewed by a panel of experts (peer reviewers or referees) in that respective field or area of study. An editorial board that is not expert in the content area under study typically reviews non-peer-reviewed reports (e.g., editorials, newsletters, opinion statements). Additionally, peer-reviewed articles have a designated manuscript format, which includes an abstract, research problem/objective, methodology, data collection, discussion, conclusion, and references; whereas non-peer-reviewed or popular/ trade journals do not ascribe to a specific formatting style (NCSU Libraries, 2013). So, you might be asking yourself, "What does the peer-review process involve and what are my chances of publishing a research report in a peer-reviewed journal?" North Carolina State University (NCSU) offers an overview of the peer-review process via an online video available at: http://www.lib.ncsu.edu/tutorials/pr.

Organizing and summarizing the adaptable findings into an outline format will provide you with your primary working document for the remainder of the use plan (Box 24-1). Box 24-2 contains suggestions for reading a nursing research article.

The use of the Internet and electronic databases has made a thorough search of the current literature easier. However, the enormous volume of materials now available also increases the complexity of a review of literature. For example, the keywords used in a search can either return no articles or hundreds of articles. When you are conducting an electronic search, a valuable technique is to begin searching within the most recent year and then move back one year at a time until an adequate research base is identified. Limiting your searches to the use of nursing-oriented database and peer-reviewed journals may also help you find pertinent literature. The Cumulative Index to Nursing and Allied Health Literature (CINAHL) is an excellent place to start your search. In addition, you may wish to limit your search to journal articles only; otherwise the online database may return reports

## BOX 24-1 ANALYZING A RESEARCH ARTICLE FOR POTENTIAL USE OF FINDINGS IN NURSING PRACTICE

- 1a. The Purpose of the study is:
- **1b.** The importance of this study to nursing practice is:
- 2. The Research Question/Hypothesis is:

(If the question/hypothesis is not stated, it could be):

- 3a. The Independent Variable(s) is/are:
- **3b.** The Dependent Variable(s) is/are:

(If there are no independent and dependent variables, the Research Variable[s] is/are):

- **3c.** Definition(s) of the variable(s) of interest to me is/are:
- 4. The Conceptual Model/Theoretical Framework linked with this study is:
- **5a.** The content areas in the Review of Related Literature are:
- **5b.** The review does/does not evaluate both supporting and nonsupporting studies:
- 6a. The Research Design used for the study is:
- **6b.** The design is/is not appropriate for the research question:
- 6c. The control(s) used in this study is/are:
- 6d. The Study Setting is:
- **7a.** The Target Population is:
- **7b.** The Sampling Method is:
- **7c.** The Sampling Method is/is not appropriate for the design:
- **7d.** The criteria for participants are:
- **7e.** The sample included \_\_\_\_\_ participants.
- **7f.** The sample is/is not representative of the population:
- 8a. The Study Instrument(s) is/are:
- 8b. Instrument validity and reliability information are presented and are of adequate levels for confidence in using the results:
- 9a. The Data Collection Method(s) is/are:
- **9b.** The Data Collection Method(s) is/are (is not/are not) appropriate for this study:
- 10. Steps were taken to protect the Rights of Human Subjects:
- 11a. The Data Analysis Procedure(s) is/are:
- 11b. The Data Analysis Procedure(s) is/are appropriate for the level of data collected and the research question/hypothesis:
- 11c. The Research Question/Hypothesis is/is not supported:
- 12. The author(s) major Conclusions and/or Implications for Nursing Practice are:

from magazine articles and newspapers. Listed at the end of this chapter are Relevant Websites and Online Resources to use in locating and reviewing peer-reviewed journals as well as online evidence-based practice (EBP) resources—more on EBP later in this chapter!

There are times, however, when an electronic search is not adequate. Keep in mind that many of the classic research studies were published before electronic formats were widely used, and these classic studies may not be available online. Also, there may be valuable studies that are available in hard copy only. Because of these limitations of electronic sources, you may need to make a trip to the stacks in the library, if you are looking for historical research. See Box 24-3 for hints on conducting a literature search.

## Step 3: Planning

Planning for research utilization is accomplished in three phases. The first phase involves determining the new approach, or *innovation*, that will be used on the basis of the findings from the review of the literature. Previous research findings will be used to design the innovation in the context of your

#### **HOW TO READ A NURSING RESEARCH ARTICLE** BOX 24-2

A research article should answer the following:

What?

Is the content of the article related to my question?

Read the problem statement, purpose, research question, and results/findings.

Why?

Why was the research done?

Read the problem statement or the review of literature.

When?

When was the study done? Is it classic, current, or outdated?

Do more recent findings provide a better answer?

Read the date of publication.

How? What research method was used? Is it a quantitative, qualitative, or mixed-methods approach?

Read the method and design sections.

Who?

Who were the subjects? What was the sample?

Are the findings helpful to my problem and me?

Read the method section.

Where?

In what setting was the research done?

Read the method section. So What?

Read the findings and discussion. Do Not: Do not automatically accept what you read; critically evaluate

> the content. You can only evaluate what is written and reported; do not assume anything about what is not written.

#### What to Do When

When the statistical procedures are beyond your level of understanding:

- Read the results section, being alert for specific phrases that will tell you the answer to the research question. For example, "the hypothesis was not supported."
- Look at the tables; tables should be understandable without the narrative.
- Assume that the appropriate statistical analysis was performed correctly and that the researcher has interpreted the results correctly.
- Have someone who understands the statistics read the article and ask his or her opinion, or get a consultant.

#### HINTS FOR CONDUCTING A LITERATURE SEARCH BOX 24-3

- 1. Do some narrowing before you go to online databases. Think about some key terms or alternate terms for your problem. Be prepared to narrow or expand your search, depending on what you find.
- 2. Plan to spend time conducting your literature search, but do not waste valuable time. Query the online database "help" menu to assist you with getting started.
- 3. Begin by identifying the major professional nursing journals that publish nursing research. Determine if those journals are available in the database, and start your literature review with those. If your problem is in a specialty area, review specialty journals.
- 4. If you find an article related to your problem, look at that author's reference list for other articles and journals.
- 5. Look at the table of contents in the journal where you found a related article.
- 6. Know the limitations of the databases where you do your search.
- 7. Carefully appraise information obtained from the Internet that is not part of an established online database, such as Journals@Ovid; EBSCOhost; ProQuest, Thomson Gale PowerSearch.

practice setting (e.g., intensive care unit, ambulatory care, home care). The expected *practice outcomes* should also be determined based on the literature and may need to be adjusted according to the characteristics of your particular practice.

Phase two of planning is the establishment of a systematic method for implementing the new approach. A *specific plan* should be established and followed so that the new approach is applied appropriately. Policies and procedures for implementation may need to be written. This phase may include staff training for the new approach.

The third phase of planning involves establishing a *method for evaluating* the practice outcomes, or effects, of the new approach. The outcomes are usually some specific improvements in patient care. Ideally, your evaluation will indicate both the quality and the quantity of the change in the outcome.

## Step 4: Implementing

This step involves the implementation or application of the new approach, along with the collection of the evaluation data. By following the specific plan that you established in Step 3, the new approach will be introduced into practice. It is important that you begin collecting your evaluation data at the same time so that you can clearly determine the effect of the new approach.

## Step 5: Evaluating

Step 5 involves the evaluation of the implementation (Step 4) to determine whether the new approach improved practice outcomes. Whether or not you will continue using the new approach in the practice setting may also be determined based on new technology, economic considerations, or changes in staffing. If there is no change in outcomes, you may want to return to the previous practice. Or, the evaluation phase may lead to another research utilization project; for example, if the practice problem is significant and the practice outcomes were not improved, another new approach may be tried.

## Research Utilization: What Is It *Not?*

Research utilization does *not* entail simply taking the findings of a single research study and using those findings in nursing practice. Research studies are replicated to rule out chance findings and to validate previous studies. Similar studies with different populations are conducted to determine the applicability of findings to different groups of people. For these reasons, research utilization encompasses the findings of many studies to develop the new approach that will be put into practice.

Data are collected in the process of research utilization. However, research utilization is not the collection of data to answer a research question, as is the case when conducting research. The data collected in research utilization are needed for evaluation to determine whether there is some advantage to the new approach in the practice setting. The data collected must be carefully considered in light of your specific setting.

Research utilization should not be confused with a review of nursing practice. Practice review involves a quality control/risk management process to evaluate the appropriate use of resources related to a specific treatment. As with research utilization, practice review use does not entail the use of nursing research findings during the process of evaluation.

When you review the nursing research literature for research utilization, as mentioned previously, there is no assurance that you will find studies that are directly applicable to your practice situation. Your specific question may not have been the topic of previous research studies. In this case, you may have to either adapt the findings from the literature, conduct your own research, or both.

## RESEARCH UTILIZATION COMPARED WITH NURSING RESEARCH AND THE CONDUCT OF RESEARCH

## How Is the Use of Research in Practice Different from Conducting Research?

As illustrated in Table 24-1, the major steps involved in both conducting and utilizing research are the same. Both are problem-solving processes involving critical thinking. For example, a clinical practice problem may provide the impetus to conduct and use research. However, there are differences. Conducting research taps into the "ways of knowing," whereas using research taps into the "ways of doing."

## TABLE 24-1 COMPARISON OF PROCESSES

## An Overview of the Nursing Process, Conducting Research, and Research Utilization

NURSING PROCESS	CONDUCTING RESEARCH	RESEARCH UTILIZATION
Preprocess	Preplanning	Peruse
Establish a nurse-patient	Identify the need for a research study	Identify a practice problem that needs a
relationship	Determine feasibility	new approach
Scan the literature	Obtain consensus	
Assessing	Assessing	Assessing
Gather data	Identify the problem	Identify and critically evaluate published
	State research purpose	research related to your practice problem
	Begin to formulate the research question	Identify the findings that are adaptable to
	Review the literature	your problem and your context
Planning	Planning	Planning
Diagnose Set goals	Identify and define the variables Select a conceptual or theoretical model	Determine the new approach and the desired outcomes
	·	Establish a systematic method for
		implementing the new approach
Prioritize	Select research design	
Determine nursing interven-	Finalize research question	Establish a method for evaluating
tions	Plan data analysis	the outcomes of the new approach
Formulate care plan	Write research proposal	
Negotiate a site for data collection		
Complete human subjects		
review		
Implementing	Implementing	Implementing
Initiate the plan	Prepare questionnaires	Begin using the new approach
Train data collectors	Collect data about the outcomes of the	
Obtain subject sample	new approach	
Collect the data		
Prepare data for analysis		
Evaluating	Evaluating	Evaluation of the implementation
Determine the patient response	Analyze the data Organize the data	Determine whether the practice changes improved the patient outcomes
Answer the research question	Decide whether to continue using the	
Interpret the results	new approach	
Report the findings		
Plan next project		




FIGURE 24-2 Developing a research question using the PICOT format.

When we conduct research, whether in the clinical setting or the laboratory, the primary activity undertaken is the systematic collection of new data. Following specific steps called the protocol, we gather information that will answer a specific research question. For many nursing studies, the *research question* arises from a situation in nursing practice that needs an answer. A research question is often stimulated by a nurse's involvement with patient care delivery. Lusardi (2012) adds that experiences at the bedside propel nurses to implement change within their nursing practice. After a clinical issue or problem has been identified and a review of the literature has been conducted, the next step is to develop a research question that will address the clinical issue. Lusardi (2012) recommends using the PICOT format, where (P) represents the population of interest, (I) represents the intervention of interest, (C) represents the comparison of interest, (O) represents the outcome of interest, and (T) represents the time frame. The (T) element may or may not be applicable (Figure 24-2).

The *utilization of research* involves the systematic process of integrating the findings of completed nursing research studies into clinical nursing practice.

Research utilization also entails reviewing research that has already been completed to develop a new approach to nursing practice. In reviewing research studies, pay particular attention to the type of research methodology employed—quantitative, qualitative, or mixed methods (Table 24-2). All three processes—research utilization, nursing research, and the nursing process—have the same five major steps. However, the specific tasks for each process are different.

## What Is the Relationship Between Nursing Theory and Research Utilization?

Nursing theory used as the theoretical framework of a research study is essential for the continued development of nursing theories; new research findings will support theory or will suggest the modification

RESEARCH DESIGNS	QUANTITATIVE RESEARCH	QUALITATIVE RESEARCH	MIXED-METHODS RESEARCH
Philosophical paradigm	<ul><li>Examination of a cause-and- effect relationship</li><li>Deductive approach</li></ul>	<ul> <li>Acquire understanding of phenomena by observing behaviors, reactions, state- ments of study participants</li> <li>Inductive approach</li> </ul>	<ul> <li>Involves aspects of quantitative and qualitative philosophical frameworks.</li> <li>Blending of both deductive and inductive approaches</li> </ul>
Purpose of study	<ul> <li>Study focuses on supporting or refuting the null hypothesis</li> <li>The research variables are discussed and examined in detail to determine if a rela- tionship or causality exists</li> </ul>	<ul> <li>Study typically focuses on central concept or aspect for further exploration</li> </ul>	<ul> <li>Provides rationale for why both quantitative and qualita- tive methods are warranted in the study</li> </ul>
Research question	<ul> <li>Closed-ended questions</li> <li>Questions ask, "What differences exist," "What is the effect," "What is the relationship?"</li> <li>Null hypothesis is either supported or refuted based on study findings</li> </ul>	<ul> <li>Open-ended questions</li> <li>Questions ask, "How" or "Why"?</li> <li>Broad questions that seek to explore perceptions, beliefs, attitudes of a particular phenomena of interest</li> </ul>	<ul> <li>May include both closed-end ed and open-ended questions</li> </ul>
Data collection	<ul> <li>Follows specific sequence</li> <li>Similar to scientific method; numeric data collected through questionnaires, surveys, established instruments</li> <li>Large sample size</li> </ul>	<ul> <li>Data collected through observing, interviewing, audio/video recording</li> <li>Small sample size</li> <li>Study participants are typically selected by researcher</li> </ul>	Dependent on the type of mixed-method design employed
Data analysis	<ul> <li>Statistical analysis; numeric data reported</li> <li>Data analyzed is unbiased and objective</li> </ul>	<ul> <li>Researcher interprets data by developing themes based on participants' views and observations</li> <li>Data analyzed is subjective in nature; may include words, artifacts, images, anecdotal statements</li> </ul>	<ul> <li>Dependent on the type of mixed-method design employed</li> </ul>

of theory. In contrast, when a specific nursing theory is used as the framework for nursing practice, the focus is on the intervention. The intervention that is designed in the planning phase of research utilization must be consistent with the theory. For example, if Orem's theory of self-care requisites were used for nursing practice, a successful intervention would be one that emphasizes self-care rather than care received from others. There is a close relationship between nursing research and research utilization because of the focus of both on nursing practice.

## **DEFINING YOUR PRACTICE CONTEXT**

Your practice context will determine to what degree you can apply the findings from nursing research to your practice problem. A *practice context* entails a blending of all those factors and systems that contribute to the delivery of nursing care. This blend includes the health, social, and cultural characteristics

of the patient population served: the type of practice setting, the economic resources of the setting, the type of health care delivery system, the existing policies and procedures, the staffing pattern, and the administrative structure. Each factor or system can be either enabling or inhibiting, but it is the practice context as a whole that is evaluated to determine the applicability of nursing research findings.

## What Are the Health, Social, and Cultural Characteristics of the Patient Population Being Served?

To begin defining your practice context, you will need to identify any characteristics that are specific to the group of people who will be receiving nursing care. Is there some particular health characteristic that should be considered? For example, if you teach prenatal classes, the health characteristic will be pregnancy. Are there some particular social and cultural characteristics that need to be considered? If your prenatal classes are for pregnant teenagers who are single, then social characteristics require special consideration. Be as thorough and as specific as possible in identifying these characteristics.

## What Are the Health Care Delivery Characteristics of Your Setting?

As you continue to define your practice context, specify the type of practice setting, the economic constraints of the setting, the type of health care delivery system, the existing policies and procedures, the staffing patterns, and the administrative structures. In other words, include all the characteristics of the care setting that will either contribute to or inhibit the process of applying research findings. If your practice setting were in a hospital where there is a limit to the length of stay for a particular surgery, then a new approach that would increase that length of stay would not be an appropriate one for implementation. Furthermore, when implementing a new approach in practice, care must be taken to preserve or improve the current health care delivery standards.

## What Are the Motivators and Barriers for Incorporating Nursing Research Into Your Practice?

Identify your bridges (motivators) and roadblocks (barriers) in the practice setting (Critical Thinking Box 24-1). The more individuals in the practice setting from whom you can attain consensus on the new approach to practice, the easier it will be to implement. Those who understand the need for making a change in practice will be more likely to support the change. (See Chapter 10 for information on change theory.) Those who feel they had a part in the decision-making surrounding the new approach are also more likely to promote it. In both instances, these colleagues become motivators for the implementation of innovation and change.



## **CRITICAL THINKING BOX 24-1**

Think about...

- What are the barriers that might inhibit your use of research findings?
- Are these findings applicable to your practice setting?
- How would you go about minimizing the barriers?

As with any change process that involves a group of people, it is very likely that some individuals in the practice setting will be resistant to the new approach. Those who are resistant may present barriers that prevent the full implementation of the new process. They may complain about a lack of time to learn the new approach, for example, in an effort to avoid being a part of what they do not support. These colleagues, as well as budgetary and personnel constraints, are examples of barriers.

In addition, the research literature may present barriers to implementing a new approach. For example, if there are only a few research studies reported in the nursing literature that are related to

your practice problem, then the lack of replication of the findings may prevent you from developing a research-based approach for your particular practice problem. Another barrier is the time lag from the completion of a research project until the project report is published. This time lag, which may be a few years, may make the research findings obsolete. For example, research related to glass oral thermometers would be obsolete, because your practice setting now uses electronic ear thermometers. When reviewing the literature, try to limit your search criteria to studies published within the previous 5 years, unless it is a classic study that will substantiate the need for conducting research on your practice problem.

## What Is Evidence-Based Practice?

Evidence-based practice is similar to research utilization in that it is *a systematic method for applying research findings to nursing practice*. Earle-Foley (2011) states that evidence-based practice (EBP) is becoming important in all areas of health care, not just nursing. EBP has been "identified as the foundation of accountable, professional nursing practice" (p 38). Evidence-based practice incorporates many additional sources of data that may contribute to improved nursing care. A brief definition of evidence-based practice that is generally accepted is the integration of the best research evidence with clinical expertise and patient values (Strauss et al, 2005). Driever (2002) has developed the following definition of evidence-based practice:

Evidence on which nursing practice is based is derived from the synthesis of knowledge from research; data analyzed from the medical record; quality improvement and risk data; infection control data; international, national, and local standards; pathophysiology; cost effectiveness analysis; benchmarking data; patient preferences; and clinical expertise. Evidence-based nursing practice involves the explicit and judicious decision-making about health care delivery for individuals or groups of patients based on the consensus of the most relevant and supported evidence derived from theory-derived research and data-based information to respond to consumers' preferences and societal expectations (Driever, 2002, p 593).

Evidence-based practice goes beyond nursing research in considering other sources of documentation that may improve nursing care. Research published by other disciplines is included (e.g., medical research and social research), as well as nonresearch data that may contribute to practice (e.g., financial data and clinical experts). This is prudent at a time in history when the complexity of health problems is increasing, and at a time when the discovery of new data is more rapid than ever before (Research for Best Practice Box 24-1).

The U.S. Department of Health and Human Services has established evidence-based practice centers that are available through the Internet. These centers include the most current information on completed evidence reports as well as those that are in progress (e.g., see <a href="www.ahrq.gov/clinic/epcix.htm">www.ahrq.gov/clinic/epcix.htm</a>). However, not all aspects of practice have been evaluated to date. Therefore the decision to implement an evidence-based practice that does not have a formal report requires a dedicated commitment on the part of all those involved. The steps in applying evidence-based practice include definition of the problem; identifying, reviewing, and evaluating the data applicable to the problem; designing a practice change based on the data; and implementing the change in nursing practice (see Relevant Websites and Online Resources on p. 573).

## Step 1: Define the Problem

Because the focus remains on nursing practice, identification of the *practice problem* is identical to the first step of research utilization.

## **RESEARCH FOR BEST PRACTICE** BOX 24-1

#### Wound Care

#### **Practice Issue**

The increased acuity of patient needs, combined with advances in wound care, have the potential to create frustrating situations for the new graduate nurse. It is essential for the new graduate to provide wound care that reflects the newest advances in care and technology.

#### **Implications for Nursing Practice**

- 1. Approximately 1 million pressure ulcers occur each year in the United States, adding an estimated burden of more than \$1 billion in expenditures (Salcido et al, 2012).
- 2. Approximately 60,000 patients die annually from complications of pressure ulcers (Salcido et al, 2012).
- 3. Wound care has emerged as a specialty practice for RNs (Wound Ostomy Continence Nursing Certification Board, 2013).
- 4. Wound care needs and procedures can vary significantly across practice settings (Bolton and Baine, 2012).
- 5. New graduate RNs are more competent in patient care and less competent in clinical reasoning, recognizing limits, and seeking help.
- New graduate RNs are more likely to use written information, care guidelines, and agency-specific policies to guide their practice.
- 7. New graduate RNs are more competent with using technology to seek answers and specific information related to current patient care practices.

#### **Considering This Information:**

What can you do to keep up-to-date on wound care treatments?

#### References

Bolton, L. L., & Baine, W. B. (2012). Using science to advance wound care practice: Lessons from the literature. *Ostomy Wound Management*, *58*(9), 16–31.

Salcido, R., Lorenzo, C., & Popescu, A. (2012). Pressure ulcers and wound care. Retrieved from http://emedicine.medscape.com/article/319284-overview.

Wound Ostomy Continence Nursing Certification Board. (2013). About WOCNCB, 2008. Retrieved from www.wocncb.org/about/.

## Step 2: Identify, Review, and Evaluate the Data Applicable to the Problem

As with research utilization, the major source of data to be reviewed is *current nursing research*, followed by *current research from other disciplines*. Scientific research findings form the base, with all other data building on this base. The specific nursing practice that will be changed, in addition to the practice context, will determine the types of data included for review.

## Step 3: Design a Practice Change Based on the Data

Prepare a *written plan* for the new nursing practice. The plan needs to be consistent with your practice context to be effective, and it may experience motivators and barriers to the change. For maximum benefit, the plan will also require the consensus of those who will implement it.

## Step 4: Implement the Change in Nursing Practice

Move the new plan into nursing practice on a *defined schedule*. Staff in-services may be required so that those involved can fully understand the change. Monitor and evaluate the implementation process.

Now let's consider using the evidence-based practice process in a hypothetical situation.

Mario works in an intensive care unit in which many of the patients require mechanical ventilation. At a recent staff meeting, Mario and his co-workers learned that their unit's rate of ventilator-associated pneumonia (VAP) was greater than rates in many other hospitals. Concerned by this, Mario volunteered to work on this project. He began with a review of the literature. Using a nursing literature database, Mario was able to find a number of research studies conducted in the past few years that examined the same issue. Additionally, he found that multiple professional organizations had issued evidence-based guidelines to reduce the occurrence of ventilator-associated pneumonia. After reading these articles, Mario drafted a set of clinical practice guidelines based on these articles that reflected the unique needs of his unit and its patient population. Mario then presented his guidelines to the nursing staff and provided short educational in-service sessions on their application. The staff agreed to adhere to these new practice guidelines for a period of 3 months. At the end of that time, they would compare their incidence of VAP using the new clinical guidelines with the incidence of VAP using the old clinical guidelines.

At the end of the 3-month period, Mario and his co-workers were pleased to find a significant decrease in the occurrence of VAP among their patients. Working with nursing administration, Mario's proposed clinical practice guidelines became the new standard of care on his unit.

## THE NATIONAL INSTITUTE OF NURSING RESEARCH

#### What Is Its Function?

The National Institute of Nursing Research (NINR) is a branch of the National Institutes of Health (NIH), which is under the jurisdiction of the U.S. Department of Health and Human Services. Each institute within the NIH focuses on a specific area of health care research; the NINR is a major source of federal funding for nursing research. The NINR also supports education in research methods, research career development, and excellence in nursing science.

Other functions of the NINR are to establish a National Nursing Research Agenda. This agenda is composed of priority topics for nursing research and may be related to a national health need, or they may be in an area that requires research for the development of nursing science. Many nurses have received funding to support clinical and basic research on health and illness across the life span. Funded research includes health promotion and disease prevention, quality-of-life issues, health disparities, and end-of-life care.

The NINR also has a role in President Obama's American Recovery and Reinvestment Act of 2009. The act was created to assist with the economic recovery of the United States and includes measures to modernize the national infrastructure including health care. For more information, visit the NINR website (http://ninr.nih.gov/ninr/).

## THE AGENCY FOR HEALTH CARE RESEARCH AND QUALITY

#### What Is Its Function?

As part of the Omnibus Budget Reconciliation Act of 1989, the Agency for Health Care Policy and Research (later renamed the Agency for Healthcare Research and Quality [AHRQ]) was established to enhance the quality and effectiveness of health care services. The AHRQ conducts and supports general health services research, develops clinical practice guidelines, and disseminates research findings and guidelines to health care providers, policymakers, and the public. One arm of the AHRQ supports the Evidence-based Practice Centers Program (AHRQ, 2007), which develops reports about interventions that are based on published scientific studies related to health care. For more information about AHRQ, visit their website (www.ahrq.gov/).

## CONCLUSION

Nursing has a growing body of evidence on which we can support our practice. Nursing research has been very important in establishing a platform for the development and utilization of evidence-based practice. Whether you are a new graduate or an experienced nurse, there are ample opportunities for you to apply research in your area of clinical practice. When areas of practice need to be changed, it is important to have valid information and data to support the need for change. You can become involved in nursing research. Check out your hospital resources, establish networking and colleague support, and initiate a research project of your own.

## **RELEVANT WEBSITES AND ONLINE RESOURCES**

#### **Evidence-Based Nursing**

http://nursingplanet.com/research/evidence\_based\_nursing.html.

#### **Evidence-Based Practice Tutorial**

http://hsl.lib.umn.edu/learn/ebp/.

### **Evidence-Based Practice in the Health Sciences Tutorials**

http://ebp.lib.uic.edu.

#### HealthLeaders Media (2013)

Evidence-based practice and nursing research: avoiding confusion. http://www.healthleadersmedia.com/page-1/NRS-245879/EvidenceBased-Practice-and-Nursing-Research-Avoiding-Confusion.

#### Indiana Center for Evidence-Based Nursing Practice

http://ebnp.org.

#### International Council of Nurses Evidence-Based Practice Resource

http://www.nursingworld.org/Research-Toolkit/ICN-Evidence-Based-Practice-Resource.

#### **North Carolina State University (2013)**

Anatomy of a scholarly article. http://www.lib.ncsu.edu/tutorials/scholarly-articles/.

Peer review in five minutes. http://www.lib.ncsu.edu/tutorials/pr/.

Scholarly vs. popular materials guide. http://www.lib.ncsu.edu/guides/spmaterials/.

## **BIBLIOGRAPHY**

Agency for Healthcare Research and Quality. (2007). Evidence-based practice centers: synthesizing scientific evidence to improve quality and effectiveness in health care. Retrieved from www.ahrq.gov/clinic/epc/.

Cumulative Index to Nursing and Allied Health Literature (CINAHL). (2010). Birmingham, Ala: EBSCO Publishing.

Driever, M. J. (2002). Are evidenced-based practice and best practice the same? *Western Journal of Nursing Research*, 24, 591–597.

Earle-Foley, V. (2011). Evidence-based practice: Issues, paradigms, and future pathways. *Nursing Forum*, 46(1), 38–44.

Lusardi, P. (2012). So you want to change practice: recognizing practice issues and channeling those ideas. *Critical Care Nurse*, 32(2), 55–64. doi.org/10.4037/ccn2012899.

Newhouse, R., et al. (2005). Evidence-based practice: a practical approach to implementation. *Journal of Nursing Administration*, 1, 35–40.

Spector, N. (2007). Evidence-based health care in nursing regulation: National Council State Boards of Nursing. Retrieved from www.ncsbn.org/Evidence\_based\_HC\_Nsg\_Regulation\_updated\_5\_07\_with\_name.pdf.

Strauss, S., Richardson, W. S., Glaziou, P., et al. (2005). *Evidence-based medicine: how to practice and teach EBM* (3rd ed.). London: Churchill Livingstone. Retrieved from Evidence\_based\_HC\_Nsg\_Regulation\_updated\_5\_07\_with\_name.pdf.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

## **CHAPTER**

# **25**

## **Workplace Issues**


Susan Ahrens, PhD, RN

Fear is the father of courage and the mother of safety.

Henry H. Tweedy

The safety of the people is the supreme law. (Salus populi suprema lex.)

Cicero (106-143 BCE)



Workplace issues.

After completing this chapter, you should be able to:

- Determine your risk for encountering a workplace issue that can affect your health or well-being.
- Understand ergonomics and ways to safeguard your musculoskeletal system.
- Understand the experience of making an error and strategize how to manage your experience and do the right thing.
- Know the risk of exposure to bodily fluids such as splash or needlestick injury.
- Understand the risk for violence at work and how to reduce your risk.
- Understand workplace bullying and harassment.
- Develop a personal plan to handle workplace problems such as staffing shortages and floating to another unit.
- Identify useful Internet sites to keep up to date with potential workplace issues (e.g., OSHA, CDC, ANA).

A hospital, nursing center, clinic, or physician's office can be hazardous to your future health and well-being. This is especially true if you are not informed. Many nurses are aware of the risk of exposure to infection, but they are not aware of other hazards that exist in health care organizations. Nurses in a health care organization are exposed to the risk for injury, toxic chemicals, bioterrorism, and violence. How well a health care organization plans and protects workers from occupational hazards is a measure of how safe you will be and what risks you may encounter as you work. This chapter addresses workplace issues that could potentially affect your health and explains what you need to do to avoid injury, occupational exposure, and illness.

## QUESTIONS TO ASK WHEN STARTING A NEW POSITION

As a nurse, when you are preparing to start a new position, ask your new employer to answer the following questions to enable you to evaluate the impact workplace issues will have on your health and well-being:

- Is the hospital latex-free? If not, what latex will I be exposed to?
- What ergonomic devices exist to protect me from harm? How much will I be lifting, pulling, and tugging? Are there lift teams? Are there lift devices?
- How much moving of furniture, stretchers, or equipment will I be doing?
- Will I be using a computer?
- What is the nursing injury rate for the unit I will be working on?
- If I happen to have an injury, what is the workmen's compensation program? Would I be able to return to work in a light-duty capacity if I am injured? For how long?
- Does the organization have an antiviolence program? How does the organization address bullying behaviors and other hostile work situations such as sexual harassment?
- Is the organization needleless? If not, what is my exposure risk?
- What is the organization's policy for exposure to infectious agents? Does it include testing, medication, counseling, and follow-up? What is the process for this?
- What is the organization's tuberculosis (TB) prevention plan? Does the plan adhere to Occupational Safety and Health Administration (OSHA) regulations? How often will I be tested?
- Does the organization have an influenza prevention plan? Does it follow the Centers for Disease Control and Prevention (CDC) guidelines?
- Is there a plan for handling potentially toxic or infectious substances such as blood, chemoprophylaxis, and suction canisters? What is my potential exposure? Will I receive training in correct handling? Will annual refreshers be offered?
- Where will I park? Is the area well lit? Is it patrolled? What is my risk?
- Does the organization provide vaccinations for infections I might be exposed to, such as influenza, chickenpox, and hepatitis B?
- Does the hospital have a surveillance plan for multidrug resistant organisms (MRSA, VRE)? Does it follow current CDC guidelines?
- How often will I be expected to work "off shift" (shifts other than what I normally work), on-call, or mandatory overtime?
- How often will I need to work on a unit other than my assigned unit? How will I be oriented?

## **ERGONOMIC HAZARDS FOR HEALTH CARE WORKERS**

According to the American Nurses Association (ANA), safe patient handling and mobility have become a major safety concern among health care workers (ANA, 2013), and nurses are considered

to be in a profession that puts them at risk for serious musculoskeletal injuries. The most common problems tend to be back and shoulder injuries. Unfortunately, these types of injuries are the most debilitating of all. Imagine if you cannot raise your arms or reach for things without severe pain. What if you needed help to dress yourself because you lose flexibility in your shoulder joint? What would happen if every step you took resulted in pain in your back and down your leg? What if sitting or lying down does not relieve your distress? These problems can be yours if you do not take the risk seriously.

## **Back Injury**

So, what is your risk? That is somewhat unclear, because studies investigating work-related injuries in nursing are sporadic. However, it has been reported that more than 50% of nurses complain of chronic back pain. In addition, nurses in one study reported transferring to a different unit, position, or employment because of a back injury, and many of those who remained in their position said they had considered leaving nursing altogether because of back pain (Owen, 1989). Although this is an older reference, the problem is potentially more serious today as patients are becoming sicker and heavier, and there is more equipment for nurses to work around (including computers). These factors increase the risk of injury. More than one third of nurses have had back injuries severe enough that they were required to take a leave from work (Owen, 2000). In other words, 4 of every 10 nurses will, at one time or another, have a back injury severe enough that they need to take a leave from work. Back-related injuries reduce the already short supply of nurses, and because there are fewer nurses, the risk for back-related and other musculoskeletal injuries increases. It becomes a vicious cycle.

Why are these injuries so common in nursing? It is simply the nature of the work that nurses do. Patient-handling tasks are repetitive and are usually performed manually with very little mechanical support. Lifting, transferring, repositioning, and reaching are the actions that are associated with injuries. Often the configuration of the patient's room and the placement of furniture, monitors, blood pressure cuffs, thermometers, and other hanging devices contribute to injury, because nurses are required to reach and stretch in nonergonomic positions to perform tasks.

Until recently, it was believed that good body mechanics with proper lifting techniques could prevent back and shoulder injuries. However, according to the ANA (2008), the idea that there is a safe way to lift or turn a physically dependent patient manually is no longer valid. These studies of body mechanics were not useful for nursing, because they used *static objects* for lifting, and this does not reflect the environment in which most nurses work. Many of the situations in which nurses are injured involve sudden, quick changes in position and human beings rather than static objects; therefore, proper body mechanics are not enough, because the nurse cannot adjust in a way that fully protects the back. *Teaching nurses to use proper body mechanics to lift and turn patients does not result in fewer injuries* (ANA, 2008). Therefore the current recommendations by the ANA include the use of assistive patient-handling devices for lifting, transferring, and turning patients.

It is important that nurses take good care of their backs, even when they are young, flexible, and strong, because aging contributes to the risk for a career-ending injury. Repetitive stress on the structures of the spine, shoulders, and hips can cause small, repeated damage that could manifest in serious, debilitating injury. Consider what happened to Sandy.

Sandy was a strong, flexible, and healthy person. She could lift patients in bed, turn them, bathe them, and ambulate without help. Very seldom did she ask for help. She could stand, walk briskly, and work for 16 hours without a break. And go back the next day. She was proud of her abilities and the fact that she was everything to her patient. She was the one with whom every nurse on the unit loved to work because of her independence and willingness to help others.

Today, at age 50, things are much different. She sits in an office all day wishing for her bedside job. She had to change jobs because she could no longer work at the bedside. Her shoulders, knees, back, and hips all are damaged from chronic stress from the lifting, straining, and reaching she had done during her career.

The ANA has sponsored a program called "Handle with Care" to raise awareness, promote the use of ergonomic equipment and assistive devices, and encourage health care organizations to invest in a safe patient-handling program. In addition, by reducing work-related injuries to nurses, safe patient-handling programs can reduce some of the hidden costs of health care organizations and improve patient care (ANA, 2008).

"Prompted by ANA's Handle with Care Campaign®, which began in 2003, nine states have enacted 'safe patient handling' legislation: Illinois, Maryland, Minnesota, New Jersey, New York, Ohio, Rhode Island, Texas, and Washington, with a resolution from Hawaii. California, Connecticut, Florida, Hawaii, Kansas, Maryland, Minnesota, Missouri, and New York introduced legislation in 2008 seeking health care worker programs restricting or eliminating manual lifting of patients" (ANA, 2010, para 1).

What can the nurse do to reduce the risk of serious back injury? First, be aware of the potential risk by assessing each patient's dependency needs and abilities when deciding what assistive devices to use. Do not move, lift, or turn a dependent person without an appropriate assistive device or help (Figure 25-1). Next, know what assistive devices are available to you and learn how to use them





FIGURE 25-1 Mechanical lift system.

properly. If your organization does not have devices readily available, become an advocate for a safe patient-handling program. It is also important to keep yourself fit, and do not ever "tough it out" when you suffer an injury. Make sure you report your injury and follow the advice of your health care provider so that your body can properly heal. For more information on ways to promote safe patient handling and prevent work-related injuries, see the following websites: www.patientsafetycenter.com and www.nursingworld.org/handlewithcare. At the ANA site, www.anasafepatienthandling.org/Main-Menu/ANA-Actions/State-Legislation.aspx, you can join the team to fight for legislation to enact laws protecting nurses from harm. Finally, it has been suggested that nurses consider developing a practice for "warming up" and stretching before they start their workday. This is to be followed up by stretching again at the end of a day. Another strategy to maintain a limber, flexible body core is to enroll in a yoga or Pilates program.

## **Ergonomic Workstations**

Many of today's jobs are performed at a computer work area, often in a "shared" area. This is the case in a hospital setting, where nurses, physicians, and ancillary caregivers all use the nursing station 24 hours a day. There may be dozens of workers trying to use the same computer workstation almost constantly. Change, variation, and adjustment to fit an individual worker are basic to the well-being of each worker. Workstations should accommodate users of many different heights, weights, and individual needs. Computer vendors must keep in mind that the "typical" nurse is in his or her mid-40s, and letter size and font as well as proper lighting and the avoidance of shadows are vitally important to aid in viewing computer screens.

The successful ergonomic design of an office workstation depends on several interrelated parts. The task, the posture, and the work activities all interact. The three activities alone can be difficult to handle, but these activities also must interact properly with existing furniture, equipment, and the environment. The combination makes the picture more complicated. Important parts of the workstation are the chair, the desk, and the placement of the computer (CPU), keyboard, and monitor.

The chair should be padded appropriately, easily adjustable, and have strong lumbar supports. Usually, wheels allow easy movement, and armrests may or may not be used, because they sometimes cause more problems, depending on the individual needs of the user.

The desk must be wide and deep enough to accommodate the computer's monitor, keyboard, and mouse, with ample space around the machine to write, use the phone conveniently, and perform all other desktop activities. Keep the area clear of clutter and crowding.

Ideally, the placement of the monitor, keyboard, and mouse would be adjustable for every worker, but because this is rarely possible, the monitor height should be approximately 18 to 22 inches above the desk surface, causing most users to view the screen with slightly lowered eyes. The keyboard should be placed directly in front of the user and the mouse on the user's dominant-hand side of the machine. Some nursing stations designate certain machines as left-handed mouse machines so that the mouse will not need to be switched numerous times during a shift. Be sure to use a mouse pad to ensure traction, lessening the frustration and continual long movements of the mouse (Critical Thinking Box 25-1).

## 8

## **CRITICAL THINKING BOX 25-1**

What is your workplace environment like? What lift equipment do you have? Have ergonomics been considered? How could you make it better?

## **Repetitive Motion Disorders**

Poor workplace design is often the major source for repetitive motion disorders (RMDs) or cumulative trauma disorders (CTDs). RMDs have been associated with users who work for long periods at poorly constructed or poorly arranged workstations.

Ergonomic design of work tasks can reduce or remove some of the risks. Other solutions may include:

- Information and training to workers about body positions that eliminate the opportunity for repetitive stress injuries to occur
- Frequent switching between standing and sitting positions, reducing net stress on any specific muscle or skeletal group
- Routine stretching of the shoulders, neck, arms, hands, and fingers

Having a good understanding of ergonomic principles can help prevent injuries.

## **WORKPLACE VIOLENCE: A GROWING CONCERN IN HEALTH CARE**

Witnessing the aftermath of a violent attack on a nurse colleague is a powerful realization that the potential for being harmed by another person at work is very real. As a nurse, you are at risk for harm from co-workers, patients, and families. No matter what the occupation, workplace violence is a growing risk and the second leading cause of occupational death in the United States. The nature of health care workers' jobs puts them at risk for workplace violence, which can result in injury or death (Henry, 2002).

Studies on nurses and workplace violence show that 80% or more of nurses have experienced some sort of violence in their career. Workplace violence is defined as violent acts, including physical assaults and threats of assault, directed at individuals at work or on duty. Violence is the intentional use of physical force that has a high likelihood of, or results in, injury or death (Henry, 2002). This can include verbal abuse, threats, unwanted sexual advances, physical assault, and murder.

Nurses often fail to report acts of violence because of a lack of understanding or a belief that "nothing will be done" (Henry, 2002). This failure risks escalation of the situation until physical harm occurs. In many cases nurses have never encountered a hostile person before, and they do not understand how to recognize and de-escalate the situation.

Recently, a nurse in a large urban hospital was working with a young man who had been hospitalized with chest pain. He had denied any drug use; however, it was found that he habitually used cocaine and also consumed large amounts of alcohol on a regular basis. After the physician discharged him, the patient grew increasingly agitated waiting for the paperwork for his discharge. He wanted to leave the facility to resume his drug-related behaviors.

The nurse had been working on the unit less than a year after graduation and did not recognize the patient's increasing agitation. He used the call light to repeatedly summon the nurse to the room asking when he could leave. When she entered the room in response to his fifth call and told him it would be another 30 minutes before she could complete the paperwork for his discharge, he attacked her. Before she was able to summon help, she was assaulted and was seriously injured, requiring surgical repair of a head injury and lacerations. The nurse recovered fully from a physical standpoint, but suffered severe posttraumatic stress disorder and was not able to return to her chosen profession. A huge emotional toll was also seen in the rest of the nurses on staff, who were fearful of a similar event happening to them.

In response to incidents such as this, along with other events occurring in the local industry, the hospital administration developed a crisis intervention program. This program taught nursing staff how to recognize signs of escalating anger that could result in an attack and strategies to de-escalate the situation. Nurses were also taught how to protect themselves during an attack. Knowing how to recognize an escalating situation and how to defend against an attacker helped these nurses believe they could manage future situations that put them at risk for harm.

Additionally, the hospital instituted a "code white" program. It was explained that a "code white" stood for a potentially violent situation, which anyone could initiate if *any* person became loud or abusive, made threats, or started throwing objects. A code white ensured that resources were available to help de-escalate the situation and that no nurse would be alone with someone who was "acting out." Trained volunteers and other staff from the hospital, including security staff, would respond to a code white, which would be announced over the PA system. It was stressed to nursing staff members that any time they felt unsafe, a code white should be called. The code could be implemented by using the phone system or by pushing a strategically placed alarm button. After instituting the program, there were no further incidents in which nurses were harmed.

So what do you need to do when you start your first job? First, be familiar with your organization's policies regarding workplace violence. Next, take a crisis intervention course to become familiar with the signs of escalating violence, such as pacing, using foul language, raising one's fist, or using threats. Learn strategies to de-escalate anger. Finally, do not ever try to handle a potentially violent person on your own. Use whatever procedures your organization has put in place to defuse situations; for example, call security or call a "code white" (Figure 25-2).

## Horizontal Violence (Bullying) and Other Forms of Workplace Harassment

As a nurse and individual, it is easy to recognize overt violence. Most hospitals have procedures and policies to handle violent events. Less common, especially in the United States, is recognition and



FIGURE 25-2 Workplace safety is important.

action related to *horizontal violence*, which is often called *bullying* in the workplace. Most of us believe that the backyard bullies of our childhood will disappear in adulthood. Unfortunately, recent evidence has proven otherwise. Our bullies of childhood tend to grow into the bullies of our adulthood. Consider what happened to Judy:

Judy was excited to start work in the critical care department. She was pleased that the manager had selected her to start there, because she understood the criteria for working in that department as a new graduate were very strict. She had chosen a preceptor from the nurses she knew.

Soon, she found herself to be totally stressed out by work. Always an optimistic, carefree person, she was now nervous and had an onset of migraine headaches. She sometimes had to vomit on her way to work. She was not sleeping or eating normally. Her family was very concerned.

At the request of her family, Judy went to see a counselor at the Employee Assistance Program. The counselor helped her identify that other nurses on the unit were bullying her. The bullying was causing her great anxiety. For example, during shift report, if she asked a question, the nurses at the report table would put down their pens and glare at her or roll their eyes. If she asked for help lifting a patient, everyone would ignore her. The nurse who was the center of the bullying would yell at her in front of everyone for minor transgressions (if she dropped a pill or forgot to write her blood glucose readings on the report board). If Judy made a mistake, everyone would know about it, and the story of the event would grow as it was passed on to others. The anxiety caused by knowing she would be treated this way every day was impairing Judy's ability to grow and develop as a new nurse. It was also having a negative effect on her patient care and on her own health.

Judy needed to understand better what was happening to her so that she could recognize the signs if she was ever the victim of bullying again. She also needed to develop a plan to manage her current situation. She found a website called the Workplace Bullying Institute (www.bullyinstitute.org) that provides a wide array of helpful information and assistance, including coaching and current legislation. With the help of her counselor, Judy developed an action plan to address her situation. After time off to contemplate her work life, and after she realized the bullying behavior would not be addressed at her current place of employment, Judy found another job in a local hospital and started a new position.

At her new place of employment, Judy found a wonderful mentor and was soon growing as a nurse. Her physical health improved, and with help from her counselor and coach, she was once again a mentally healthy person. Judy had learned from her experience and was determined never to allow a bully to have this level of impact on her again.

You may hear after starting your first position that "nurses eat their young." Mild forms of hazing activity are common in many professions and can usually be overcome. Although it has not been researched per se in nursing, new nurses often need to prove that they can be counted on to provide safe care for their patients. They may find that their work ethic and skills are being "tested" by other nurses. This type of activity usually lasts for the first weeks of a new position and gradually improves as a new nurse becomes integrated into the work life of the unit.

Horizontal violence, on the other hand, goes beyond this initial struggle and has serious physical and psychological consequences for the victim, which has been documented in the nonnursing research literature (Lutgen-Sandvik et al, 2007). Horizontal violence is a systematic, health-harming mistreatment of one or more individuals (targets) by one or more perpetrators that can be verbal, behavioral, and/or sabotage. The purpose of the bullying is to control the target. The perpetrator, not the target or victim, initiates horizontal violence or bullying (Namie and Namie, 2003). Bullying is not a single event—it occurs over time.

Horizontal violence can occur in any workplace setting. Health care environments are particularly situated to foster bullies, because they are hierarchical in nature and tend to involve a great deal of

change. In addition, the underlying culture of health care has tended to foster the idea that there are certain rites of passage that must be endured by all new staff. Many of our health care organizations are fear driven and feel pressured to raise productivity standards higher and higher to improve profits. According to the Workplace Bullying Institute (2010), these factors can create a culture that fosters bullying. A manager, supervisor, physician, or co-worker can bully you. The signs that you may be experiencing bullying are identified by individuals who had been targets at the workplace (Box 25-1).

For most nurses, the idea that another person would deliberately target them for horizontal violence or bullying is difficult to comprehend. We often have a naïve belief that bullying is a part of childhood, but not a part of adulthood. As a result, the person being bullied can experience a multitude of psychological and physical reactions. Most often, the target of horizontal violence believes that the bullying is his or her fault. In the hypothetical situation described, Judy, as a new nurse, believed that she was not doing a good job, and as the bullying continued, she even decided that she should find another profession in which to work. Her migraine headaches were a direct result of the bullying she was receiving.

Research has indicated that many psychological and physical effects can result from horizontal violence. Bullying creates anxiety, fear, and anger in most adults. As horizontal violence is unrelenting and often severe in nature, the victimized individual has a heightened stimulation of the sympathetic nervous system. As a result, if you are the target of a bully, you can develop vomiting, anxiety disorders, chest pain, abdominal pain, and other aches and pains. Depending on the bullying situation, you can also develop the signs and symptoms of posttraumatic stress disorder (Matthiesen and Einarsen, 2004).

## BOX 25-1 SIGNS OF BEING BULLIED

- · Being falsely accused of errors
- Regularly being stared at, glared at, or receiving any other intimidating nonverbal behavior, such as eye-rolling and sighing while you're speaking
- · Ideas or thoughts being discounted
- Being given the "silent treatment"
- Dealing with a person who has uncontrollable mood swings
- · Dealing with a person who makes up rules on the fly
- Having satisfactory or exemplary work quality disregarded
- Experiencing harsh and constant criticism
- Dealing with a person who starts or fails to stop spreading rumors about you
- · Dealing with a person who encourages others to bully you
- Being singled out and isolated from others
- · Dealing with displays of gross but not illegal behavior
- · Being yelled at, screamed at, or having someone throw a temper tantrum in front of others that is humiliating to you
- · Having someone systematically steal credit for your work
- · Having someone lie about your performance in the evaluation process
- Being called insubordinate when not true
- Having someone use confidential information to humiliate you publicly
- · Experiencing retaliation
- Experiencing verbal put-downs
- · Being given undesirable assignments as punishment
- · Being assigned undoable demands
- Experiencing sabotage of your work, plans, progression

From Workplace Bullying Institute (www.bullyinginstitute.org).

Because most of us are totally unprepared to deal with a bully in the workplace, it can be difficult to determine what actions to take to address it. The Workplace Bullying Institute (2010) website (www.workplacebullying.org/targets/solution/three-step-method.html) has an excellent plan to follow. Drs. Namie and Namie suggest that you take the following three steps if you are the target of a bully:

- 1. *Name it.* Say, "I am being bullied!" "I have a bully at work!" "Jackie is a backyard bully." Other ways to validate it for your own sense of self is to say, "I did not ask for this! Jackie targeted me to bully." This type of self-talk will help validate your experience.
- 2. Seek respite. From their work, Drs. Ruth and Gary Namie believe that if you are being bullied, you need to take time off from work to "BullyProof" yourself. During your time off from work, you need to accomplish five things: (a) check your mental health, (b) check your physical health, (c) research state and federal legal options, (d) gather data regarding the economic impact the bully has had on your unit, and finally, (e) start a job search for a new position, because this will give you more options as you address your current work situation.
- 3. *Expose the bully*. Most people who are being bullied are not willing to expose the bully. However, for your mental and physical health, you need to consider giving your employer an opportunity to address the situation (Workplace Bullying Institute, 2010).

Consider the following:

Mary determined that a colleague at work was bullying her and that the situation had become intolerable. She came to this realization after a series of painful situations where she had been shunned and left to drown on several occasions. She was concerned, because these situations were growing increasingly severe, causing her to experience stress-related health problems, and putting the patients at risk. Mary was worried that continued unsafe situations might risk her ability to practice nursing. She was preoccupied at work and found herself nearly making a serious medication error. Finally, in desperation, she took a week of vacation to reflect on her options. She searched for another position and found one in another department at the same organization.

Before officially accepting her new position, Mary went to her manager to discuss the problems she was experiencing. She shared with her manager documents and evidence of things that had happened to her and asked the manager what actions she was willing to take to salvage the situation. The manager was not willing to acknowledge the issue or help Mary. As a result Mary turned in her resignation the next day. Mary started her new job, which was actually a promotion, and she was successful in making the transition. She did not lose any of her seniority or benefits and still worked near her home and family. Mary's health improved, and she was glad she had taken action to improve her work situation.

Often organizations do not understand the tremendous costs in turnover, workmen's compensation, absenteeism, and decreased productivity incurred by allowing a bully to continue working. When you expose the bully, make the business case that the bullying individual is simply too expensive for the organization to continue to have working. In other words, do not go into a huge discussion about *your* experience. Rather, point out the recent turnover, sick calls, workmen's compensation, and decreased productivity that the bully has cost the organization. Give your employer this opportunity to correct the situation. If the employer does not take positive action to correct the situation, then you may need to consider finding another job.

At this point in the United States, there are not many states that have legislation to control horizontal violence in the workplace. The major strategy at the time is to take care of yourself first by protecting your health and well-being. Depending on your situation, there are other ways to address workplace issues. You can also find advice online (www.bullyinstitute.org) or you can pay to receive coaching services.

## OTHER WORKPLACE ISSUES

## **Needlestick and Sharps Safety**

In addition to the workplace issues already identified, latex allergy, severe acute respiratory syndrome (SARS), human immunodeficiency virus (HIV), tuberculosis exposure, and needlestick injuries are issues that can affect your health if you are not aware of how to prevent exposure and injury (Box 25-2). The Occupational Safety and Health Administration (OSHA) has established guidelines that organizations must follow to protect workers. The Needlestick Safety and Prevention Act (P.L. 106-430), which became law on November 6, 2000, provides important protections for health care workers regarding needlestick injuries. Advocating for workplace safety, the ANA was instrumental in having this piece of federal legislation passed. This act amends the Blood-Borne Pathogen Standard (administered by OSHA) to require the use of safer devices to protect from sharps injuries. It also requires that employers solicit the input of nonmanagerial employees who are responsible for direct patient care regarding the identification, evaluation, and selection of effective engineering and work-practice controls (Figure 25-3).

In addition, the act requires employers to maintain a sharps injury log to document, at a minimum, the type and brand of device involved in each incident, the department or work area in which the exposure occurred, and an explanation of how the incident happened. The information is to be recorded and maintained in a way that protects the confidentiality of injured employees. The log serves as an important data source to help determine the relative effectiveness and safety of currently used devices and to guide the development of future products. You need to be familiar with these requirements, as well as any additional guidelines that have been established by your local or state health departments. In some states, the guidelines established by health departments are more strict than those established by OSHA. Today every organization that uses needles or sharp devices should have policies covering needlesticks and sharp exposures/injury to protect and treat their employees.

## **Handling Staffing Shortages**

The shortage of experienced nurses has created many challenges and changes in the health care environments in which we work. Many of these changes are just beginning. We will see many more in

## BOX 25-2 **NEEDLESTICK AND SHARPS-RELATED INJURIES**

- Needlestick and sharps-related injuries expose all health care workers to potential bloodborne pathogens (hepatitis B virus [HBV], hepatitis C virus [HCV], and human immunodeficiency virus [HIV].<sup>1</sup>
- It is estimated that 384,000 needlestick injuries occur in hospitals annually.<sup>2</sup>
- The majority of needlestick injuries occur in surgical settings such as the operating room and at the patient's bedside.<sup>3</sup>
- The Food and Drug Administration (FDA), Centers for Disease Control and Prevention (CDC), National Institute for Occupational Safety and Health (NIOSH), and the Occupational Safety and Health Administration (OSHA) issued a statement in 2012 encouraging all health care workers in surgical settings to use only blunt-tip suture needles when suturing muscle and fascia.<sup>1</sup>
- All sharps and needlestick injuries must be recorded by the employer as required under OSHA's Recordkeeping Standard.<sup>3</sup>

#### Data from:

<sup>1</sup>Centers for Disease Control [CDC]. (2012). FDA, NIOSH, & OSHA Joint safety documentation: Blunt-tip surgical suture needles reduce needlestick injuries and the risk of subsequent bloodborne pathogen transmission to surgical personnel. Retrieved from http://www.cdc.gov/niosh/topics/bbp/pdfs/Blunt-tip\_Suture\_Needles\_Safety.pdf. <sup>2</sup>Jagger, J., Berguer, R., Philips, E. K., Parker, G., Gomaa, A.E. (2010). Increase in sharps injuries in surgical settings after passage of national needlestick legistlation. *Journal of the American College of Surgeons, 210,* 496-502. <sup>3</sup>Occupational Safety and Health Administration [OSHA]. (2013). *Healthcare wide hazards: Needlestick/sharps injuries*. Retrieved from https://www.osha.gov/SLTC/etools/hospital/hazards/sharps/sharps.html#standard.



FIGURE 25-3 Nurses must be aware of potential threats to their health.

the years to come as nurses become scarcer and the need for nursing grows. As a nurse, you need to understand these issues, how to find the best place to work, and how to cope with situations such as high nurse-to-patient ratios and mandatory overtime.

An organization (hospital, clinic, nursing center) that provides an environment that is conducive to good nursing care is the best place to be. It does not need to be the newest, most sparkling, or technologically advanced hospital in a large city. For instance:

One of the most spectacular places to practice nursing may be a modest nurse-managed clinic that meets the needs of indigent people in a rural county. The salaries may not be the best, and the clinic will always need something, but the environment is great in that it allows nurses to care for patients and make a difference in the lives of the people they serve.

Finding a good place to work can be difficult. For years, many health care organizations have ignored the needs of nursing (Duclos-Miller, 2002). To attract nurses, many health care organizations use incentives rather than making substantial changes to the environment for nursing (workloads, autonomy). Of course, the lure of higher salaries, benefits, sign-on bonuses, and tuition repayment programs can be highly appealing for new nurses; however, these incentives can distract new nurses from investigating other issues that will have a greater effect on long-term job satisfaction. As a new nurse looking for a position, it may be challenging to find the best fit for you. Fortunately, there are research-based criteria that can help you determine whether an organization provides a good environment for nursing.

In the early 1980s, the American Academy of Nursing (AAN) commissioned a study to determine what characteristics of hospitals attracted nurses. It was interesting to learn that things such as nursing autonomy, low nurse–patient ratios, and collaborative relationships with physicians were some of the draws. From this work, Magnet hospitals were identified that embodied these essential characteristics that promoted nursing. Today, in our current nursing shortage, hospitals actively seek "Magnet"

## **? CRITICAL THINKING** BOX 25-2

To find out more about the characteristics of the Magnet model, see <a href="https://www.nursingworld.org/ancc/magnet/">www.nursingworld.org/ancc/magnet/</a>. Determine whether your clinical practice site has a Magnet Recognition Program.

status to attract nurses. In addition, Magnet hospitals are known to have better patient outcomes. The American Nurses Credentialing Center (ANCC) is responsible for judging whether hospitals achieve this status. A hospital awarded within a Magnet Recognition Program would be a good place to work for most nurses (Critical Thinking Box 25-2).

In today's world, no matter where you work, you may need to cope with a situation in which the number of patients under your care and their needs for nursing may be greater than what you are able to provide. What should you do?

First, it is important to understand the chain of command for your organization. In other words, to whom should you report your concerns, and what are your next steps if you are not satisfied with the response you receive from that person? For example, perhaps the supervisor is the person to go to, and if that does not resolve the situation, according to the "chain of command," you contact your manager, then the director for the department, then the chief nursing officer. Next, remain calm and use your great assessment skills to determine the exact nature of your situation. Here are some things to consider:

- How many patients do you have? What is going on with each of them? What nursing tasks do
  you need to accomplish? What are your priorities (safety issues)? What tasks would be "nice to
  do if you are able and have the time?"
- What are your resources? Do you have someone to whom you can delegate tasks? What support do you have from patient's families (e.g., to help watch a confused patient)?
- Are you aware of a nurse colleague who might be able to come and help (e.g., someone who was not considered by those who worked on staffing)? What about someone who works on another similar unit who might be willing to pick up time?
- Is there anyone who can help out for a few hours to cover the gap and make sure there are no safety issues?
- Is there any other way to deliver care? For example, working together as a team to take care of patients can be a more efficient way to function for a particular shift, even though it is not ideal.
- What are your hospital's policies for high-census or high-patient-load situations? For example, can you decrease the frequency of assessment from every four hours to every six to free up some time?
- Consider how sick your patients are. Is there anyone who might be discharged to lighten the load?

Gather your facts and present your concerns to the next person in authority—a charge nurse or a supervisor. Do not threaten to leave or make rash statements; just present your facts. Ask for whatever assistance is available. Tell this person what your concerns are and what you can and/or cannot accomplish in your shift based on the high patient load. Use a concise, clear outline of the situation and what you need from that individual.

#### **Document Your Concerns**

If the support you receive is not appropriate, then you need to calmly tell your charge nurse or supervisor that you are going to report your concerns to the next person in charge. Again, do not threaten. If the situation is continuous rather than intermittent, use the notes you have documented to figure out the pattern of what is happening.

Remember that difficult situations tend to be in the forefront of your mind, whereas reality might be different. This is human nature

## Consider the following example:

Some nurses told their nurse manager that they were always getting patients from surgery who did not meet criteria to be discharged from the recovery room. The examples that they gave were very disturbing to the new manager, so she asked them to keep a log of patients who were unstable when they reached the unit. In the next month, instead of a large number of patients coming back from the recovery room unstable, they found only two. In both situations, the patients became hypotensive and required a significant amount of care to stabilize their condition. What the staff and the manager realized after looking at the data was that those two situations were so stressful that they "forgot" the 50 patients who came back without a problem. The other important thing that happened was a solution was found to prevent the hypotensive events. The nursing staff worked with the surgical providers and made certain that patients received adequate fluids in the recovery room. During the following months, the nurses had no further events. Improved patient care was the result of the careful and diligent documentation and the nursing staff's willingness to work toward finding a solution. This is why documentation of events is so important.

If your notes tell you that poor staffing occurs more often than not, and you are not able to get your patient care done, then you need to work with your manager to determine the reasons. Is your unit understaffed for the needs of your patients? Does your unit have many vacancies? Does your unit have a lot of sick calls? Are assignments being done correctly? Are nurses performing frequent nonnursing functions such as phlebotomy, running errands, or transcribing orders? Does your unit need someone to help with nonessential nursing duties such as bathing or feeding patients? Many organizations involve staff nurses to help to solve these problems. Volunteer to work with a group to make changes. If your organization or unit is not willing to work with you to make the workload easier, then you may need to consider a job change. Working together as a team and being able to solve staffing issues with creative solutions is the goal of any discussions with leadership. Consider this unit's experience:

Nurses on the telemetry unit on 7 AM to 7 PM shift were exhausted. They had a large unit with difficult, time-consuming patients. Their patients were generally elderly, had heart failure, many with multiple chronic health problems. The unit had been approved for an additional RN position, but it had been vacant for over a year as there was a serious shortage in their area. Everyone felt deflated and people were beginning to feel that the situation was never going to improve. They enjoyed the challenges of the unit, but they were tired. The manager held a staff meeting seeking solutions to their staffing difficulties.

After intense discussions with few solutions, one of the nurses stated, "Most of the time, I just need someone to help me with morning care and making sure my patients get turned and fed before their meals get cold!" The other nurses on the unit agreed with her comments. After discussions, a solution to their short staffing was found.

The manager was able to hire a nursing student to help on the unit for 6 hours in the morning by assisting with hygiene care, turning, feeding, and ambulating patients. The relief of having this help accomplished what they needed, and the morale on the unit significantly improved. As an added bonus, the nursing student soon graduated and decided to stay on the unit because of her positive experience. She started out as a new RN, and her orientation was shortened because of the

time she had spent on the unit before her graduation. Everyone won, the patients, the staff, and the health care facility.

## **Mandatory Overtime**

Unfortunately, mandatory overtime is another way that hospitals deal with poor staffing. Mandatory overtime creates a loss of control for the nurse regarding the ability to schedule nonwork activities, including essential family functions. Mandatory overtime may also put safe patient care at risk because of nurse fatigue and subsequent loss of the ability to concentrate, critically think, and thus make good judgments. Although many other professional groups have worked to decrease the incidence of mandatory overtime in cases where fatigue can jeopardize the public's safety, 67% of nurses report that they worked some sort of mandatory or unplanned overtime per month (Bosek, 2001). Mandating overtime is a major concern of our professional associations (e.g., American Nurses Association; American Association of Critical Care Nurses).

Although it is our professional duty to ensure that nursing services are continued until the patient's care is transferred to another nurse, our duty to ensure that patients receive safe treatment may be in conflict if mandatory overtime results in fatigue and the possibility of a serious error occurring. According to Duclos-Miller (2002), all nurses need to recognize that by accepting a nursing position, we have made a commitment to the organization to provide nursing care at specified intervals. After we accept responsibility for a patient assignment, we have that responsibility either until our services are no longer needed or until we transfer the responsibility to someone else. Does this mean we need to work beyond our capacity?

Many states have enacted legislation prohibiting mandatory overtime. Is your state one of them? You can go to the ANA website to find out whether your state has mandatory overtime legislation.

Legislation opposing mandatory overtime is a priority of the ANA. Legislating overtime of nurses may not be the only answer. Health care organizations must be able to provide care to their patients, and legislation will not be sufficient to alleviate the workloads imposed if there are not enough nurses to take care of patients.

In addition to the previous discussion related to developing a good work environment for nursing, creative solutions can be developed by management and nursing staff to handle shortages without resorting to mandatory overtime. Some ideas include the following:

- Develop an on-call system that provides one or two extra nurses per shift.
- Develop policies that limit mandatory overtime and ensure rotation among all staff.
- Provide incentives to encourage part-time nursing staff to pick up extra time.
- Develop creative shifts for high-activity, high-volume times (e.g., perhaps a special 11 AM to 2 PM shift to provide staff for admissions and transfers and to reduce the workload for the rest of the staff).
- Develop processes to identify shortages with enough time to arrange coverage.
- Reward nurses who do put forth extra effort for the organization. For example, one hospital provides a bonus of \$100 for every 100 hours of on-call time (in which an individual agrees to be available to come in if needed).
- Improve the workplace environment in ways that are advocated by the American Association of Critical Care Nurses, and institute recommendations from the "Healthy Work Environment" campaign and by the American Nurses Credentialing Center Magnet program. These recommendations have proven that better environments draw nurses and can alleviate shortage situations.

What should you do if you are mandated to stay over your scheduled shift because of a staffing shortage? First, you should be familiar with your organization's policy regarding mandatory overtime before this happens. If the policy is unacceptable to your life circumstances, you probably should not be working in the facility. If you find yourself in a situation in which you believe you are too fatigued to stay over your shift, you need to follow the chain of command in asking for assistance with your situation. Again, you need to assess your situation and provide the charge nurse, supervisor, or manager with the facts of your situation. You need to document your concerns and follow-up as needed after the event. If you believe your organization policy regarding mandatory overtime can be improved or eliminated, work with your manager and others to change it.

Most causes of medical errors relate to system problems:

- 1. Communication problems
- 2. Inadequate information flow
- 3. Human problems
- 4. Patient-related issues
- 5. Organizational transfer of knowledge
- 6. Staffing patterns/work flow
- 7. Technical failures
- 8. Inadequate policies and procedures (AHRQ, 2003)

## Floating—What Do I Do Now?

One interesting phenomenon about health care is that it has a cyclic nature to some extent. What this means is that during certain times of the year, there may be fewer or greater numbers of patients needing any one service at any given time. Thus sometimes on a particular unit you may have more and sometimes fewer patients. It would be great to have a break when your patient volumes are lower; however, it does not work this way in most situations, because there are always units who need help. No one would want patients to suffer from lack of care when there is a nurse available on a unit that has fewer patients. For both economic and logistical reasons (e.g., another unit is very busy), nurses who are less busy are often instructed to work on a unit that is not their "home unit." The question becomes, "What will I do if this happens?" Consider the following situation and imagine what you might do.

Denise was finished with her orientation and had been working on her own for approximately 6 months. She had been told about the floating policy on her unit—how everyone "took turns" if help was needed on another unit. The unit had been very busy since she had started working, so she did not often think of the issue of floating until this evening. When she came to work, the unit was very quiet, and she was told to report to the surgical unit. Since Denise normally worked on a medical unit, she was naturally anxious about this assignment. The nurses on her unit were sympathetic, but they reminded her of the unit's policy and that it was her turn to go to another unit (float).

When Denise arrived on the surgical unit, she was given an assignment of five patients with a variety of surgical problems (gallbladder to colon resection). Most of her patients had tubes, dressings, and a variety of comorbidities, such as diabetes and hypertension that complicated their recovery. Two hours into her shift, she was completely overwhelmed. The nurses she was working with were very kind, but they were also busy, and Denise did not want to bother them with ongoing questions about the location of items and the policies for dressing changes and management of nasogastric tubes. Denise managed

to get through the night without any mishaps; however, she was charting until 5 AM (she was supposed to be off duty at 3 AM).

Denise continued to be angry and upset about the floating for many days. She was hostile toward the charge nurse, supervisor, fellow nurses, and even her manager, who was not even there, for making her do this. Since her unit did not become busy right away, she worried about having to float again. She felt she could handle it maybe once a year, but not repeatedly. She began to think about leaving. Denise's manager Joyce approached her after several days and asked to discuss the situation. Joyce said she had some thoughts and ideas that might help. Denise reluctantly sat down with Joyce to hear her ideas.

Issues surrounding floating are some of the most hotly debated and intensely felt by nurses, managers, and administrators. Some journal articles and nursing newsletters recommend that nurses agree to float and always take an assignment. Other sources advise nurses to agree to go but to only do basic nursing care and not to take an assignment. The ethical issue involved in floating is that if you are not on your assigned unit, there will be a disproportionately high number of patients to nurses, which would increase errors, or there is the risk of having a less skilled nurse on a unit, which can also lead to problems. Studies have not demonstrated that the risk of a less skilled nurse has really contributed to patient harm, whereas studies of nursing workload have indicated that the greater the workload, the greater the risk for harm to patients (Kane-Urrabazo, 2006).

Data are available that tell us that the more patients a nurse has, the more likely that an error will occur (Kane-Urrabazo, 2006); however, there are no data that tell us how many—if any—patients are harmed by floating nurses. Although many nurses passionately believe that if they go to another unit, the likelihood of an error occurring is very high, there are no data to support this contention.

Therefore, some argue that it is unethical for a nurse to refuse an assignment if it is reasonable. Refusing an assignment to float could result in harm to a patient because of unreasonable workloads on the other unit. On the other hand, the organization owes its nurses an orientation session on all the units to which they may be assigned. This notion is based on the ideas of distributive justice (Kane-Urrabazo, 2006). Many states, such as Iowa and Texas, have written guidelines or position statements on floating, as have many nursing organizations such as the American Association of Colleges of Nursing (AACN) and the American Organization of Nurse Executives (AONE). Regulatory agencies such as The Joint Commission (TJC) have stated that leaders in organizations must define the qualifications and competencies necessary to provide patient care. Hospitals need to have floating policies and plans to orient staff to units where they may be assigned. Again, what should conscientious nurses do to ensure the safety of their patients and to protect their ability to practice?

As Denise met with her manager, the manager first thanked her for floating and not making a big deal about it at the time. Her manager acknowledged that floating was very unsettling, and she asked Denise what would have made the change in assignment better. Denise told her manager that she was glad to have been able to help on the other unit, because it was very busy, and she did not know what they would have done had she not been there. However, Denise felt it would have been better if she had been given orientation to that unit and to surgical patients before being asked to float there. She added that it would have helped to know where supplies were located and to know what patient care standards were used to help them recover from surgery.

As a result of Denise's conversation with the manager, an orientation program was developed to help nurses who were floating to other unfamiliar units. To make this successful, the hospital was divided into "pods" of similar units. Nurses would only float within their pod. A support system was built into floating situations by assigning a manager or supervisor "buddy" to check on the floating nurse periodically

throughout the shift to see whether there were any issues or problems. A debriefing session was held with each nurse who floated to determine ways to make the experience better.

Several months later, Denise was pulled to help another unit. Although she did not like being off her normal unit, she tolerated the experience much better than she did the first time. She made sure she had a resource person to help her with problems and questions. She was able to leave at her normal time. Overall, she felt good about helping out another unit.

If you are assigned to float, don't panic! Remain professional in all of your actions! It might be helpful to remember first that you are going to help another unit that does not have enough staff to care for their patients. If nothing else, focus on the patients and what you would want for someone you love if they were a patient on the busier unit.

Then, think of the other unit, and consider what types of patients are on the unit. When you arrive, ask for any "overflow" patients who might have needs similar to patients on your normal unit (e.g., any overflow medical patients if you have a medical background). Ask for a quick tour of the unit and the unit standards of care (e.g., how to manage care of the postoperative mastectomy patient). Ask to be assigned to patients who are less complex, because you will be learning as you go along. Ask for help as you need it. Ask whether a nursing assistant can be assigned with you.

If you arrive at the assigned unit and things do not go well, report the experience to your supervisor as soon as possible. Document your conversations. Try to enjoy your patients and appreciate what you have learned during your shift. If it is available to you, use the Internet to investigate unfamiliar patient-care issues. Remember, regardless of your experience, you are doing what is best for the patient.

#### Making a Mistake—What Do I Do Now?

Every year, thousands of medication errors are made in hospitals (Institute of Medicine [IOM], 1999). Many of them are as benign as the case situation mentioned earlier, but others are very serious. In addition to medication errors, other errors compound to contribute to many serious effects on patients every year, including death. The IOM was chartered in 1970 as the advisor for the U.S. health care system regarding the quality of care (www.iom.edu). In 2003, Congress mandated that the IOM perform a comprehensive study regarding drug safety and recommendations for a system-wide change. According to the most recent IOM report on errors in health care, 44,000 to 98,000 people die every year from errors (IOM, 2006). In a study on role transition conducted by the National Council of State Boards of Nursing (NCSBN) to examine outcomes of clinical competence and safe practice, a discussion on practice errors and risks for practice breakdown was reported (Suling, 2007).

Karen was a cautious person and a very cautious nurse. As a new nurse, she was constantly worried that she would make a mistake! Every day, throughout her orientation, she would breathe a sigh of relief at the end of her shift that she did not make a mistake. In fact, a year went by without any event. One very busy day as she charted her last medications for the day, she had an awful realization that she gave an intravenous medication to the wrong patient! She went into the room hoping that somehow the medication (an intravenous piggyback) had not gone through the pump. Unfortunately, the patient had received a dose of medication that she was not ordered to receive!

Karen quickly checked the patient's allergies; then she went about assessing the patient for any untoward effects. Fortunately, the patient did not have any problems at this point. Through checking, Karen determined that the medication did not have any interaction with any other drug the patient was receiving. The medication was rather benign (Pepcid), and a case could be made that the patient would benefit from the medication, even though it was not ordered.

Now Karen must decide what to do. She thought of herself as the "perfect" new graduate. She had not made a mistake in the year since she had been out of school. What would happen to her image with her colleagues? What about her manager, who had just last week praised Karen for her "careful attention to detail." Now she thought, "Could I be fired?"

Fortunately for Karen, her patient did not suffer adverse effects from the medication; however, the fact that a very cautious nurse made such an error demonstrates a gap in medication safety. What might have contributed to this event? The only way that this event can contribute to the understanding of what happened is if Karen reports it. Karen did not necessarily realize this, because she was thinking mainly of the implications for the patient and for her practice of nursing.

To meet regulatory agency standards, hospitals must have a process for reporting and analyzing errors. Karen remembered that she was shown the process for reporting medication and other errors or events (including injury to herself). She also remembered that there was a policy for how to do this and how to document the event. She went to the policy manual online and looked it up.

As she read the policy, Karen learned that she needed to complete the online report for medication error, which included all aspects of what happened. The form also asked her to report her feelings regarding the event, because her hospital was trying to understand what it was like to experience an event and what kept nurses from reporting. She learned from reading the policy that the leadership of the hospital appreciated her taking time to complete the form and report the event. She also learned that unless she was deliberately harming the patient, she would not receive disciplinary action; however, her peers would review the event to determine what she could have done to prevent it.

Another step in the process was for Karen to notify the charge nurse, supervisor (or her manager), and the physician. Just what she did not want to do! However, being the cautious and conscientious nurse she was, Karen followed through on completing these steps of the process. To her surprise, the physician, charge nurse, and supervisor were all understanding and kind to her when she notified them of the event.

Karen's manager thoroughly discussed the medication error with her the following day. Karen was glad she had taken notes and had thought through what had happened, because this enabled her to provide her manager with a lot of detail about what had happened. Her manager was very matter of fact about the situation and did not berate or otherwise demean Karen in any way. She also suggested (strongly) that Karen see a counselor at the employee assistance program, because she assumed that Karen would have a lot of feelings about what had happened, and these feelings could potentially affect her self-confidence. Karen followed through on this advice as well. She was glad that she did, because she eventually realized that her medication error, although minor, had indeed shaken her confidence and was affecting her ability to care for her patients (Research for Best Practice Box 25-1).

#### CONCLUSION

As you stand at the door, your new license in hand, the greatest human adventure awaits you. Nursing is one of the most difficult and most awesome professions that exist. As a nurse, you have the opportunity to be part of and witness the most intimate moments in the lives of individuals and families. You have the ability to change people and be changed forever.

#### RESEARCH FOR BEST PRACTICE BOX 25-1

#### Medication and Practice Errors

#### **Practice Issue**

As the care of patients becomes more complex, the delivery of medications also becomes more complex. Today, nurses are frequently faced with interruptions during the delivery of medications. The problem is that, at a time when the reporting of all errors is extremely important, not all are reported (Ulanimo et al, 2006). Nurses fear retribution or disciplinary action, despite the fact that most organizations do not punish nurses in any way for errors that occur (unless they are committed deliberately).

#### **Implications for Nursing Practice**

- Nurses need to be aware of potential errors by examining the complexity of their work flow and reporting near misses.
- Nurses need to follow standards of care and avoid shortcuts to care.
- During the delivery of medications, nurses must take steps to avoid interruptions (e.g., don't page a physician, don't start a
  procedure, don't start a conversation with another person, don't answer the phone unless it is absolutely necessary).
- Nurses need to know their hospital policy and procedure for handling and reporting errors.
- Nurses need to read back and verify for accuracy of all incoming telephone orders.
- If a nurse is involved in an error, that nurse should seriously consider counseling to manage the strong feelings that result
  from making a mistake in a nurse—patient relationship. Nurses often experience posttraumatic stress disorder following an
  event in which an error is made.
- Nurses should be actively involved in finding solutions to prevent errors in the future. This might include participating in a
  quality initiative such as Lean or Six Sigma.

#### **Considering This Information:**

Knowing that you could be involved in an error someday, how can you prepare yourself to prevent this from happening and to be able to handle an error if it does happen?

#### References

Baker, H. (1997). Rules outside the rules for administration of medication: a study in South Wales, Australia. *Image Journal of Nursing Scholarship, 29*, 155–158.

Lilley, L., Rainforth Collins, S., & Snyder, J. S. (2014). Pharmacology and the nursing process. (7th ed.). St. Louis: Elsevier.

Institute of Medicine. (1999). *To err is human: building a safer health system*. Washington, DC: National Academy Press. Retrieved from www.iom.edu/?id=12735.

Ulanimo, V., O'Leary, C., & Connolly, P. (2006). Nurses' perceptions of causes of medication errors and barriers to reporting. *Journal of Nursing Care Quality*, 12, 28–33.

Nurses in the hospital need to become more involved in the design, management, and environment of their units. Too often, nurses yield their responsibility and power to the nurse manager and lose out on this opportunity. Nurses need to speak up in nonemotional (but passionate) voices to correct situations that put them and their patients at risk. There are solutions to mandatory overtime, floating, back injuries, and workplace violence. At the end of this chapter is a list of relevant websites and online resources related to current workplace issues. We need to be at the forefront of developing demonstration projects and research on ways to improve the work and healing environment. With all the wonderful critical thinking and problem-solving skills nurses have, together we can make a difference.

In the meantime... However grand the profession, it is not without risk, and workplace issues exist that require your vigilance. Make sure that you wash your hands often, stay current about workplace issues, maintain standard precautions, ask for what you need to be safe, take care of your back, and most of all, work hard, but not too much!

#### RELEVANT WEBSITES AND ONLINE RESOURCES

#### **American Association of Colleges of Nursing**

www.aacn.nche.edu.

#### American Association of Critical Care Nurses Healthy Work Environment

www.aacn.org/wd/hwe/content/hwehome.pcms?menu=hwe.

#### **American Nurses Association**

www.nursingworld.org.

#### **American Nurses Association**

Safe patient handling. www.nursingworld.org/MainMenuCategories/Policy-Advocacy/State/Legislative-Agenda-Reports/State-SafePatientHandling/Enacted-Legislation.

#### **United States Department of Labor**

www.dol.gov.

#### **Occupational Health and Safety Administration**

www.osha.gov.

#### **American Nurses Credentialing Center Magnet Status Certification**

www.nursecredentialing.org/Magnet.aspx.

#### Institute of Medicine

www.iom.edu.

#### The Joint Commission

www.jointcommission.org.

#### **American Organization of Nurse Executives**

www.aone.org.

#### **Nursing Workplace Safety/Healthy Work Environment**

www.nursingworld.org/MainMenuCategories/WorkplaceSafety/Healthy-Work-Environment/SafePatient.

#### **BIBLIOGRAPHY**

AHRQ's Patient Safety Initiative. (December, 2003). *Building foundations, reducing risk*. Interim Report to the Senate Committee on Appropriations. *AHRQ Publication No. 04–RG005*. Rockville, MD.: Agency for Healthcare Research and Quality.

American Nurses Association. (2008). Safe patient handling and movement. Retrieved from www.nursingworld. org/. MainMenuCategories/ANAPoliticalPower/State/StateLegislativeAgenda/SPHM.aspx.

American Nurses Association. (2010). Enacted safe patient handling (SPH) legislation. Retrieved from ANAPoliticalPower/State/StateLegislativeAgenda/SPHM/Enacted-Legislation.aspx.

American Nurses Association. (2013). *Safe patient handling and mobility*. Retrieved from http://www.nursingworld.org/MainMenuCategories/WorkplaceSafety/Healthy-Work-Environment/SafePatinent.

Bosek, M. (2001). Mandatory overtime: professional duty, harm, and justice. *JONA's Healthcare Law, Ethics, Regulation*, *3*, 99–102.

Duclos-Miller, P. (2002). Mandatory overtime: is it really necessary? Connecticut Nurse News March-May 2002. Henry, J. (2002). Violence prevention in healthcare organizations within a total quality management framework. Journal of Nursing Administration, 32, 479–486.

- Institute of Medicine. (1999). *To err is human: building a safer health system*. National Academy Press. Retrieved from www.iom.edu/?id=12735.
- Institute of Medicine. (2006). *Identifying and preventing medication errors*. Washington, DC: IOM. Retrieved from www.iom.edu/CMS/3809/22526.aspx.
- Kane-Urrabazo, C. (2006). Management's role in shaping organizational culture. *Journal of Nursing Management*, 14, 188–194.
- Lutgen-Sandvik, P., Tracy, S., & Alberts, J. (September 2007). Burned by bullying in the American workplace: prevalence, perceptions, degree and impact. *Journal of Management Studies*.
- Matthiesen, S. B., & Einarsen, S. (2004). Psychiatric distress and symptoms of PTSD among victims of bullying at work. *British Journal of Guidance and Counselling*, 32, 335–356.
- Namie, G., & Namie, R. (2003). The bully at work: what you can do to stop the hurt and reclaim your dignity on the job. Naperville, Ill: Sourcebooks.
- Owen, B. D. (1989). The magnitude of low-back problem in nursing. *Western Journal of Nursing Research*, 11, 234–242.
- Owen, B. D. (2000). Preventing injuries using an ergonomic approach. AORN Journal, 72, 1031–1036.
- Suling, Li. (2007). Assessing clinical competence and practice errors of newly licensed registered nurses. National Council State Boards of Nursing. Retrieved from www.ncsbn.org/ICN\_competence\_for\_Dawn.pdf.
- Ulanimo, V., O'Leary, C., & Connolly, P. (2006). Nurses' perceptions of causes of medication errors and barriers to reporting. *Journal of Nursing Care Quality*, 12, 28–33.
- Workplace Bullying Institute. (2010). What bullied targets can do. Retrieved from www.workplacebullying.org/targets/solution/three-step-method.html.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

# 26

## **Emergency Preparedness**

Tyler Zerwekh, MPH, DrPH, REHS, and JoAnn Zerwekh, EdD, RN

We're in a new world. We're in a world in which the possibility of terrorism, married up with technology, could make us very, very sorry that we didn't act.

Condoleezza Rice, Former U.S. Secretary of State, 2008



We are prepared.

After completing this chapter, you should be able to:

- Identify various public health threats to which the medical community is susceptible.
- Identify regulatory initiatives undertaken to prevent and respond to future emergencies.
- Discuss the variety of diseases/agents that are likely to be involved in a biological, chemical, or radiological terrorism attack in addition to the clinical and community health consequences of each.
- Discuss the importance of personal protective devices and when to implement their use.
- Identify approaches to enhance personal and family preparedness for emergencies.

Terrorism alarms millions of people every year. It is a violent and deadly form of intimidation with the intent to debilitate governmental function and create a climate of hysteria. Terrorists take advantage of people's panic to achieve their goals. To the terrorist, an event that results in mass fatalities, disruption, and overconsumption of vital resources is a profitable outcome. Since the events of September 11, 2001 and subsequent anthrax mail attacks, terrorism on U.S. soil is a reality. Preparation for responding to acts of terrorism and other disasters, both natural and technological, has increased immensely, both in the community and on health care fronts.

Community health nurses and clinical nurses have been assigned new responsibilities and roles in the wake of massive federal, state, and local efforts to prepare for public health emergencies. This chapter highlights the various public health threats to which the medical community is susceptible, regulatory initiatives undertaken to prevent future emergencies, and recent public health preparedness efforts bestowed to the nursing profession as the shift to an all-hazards plan is integrated throughout the medical and nursing community.

#### WHAT IS PUBLIC HEALTH PREPAREDNESS?

Public health preparedness, as it relates to the nurse, can be divided into two major categories: (1) clinical preparedness, and (2) community-based approaches. The clinical aspects of public health preparedness will focus on agent identification and education for various threats, administrative and regulatory efforts to increase preparedness, and epidemiological clues that may indicate a public health event has occurred.

The basis for public health preparedness is focused on the concept of preparing for chemical, biological, radiological, nuclear, and explosive threats—or CBRNE events. The term *CBRNE* originates from previous military and emergency response organizations such as the U.S. Marine Corps, the U.S. Army, and the Canadian Military Services (U.S. Army, 2008). Although not covered in detail in this chapter (because emphasis will be placed on individual radioactive isotopes and "dirty bombs"), additional information about nuclear weapons and preparedness can be found at the Nuclear Regulatory Commission website (www.nrc.org). The first section of this chapter focuses primarily on chemical, biological, and radiological events as they relate to the preparedness and response measures necessary for the licensed nurse to provide efficient and expedient care.

#### **CLINICAL PREPAREDNESS**

#### What Are Biological Agents?

Given the importance of responding rapidly to a bioterrorism-related outbreak, nurses need to be able to recognize the major syndromes associated with high-risk agents. Anthrax, botulism, plague, and smallpox are considered the four top agents for potential bioterrorism, because plague and smallpox can be spread person-to-person, and botulism and anthrax can be disseminated to a population via airborne release (they are not spread person-to-person). Table 26-1 discusses the etiology, signs/symptoms, transmission, and isolation/prevention of these agents. For more information on diagnostic and medical management of biological agents, visit the University of Alabama at Birmingham's website on bioterrorism agents (www.bioterrorism-uab.ahrq.gov/).

#### What Are Chemical Agents?

The use of chemical weapons poses an array of problems for the clinical nurse, including contamination, decontamination, and personal protection within the health care facility. Chemical agents can be divided into major classifications based on the makeup of the chemical agent and its clinical presentation. The following section focuses on the primary chemical agents most likely to be used in a terrorist event, along with their symptoms, diagnosis, and treatment options.

Of all the chemical agents of concern for the registered nurse, whether in the clinical or public health sector, the nerve agents present the greatest challenge in recognition, treatment, and response to a public health event. The nerve agents, also known as organophosphate esters, are the most severe, most incapacitating, and most likely to be implemented of all chemical agents (Wetter et al, 2001). Sarin, soman, tabun, and VX gases are the major chemicals in this group that inhibit

AGENT	ETIOLOGY	SIGNS AND SYMPTOMS	TRANSMISSION	ISOLATION/PREVENTION
Anthrax	B. anthracis	Pulmonary: Flu-like Respiratory failure Hemodynamic collapse Usually fatal Cutaneous: Local skin—head, forearms, hands Localized itching followed by a papular lesion that turns vesicular and develops a black eschar in 2 to 6 days Responds well to antibiotics Gastrointestinal: Abdominal pain, nausea, vomiting, fever Bloody diarrhea, emesis Usually fatal	Anthrax is a durable spore that lives in the soil; transmission by inhalation of the spore, contact with the spore, and the ingestion of contaminated food	Vaccine is available. (This vaccine is not traditionally given to health care workers.) Standard isolation precautions; however, after the patient is sick, there is no person—person transmission.
Botulism	Clostridium botulinum— produces a neurotoxin	Responsive, no fever Drooping eyelids, weakened jaw clench, difficulty swallowing or speaking Blurred vision and double vision Arm paralysis followed by respiratory and leg paralysis Respiratory depression	Ingestion of toxin-contaminated food; the toxin can be made into an aerosol and inhaled (manmade)	Vaccine is available.  Pentavalent vaccine is effective only for the toxin that the person was vaccinated for (A-type vaccine protects only against type A botulism).  Supportive care only. No isolation precautions implemented.
Plague	Yersina pestis	Fever, cough, chest pain Bloody sputum Sputum can be thick and very purulent or watery with gram-negative rods Bronchopneumonia	In a bioterrorist event, most likely to be aerosolized	There is no proven vaccine for the pneumonic plague, which is the most likely version in a bioterrorist event.  Droplet isolation precautions.
Smallpox	Variola virus	Prodrome of fever, myalgia Vesicles on the distal limbs (hands, feet) as opposed to truncated vesicles with chickenpox		Vaccine created in late 1700s. Routine vaccination ceased with eradication of smallpox in 1979. Droplet precautions recommended, especially if pocks develop inside the buccal cavity.

acetylcholinesterase. These agents are liquid at room temperature, but in vapor form they penetrate the cornea, dermis, and respiratory tract. VX gas presents a unique threat because of its markedly greater toxicity and lower volatility, which translates into greater concern for secondary contamination among stricken patients. The effects of these agents are the result of unopposed action of acetylcholine at muscarinic and nicotinic receptors. Initial effects are related to the muscarinic effects, including rhinorrhea, salivation, miosis, and headache. With severe poisoning, nicotinic effects can be observed. The muscarinic and nicotinic effects are manifested by bronchospasm, vomiting, incontinence, muscle fasciculation, convulsions, respiratory failure, and death (Wetter et al, 2001). The antidotes for nerve agent poisoning include atropine at fairly high doses—several milligrams to hundreds of milligrams in some cases—and pralidoxime (2-PAM), up to 8 mg.

The choking, or pulmonary, chemical agents are similar to the blister agents; however, in the choking agents the mechanism of action takes place primarily in the respiratory system. The agents of note in this category are chlorine gas and phosgene (Wetter et al, 2001).

In chlorine gas, the majority of exposures occur by inhalation and lead to symptoms of ocular, nasal, and respiratory irritation. Common signs and symptoms of exposure can include eye redness and lacrimation, nose and throat irritation, cough, and suffocation. For cutaneous exposures, burning and blistering of the dermal layer are possible. Currently, there is no available biological marker for chlorine exposure (CDC, 2008).

Another choking chemical agent, phosgene gas, has often been described as smelling like freshly cut grass. The majority of exposures to phosgene occur by inhalation. Phosgene exposure has clinical presentation/symptom patterns similar to those of chlorine gas (CDC, 2008). See Critical Thinking Box 26-1.



#### **CRITICAL THINKING BOX 26-1**

What personal protective equipment is available to you at your clinical facility? How does your facility handle exposure to hazardous or toxic material (e.g., blood, bacteria, radioactive)?

### What Are Radiological/Radioactive Agents?

The clinical or emergency department (ED) nurse is aware of another concept, which is the potential for patients entering the hospital exposed with radiation. The concept of "dirty bombs" is relatively new to the field of emergency preparedness, coming to prominence after the 9/11 World Trade Center attacks. A dirty bomb is a radiological dispersal device (RDD) that combines an explosive such as dynamite with a radioactive material. In the field, the explosion itself would be of greater concern in terms of damage to property and human life; however, the concern in the hospital ED would be the arrival of patients contaminated with radioactive material. The extent of local contamination would depend on a number of factors, including the size of the explosive, the amount and type of radioactive material used, the means of dispersal, and weather conditions. Those closest to the RDD would be the most likely to sustain injuries caused by the explosion. As radioactive material spreads, it becomes less concentrated and less harmful (U.S. Nuclear Regulatory Commission, 2007). Acute radiation syndrome (ARS) is an acute illness caused by irradiation of the entire body (or most of the body) by a high dose of penetrating radiation in a very short period (usually a matter of minutes). The major cause of this syndrome is depletion of immature parenchymal stem cells in specific tissues (CDC, 2008). See Table 26-2 for a listing of syndromes associated with ARS. An excellent website to learn more about radiation syndromes and radioactive agents can be found at www.bt.cdc.gov/radiation/ arsphysicianfactsheet.asp. Also see Critical Thinking Box 26-2.

SYNDROME	DOSE*	PRODROMAL STAGE	LATENT STAGE	MANIFEST ILLNESS STAGE	RECOVERY
Hematopoietic (bone marrow)	Above 0.7 Gy (above 70 rads) (mild symptoms may occur as low as 0.3 Gy or 30 rads)	Symptoms are anorexia, nausea, and vomiting. Onset occurs 1 hour to 2 days after exposure. Stage lasts for minutes to days.	Stem cells in bone marrow are dying, although patient may appear and feel well. Stage lasts 1 to 6 wks.	Symptoms are anorexia, fever, and malaise. Drop in all blood cell counts occurs for several weeks. Primary cause of death is infection and hemorrhage. Survival decreases with increasing dose. Most deaths occur within a few months after exposure.	In most cases, bone marrow cells will begin to repopulate the marrow. Full recovery is probable for a large percentage of individuals; recovery process may last from a few weeks up to 2 yr after exposure. Death may occur in some individuals at 1.2 Gy (120 rads).
Gastrointestinal (GI)	Above 10 Gy (above 1000 rads) (some symptoms may occur as low as 6 Gy or 600 rads)	Symptoms are anorexia, severe nausea, vomiting, cramps, and diarrhea. Onset occurs within a few hours after exposure. Stage lasts about 2 days.	Stem cells in bone marrow and cells lining GI tract are dying, although patient may appear and feel well. Stage lasts less than 1 wk.	Symptoms are malaise, anorexia, severe diarrhea, fever, dehydration, and electrolyte imbalance. Death is caused by infection, dehydration, and electrolyte imbalance. Death occurs within 2 weeks of exposure.	The LD50/60 <sup>†</sup> is about 2.5 to 5 Gy (250 to 500 rads). The LD100 <sup>‡</sup> is about 10 Gy (1000 rads).

Cardiovascular (CV)/central nervous system (CNS)	Above 50 Gy (5000 rads) (some symptoms may occur as low as 20 Gy or 2000 rads)	Symptoms are extreme nervousness and confu- sion; severe nausea, vomiting, and watery diarrhea; loss of con-	Patient may return to partial functionality. Stage may last for hours but often is less.	Symptoms are return of watery diarrhea, convulsions, and coma.  Onset occurs 5 to 6 hours after exposure.	No recovery is expected.
		diarrhea; loss of con- sciousness; and burning		after exposure.  Death occurs within 3 days	
		sensations of the skin.		of exposure.	
		Onset occurs within min-			
		utes of exposure.			
		Stage lasts for minutes to			
		hours.			

From Centers for Disease Control and Prevention. (2008). CDC emergency preparedness and response. Retrieved from www.bt.cdc.gov.

<sup>\*</sup>The absorbed doses quoted here are "gamma equivalent" values. Neutrons or protons generally produce the same effects as gamma, beta, or x-rays but at lower doses. If the patient has been exposed to neutrons or protons, consult radiation experts on how to interpret the dose.

<sup>&</sup>lt;sup>†</sup>The LD50/60 is the dose necessary to kill 50% of the exposed population in 60 days.

<sup>&</sup>lt;sup>‡</sup>The LD100 is the dose necessary to kill 100% of the exposed population.

#### **CRITICAL THINKING** BOX 26-2

What is your organization's policy for managing CBRNE events? Who is the designated safety officer? Where is a copy of the organization safety plan and emergency situation's response plan?

#### What is a Pandemic?

In April 2009, public health and medical professionals around the country experienced the first wave of an influenza pandemic on U.S. soil in more than 40 years. Not since the Hong Kong pandemic flu strains of 1968 to 1969 had the medical and scientific community seen such a rapid and expansive surge of H1N1 influenza cases both in the United States and worldwide (CDC, 2010a).

A traditional influenza pandemic can be distinguished from regular seasonal flu epidemics in two major facets: (1) widespread, worldwide cases of the same strain, and (2) a novel strain of influenza virus unexpected or previously unidentified in the human population (CDC, 2010a). Typical influenza pandemics often work in "waves," which are periods of 6 to 8 weeks between spikes in case totals that can be attributed to primary public health prevention (vaccination), a mutation in virus strain, or a new host susceptibility.

The World Health Organization (WHO) has developed a global pandemic influenza preparedness plan that categorizes various events of a pandemic into different phases (Figure 26-1). Each phase requires both the clinical and public health nurse to execute specific preparedness and responsive measures to mitigate the influenza pandemic threat.

For nurses, pandemic influenza planning and response presents a unique and novel approach to clinical and evidence-based practice. It can be expected during pandemic influenza operations that in the onset of mass vaccinations of the general population, the availability of influenza vaccine will be limited as vaccine manufacturers rush to create and fill vaccine orders. When this occurs, federal health authorities, such as the CDC and Department of Health and Human Services (DHHS), recommend prioritizing population groups to receive the initial limited supplies of influenza vaccine. These priority groups are identified based on individual medical fragility (i.e., immunosuppression) and susceptibility to the pandemic influenza virus. The astute nurse must be aware of the variability of influenza virus from season to season and must consider priority options when vaccinating selected populations based on these factors. The Centers for Disease Control Influenza website is an excellent source to locate current influenza vaccine priority groups (www.cdc.gov/flu/).

The critical component for the community and public health nurse is the careful medical screening and identification of these priority groups to receive the pandemic influenza vaccine. Along the lines of medical screening persons for pandemic influenza vaccination, the nurse must be cognizant of different criteria that make the recipient eligible or deferred for a pandemic influenza vaccine. Many times the deferral list for pandemic influenza vaccination is similar to the same deferral groups for seasonal influenza. Some of the maladies and conditions that could defer pandemic influenza vaccination include (1) severe allergy to eggs or egg products, (2) life-threatening allergic reaction to a previous influenza vaccination dose, (3) Guillain-Barré syndrome, and (4) sick or ill or symptoms of illness at the time of vaccination (CDC, 2010b).

### What Is Personal Protective Equipment in Disaster Response?

In discussing the previously mentioned CBRNE agents, the nurse must be prepared to manage and treat patients affected by any of these agents. It is important to understand the first line of defense in clinical care for disaster medicine is personal protective equipment (PPE). PPE provides a barrier and protective layer against exposure to the various agents implicated in an event. Different levels of PPE

WH	WHO Pandemic Influenza Phases (2009)			
Phase	Description			
Phase 1	No animal influenza virus circulating among animals have been reported to cause infection in humans.			
Phase 2	An animal influenza virus circulating in domesticated or wild animals is known to have cause infection in humans and is therefore considered a specific potential pandemic threat.			
Phase 3	An animal or human-animal influenza reassortant virus has caused sporadic cases or small clusters of disease in people but has not resulted in human-to-human transmission sufficient to sustain community-level outbreaks.			
Phase 4	Human-to-human transmission of an animal or human- animal influenza reassortant virus able to sustain community-level outbreaks has been verified.			
Phase 5	The same identified virus has cuased sustained community-level outbreaks in two or more countries in one WHO region.			
Phase 6	In addition to the criteria defined in Phase 5, the same virus has caused sustained community-level outbreaks in at least one other country in another WHO region.			
Post Peak Period	Levels of pandemic influenza in most countries with adequate surveillance have dropped below peak levels.			
Post Pandemic Period	Levels of influenza activity have returned to the levels seen for seasonal influenza in most countries with adequate surveillance.			

**FIGURE 26-1** World Health Organization pandemic phases. (Adapted from WHO *Pandemic phase descriptions and main actions by phase*. World Health Organization. (2009). Retrieved from www.who.int/csr/disease/influenza/pandemic/en/index.html.)

are necessary for different agents. To understand the correct level of PPE needed in clinical response, it is important to identify the different "levels" of PPE.

Level D is primarily a work uniform and is used for nuisance contamination only. It requires only coveralls and safety shoes/boots. Other PPE is based on the situation (types of gloves, etc.). It should not be worn on any site where respiratory or skin hazards exist. Level C protection should be selected when the type of airborne substance is known, concentration measured, criteria for using air-purifying respirators met, and skin and eye exposure is unlikely. Level B protection should be selected when the highest level of respiratory protection is needed, but a lesser level of skin and eye protection is necessary. Level B protection is the minimum level recommended on initial site entries until the hazards have been further identified and defined by monitoring, sampling, and other reliable methods of analysis, and equipment corresponding with those findings has been placed into use. Level A protection should be worn when the highest level of respiratory, skin, eye and mucous membrane protection is needed. Occasionally, there will be instances where PPE levels will need to be upgraded to a higher level (level D to A) and/or downgraded to a lower level (Level A to D). The reasons for these changes can include suspicion of presence of increased dermal and airborne hazards

or hazard analysis information that has confirmed a lower risk threat. *It is imperative to state that only safety officers and/or incident commanders can make the determination and decision to increase or decrease PPE levels.* Figure 26-2 demonstrates common PPE equipment and practices at the different levels. After the proper PPE is chosen and donned, specific instructions for maintenance, sanitization, replacement, and care must be considered. These specific instructions should be listed in the facility's all-hazards plan or can be found at the Centers for Disease Control and Prevention "Emergency Response Resources" website: http://www.cdc.gov/niosh/topics/emres/ppe.html.

#### What is Disaster Nursing?

As witnessed by the 2005 Hurricane Katrina and Indonesian tsunami events, natural disasters are a reminder of the critical role that emergency and public health nurses play in disaster response.

Disaster nursing integrates a wide range of nursing-specific knowledge and practices that facilitate the promotion of health while minimizing health hazards and peripheral life-damaging factors (Kandasamy, 2007). Disaster nursing can be further subdivided into two major components: (1) implementation of the public health levels of prevention, and (2) emergency triage and response.

In community health nursing, the role of the nurse in disaster response is to promote effectively the three levels of public health prevention. In *primary public health prevention* during disasters, the community health nurse must emphasize the components and principles of preparedness (Kandasamy, 2007). Community health nurses will be required to maintain strong physical and mental health during a disaster to provide a concerted response to their patients. This includes knowledge of the disaster plans of the community and the facility, inclusive of staff and patients. Nurses also need to educate their patients in the awareness and implementation of disaster kits and family emergency response plans in anticipation of a potential natural disaster. In the next stage—secondary public health prevention—the nurse must emphasize the components and principles of response (Kandasamy, 2007). The response stage is one of the most important aspects of natural disasters, because it requires efficient execution of nursing practice while maintaining professionalism and mental support to the afflicted community and patients. As the scale of disaster increases, the role and responsibilities of the nurse increase proportionately.

The last stage of *public health prevention—tertiary*—integrates the community health nurse's operations after the disaster has occurred. These skills and practices are often known as *recovery* (Kandasamy, 2007). In the recovery stage, the nurse is confronted with unexpected or sudden loss of key personnel and patients in addition to the management of mental health issues in individuals related to the disaster.

#### What Are the Levels of Disasters?

During small natural disasters, also known as Level I disasters, the community health nurse works in cooperation with local emergency medical systems and the community to provide medical support. Examples of Level I disasters include auto accidents and house fires. Level II disasters require the community health nurse to respond in a greater capacity using larger casualty practices in coordination with regional response agencies (such as state health and emergency management agencies). Examples of Level II disasters include train derailments, building collapses, and tornadoes. Level III disasters exhaust the most resources (including both the physical and mental resources of the community health nurse). Level III disasters consume local, state, and federal resources to the fullest extent and require an extended response time by the community health nurse that can last weeks and even months. Examples of Level III disasters include earthquakes, tsunamis, and hurricanes.

Unknown hazard

To protect:	Level D	Level C	Level B	Level A
Skin (dermal)	Inner barrier: Street clothes Outer barrier: Coveralls, scrubs or other protection	Environmental ten Street clothes/scrub <b>Outer</b>	barrier: nperature dependent s to insulated coveralls barrier: ul-resistant clothing	Inner barrier: Totally-encapsulating chemical-protective suit Outer barrier: Disposable protective suit (if warranted)
Skin- specifically	Disposable gloves Cut-resistant gloves,	inner and	emical-resistant outer gloves	Chemical-resistant outer gloves over encapsulating suit
hands	if warranted	Cut-resistant gloves, if warranted		Cut-resistant gloves, if warranted
Respiratory		Air purifying respirator (APR)  • Full-mask for unknown hazards and some zoonos • Half-mask for non-zoonotic	Self-co breathing ses (SC	ntained apparatus BA)
Eyes		Goggles, face shield	ı (sc	BA)
Footwear		hoes appropriate form duties	Chemical-resistant steel toe boots	Chemical-resistant steel toe boots over encapsulating suit

Skin contamination imminent Respiratory exposure imminent Eye exposure imminent FIGURE 26-2 Equipment to provide protection based on personal protective equipment level. (Adapted from www.epa.gov.)

Known hazard

No risk of inhalation

No risk of skin contamination

No risk of hazardous material contact

#### WHAT IS TRIAGE?

The core concept that ED nurses face is *triage*. Triage is a system of sorting patients according to medical need when resources are unavailable for all persons to be treated. For example, a patient presenting to the ED with chest pain will take priority in receiving intervention over a patient coming in with nausea and diarrhea. Remember ABCs when triaging patients! Although the genesis of triage has been documented in hospitals back to the mid-twentieth century, the concept was brought to wide attention by the California emergency medical services in response to earthquakes in the 1990s. In disaster triage, a mass casualty incident causes a surge of patients in the ED requiring emergency assessment. In addition, disaster patients' needs are usually categorized by the placement of printed triage cards/ tags. Figure 26-3 depicts a sample triage card. The START (Simple Triage and Rapid Treatment) system is the most common type of disaster triage used by ED personnel (Box 26-1). It can be used by lightly trained ED personnel and is not to supersede or instruct medical techniques.




FIGURE 26-3 An example of a triage tag.

#### BOX 26-1 THE START SYSTEM OF TRIAGE

The START system divides injured personnel into four separate groups:

- Deceased (Black)—Injured persons who are beyond the scope of medical assistance. Persons are tagged "Deceased" only
  if they are not breathing and attempts to resuscitate have been unsuccessful.
- Immediate (Red)—Injured persons who can be assisted or their health aided by advanced medical care immediately or within 1 hour of onset.
- Delayed (Yellow)—Injured persons who can be assisted after "Immediate" persons are medically cared for first. "Delayed" persons are medically stable but require medical assistance.
- Minor (Green)—Injured persons who can be assisted after "Immediate" and "Delayed" persons have been attended to
  medically. Persons tagged "Minor" will not need medical care for at least several hours and can usually walk with assistance
  (usually consisting of bandages and first aid).

Another concept of triage used at the scene of a disaster is that of advanced triage, where colors replace the common terminology. The standard colors used in advance triage have been paired with the START terminology. All advanced triage concepts are similar and can be applied to START concepts.

The primary contributing factor to triage in the ED is hospital bed availability. The triage leader must consider bed availability issues for optimal use of resources to provide safe care to all patients. The overall goals of triage, in this system, are to determine whether a patient is appropriate for a given level of care and to ensure that hospital resources are used effectively.

#### PUBLIC HEALTH PREPAREDNESS AND ADMINISTRATIVE EFFORTS

Nurses who work in health care facilities have been subjected to an increasing number of standards and regulations invoked on their facility by federal and state legislation aimed to prepare and respond to public health emergency events. Among those federal acts that have been ratified since the September 11, 2001 terrorist attacks, the most important outcomes have been the implementation of the Office of the Assistant Secretary for Preparedness and Response (ASPR), the Hospital Emergency Incident Command System (HEICS), and the National Incident Management System (NIMS).

Under the federal administration of ASPR, the development of the Hospital Preparedness Program has witnessed a shift toward enhancement of the ability of hospitals to prepare for and respond to public health emergencies. Hospitals and outpatient care facilities have initiated coordination with EMS and other health care partner agencies to collaborate with local and state public health agencies in receiving funding for public health emergency preparedness (USDHHS, 2005). This funding is applied toward the National Preparedness Goal, which aims to develop and maintain the capabilities to prevent, protect against, respond to, and recover from major events, including Incidents of National Significance. Additionally, the National Preparedness Goal will assist entities at all levels of government in the development and maintenance of the capabilities to identify, prioritize, and protect critical infrastructure (USDHHS, 2005).

The National Preparedness Goal has shifted from a sole bioterrorism preparedness effort to all-hazards preparedness collaboration.

The key areas of focus under the National Preparedness Goal for 2007 include interoperable communications systems, bed-tracking systems (which incorporate "real-time" availability of open beds that can be accessed by hospital and emergency responder stakeholders in the event of an emergency),

Emergency System for the Advance Registration of Volunteer Health Professionals (ESAR-VHP), fatality management plans, and hospital evacuation plans. Additionally, all hospitals and health care facilities must incorporate NIMS, education and preparedness training, and evaluations for corrective actions (based on preparedness training) to reach all capabilities established under the Hospital Preparedness Program (USDHHS, 2005).

As mentioned earlier, hospitals receiving ASPR and other federal preparedness funds must comply with the application of the National Incident Management System (NIMS) developed by the Federal Emergency Management Agency (FEMA). NIMS provides a consistent nationwide template to establish federal, state, tribal, and local governments and private sector and non-governmental organizations to work together effectively and efficiently to prepare for, prevent, respond to, and recover from domestic incidents, regardless of cause, size, or complexity, including acts of catastrophic terrorism. NIMS benefits include a unified approach to incident management; standard command and management structures; and emphasis on preparedness, mutual aid, and resource management (FEMA, 2008).

Hospitals and health care facilities were required by The Joint Commission to be NIMS compliant by the end of calendar year 2007, to confirm successful training of hospital staff under NIMS, and to implement the HICS emergency response command structure during hospital emergency responses (The Joint Commission, 2008).

One component of NIMS is for hospitals and health care facilities to execute during hospital and public health emergencies. HICS is a comprehensive incident management system intended for use in both emergent and nonemergent situations. It provides hospitals of all sizes with tools needed to advance their emergency preparedness and response capability—individually and as members of the broader response community. HICS is designed to be implemented for all routine or planned hospital events, regardless of size or type; this helps establish a clear chain of command and standardizes response processes. This standardized response allows entities from different organizations to be integrated under one common structure that can address response issues and delegate responsibilities (California Emergency Medical Services Authority, 2007). Additional information regarding HICS can be found online at www.emsa.ca.gov/hics/hics.asp.

# COMMUNITY HEALTH NURSE ISSUES AND PUBLIC HEALTH PREPAREDNESS

### **Epidemiological Aspects**

The epidemiological response to a terrorist event plays a pivotal role in public health, both related and unrelated to biological terrorism. Epidemiologists and infection control nurses must recognize and act on rapid determination that an unusual event has occurred. These nurses must be able to perform surveillance for additional case identification and tracking, and they must prevent the spread of disease through the implementation of effective intervention methods. This component of emergency response, when executed correctly and expeditiously, can significantly reduce morbidity and mortality in exposed populations (Zerwekh and Waring, 2005).

A critical component of an effective epidemiological response to an emergency—both in the health care facility and in the community—is the acute identification and recognition of epidemiological clues that could signal a biological event. Early recognition of these clues can be achieved though surveillance (passive and active) and monitoring of patients presenting to health care facilities (Zerwekh and Waring, 2005). Two major clues that a biological terrorism event has occurred are a

# BOX 26-2 EPIDEMIOLOGICAL CLUES THAT COULD SIGNAL A BIOLOGICAL EVENT

- Large numbers of ill persons with a similar clinical presentation, disease, or syndrome
- · An increase in unexplained diseases or deaths
- Unusual illness in a population
- Higher morbidity and mortality in association with a common disease or syndrome or failure of such patients to respond to regular therapy
- Single case of disease caused by an uncommon agent, such as smallpox, Machupo hemorrhagic fever, pulmonary anthrax, glanders
- Several unusual or unexplained diseases coexisting in the same patient without any other explanation
- Disease with an unusual geographic, temporal, or seasonal distribution—for instance, influenza in the summer or Ebola hemorrhagic fever in the United States
- Similar disease among persons who attended the same public event or gathering
- Illness that is unusual or atypical for a given population or age group
- Unusual or atypical disease presentation
- Unusual, atypical, unidentifiable, or antiquated strain of an agent
- Unusual antibiotic resistance pattern
- Endemic disease with a sudden, unexplained increase in incidence
- Atypical disease transmission through aerosols, food, or water, which suggests deliberate sabotage
- Many ill persons who seek treatment at about the same time

clear differential diagnosis and the formation of an epidemiological curve. Additional epidemiological indicators of a biological event are listed in Box 26-2.

It is possible that none of the listed clues will occur during a given bioterrorism event. However, the presence of one or more indicators on the list should tip off infection control nurses, ED nurses, or community health nurses of such an event.

Another practice in both the health care facility and public health realms at the forefront of biological terrorism early detection is the concept of *syndromic surveillance*. Syndromic surveillance applies health-related data, such as trends in patient symptomology or disease presentation that precedes clinical diagnosis, and can indicate a substantial probability of an outbreak that would warrant further investigation and public health response (Zerwekh and Waring, 2005). For example, investigation of ICD-9 codes, chief complaint, similar signs and symptoms exhibited by patients in the ED, and frequency of antibiotic/prophylactic therapy prescribed can all be applied and integrated into a successful syndromic surveillance network. In the public health setting, monitoring inventory of over-the-counter medications (e.g., cough/cold medicines) and identification of excessive absenteeism of students at a school or employees in the workplace setting are other trends surveyed to detect the possibility of an outbreak or bioterrorism event before clinical diagnosis has been made. Different frameworks (such as the Outbreak Management System) are currently being developed to determine the most efficient approach to a successful syndromic surveillance network. The key concepts of a successful syndromic surveillance program are time-liness of reporting data, validity and quality of data, and system experience (Zerwekh and Waring, 2005).

The epidemiological response plays a pivotal role in public health emergencies. The implementation of surveillance, case identification and tracking, and early intervention methods can significantly reduce morbidity and mortality in exposed populations.

#### What Is the Strategic National Stockpile?

The CDC Strategic National Stockpile (SNS) program stores large quantities of medicine and medical supplies to protect the citizens of the United States during a public health emergency, including (but

not limited to) a terrorist attack, pandemic outbreak, or natural disaster such as an earthquake or hurricane (CDC, 2008). This national inventory of antibiotics, chemical antidotes, antitoxins, airway maintenance supplies, and other medical equipment will support and refresh existing community resources being implemented during a public health emergency. The SNS "push-pack," once requested, will be delivered to any state or U.S. territory within 12 hours of request. Federal authorities have ensured enough medicine and equipment to supply multiple communities for an extended period during an event. In such an event, public health nurses can expect to be enlisted to assist in the evaluation and delivery of medications and equipment to every person in the affected community (CDC, 2008).

#### What Is a CHEMPACK?

The Strategic National Stockpile CHEMPACK is a federal program designed to supplement the medical response in the event of a chemical nerve agent release. The scope of this program is specifically targeted for nerve agents classified as organophosphates, such as sarin and VX gases. The CHEMP-ACK containers, delivered to each of the 50 states and stored in geographically strategic locales, possess both EMS and hospital caches. Both caches contain such chemical antidotes as MARK-1 kits (intramuscular autoinjectors of atropine and pralidoxime [2-PAM]), atropine injectors, PAM kits, diazepam, and sterile water.

The public health nurse must be aware of the possibility of administering such medications during a chemical weapon event and must be refreshed on the proper dosage and clinical practice applications.

#### What Is ESAR-VHP?

The Emergency System for Advance Registration of Volunteer Health Professionals (ESAR-VHP) is a federally funded program through ASPR that forms a national system that allows efficient use of volunteer health professionals in emergencies by providing verifiable, up-to-date information regarding the volunteer's identity and credentials to hospitals or other medical facilities in need of the volunteer's services. Each state's ESAR-VHP system is built to standards that will allow quick and easy exchange of health professionals with other states, thereby maximizing the size of the population able to receive services during a public health or presidentially declared emergency (Critical Thinking Box 26-3).



#### **? CRITICAL THINKING** BOX 26-3

How do you register for ESAR-VHP in your state? What organization is responsible for coordinating the process? Who should register?

#### Medical Reserve Corps

The Medical Reserve Corps (MRC), initiated by the U.S. Office of the Surgeon General, is another resource developed to help communities in planning for and responding to a public health or medical emergency (MRC, 2008). Community-based MRC units function as a mechanism to organize and use volunteers who want to donate their time and expertise to prepare for and respond to emergencies on a local scale. MRC volunteers supplement existing emergency and public health resources by including medical and public health professionals such as physicians, nurses, pharmacists, dentists, veterinarians, and epidemiologists. The primary objectives of MRC units are to improve health literacy, increase disease prevention, eliminate health disparities, and most important, improve public health preparedness (MRC, 2008).

Public health nurses need to be aware of the presence of MRC units and are encouraged to enlist in the MRC at their local jurisdiction. During times of medical emergencies, it is likely that public health nurses will be working alongside MRC units in a collaborative effort to minimize morbidity and mortality while maximizing the public health and medical response.

#### **Disaster Medical Assistance Teams**

Disaster Medical Assistance Teams (DMATs) are yet another public health preparedness and response resource with which a community health nurse might interact during a medical emergency. These teams, supported through the National Disaster Medical System, are 35 deployable units divided by geographic region (USDHHS, 2008). The units are composed of teams of various clinical health specialties that include (but may not be limited to) communications, logistics, maintenance, and security. These teams are locally based but can be deployed federally on request. The responsibilities of DMAT teams include triage of victims at a disaster site, medical care at the site, and staging of locations outside the disaster site for transportation of patients to alternative health care facilities. DMAT teams also serve as care centers for evacuation areas, where they can set up mobile medical care facilities for injured and traumatized persons evacuating a declared disaster area.

#### WHAT DO I NEED TO KNOW ABOUT COMMUNITY PREPAREDNESS ISSUES?

The community health nurse has a responsibility not only in promoting public health and preventing disease, but also in delivering primary prevention methodologies related to disaster and emergency preparedness. For the community health nurse, the three critical components of preparedness include mental health preparedness, individual preparedness, and family preparedness. The National Response Framework (USDHS, 2008a), which aligns federal coordination structures, capabilities, and resources into a unified local and community response, is presented in Figure 26-4. The community health nurse must also be cognizant of emerging trends and issues as they relate to disaster preparedness and response.


#### WHAT DO I NEED TO KNOW ABOUT DISASTER MENTAL HEALTH?

Any type of public health or medical disaster can cause a range of psychological reactions, from acute moderate symptoms to chronic severe stress-related psychological disorders. Traumatic medical emergencies can induce an array of personal stress responses, ranging from horror, helplessness, and anger to more progressive and severe reactions such as depression, substance abuse, and disconnection from society. Traumatic events affect those who witness the event, as well as survivors, rescue workers, and friends and relatives of victims. Although the prevalence of immediate emotional reactions is well documented, the community health nurse must focus and be aware of the development of psychological reactions that persist from days to years after the public health event (CDC, 2008).

The first practice a nurse should implement is the cognizance and awareness of the onset of psychological reactions in persons suffering from disaster mental health symptoms. When confronted with a patient suffering from such symptoms (Table 26-3), the nurse must identify concrete needs and attempt to assist—for instance, a person may ask, "How do I know if my friend is alive?" or "Are my parents OK?" or "How is my pet doing?" These concrete needs may be critical in identifying early symptom development of mental health problems.

The following guidelines have been recommended for nurses who are responding to patients after a public health emergency or disaster (CDC, 2008):

- Provide attention to patients' experience and compassion and sympathy for their emotions.
- Empathize with patients and their emotions and experiences.
- Encourage patient discussion of their experience; positive and negative.
- Speak to patients in nonmedical terms—be their friend, their confidant.



**FIGURE 26-4** Overview of the Stafford Act support to states, tribal, and local governments that are affected by a major disaster or emergency. (From U.S. Department of Homeland Security: *National response framework*. Retrieved from www.fema.gov/pdf/emergency/nrf/nrf-stafford.pdf.)

· Reinforce their emotions and reactions; these reactions are natural and tacit.

After the community health nurse has identified psychological reactions, it is imperative to help the patient address the associated symptom progression. The following may assist the patient in coping with the emotional stressors (CDC, 2008):

- Suggest methodologies for relaxation.
- Encourage discussion of the situation or event using a calm and compassionate approach.
- Reinforce sources of support, including, but not limited to, family and friends.
- Encourage a patient's communication of emotions to supportive networks.
- · Advocate for a return to normal routine.
- Encourage the patient to defuse day-to-day potential stress-building conflicts that might otherwise catalyze psychological stress onset.

TABLE 26-3	COMMON RESPON	ISES TO A TRAUM	ATIC EVENT
COGNITIVE	EMOTIONAL	PHYSICAL	BEHAVIORAL
Poor concentration Confusion Disorientation Indecisiveness Shortened attention span Memory loss Unwanted memories Difficulty making decisions	Shock Numbness Feeling overwhelmed Depression Feeling lost Fear of harm to self and/or loved ones Feeling nothing Feeling abandoned Uncertainty of feelings Volatile emotions	Nausea Lightheadedness Dizziness Gastrointestinal problems Rapid heart rate Tremors Headaches Grinding of teeth Fatigue Poor sleep Pain Hyperarousal Jumpiness	Suspicion Irritability Arguments with friends and loved ones Withdrawal Excessive silence Inappropriate humor Increased/decreased eating Change in sexual desire or functioning Increased smoking Increased substance use or abuse

From Centers for Disease Control and Prevention (2008). *CDC emergency preparedness and response*. Retrieved from www.bt.cdc.gov.

As the medical emergency or disaster continues, the nurse's role is essential in identifying patients whose symptoms could progress to long-term mental afflictions. The following are key exposure factors in determining the potential for long-term psychological manifestations as a result of a disaster (CDC, 2008):

- Proximity to the event. Persons geographically closer to the event may be inclined to a greater psychological response.
- Previous psychological stability and history of past traumatic events. Patients who have experienced previous traumatic events or were experiencing psychological disorders before the event are predisposed to increased psychological reactions after the event.
- Importance and depth of the event. Patients who lose a friend or immediate family member may be inclined to greater psychological reaction development.

The nurse must be cognizant of continued progression of psychological reactions. Certain symptoms can assist the nurse in recognizing the development and onset of long-lasting psychological reactions, including the development of posttraumatic stress disorder. When such symptoms are identified, the community health nurse is recommended to do the following (CDC, 2008):

- Refer patients for follow-up with a mental health professional (specifically trained in traumatic events, if possible) to seek additional counseling and guidance.
- Provide follow-up and guidance as needed.

### **Individual and Family Preparedness Issues**

In regular practice, the public health nurse must be cognizant of the concept of community and family emergency preparedness. Whether in mitigation of a previous event or in everyday practice, the promotion of community/family preparedness to the population is critical in minimizing morbidity and mortality and alleviating personal confusion and anxieties during a public health event. Special emphasis toward the promotion of family/community preparedness is encouraged each year during the month of September, which has been designated as National Preparedness Month (USDHS, Department of Homeland Security, 2008b).

Community preparedness can be further subclassified under efforts initiated at home, work, and school. Preparedness efforts undertaken at the home should focus on creating a disaster preparedness kit, establishing family emergency communication and evacuation plans, and recognizing potential disasters in the family's community. A family disaster preparedness kit should include enough essential supplies for each family member to last a minimum of 3 consecutive days; it is important for the family to replace expired supplies every 6 months (USDHS, 2008c) (Box 26-3 and Critical Thinking Box 26-4). Figure 26-5 provides common equipment included in a family preparedness kit.

#### **CRITICAL THINKING** BOX 26-4

What plans have you and your family made regarding disaster preparedness?

The development of a family communications and evacuation plan will help prepare family members to share responsibilities and work together as a team during a public health event. The public health nurse should recommend that family members discuss the types of probable disasters in their community and consider how members might respond to each scenario. Evacuation routes should include primary and secondary "meeting places"—it is recommended that the primary place be somewhere in the immediate vicinity around the house and that the secondary site be at a location away from the home in case family members are unable to return to the neighborhood (USDHS, 2008c). It is important that each family member know the phone number and address of the secondary site. Families should also nominate an out-of-area family friend who can serve as an "emergency contact" should the scale of disaster overwhelm local communication resources and local telephone calls become more difficult. This contact will serve as the information hub for family members not only if they are separated but also for event update information. It is important to encourage family members to practice their communications and evacuation plans regularly.

### **Emerging Trends and Issues in Emergency Preparedness**

The clinical and community health nursing field must be cognizant that environmental health professionals play extremely important roles in all-hazards emergency preparedness, response, recovery, and mitigation. For nurses to understand how disasters impact the environment is essential to effectively assessing, diagnosing, and treating a patient while providing heightened preventive measures to the community before, during, and after an emergency or disaster.

Carrying out the traditional functions of environmental health, such as safeguarding drinking water supplies, controlling disease-causing vectors, conducting food safety inspections, and ensuring safe and healthy building environments, may be challenging after emergency and disaster events. Clinicians must be able to anticipate, recognize, and respond to many issues. They need access to guidance, information, and resources that will assist them in preparing for, responding to, and recovering from the adverse impacts of emergencies and disasters.

During particular natural disaster emergencies, vectors and their associated diseases move to the forefront of environmental health responses in these events. An excess of standing water, trash/rubbish accumulation, and the potential for wildlife interaction increase the opportunity for vector-borne diseases in humans. The most common of these diseases are directly related to the event occurring; West Nile virus from mosquitoes and standing water, leptospirosis and typhus fever from rats harboring around trash/rubbish, and rabies, Shigellosis, and other zoonoses from potential interaction

#### **BOX 26-3 RECOMMENDED DISASTER PREPAREDNESS KIT**

#### Recommended Items to Include in a Basic Emergency Supply Kit

- Water
- One gallon of water per person per day, for drinking and sanitation
- · Children, nursing mothers, and sick people may need more water
- If you live in a warm-weather climate, more water may be necessary
- Store water tightly in clean plastic containers such as soft drink bottles
- Keep at least a 3-day supply of water per person
- Food—at least a 3-day supply of nonperishable food
- Battery-powered or hand-crank radio and an NOAA weather radio with tone alert and extra batteries for both
- Flashlight and extra batteries
- First-aid kit
- Whistle to signal for help
- Dust mask, to help filter contaminated air, and plastic sheeting and duct tape to shelter-in-place
- Moist towelettes, garbage bags, and plastic ties for personal sanitation
- · Wrench or pliers to turn off utilities
- Can opener for food (if kit contains canned food)
- Local maps

#### Additional Items to Consider Adding to an Emergency Supply Kit

- Prescription medications and glasses
- Infant formula and diapers
- Pet food and extra water for your pet
- Important family documents such as copies of insurance policies, identification, and bank account records in a waterproof, portable container
- Cash or traveler's checks and change
- Emergency reference material such as a first-aid book or information from www.ready.gov
- Sleeping bag or warm blanket for each person; consider additional bedding if you live in a cold-weather climate
- Complete change of clothing including a long-sleeved shirt, long pants, and sturdy shoes; consider additional clothing if you
  live in a cold-weather climate
- Household chlorine bleach and medicine dropper (A solution of 9 parts water to 1 part bleach can be used as a disinfectant.
   Or in an emergency, you can treat water by adding 16 drops of household liquid bleach per gallon of water. Do not use scented or "color-safe" bleaches or bleaches with added cleaners.)
- · Fire extinguisher
- Matches in a waterproof container
- · Feminine supplies and personal hygiene items
- · Mess kits, paper cups, paper plates, plastic utensils, paper towels
- Paper and pencil
- Books, games, puzzles, or other activities for children

Courtesy Department of Homeland Security (www.ready.gov).

and contact with wildlife displaced in the environment because of the emergency. It is important to identify the hazard and to link possible diseases related to the event. For instance, the 2011 Joplin, Mo., tornado event created much trash/rubbish throughout the neighborhood, and this accumulation of trash served as a shelter and harborage point for rodent activity. The nurse must be astute to the environment affected and the potential hazards related to the event.

Disasters also have an impact on the food safety in an affected jurisdiction. The clinician needs to be aware of the major food-borne illnesses and circumstances that can initiate food-borne outbreaks



FIGURE 26-5 Disaster preparedness kit.

related to an emergency event. The first concern is for persons being sheltered during an event. As shelters provide food during the person's stay, it is critical to know that food must be properly stored, prepared, cooked, and held at proper temperature during serving times. Likewise, food-service establishments and food retailers can often be impacted by events that may cause the facility to lose power for an extended period and/or be directly affected by the event. A thorough case history during work-up can assist the nurse in determining a differential diagnosis. For example, many grocery stores and restaurants were flooded by the 2012 Superstorm Sandy, causing them to lose power for days. These events compromise the integrity of the food by losing safe storage temperatures or coming into direct contact with contaminated and flooded waters. Common diseases from ingestion of these tainted food products include Salmonellosis, Shigellosis, *E. coli H7:O157*, and noroviruses.

The last major concept of environmental health in disaster response is the notion of pollution control. This general topic has some subsets that the nurse must be aware of: hazardous materials, air/water pollution, and the building environment. Each of these subsets has unique conditions associated with them during a disaster, and the nurse must be mindful of the potential disease processes associated with each. Hazardous materials arise out of physical infrastructure destruction. The most common of these hazardous materials include household hazardous materials (bleach, ammonia, etc.), and diesel fuel/petrol products. These hazards can cause inhalational, ingestion, dermal irritations, and health issues when exposed to the human body. The nurse needs to be aware of previous exposure history when assessing the patient and be mindful of potential hazardous material exposure.

Air and water quality pollution issues have a substantial presence in the environment during emergencies. Particulate matter and other air toxics can be released from damaged infrastructure and can cause irritations and infections to those exposed to the air without proper personal protective equipment. This was no more evident than during the response to the 2001 World Trade Center attacks when many citizens and emergency responders suffered respiratory conditions caused by the direct exposure to the particulates and dust in the environment. Water pollution issues also carry a threat to human health, primarily because of exposure from the biological, chemical, and physical hazards

within the contaminated water. Salmonellosis, hepatitis, chemical fertilizers, and diesel are some of the more common pathogens seen in contaminated water. These concerns are greatly exacerbated during flood events.

Finally, the nurse must be aware of ailments caused from the building environment. Buildings can be compromised during an emergency, whether it is taking on water from flooding, electrical hazards from electrical lines, or chemical hazards present from the physical destruction of the facility. The nurse needs to be educated on common mold exposures and treatment protocols for the exposed patient. Emergency room nurses may encounter patients who have been burned or electrocuted from the building infrastructure and must use correct burn/electrocution treatment protocols. And lastly, as discussed previously, there is a risk present in dermal, ingestion, and inhalational exposure to chemicals released in the building environment after a disaster. Additional information, treatment protocols, and resources regarding the clinical and community health response to environmental health related disasters can be obtained at the Centers for Disease Control and Prevention's website http://www.cdc.gov/nceh/. See box at the end of this chapter for more relevant websites and online resources.

#### The 2010 Institute of Medicine Report

Another issue in nursing emergency preparedness focuses around the 2010 Institute of Medicine report titled *The Future of Nursing: Leading Change, Advancing Health*. In relation to emergency preparedness, the Emergency Nurses Association announced the endorsement of the IOM report and the organization aims to integrate recommendations and practices in emergency care related to emergency preparedness events. Specifically, the initiatives focus around enhancement of education and training, partnerships with physicians and other health care providers, and improving workforce planning.

There are several opportunities in which the clinical and community health nurse can engage so as to enhance educational and training processes. Nurses can become certified in Basic and Advanced Disaster Life Support trainings that aim to develop a commonality of approach and language in the health care community, which improves the care and coordination of response in Weapons of Mass Destruction (WMD) disasters and public health emergencies. These courses review "all-hazards" topics, including natural and accidental man-made events, traumatic and explosive events, nuclear and radiological events, biological events, and chemical events. The courses also discuss information on the health care professionals' role in the public health and incident management systems, community mental health, and special needs of underserved and vulnerable populations. Another opportunity for higher levels of training and education are opportunities provided by the United States Department of Homeland Security's Center for Domestic Preparedness (CDP). This federal agency clearinghouse is the primary resource for "hands-on" training, education, and exercises for first responders; including clinical and community health nurses. The trainings are grouped into classes in a classroom and then hands-on educational and training experience covering many topics including emergency care, mass casualty incidents, health care leadership, pandemic, and incident command, to name a few. Additional information and a listing of classes can be found at the CDP website: http://cdp.dhs.gov/ resident/index.html.

Enhancing partnerships with physicians and other health care providers can be accomplished through novel local best practices being implemented throughout the health care arena. For instance, hospitals, EMS, and public health have begun to employ a practice known as "Triage Tuesday," where every patient delivered to the emergency room by an ambulance is triaged based on their actual symptom presentation. The patient is turned over to the hospital staff, and the emergency room must work the patient based on their triage tag. This practice not only increases familiarity with triage tags and

with understanding the prioritization of triage skills, but it also bridges the gap between communication and collaboration between hospitals, EMS, and public health.

Lastly, nurses can enhance the last IOM recommendation of improving workforce planning by becoming active in membership in the groups listed previously (DMAT, DMORT, ESAR-VHP, Medical Reserve Corps). These response groups assist in standardizing planning, response and recovery activities as it relates to emergency preparedness and response. Another option for increasing workforce planning also centers on adding additional HEICS and ICS courses to the nurse and his/her experience. The higher-level courses refine the focus of planning and responding to disaster events where nurses will be used.

#### CONCLUSION

Whether in the clinical or the community environment, the role of the nurse in relation to emergency preparedness continues to expand and develop as local, state, and national preparedness efforts are executed. The nurse must continue to be aware and informed of evolving threats such as biological, chemical, or radioactive terrorism while maintaining up-to-date training and knowledge of effective responses to public health disasters. The initiatives and programs mentioned in this chapter will ultimately aid nurses in comprehensive and efficient preparation, response, recovery, and mitigation to any public health emergency with which they may be confronted throughout their professional nursing tenure.

#### **RELEVANT WEBSITES AND ONLINE RESOURCES**

**Centers for Disease Control and Prevention** 

http://www.cdc.gov/.

**Hospital Incident Command System (HICS)** 

www.emsa.ca.gov/hics/hics.asp.

United States Department of Homeland Security's Center for Domestic Preparedness (CDP) http://cdp.dhs.gov/resident/index.htm.

#### **BIBLIOGRAPHY**

California Emergency Medical Services Authority. (2007). HICS overview. State of California. Retrieved from www.emsa.ca.gov/hics.

Centers for Disease Control. (2008). CDC emergency preparedness and response. Retrieved from www.bt.cdc.gov. Centers for Disease Control. (2010a). Seasonal flu. Retrieved from www.cdc.gov/flu/.

Centers for Disease Control. (2010b). *Persons who should not be vaccinated*. Retrieved from www.cdc.gov/flu/professionals/acip/shouldnot.htm.

Centers for Disease Control. (2012). *National Center for Environmental Health*. Retrieved from http://www.cdc.gov/nceh/.

Center for Domestic Preparedness. (2012). *Resident Training*. Retrieved from http://cdp.dhs.gov/resident/index.html.

Federal Emergency Management Agency. (2008). The national incident management system. Retrieved from www.fema.gov/emergency/nrf/NIMS.htm.

Kandasamy, M. (2007). Community health nurse in disaster management. Nursing Journal of India, 98, 227.

- Medical Reserve Corps (MRC). 2008. Retrieved from www.medicalreservecorps.gov/HomePage.
- The Joint Commission. (2008). Emergency management standards. Hospital and critical access hospital accreditation programs. Oakbrook Terrace, Ill: The Joint Commission.
- U.S. Army Medical Research Institute of Chemical Defense. (2008). Retrieved from www.chemdef. apgea.army.mil.
- U.S. Department of Health and Human Services. (2005). Hospital preparedness program. Public Law 109-417.
- U.S. Department of Health and Human Services. (2008). *Disaster medical assistance teams (DMAT)*. Retrieved from www.hhs.gov/aspr/opeo/ndms/teams/dmat.html.
- U.S. Department of Homeland Security. (2008a). *National response framework*. Retrieved from www.fema.gov/pdf/emergency/nrf/nrf-core.pdf.
- U.S. Department of Homeland Security. (2008b). *Ready campaign-national preparedness month*. Retrieved from www. ready.gov/america/npm08/intro.html.
- U.S. Department of Homeland Security. (2008c). Ready campaign-disaster preparedness kit. Retrieved from www.ready.gov/america/getakit/index.html.
- U.S. Nuclear Regulatory Commission. (2007). *Act sheets on dirty bombs*. Retrieved from www.nrc.gov/reading-rm/doc-collections/fact-sheets/dirty-bombs.html.
- Wetter, D. C., Daniell, W. D., & Treser, C. D. (2001). Hospital preparedness for victims of chemical or biological terrorism. *American Journal of Public Health*, 91, 710–716.
- Zerwekh, J. T., & Waring, S. C. (2005). The epidemiology of bioterrorism. In R. Pilch & R. Zilinskas (Eds.), *The encyclopedia of bioterrorism*. New York: Wiley and Sons.



Additional resources are available online at http://evolve.elsevier.com/Zerwekh/nsgtoday/.

Α	Adaptation Model of nursing theory, 176t,	Alternative therapy, 496b
AACN. See American Association of	179, 180f	American Academy of Nurse Practitioners
Colleges of Nursing (AACN)	Adjourning phase, of group, 271	(AANP), 166
AAN. See American Academy of Nursing	Administration on Aging, 166	American Academy of Nursing (AAN),
(AAN)	Administrative action, 452	190, 201
Abbreviation, 240	Administrative law, 449	hospitals attracting nurses, 585-586
Do Not Use list, 241t	Advance directives, 476-477	American Association of Colleges of
ABCD system, 35–36	competency and, 476	Nursing (AACN), 140, 155, 157, 203, 339
Abdellah, Faye, 176t	definition of, 420b, 448b	clinical nurse leader, development of,
ABNS. See American Board of Nursing	discussion of, proper time for, 435	220
Specialties (ABNS)	power of attorney, 476	floating and, 590
Abortion	Terri Schiavo and, 476	American Association of Critical-Care
back-alley, 433	Advanced practice registered nurse	Nurses, 338, 339b, 339t
historical references to, 432	(APRN)	American Association of Health Plans,
life beginning and, 432	nurse practitioner (NP) as, 159t	332–333
nursing and, 432–442	population by specialty, 157–158	American Board of Nursing Specialties
pro-choice <i>versus</i> pro-life, 432	Advisory opinion, 449	(ABNS), 203
Abuse, failure to report, 471	Advocate	American Holistic Nurses Association
Accelerated nursing program, 155–156	definition of, 142	(AHNA), 496
Accommodation, as conflict resolution,	nurse as, 140, 141t, 142-143	American Hospital Association (AHA)
289f, 290	patient need for, 143	Bill of Rights for patients, 428
Accountability	in workplace, 415b	collective bargaining and, 399
for competence, 163, 164f	Affirmation, 45-46, 45f, 46b	minorities and health careers, 493
definition of, 307b	for test anxiety, 113	technology, use of, 545
delegation and, 307b-308b	Affordable Care Act, 138-139, 357, 359	American Indian patient, cultural/
management and, 209	Agency for Healthcare Research and	spiritual beliefs of, 494b-495b
by state board, 161	Quality (AHRQ), 332-333, 503	American Medical Association (AMA),
Accreditation	Agency shop, 409	physician-assisted suicide and, 437
definition of, 162-163	Aggressive behavior, 279	American Nurses Association (ANA), 191
of health care facilities and/	Aging population, 166	200-201
organizations, 457	"All or nothing" rule, 464	associate degree nursing program and,
importance of, 162	Allocation	152
organizations for, 163	choices about, 360-363	Bill of Rights for Registered Nurses, 428
Accreditation Commission for Education	government and, 360-361	Code of Ethics for Nurses, 428, 431
in Nursing (ACEN), 202	by insurance company, 361	collective bargaining and, 399-400
ACEN. See Accreditation Commission for	marketplace for, 361-362	culture care diversity and, 490
Education in Nursing (ACEN)	barriers to, 362	delegation, definition of, 252
Acronym, 240	consumer knowledge, 362	ergonomic hazards by, 575-579
Do Not Use list, 241t	price competition, lack of, 362-363	"Handle with Care" program by, 577,
as jargon, 262	unpredictability of demand, 362	577b
Action timeline, 273f	rationing of care, 360	mandatory overtime and, 588
Active euthanasia, 434	of scarce resources, 441	no-strike policy of, 408–409
Active listening, mentee growing through,	Alternate item format questions, 113-114	nursing collective and, 377
57	types of	nursing informatics role, 533
Activity	audio item, 116	Nursing Practice Information
for fun, types of, 42b	drag-and-drop, 115–116, 116f	Infrastructure, Committee for, 539
for self-care, 43-44	exhibit item, 116	nutrition and hydration, guidelines, 435
Acute radiation syndrome (ARS), 599,	fill-in-the-blank, 114, 114f	political action committees in, 386–387
600t-601t	graphic options, 116–117	safe staffing and, 393-394, 401
ADA. See Americans with Disabilities Act	hot spot, 114–115, 115f	Social Policy Statement by, 200–201
(ADA)	multiple-response, 114, 115f	substance abuse in nurses, 452

American Nurses Association Health	Assertive communication (Continued)	Battery, 472
Reform Agenda, 360	components of, 281–282	BCMA. See Bar-code medication
American Nurses Credentialing Center	examples of, 279	administration (BCMA)
(ANCC), 200–201, 335, 585–586	methods of practicing, 280–281, 281b	Behavior, time management and, 33–34
informatics certification by, 535	use of, 282–283	Behavioral response, to traumatic event,
Magnet Recognition Program® and, 201	Assertiveness	613t
American Nurses Foundation, 201	barriers to, 280b	Behavioral Systems Model of nursing,
American Nursing. See Nursing	benefits of, 280	176t, 180, 181f
American Organization of Nurse	Assessment, 179	Behavioral theory
Executives (AONE), 200, 590	cultural and, 494–497	Baby Boomers and, 218
American Recovery and Reinvestment Act	delegation and, 306f, 324b	of management, 210–211
(ARRA), 545	spirituality question for, 498b–499b	Beneficence, 422
purpose of, 571	Assignments, 305b	Benefit, 435–436
American Red Cross, 203	Assistive devices, mechanical lift system	union contract and, 407
Americans with Disabilities Act (ADA),	as, 577f	Benefits package, 90–93, 90b
471	Associate degree nursing education, 139	Benefits <i>versus</i> burdens, 424
ANA. See American Nurses Association	educational preparation of, 151–152	Benner, Pat, 176t
(ANA)	NOADN and, 202	Bible, online resource for, 494b
ANCC. See American Nurses	path of, 151–152	Bill of Rights
Credentialing Center (ANCC)	standards and competencies for, 152	for home care, 429–431
Anger, 296–297, 297b	Association. See Nursing organization;	for patients, 428
assessing cause/image of, 297	Professional organization	Bioethics, 420b
faces of, 297	Assumption of risk malpractice defense,	Biological agents, 597, 598t
handling, solution to, 297–300, 297b	463–464	Biorhythm, 25
appraise situation, 297	Atropine, as nerve agent antidote, 597–599	Bioterrorism agents. See Biological agents
breath, 300, 300b	Attorney	Birth, as beginning of life, 432
change cause/image of, 299, 299b	in civil action, 450	Black hat, 274b
physical activity, 299–300, 299b	prosecuting versus defense, 449-450	Blamer, 298b
refocus, 300, 300b	Audio item questions, 116, 119f	Blister agents, vs chemical agents, 599
managing, characteristic styles of, 298b	Audit, 511b	Blood-Borne Pathogen Standard, 584
as phase of change process, 233t	Authority, power versus, 222	Blue hat, 274b
venting <i>versus</i> acknowledging, 299	Authorization to Test (ATT), 99–100	Body language, during interview, 88
Anthrax, as bioterrorism agent, 598t	Autocratic management, 211	Born leader, 213
Anxiety, with public speaking, 264	Autonomy, 421	Boston Medical Center (BMC), safe
AONE. See American Organization of	Avoidance	staffing and, 393
Nurse Executives (AONE)	as conflict resolution, 289f, 290	Botulism, as bioterrorism agent, 598t
Appointment directive. See Durable power	as time management strategy, 251	Brain dominance, 25-27, 26f
of attorney for health care (DPAHC)	Avoidant/passive behavior, 278	Brainstorming, 521
Apprenticeship system, 128-129		definition of, 525
APRN. See Advanced practice registered	В	problem-solving and, 224
nurse (APRN)	Baby Boomers, 217-218, 217b	Branden, Nathaniel, 41
APRN Consensus Work Group, 157-158	Medicare eligibility for, 357	Breach of confidentiality, 447
Arbitration, union contract and, 408	Baccalaureate nursing education, 140	Breath, as beginning of life, 432
Aristotle, 432	credit for experience/education, 153	Bridge program, 153
ARRA. See American Recovery and	educational preparation of, 152-153	Brown, Esther Lucille, 144
Reinvestment Act (ARRA)	path of, 152-153	BSN/MSN completion program, 154-156
ARS. See Acute radiation syndrome (ARS)	standards and competencies for, 153	Budget
Asian patient, cultural/spiritual beliefs of,	Back-alley abortion, 433	acuity of patients and, 365
494b-495b	Back injury	ADTs and, 365
Assault and battery, 472	aging and, 576	available staffed beds and, 366
Assertive behavior, 279	incidence of, 576	capital, 364-365
barriers to, 280b	prevention of, 576	concepts of, 364
in nurses, 279–280	Bar-code medication administration	definition of, 363-373, 363f
Assertive communication. See also	(BCMA), 545	expense and, 364
Communication	Bargaining, 290	margin (or profit) and, 364
benefits of, 280	Bargaining phase, of change process, 233t	nursing care charges in, 365b, 367–368

Budget (Continued)	CCNE. See Commission on Collegiate	Chemical agents, 597-599
operating, 365–366	Nursing Education (CCNE)	effects of, 597–599
patient day volume and, 365	CDC. See Centers for Disease Control and	CHEMPACK, Strategic National
revenue and, 364	Prevention (CDC)	Stockpile, 610
time period for, 364	CDP. See Center for Domestic	Chester, Eric, 220
types of, 364–368	Preparedness (CDP)	Chief executive officer (CEO), 79
Bullying, in workplace, 580–581, 582b	CDSS. See Clinical decision support	Chief nursing officer (CNO), 79
Burden, 425	systems (CDSS)	Child abuse, failure to report, 471
Bureau of Labor Statistics Employment	Center for Domestic Preparedness	Children, abandonment of, 129-130
Projections, 334	(CDP), 617	Chinese patient, cultural/spiritual beliefs
Bureaucratic theory, of management,	Center for the American Nurse (CAN),	of, 494b–495b
210	200, 398b	Chlorine gas, as nerve agent, 599
Burnout	interest-based bargaining and, 400, 400b	Choice power, 39–41
nurses and, 37–38	Centers for Disease Control and	Christianity, 127
stages of, 38	Prevention, 332–333	Chronic brucellosis, 133
warning signs for, 38b	for influenza, 602	Chronic Disease Prevention Act, 331
Business cards, 268	Strategic National Stockpile program	CINAHL. See Cumulative Index to
	of, 609–610	Nursing and Allied Health Literature
С	Centers for Disease Control and	(CINAHL)
CAFE advice, 553	Prevention (CDC), 550–552	Circadian rhythm, disruption of
Calendar, for time management, 30–31,	Centers for Medicare and Medicaid	factors affecting, 25
31t	Services (CMS), 545	self-care for, 26b
Campaign for Nursing's Future, 191	Certification	CIS. See Clinical information systems (CIS
CAN. See Center for the American Nurse	definition of, 161–162	Civil action
(CAN)	establishment of, 162	for assault and battery, 472
Candidate Bulletin, 99–100	Certified nurse-midwife (CNM)	example of, 450
Cap, 138	education/role of, 159t	for false imprisonment, 472
Capacity, 475–476	population of, 157–158	tort as, 454
informed consent and, 475-476	Certified professional in healthcare quality	Civil rights, claim involving, 474-475
Capital budget, 364–365	(CPHQ), 527	Civil Rights Act, Sex-based wage
Capitation, managed care and, 329	Certified registered nurse anesthetist	discrimination and, 393
Capping ceremony, 138	(CRNA)	Civil War, U.S., 134
Capstone course, 51–52, 52f	education/role of, 159t	Claims
Carative factors, 183	population of, 157–158	factors of, 460
Cardiovascular syndrome, 600t-601t	Change, 229f, 231b	liable for, 461–463
Care map, 332b	challenge of, 229–232	Clam, 295, 296f
Care Transitions Intervention (CTV),	conquering, steps toward, 234f	Clarifier, 278b
344–345	initiation of, 231–232	Classification
Career ladder program, 402-403	resistance to, 230	definition of, 538–539
Career security, job security versus,	Change-of-shift report	nomenclature of, 538–539
407–408	critical elements of, 245	Clinical decision support systems (CDSS)
CareerBuilder, 77	getting organized before, 249	544
Caregiver, nurse as, 140-141, 141t	Change process	Clinical delegation. See Delegation
CARS checklist, 552–553	emotional phases of, 233t	Clinical doctorate, 160
Case law, 449	nursing process versus, 230t	Clinical experience, request for, 15
Case management, 483	phases of	Clinical guidelines, 332-333
costs, strategies for controlling,	moving, 230	Clinical information systems (CIS),
329-330	refreezing, 230–231	539–545
health care and, 330-331	unfreezing, 230	Clinical interests, 70
types of, 330	Change Theory, 230	Clinical ladder, 402-403
Case Management Society of America	Chaos phase, of change process,	Clinical nurse leader (CNL)
(CMSA), 330	233t	development of position of, 220
Causation	Charge nurse, 143–144	role of, 157, 220
application of, 459-461	Charge position, 75	Clinical nurse specialist (CNS)
incident report and, 479	Charting, defensive, 466b	education/role of, 159t
CBRNE events, 597, 602-603	Cheat sheet, 265	population of, 157-158

Clinical pathways	Common law, 449	Complementary therapy, 496b, 496f
clinical guidelines and, 332-333	Communication, 256–257, 257b	Completion time, 34–35
definition of, 332, 332b	See also Assertive communication	Complexity leadership theory, 216
elements of, 332	assertive styles of, 278–283	Compromise, 16, 384
evidence-based practice and, 333-334	challenges in, 239	as conflict resolution, 289f, 290
use of, 332	components of effective, 263-269	Computer adaptive test (CAT), 99
Clinical preparedness, 597–604	credibility, enhancing, 260	Computer prescriber order entry (CPOE),
biological agents and, 597	critical hand-off, 243-245	242-243
chemical agents and, 597-599	of critical patient tests, 243	Computer software, 268
Clinical setting, delegation in, 304-325	crucial conversations and, 338	Computer technology, 370f
Closing, of interview, 89	delegation and, 307, 319-321	electronic communication, 548
CMS. See Centers for Medicare and	failure in, 238b, 470–471	in health care, 532, 532b
Medicaid Services (CMS)	filters of, 262	mobile clinical assistant (MCA),
CNL. See Clinical nurse leader (CNL)	flexibility for, 260	549-550
Coaching, 50	four Cs of, 319, 319b	mobile computing device and
Coalition	grapevine and, 261, 261b	HIPAA and, 537, 537b
definition of, 384	I-SBAR-R, 243–244	patient safety and risks, 537
purpose/strategy for, 384, 385f	image and, 259-263, 259b	precautions, 537
Code of Ethics for Nurses, 196b, 428	The Joint Commission (TJC) and, 338	nurses and, 531
critics of, 428	liability for failure in, 470	tablet computers, 537
"Code white" program, 580, 580f	listening skills and, 265-267, 265b	TIGER Nursing Informatics
Coercive power, 222, 383	nonverbal, effective use of, 267-268	Competencies Model, 553
Cognitive response, to traumatic event,	in nurses versus physicians, 238	basic computer competencies, 553
613t	with nursing personnel, 258-259	trends, 546
Cole, Eunice, 194	patient safety and, 238-243	workstation on wheels, 549
Collaboration	verbal communication, 239-240	Computerized physician order system,
as conflict resolution, 289f, 290-292	written communication, 240-243	545
standards for, by AACN, 339t	with physician, 247b	Computerized provider order entry, 544
teams and, 275	sex differences and, 260-261	Conception, 432
Collaborative Patient Care model, 347t	during shift change, 245-246	Confidentiality
Collaborator, 144	speaking effectively, 264-265, 264b	breach of, 447
Colleague, nurse as, 141t, 144	standards for, by AACN, 339t	EHR and national health information
Collective bargaining	stereotypes and, 262	clearinghouses and, 473-474
agents for, 404	with supervisor, 257–258	importance of, 474
American Nurses Association (ANA)	team nursing and, 343	maintaining, 474f
and, 399-400	technology and, 268-269	trust and, 535
approaches to, 396-418	telephone, effective use of, 247	Confidentiality agreements, 535
appropriateness of, debate about, 413	in workplace, 257–259, 257b	Confidentiality/information security, 547b
debate over	Communication conflict, 287	Conflict, 287–288
nontraditional approach, 412-414	Communication exercise, 284b	causes of, 287-288
traditional approach, 403-411	Comparable worth, 393	communication, 287
evolution of, 399-400	Compartmentalize, 27	ethical/values, 287-288
future trends in, 414-416	Compensation, 407	goals, 287
interest-based bargaining versus, 400	Competence	personality, 287
issues leading to, 398–399	accountability for, 164f	roles, 287
magnet hospital and, 412	definition of, 163, 390	management of, 286-303
negotiations and, 403	framework for, 391	nurses and, 288
nursing and, 392–393	Competency	with patients and families, 288
traditional <i>versus</i> nontraditional, 398b,	advance directives and, 476	outcomes of, 287
400-401	in computer skills, 553	perspective of, in nursing, 286
union contract and, 406-409	definition of, 475–476	questionnaire for, 291b
union security provisions and, 409	informed consent and, 475-476	resolutions to, 288–292, 289f
Colonial times, 134	Competition, as conflict resolution, 289f,	accommodation, 289f, 290
Color-code, 27	290	arbitration, 408
Commission on Collegiate Nursing	Complementary and alternative medicine	avoidance, 289f, 290
Education (CCNE), 155, 162, 203	(CAM), 495–496	collaboration, 289f, 290-292

Conflict (Continued)	Credentialing	D
competition, 289f, 290	American Nurses Association and,	Damages, 459-460
compromise, 289f, 290	200-201	case study, applied to, 461
guidelines for choosing, 292	definition of, 161	Data-driven method, 518
sexual harassment as, 300-302	Credibility, 552	Daydreaming, 45-46, 45f
Consensus building, 560	communication enhancing, 260	de Bono, Edward, 274b
Consent clause, in malpractice insurance,	Credibility, Accuracy, Reasonableness,	Deacon, 127-128
480	Support (CARS) checklist, 552	Deaconess, 127–128
Conservation Model of nursing theory,	Crimean War, 130, 132	Deadlining, 34–35
176t	Criminal act, theft/misappropriation of	Death
Constant complainer, 294–295	property as, 477	of military, 130, 132
Constitution, U.S., 449	Criminal action, 449–450, 477–478	of women and infants, 129
Constitutional law, 449	nurses and, 477–478	Death with Dignity Act, 434, 436-437
Constructive feedback, 253-254	Critic, 278b	Decentralization of management, 402
from staff and instructors, 15	Critical conservative personality, 272	Decision-making
Contingency theory	Critical hand-off communication,	ethical approach to, 424
of leadership, 213	243–245	advantages/disadvantages of, 426t
of management, 211	Critical pathways, 332	deontological, 424-425
Continued Competence Subcommittee,	Critical patient test, communication of,	situational, 425–426
391	243, 243b	teleological, 425
Continuous quality improvement (CQI),	Critical thinking, problem-solving	problem-solving versus, 226–228, 227t
478	and, 15	standards for, by AACN, 339t
commitment to, 516	Crosby, Philip, 506	as value-based, 227
components of, 506–507	Crossing the Quality Chasm: A New Health	Defamation, 447
Joint Commission, The (TJC) and, 506	System for the 21st Century, 333, 337	claim recovery from, 473
National Patient Safety Goals (NPSG),	Crucial conversations, 338	defenses for, 473
508	CTD. See Cumulative trauma disorder	definition of, 448b, 473
Six Sigma methods and, 518	(CTD)	Defendant
tools and process for, 517–519	Cultural belief	in civil action, 450
Continuous quality management (CQM),	Joint Commission, The (TJC) and,	definition of, 448b
478	496–497	Defense, lines of, 182, 182f
Contract. See also Union contract	spirituality and, 494b–495b	Defense attorney, 449–450
tortuous interference with, 474–475	Cultural competence	Defense mechanism, 271
Contributory negligence, 464	barriers to, 490–491	Define-measure-analyze-improve-control
Controlling, management and, 209–210	definition of, 490	(DMAIC), 506–507
Convenience, 29	in health care, 491	analyze phase of, 524
Conversations, crucial, 338	importance of, 490	control phase of, 526–527
Cooperative Research Project, 139	Cultural data, gathering, 491b	define phase of, 520–523
Coordinating care, management and, 208	Cultural diversity	brainstorming, 521
Coordinator, 144, 278b	communication and, 471	definition of, 511b
Core measure	in illness response, 494	for emergency center, 526b–527b
definition of, 511b	nurse advocating for, 491	example of, 526b–527b
tracking/selection of, 507	research, for practice, 493b	flow diagram for, 521f
Cost-effective care, 367	transcultural assessment model and,	implementation of, 518
Cost effectiveness analysis (CEA), 367	497f	improve phase of, 525–526
Counselor, mentor as, 59	in workplace, 262–263, 263b,	measure phase of, 523–524
Cover letter	492–493	PDSA and, 519, 522f
guidelines for, 83b	Culture, 490	process of, 518, 519t
resume submission with, 82–83	nursing approach to, 490b	reliability and validity of, 518
Covey, Stephen, 46–47	Culture care diversity, 490	Six Sigma engine and, 522f
CQI. See Continuous quality improvement	Culture Care Diversity and Universality,	Six Sigma methods and, 518
(CQI)	Theory of, 176t, 184–185, 184f	use of, 519
CQM. See Continuous quality	Cumulative Index to Nursing and Allied	Deforming, 271
management (CQM)	Health Literature (CINAHL),	Delegation
Craftmen's guild, 128–129	561–562	accountability and, 307–308, 307b–308b
Created environment, 182	Cumulative trauma disorder (CTD), 579	assessment of, 324b
C. C	Camadative tradition district (C1D), 377	2000001110111 01, 5210

Delegation (Continued) assignments and, 305b in clinical setting, 304–325 communication and, 307, 319–321 definition of, 252, 305–307, 305b evaluation and, 307 feedback and, 307 five rights of, 308b circumstances, 312–316 direction/communication, 319–321 person, 316–319, 317f supervision/evaluation, 321–323 task, 308–311, 312b liability for, 470 National Council of State Boards of Nursing (NCSBN) and, 311 NCLEX-RN examination questions and, 122	Difficult employees, managing of, 293b Difficult people as clams, 295, 296f as constant complainers, 294–295 dealing with, 292–300 handling, techniques for, 292–296, 293b as Sherman tanks, 292, 294f as snipers, 294, 295f Diploma nursing education, 139 educational preparation of, 150–151 path of, 150–151 standards and competencies for, 151 Directing, management and, 209 "Dirty bombs," 599 Disaster associated diseases in, 614–615 food safety and, 615–616	Documentation, 464f–465f blank space on, 465 electronic medical record as, 466 importance of, 465 of informed refusal, 477 for malpractice claim, 464 medical record as, 464–466 of patient falls, 468–469 point-of-care, 548 Drag-and-drop questions, 115–116, 116f Driver's license, 451 Dunant, Jean Henri, 130 Durable power of attorney for health care (DPAHC), 435 definition of, 420b efficacy of, 476
	food safety and, 615–616	E
outcomes in, 316–319, 317b, 317t to patient care assistant, 310, 311b performance weakness and, 315–316, 315b	levels of, 604 pollution control and, 616 preparedness kit, 615b, 616f recovery stage in, 604	E-health, 540 ten E's in, 540b E-mail, 30b, 268
planning and, 306f by strengths/weaknesses, 312–314 supernurse syndrome and, 308–309,	Disaster Medical Assistance Teams (DMAT), 611 Disaster mental health, 611–618	effective use of, 268–269, 270b–271b to elected officials, 387 time management for, 29–30
309f	Disaster nursing, 604	E-mentoring, 62, 62b
supervision and, 305b, 307, 307b, 313b-314b	Disaster response, equipment for, 602–604, 605f, 615b, 616f	E-prescription software, 545 E-words, 540
surveillance and, 307	Discharge planning, 368–369	Early discharge planning, 369-370
time management and, 34, 251-253	Disciplinary action, 452	Economics
to unlicensed assistive personnel	against nurses, 453	of caring, 367–368, 368f
(UAP), 252	Discovery, 481	clinical practice and, 358
risks with, 462	Discrimination, 474–475	definition of, 358
Delegation decision tree, 122	Disease management	health care spending and, 358–359
for assistive personnel, 306f	characteristics of, 331–333	Education
steps in, 305–306	definition of, 331	advanced degrees in nursing, 75
Deliberative Nursing Process, Theory of, 176t	evidence-based practice and, 333–334	nursing, history of, 139–140
Deming, Edward, 506	Disease-management protocols, 332 Distance education, 155	performance weakness and, 315 profession and, 195
Democratic management, 212	Distancer, 298b	on resume, 81
Demographic data, on resume, 80	Distracting behavior, 268	technology and, 166
Denial phase, of change process, 233t	Distraction, fighting off, 267	Education of Nursing Technicians, 139
Department of Defense (DoD) Patient	Diversion program, 448b	Educational mobility, 164
Safety Program, 238	DMAT. See Disaster Medical Assistance	Effective procrastination, 33
Department of Health and Human	Teams (DMAT)	Effectiveness, empowerment and, 39
Services (DHHS), 602	Dock, Lavinia L., 142	Efficiency, 540b
Deposition	Doctor of Education (EdD), 160	EHR. See Electronic health record (EHR)
definition of, 448b, 481	Doctor of Philosophy (PhD), 160	Elaborator, 278b
setting for, 481	Doctor of Public Health (DrPH), 160	Elder abuse, 472
testifying in, 482b	Doctoral nursing degree	Eldercare, 166
Depression phase, of change process,	choice of program for, 160	Elderly, health care rationing for,
233t DHHS. See Department of Health and	models of, 160 nontraditional pathways for, 156	441–442 Flacted official
Human Services (DHHS)	purpose of, 160	Elected official addressing, 390b
Diabetes, ginger and, 495–496	Doctor's orders, NCLEX-RN examination	communication with
Diagnostic-related group (DRG), 372	questions and, 123	Capitol, visit to, 387

Elected official (Continued)	Employer (Continued)	End-of-Life Nursing Education
dos and don'ts of, 388b	magnet hospital as, 76	Consortium Project, 438
methods of, 387, 389b	researching prospective, 74–75, 74f	Ensoulment, 432
nurse lobbying to, 388	methods for, 76–78	Entry-level nursing position, 75
Election, nurse participation in, 385–386	Employment, 66–95, 68f	Environment, 182
Electronic clinical documentation,	changing jobs/positions, 93	Equal Pay Act, 393
548-549	checklist for finding, 85b	Equilibrium phase, of change process,
Electronic communication, 548	civil rights claims involving, 474–475	233t
Electronic database, search on, 561–562	interview for	Equipment failure, 469–470
Electronic health record (EHR), 466	arrival for, 87–88	Ergonomic hazards, 575–579
advantages of, 542b	body language during, 88	back injury as
definition of, 541	campaign plan, 84–86	aging and, 576
electronic medical record <i>versus</i> ,	dressing for, 87b	incidence of, 576
541–543	first five minutes of, 87–88	prevention of, 576
federal mandate for, 533	phases of, 88–89	repetitive motion disorders as, 579
functions of, 543b	prepare for, 85	Ergonomics, in workstations, 578–579
Internet and, 542–543, 548b	processes of, 84–87	Erickson, H., 176t
patient encounter screen, 542f	question in, 86b	ESAR-VHP. See Emergency System for
patient information screen in, 541f	rehearse, 86	Advance Registration of Volunteer
personal health record in, 543	responses during, 89b	Health Professionals (ESAR-VHP)
Electronic medical record (EMR), 466	salary/benefits discussion	Ethical conflict, 287–288
confidentiality issues with, 473	during, 90	Ethical dilemma
electronic health record (EHR) versus,	schedule for, 84–85	abortion and, 432–434
541-543	strategies for success in, 87	definition of, 420b
information in, 541	unexpected situation/questions,	resolving, resources for, 428–432
Electronic medication administration	89–90	Ethical reasoning
record (eMAR), 545	job offers and rejections, 90–93	approaches to, 424
Electronic prescriptions, 545	nursing shortage and, 69	advantages/disadvatages of, 426t
Electronic request, time management	opportunities for, 74–75	situational, 425–426
for, 29	organization assessment for, 78–79	teleological, 424–425
for effective communication, 30b	planning for, 17	choosing model for, 426
Emergency preparedness, 596–619	postinterview process for, 91–92	Ethics, 419–420
equipments for, 602–604, 605f, 615b,	follow-up communication, 92–93	code of
616f	questions to ask before, 575	for nurses, 196b, 428
issues in, 614–617	recruitment contact methods for, 79	profession and, 196
Emergency System for Advance	resume for, 79–84	definition of, 420b
Registration of Volunteer Health	self-assessment for	issues, 419–445
Professionals (ESAR-VHP), 610	career goals, 73-74	in life-and-death decisions, 484
Emotional distress, intentional infliction	clinical interests and, 70	privacy and confidentiality, 535
of, 474–475	likes and dislikes, 70-73	understanding, 420-442
Emotional health, 41	personal needs/interests, 73	Euthanasia, 434–435
Emotional intelligence, 41	sign-on bonus for, 90	futile care and physician-assisted
Emotional response, to traumatic event,	training for, 81	suicide, 435–438
613t	wants and desires, likes and dislikes,	"right-to-die" statute and, 434
Emotional wholeness, 39	assessment for, 69b	types of, 434
Emotions, 41	Empowerment	Evaluation
Empathy, of mentor, 58	power and, 223	of care by others, 253–254
Employee	self-care and, 38–47	constructive feedback and, 253-254
expectations from, 315, 315b	well-being and effectiveness, 39	delegation and, 307, 321-323
positive workplace environment for,	EMR. See Electronic medical record	Evaluator, 278b
350	(EMR)	Every Patient Deserves a Nurse, 190–191
Employee contacts, for employer research,	Enable, empower and, 39b	Evidence-based practice
77	Encouragement, mentor offering, 58	application of, 569
Employer	End-of-Life Care, 438	critical pathways and disease-
first impression for, 78f	End-of-life decisions. See also Euthanasia	management protocols, 333-334
fiscal responsibility to, 370-372	ethical issues in, 435	definition of, 333, 333b, 569-571

Evidence-based practice (Continued) evaluation criteria, 334t in nursing, 333, 334b online availability of centers for, 569 research utilization versus, 569, 570b Evidence-Based Practice Centers Program, 571 ExecuNet, 77 Exercise, 43–44 Exhibit item questions, 116, 117f–119f Expectations, of mentor, 58f Expense, 364	First impression, 77, 78f Fiscal responsibility, 367–368 for clinical practice, 370 strategies for, 373b to employing institution, 370–372 to patient, 367–370 to payer of care, 372–373 Five Million Lives Campaign, 339 Five rights of delegation, 308b circumstances, 312–316, 313b–314b direction/communication, 319–321 person, 316–319, 317b, 317f	Generation, 219b, 221b characteristics of, 217b motivational strategies for, 221b in twenty-first century, 216–222 types of Baby Boomers, 217–218 Generation Now, 219–222 Generation X, 218 Generation Y, 218–219 I Generation, 219 silent or veteran, 217 Generation Now, 217b, 219–222
Expert, nurse as, 141t, 145	supervision/evaluation, 321–323	motivational strategies for, 221b
Expert power, 222–223, 383	task, 308-316, 312b	Generation X, 217b, 218
Expert witness	Flexibility	motivational strategies for, 221b
definition of, 448b	for effective communication, 260	Generation Y, 217b, 218-219
role of, 456-457	of nurse, 16	motivational strategies for, 221b
External environment, 182	Floating, 589-591	Generational diversity, 217
External nursing degree program, 155	issues with, 590	Generous, mentor as, 58
	reporting experience with, 592,	Genetic screening, 440-441
F	593b	Genetics, 440-441
Facebook, 76-77	Flow charts and forms, 470	nursing role in, 440
Facilitation skills checklist, 259b	Follow-up letter, postinterview, 92	Genomics, 440-441
Facility licensing standards, 457	Food and Drugs Act, violation of, 478	nursing role in, 440
Failures to rescue (FTR), 305	Food safety, disaster and, 615-616	Ginger, 495-496
Fall protocol, 468	Forces of Magnetism, 335b	Goal, management of, 34-36
Falls	Magnet Recognition Program and,	Goal Attainment, Theory of, 176t,
documentation of, 468	335	182–183, 183f
prevention of, 468	Foreign nurse graduate, 161	Goal conflict, 287
Shaw v. Plantation Management, 469	Four Cs of initial direction, 319, 319b	Goal statement, for DMAIC method,
False Claims Act, 471-472	clear, 320	522
False imprisonment, 472	complete, 320	Good decision, 226-227
Family History Initiative, 550–552	concise, 320	Good outcome, 226-227
Family involvement, conflict with, 288	correct, 320	Good Samaritan law
Family-leave policy, 411	Fraud, 447	definition of, 448b
Fatigue, 25	nurse involved in, 482	professional duty and, 455
Fax machine, 268	Friendship, time management for, 42	Goodrich, Annie W., 142
Federal Emergency Management Agency	FTR. See Failure to rescue (FTR)	Graduate
(FEMA), 608	Full immersion model, of case	advice for, 20f
Feedback	management, 330	expectations for, 17
delegation and, 307	Full-time equivalent (FTE), 367	nurses, groups of, 8
formula for, 321b	Fun	role transition of, 12–13
giving/receiving effectively, 321–323	activities for, 42b	stresses reported by, 4b
Feelings, 41	time management for, 42	Graduate nursing education, 140,
accessing and acknowledging, 42b	Functional nursing, 342, 342f	156–160
Fellow, 201	Futility, 435	master's degree, 157–158
Felony, 449–450	example of, 435–436	prerequisites for, 156–157
FEMA. See Federal Emergency	medical, 435–436	Grand theories, 171–172
Management Agency (FEMA)	and physician-assisted suicide, 435–438	Granger Westberg model, 143
Fetal tissue	Future of Nursing Report, key messages	Grapevine
ethical issues regarding, 438–439	of, 336	communication and, 261, 262f
stem cell research and, 439	G	controlling, tips for, 261
Fidelity, 422–423		Graphic option questions, 116–117, 120f
Fill-in-the-blank questions, 114 example of, 114f	Gastrointestinal syndrome, 600t–601t General damages, 459–460	Great Man theory, 213 Green hat, 274b
Finding facts, of interview, 88–89	General systems theory, 539	Gretter, Lystra, 132–133
	Concini of occinio micory, 555	J. J

Grievance	Health care (Continued)	Health care worker
arbitration for, 408	payment issues, 482-483	ergonomic hazards for, 575-579
mechanisms, 408	rise in, trends affecting, 356-358,	back injury in, 576–578
resolution, union contract and, 408	356f	repetitive motion disorder as, 579
sexual harassment and, 302	utilization review (UR) and,	Health department, staffing requirements
Group	483	by, 401
defense mechanisms within, 271	cultural competency in, 491	Health/health care disparity
as effective, 228	durable power of attorney for, 420b	bias and, 492
formation of, 269–271	living will and, 435	cause and effects of, 492
leader effect on, 228	economics of, 367-368, 368f	income/education inequalities and, 492
norming within, 271	fair and equal treatment, 441	solution to, 492
personalities within, 272	financial challenges in, 398-399	Health information
critical conservative, 272	as human right, 360	confidentiality of, 473
motor mouth, 272	increased demands in, 398	on Internet, 547
mouse, 272	managed care and, 328–329	Health information technology, 541
self-servers, 272	manufacturing ideas, 505-506	barriers on, 545
phases of, 269–271	market for, 361–362	Health insurance
adjourning, 271	barriers to, 362	moral hazard and, 362
performing, 271	consumer knowledge, 362	union contract and, 410-411
storming, 269–271	price competition, lack of,	Health Insurance Portability and
roles within, 278b	362–363	Accountability Act (HIPAA), 473,
Group communication, 269–273	unpredictability of demand, 362	535–537
improvement of, 272–273	methods to produce, 360	Healthcare Integrity and Protection
six thinking hats, 274b	moral hazard and, 362	Data Bank (HIPDB), 453
Group meeting	quality in	impact of, 535, 536b
action timeline for, 273f	history/evolution of, 505–507	mobile computing devices and, 537,
improving communication in,	monitoring, 508–515	537b
272–273, 273b	standards for, 503–505	violation of, 536–537
six thinking hats, 273, 274b	regulation of, 506	Health maintenance organization (HMO),
Group process, 269–272	smartphones in, 550	329
Guilt, 297, 297b	steps to, 517f	accreditation of, 457
	Health care delivery	utilization review (UR) and, 483
Н	Internet, use of, 546–548	Healthcare Information Management
"Handle with Care" program, 577,	issues in, 483–484	Systems Society (HIMSS), 534
577b	setting characteristics for, 568	Healthcare Integrity and Protection Data
Handwritten note, 269	Health care provider, quality improvement	Bank (HIPDB), 453
Harassment, in workplace, 580–583	credentialing for, 527–528	Healthcare Quality Improvement
Hazing activity, in nursing, 581	Health care quality	Act, 453
Health, 179	Five Million Lives Campaign, 339	Healthcare Research and Quality, Agency
Health and Human Services, U.S.	goals to improve, 337	for (AHRQ), 332–333, 550–552
Department of, 536, 550–552	Institute for Healthcare Improvement	Healthy People 2020, 491
evidence-based practice and, 569	(IHI) and, 338–340	"Healthy Work Environment" campaign,
Health as Expanding Consciousness,	Institute of Medicine reports on,	588
Theory of, 176t	308–309, 337, 337b	Hearing-impaired, communication with,
Health care	Health care rationing, 442	471
collective bargaining and, 398–399	for elderly, 441–442	HEICS. See Hospital Emergency Incident
computer technology in, 532	Health care reform, master's degree	Command System (HEICS)
cost of, 328	nursing program and, 140	Helicy, 179
case management, 330–331	Health Care Research and Quality, Agency	Hematopoietic syndrome, 600t–601t
controlling, strategies for, 329–330	for, 571	Henderson, Virginia, 176t
disease-management programs,	function of, 571	Herbert, Sidney and Elizabeth, 130–132
331–332	Health care setting	Higher Education Act Amendment, 202
managed care and, 441	changing, 166	HIMSS. See Healthcare Information
nurse-sensitive adverse events,	informed consent in, 475b	Management Systems Society (HIMSS)
371b	nurse shortage in, 584–585	Hindu patient, cultural/spiritual beliefs of,
nursing care, 365b, 367-368	Health care spending, 358–359	494b-495b

HIPAA. See Health Insurance Portability and Accountability Act (HIPAA)	Human Caring, Theory of, 176t, 183–184 Human-interaction theory, 210–211	Information management, standards for, 538
Hispanic patient, cultural/spiritual beliefs	Humanistic Nursing Theory, 176t	Information power, 223
of, 494b–495b	Humor	Information seeker, 278b
HMO. See Health maintenance	in e-mail, 270b–271b	Information technology, 547b
organization (HMO)	reality shock and, 8	Informational power, 383
Holistic nursing, 496	Hydration, guidelines for withholding,	Informed consent, 475–476
Holistic self-assessment tool, self-care and,	435	in health care setting, 475b
40b, 41		signing of, 475
Holy Wars, 128	1	witnessing signing of, 475
Home Care Bill of Rights, 429–431	ICN. See International Council of Nurses	Informed refusal, documentation of, 477
Home care nurse, ethical dilemmas for,	(ICN)	Initial direction, four Cs of, 319, 319b
431	I Generation, 217b, 219	Initiative on the Future of Nursing, 19
Homeodynamics, Principles of, 179	Idealized influence, 214	Initiator, 278b
Honeymoon phase	Idle time, scheduling for, 44	Injury
mentoring relationship and, 61	Illness, cultural response to, 494	breach of duty as cause of, 458
of reality shock, 6t, 7b, 7f	Image. See Communication	causation, application of, 459–461
Horizontal violence, 580–583	Impaired nurse, 452–453	Innovation, 562–564
effects of, 580-581	Implantation, 432	INS. See Informatics nurse specialist (INS)
handling, steps for, 583	Improvement science, 506, 507f	Inspirational motivation, 214
legislation for, 583	IN. See Informatics nurse (IN)	Institute for Healthcare Improvement
in nursing, 581	In vitro fertilization, 439–440	(IHI), 338–340
signs of, 582b	Incident report	Five Million Lives Campaign, 339
Hospital	causation and, 479	patient safety initiatives by, 515
accreditation of, 506	legal concerns, 479	Transforming Care at the Bedside
comparing of, 508	Independent health care practitioner,	(TCAB), 340
costs, strategies for controlling,	liability of, 461–462	Institute of Medicine (IOM), 516
329–330	Indian patient, cultural/spiritual beliefs of,	health care quality reports by, 337, 337b
expectations for care in, 430b	494b–495b	impact in future of nursing report,
managed care and, 328–329	Indicator	336–337
mandatory overtime in, 584–585,	metric descriptors and, 512t. See also	report on, 194
588–589	Quality indicator	report on evidence-based practice, 333
legislation against, 588	selection of, 513	Institute of Medicine Report, 617–618
medication errors by, 591	Individual consideration, 214	The Future of Nursing: Leading Change,
National Patient Safety Goals (NPSG)	Individual retirement account, 409–410	Advancing Health, 617
for, 509b-510b	Industrial Revolution, 129	Institution for the Care of Sick
nurse recruitment/retention and, 585	Infant, death of, 129	Gentlewomen in Distressed
nursing care charges in, 365b, 367–368	Influenza, pandemic	circumstances, 132
nursing opportunities in, 74	deferring vaccination for, 602	Institutional insurance
outcome measures for, 506–507	phases of, 603f	information regarding, 480
quality in health care in, 505–506	traditional, 602	nurse protection under, 480
work arounds in, 517	typical, 602	Institutional liability, 462–463
Hospital administrator, 144	Informal communication, 261	Insurance company
Hospital at Home model, 347t	Informal complaint, for sexual	coverage/limits of service under, 361,
Hospital Consumer Assessment of Health	harassment, 302	481
Plans Survey (HCAHPS), 507–508	Informatics nurse (IN)	fiscal responsibility to, 372-373
Hospital Emergency Incident Command	education of, 534	preapproval of services by, 361
System (HEICS), 607–608	importance of, 533	risk management and, 480
Hospital nurse	role of, 534–535, 534b	Integrality, 179
as advocate, 142–143	Informatics Nurse Impact Survey, 534	Integrative therapy, 496b
as manager, 144	Informatics nurse specialist (INS)	Intellectual stimulation, 214
Hospital of St. John, 128	education of, 534	Intentional infliction, of emotional
Hospitaler, 128	importance of, 533	distress, 474–475
Hot spot questions, 114–115, 115f	role of, 534–535, 534b	Intentional tort, 454, 472–477
Hours per patient day (HPPD), 367	Information giver, 278b	defense to, 475–477
Human Becoming, Theory of, 176t	Information literacy, 555	employment, claims involving, 474-475

Intentional tort (Continued) types of	Invasion of privacy, 447, 473–474 I-SBAR-R communication, 243–244	Joint Commission, The (TJC) (Continued) sentinel event alert by, 503
assault and battery, 472	I-SBAR-R communication tool, 243-244,	Six Sigma method and, 518
false imprisonment, 472	244b	staffing requirements by, 348, 401
invasion of privacy, 473-474		Juran, Joseph M., 506
privilege/confidentiality, breaches of,	J	Jurisdiction, 448b
473-474	Japanese patient, cultural/spiritual beliefs	"Just-in-time" product delivery, 506
Interactional leadership theory, 214	of, 494b-495b	Justice, 423
Interest-Based bargaining (IBB)	Jargon, 262	
Center for American Nurses (CAN)	Jenner, Edward, 129	K
and, 400	Joanna Briggs Institute (JBI), 333-334	Kaiser, Leland, 215
collective bargaining versus, 400	Job fair/open house, for employer	Kaiserwerth School, 130-132
Internal environment, 182	research, 77	Kevorkian, Dr. Jack, 436-437
International Council of Nurses (ICN), 201	Job hopping, 93	Key Capabilities of an Electronic Health
Code for Nurses, 429b	Job market. See Employment	Record System, 542-543
International Nurse's Day, 189	Job security, career security versus,	Key indicator
International Red Cross, 130	407-408	definition of, 511b
International Union of Electrical Workers v.	Job stress	development of, 513
Westinghouse, 393	burnout from, 37–38	Key performance indicator (KPI)
Internet	self-care for, 37	definition of, 511b
electronic health record (EHR) and,	Johnson, Dorothy, 176t, 180	DMAIC measurement phase and, 523
542-543, 548b	Johnson and Johnson Company, 191	operational definitions for, 523
evaluation of	Joint Commission, The (TJC), 538, 538b	Keyword search, on Internet, 561-562
CAFE advice, 553	abbreviations, symbols and acronyms,	King, Imogene, 176t, 182-183, 183f
CARS checklist, 552-553	240	KISS principle, 263b
health care delivery and, 546-548	Do Not Use list for, 241t	Knighthood, 128–129
health information on, 547, 547b	continuous quality improvement (CQI)	
keyword search on, 561-562	and, 506	L
Internet-based patient self-care, 547	core measure tracking, 507	Labor dispute, 408-409
Internet resource, 550–553	critical hand-off communication tool	Laissez-faire management, 211
Interpersonal Relations Model of nursing	and, 243-245	Lamp, 138
theory, 176t	cultural/spiritual beliefs of patient,	Language
Interpersonal skills, power and, 223	496–497	contribution of, 539, 539b
Interrogatory, 481	falls, prevention of, 468	criteria for, 539
definition of, 448b	floating and, 590	proactive and reactive, 47b
Interruptions, 246	health care organization standards	Language services, 240, 240b
Interview, 66–95	and, 457	Latino patient, cultural/spiritual beliefs of,
arrival for, 87-88	hospital accreditation and, 506	494b-495b
body language during, 88	information management standards	Laughter, 44
campaign plan for, 84–86	by, 538	Law
as complex two-way process, 397	inspections by, 506	Good Samaritan, 448b
dressing for, 87b	medication errors/adverse drug	growth of, 379f
first five minutes of, 87–88	interactions, 467–468	sources of, 447–449
phases of, 88-89	high-risk medications, 467-468	types of
postinterview process for, 91–92	National Incident Management System	administrative, 449
follow-up communication, 92–93	and, 608b	case, 449
prepare for, 85	National Patient Safety Goals (NPSG),	common, 449
processes of, 84–87	338, 508	constitutional, 449
involve in, 85	for hospitals, 509b-510b	statutory, 447–448
questions in, 86b, 373b	outcome measures for hospitals,	Leader, 208
rehearse for, 86	506–507	characteristics of, 216
responses during, 89b	patient safety and, 508	effect on group, 228
salary/benefits discussion during, 90	peer review and, 478	Leadership, 213
strategies for success in, 87	plan-do-study-act-cycle (PDSA) and,	characteristics and theories of,
unexpected situation/questions in,	506	213–216, 215b
89–90	role of, 508	management versus, 208–216

Leadership (Continued)	Listening skills, 265–267, 265b, 267b	Malpractice (Continued)
power and, 223	developing effective, 266	negligence versus, 460
standards for, by AACN, 339t	Literature	nurse practice act and, 456
in twenty-first century, 216-222, 217b	as barrier to incorporating new	res ipsa loquitur and, 456–457
Leadership power, 223	approach, 568-569	risk for, 466
"Lean" manufacturing, 506	search for, 562, 563b	standards of care and, 457-458
Left-brain dominant, 25–26, 26f	Living will	Malpractice insurance, 480
Legal action	definition of, 420b	consent clause in, 480
classification of	durable power of attorney for health	cost of, 480
civil action, 450	care, 435	nurses and, 480
criminal action, 449-450	family challenging, 476	Malta fever, 133
dismissal/settling of, 481	power of attorney and, 476	Maltese cross, 138
evidence, medical record as, 464-466	"right-to-die" statute and, 434	Mama management, 13
Legal issues, 446–487	Lobbying	Managed care
Legitimate power, 222, 383	definition/characteristics of, 387	capitation and, 329
Leininger, Dr. Margaret, 489	dos and don'ts of, 388b	health care costs and, 441
Leininger, Madeline, 176t, 184-185, 184f	by nurses	health maintenance organization
Lemons v. the City and County of Denver,	communicating with senator/	(HMO) plans and, 329
393	representative, 387	hospital payments and, 328-329
Letter	to educate, 387	impact of, 329
to elected officials, 387		profit of, 483-484
example of, 389b	M	prospective payment system and,
as follow-up to interview, 92	Magnet hospital, 76, 335-336, 336b	328-329
of resignation, 94f	collective bargaining and, 412	utilization review (UR) and, 361
Letter-writing campaign, for employment,	nurse recruitment/retention and,	Management
77	585-586	change and, 229-232, 229f
Levine, Myra Estrin, 176t	nurse retention and, 334-335	characteristics and theories of,
Lewin, Kurt, 230	staff empowerment and, 223-224	210–211, 211b
Liability	Magnet Recognition Program, 201, 335	of conflict, 286-303
for delegation, 470	Magnetism, forces of, 335b	decentralization of, 402
institutional, 462-463	Magnet Recognition Program and,	definition of, 208
personal, 461	335	evidence-based protocols/
physician, 461-462	Male nurse, 190b, 300-301, 301f	interventions, 225-226
student, 463	Malpractice, 447	functions of, 208-210
supervisory, 462	avoiding, 466-472	of goals, 34-36
Libel, 473	breach of duty and, 458-459	hierarchy of, 210-211
License, 451	claims against nurses, 480	leadership versus, 208-216
driver's, 451	cost of trial for, 460	of others, 33–34, 34b
protecting, 452b	defense for, 463-464	power and authority in, 222-224
Licensed practical nurse (LPN), versus	assumption of risk, 463-464	problem-solving in, 224-228, 400
registered nurse (RN), 310	contributory negligence, 464	problem-solving strategies in, 224-225
Licensure	"put on play," 464	of procrastination, 31
definition of, 161	statute of limitations, 463	in twenty-first century, 216-222, 217b
legal aspects of, 451-452	definition of, 448b	Management style
on resume, 81	elements of, 455-459	continuum of, 213
state regulations for, 451	equipment failure and, 469-470	types of, 211-213, 212f, 213b, 215b
Life, beginning of, 432	evidence for, 458	autocratic, 211
Life-and-death decisions, 484	medical record, 464-466	democratic, 212
Lifelong work commitment, profession	expert witness and, 456	laissez-faire, 211
and, 196	incidence of, 454–455	Manager, 208
Line items, in operating budget, 366	liability in	available staffed beds and, 366
LinkedIn, 77	institutional, 462–463	budget and
List	personal, 461	acuity of patients, 365–366
creation of, 35	physician, 461–462	patient day volume and ADTs, 365
management of, 35-36	student, 463	characteristics of, 210b
Listener, mentor as, 57–58	supervisory, 462	nurse as, 141t, 143-144

Mandatory overtime, 588–589 legislation against, 588	Medication error (Continued) investigating source, 467–468	Middle-range theories, 171–172 Military, mortality rate of, 130, 132
Manufacturing	malpractice and, 467-468	Minority Health and Disaster
error prevention in, 505-506	prevention of, 545	Preparedness, Office of, 492-494
ideas in, health care and, 505-506	root cause factor chart for, 505, 505f	Misdemeanor, 449-450
Margin (or profit), 364	Meditation, 44	nurse practice violation as, 477-478
Master's degree nursing program, 157–158	MEDMARX study, 514	Mission/philosophy statement, of
choice of, 158-159	Meeting	organization, 79
health care reform and, 140	action timeline for, 273f	Mixed-methods research design, 567t
nontraditional pathways for, 156	improving communication in, 272-273,	Mobile clinical assistant (MCA),
specialty programs for, 158-160	273b	549-550
MCA. See Mobile clinical assistant (MCA)	six thinking hats, 274b	Mobile computing device
Mead, Margaret, 389	Membership	HIPAA and, 537, 537b
Meaningful use, 545	in nursing organization, 405	patient safety and risks, 537
goal of, 545	union contract and, 409	precautions, 537
stages of, 546t	Men, communication style of, 261	Mobility, 410
Mediation, 408	Mental exercise, 44	Modeling and Role Modeling Theory,
Medicaid	Mental potential, 45-46	176t
advance directives and, 435	Mentee	Monitor, 511b
collective bargaining and, 398-399	characteristics of, 60	Montag, Mildred, 139
EHR, payment incentives for use of, 545	checklist for, 61t	Moral/ethical principles, 421-432, 423f
fiscal responsibility to, 372–373	as follower, 56	autonomy and, 421
prescription drug costs and, 357-358	role of, 60	beneficence and, 422
Medical Emergency, traumatic, 611	Mentor, 54–55	decision-making approaches, 424
responses to, 613t	characteristics of successful, 59, 60b	situational, 425–426
Medical futility, 435–436	expectations of, 58f	teleological, 424-425
Medical power of attorney, advance	finding, 16, 57	definition of, 420b
directives and, 476	history of, 50	fidelity and, 422-423
Medical record	as leader, 56	importance of, 424
electronic, 466	need for, 59	justice and, 423
as malpractice evidence, 464-466	preceptor versus, 51f	nonmaleficence and, 422
Medical Reserve Corps (MRC), 610-611	role of, 59f	veracity and, 423
Medical tourism, 489	Mentor power, 383	Moral hazard, 362
Medicare	Mentoring, 50-53, 63-64	Moral reasoning, 420b
advance directives and, 435	benefits in, 59	Moral uncertainty, 420b
Affordable Care Act and, 357	coaching and precepting versus, 50	Morality, 425
collective bargaining and, 398-399	focus of, 55	Morning after pill, 433
coverage/limits of service under, 369t	future of, 62–63	Mother Rule, 447
EHR, payment incentives for use of,	as partnership, 55	Motivation, 44
545	rewards for, 55	Motivational theory, of management,
fiscal responsibility to, 372–373	through reality shock, 60-62	211
health care billing/payments, 482	Mentoring moment, 58–59	Motor mouth personality, 272
prescription drug costs and, 357–358	Mentoring relationship, 59	Mourning, 271
prospective payment system and,	establishing, 57	Mouse personality, 272
328–329, 372	through reality shock, 60-62	Moving phase, of change process, 230
staffing requirements by, 401	types of, 60, 61t	Multiple-choice test question, 113f
Medication, administration of	Mentorship, 49–65	Multiple-response item questions, 114,
care with, 467b	Mercy killing, 434	115f
NCLEX-RN examination questions	Metaparadigm	Multistate licensure privilege, 391–392
and, 122	definitions of, 174b	Murder, 477–478
Medication error	nursing theory defining, 171–172	Muslim patient, cultural/spiritual beliefs
abbreviations and, 240	Metric	of, 494b–495b
causes of, 504, 589b	definition of, 511b	Mutual recognition, 390
effects of, 467	development of, 513	My Family Health Portrait, 550–552
factors contributing to, 504	examples of, 512t	MySpace, 76–77
incidence of, 591	as measurement of problem, 512	Mysticism, 131b

National Commission on Nursing Implementation Project, 190 National Committe of Quality Assurance (NCQA), 437 National Council Licensure Examination for Registered Nurses, See NCLEX-RN examination National Council of State Boards of Nursing (NCSBN), 97, 309–310 APRN Consensus Work Group, 157–158 Practice and Education Committee, 17–19 uniform core licensure requirements, 309–392 National Precipitation Preparedness Goal, 607, 607b key areas of, 607–608 National Council of State Boards of Nursing (NCSBN), 97, 309–310 APRN Consensus Work Group, 157–158 Practice and Education Committee, 17–19 uniform core licensure requirements, 309–392 National Precipitation Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Preparedness Goal, 607, 607b key areas of, 607–608 National Le	N	National Patient Safety Goals (NPSG),	NCLEX-RN examination CAT
Implementation Project, 190 National Committee of Quality Assurance (NCQA), 457 National Council Ucensure Examination for Registered Nurses. See NCLEX.RN examination National Council of State Boards of Nursing (NCSBN), 97, 309–310 APRN Consensus Work Group, 157–158 Nurse ILcensure Compact, 451 National Council of State Boards of Nursing (NCSBN), 97, 309–310 Agrand APRN Consensus Work Group, 157–158 Nurse ILcensure compact, 451 National State Boards of Nursing (NCSBN), 97, 309–310 National Education Committee, 17–19 uniform core licensure requirements, 390–392 National Furdam Genome Research Institute (NRIRO), 550–552 National Incident Management System (NINS), 571 function of, 571 National Labor Relations Soard (NLINS), 571 Antional Labor Relations Sard (NLIN), 191, 201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 diploma program accreditation, 139 diploma program accreditation, 139 diploma program accreditation, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National Library of Medicine, 241–242 Stating, 401 National Marsing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202  National Through the propose of, 99 questions and, 112–112 equirements for, 108 national Propose of, 199 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 not make the propose of, 190 function of, 401 subcommittee on graduate education, 140 conception and purpose of, 190 function of, 401 subcommittee on graduate education, 140 conception and purpose of, 190 function of, 19			advantage of, 103
National Committee of Quality Assurance (NCQA), 457 National Council Licensure Examination for Registered Nurses, See NCLEX.RN examination National Council of State Boards of National Sample Survey, of registered nurses (RN), 157, 1587 National Edevation Committee, 17–19 uniform core licensure requirements, 300–392 National Federation of Specialty Nursing Certifying Organization, 203 National Federation of Specialty Nursing Certifying Organization, 203 National Institute (NHGRI), 550–552 National Institute (NHGRI), 550–552 National Institute of Narsing Research (NINS), 607 National Institute of Narsing Research (NINS), 607 National Labor Relations Act, 392 National Labor Relations, 419 National Council Relations Act, 392 National Labor Relations, 419 National Council Relations, 419 National Council Relations, 419 National Council Relations, 419 National Council Re	e e	for hospitals, 509b-510b	
(NCQA), 457 National Council Licensure Examination for Registered Nurses, See NCLEX-RN examination for Registered Nurses, See NCLEX-RN examination for Registered Nurses, See NCLEX-RN examination for Registered Nurses (NCSRN), 97, 309–310 APRN Consensus Work Group, 157–158 Nurse Licensure Compact, 451 National Education Committee, 17–19 uniform core licensure requirements, 390–392 National Federation of Specialty Nursing Certifying Organization, 203 National Human Genome Research Institute (NRIRB), 550–552 National Institute of Nursing Research (NINS), 607 National Institute of Nursing Research (NINS), 607 National Institute of Nursing Research (NINS), 607 National Institute of Nursing Research (NINS), 507 National Institute of Nursing Research (NINS), 99, 409 National League for Nursing (NINS), 1912 201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NINAC), 155, 162 purpose of, 202 National Ibdrary of Medicine, 241–242 National Mixese United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Nixring Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202  VECEX Next examination of egistered nursines (Sn. 1, 107 National Nizring Accrediting Commission (NINAC), 155, 162 purpose of, 97 day before, 105–106 degetion and, 122 delegation an	,	National Practitioner Data Bank (NPDB),	pretest questions for, 99
National Council Licensure Examination National Council of State Boards of Nursing (NCSBN), 97, 309–310 APRN Consensus Work Group, 157–158 Nurse Licensure Compact, 451 Practice and Education Committee, 17–19 uniform core licensure requirements, 309–392 National Federation of Specialty Nursing Certifying Organization, 203 National Institute (NHGRI), 550–552 National Institute (NHGRI), 550–552 National Institute of Nursing Research (NINSN), 607 National Institutes of Health (NHH), 571 National Labor Relations Act, 392 National Labor Relations Act, 392 National Labor Relations Roard (NLRB), 399, 409 National Labor Relations Roard (NLRB), 599 Augustonal Labor Relations Roard (NLRB), 590 Nurses of America and, 199 subcommittee on graduate education, 140 Nurses of America and, 199 subcommittee on graduate education, 140 Nurses of America and, 199 subcommittee on graduate education, 140 Nurses of America and, 199 subcommittee on graduate education, 140 Nurses of America and, 199 subcommittee, of project and purpose of, 99 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National Risting Avil 180 National Relations Roard (NINR), 398 formation of, 401 sissue Sacced by assignment objection, 402 clinic/carer ladder, 402–403 shared governance, 402 staffing, 401 Nutional Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202  National Library of Medicine, 241–242 Cockletinic/carer ladder, 402–403 shared governance, 402 staffing, 401 Nursing Research Agenda, 571 National Organization for Associate power label of the proper label of the prope		453	tutorial for, 101, 101f
key areas of, 607–608 National Council of State Boards of Nursing (NCSRN), 97, 399–310 APRN Consensus Work Group, 157–158 Nurses Licensure Compact, 451 Practice and Education Committee, 17–19 uniform core licensure requirements, 390–392 National Federation of Specialty Nursing Certifying Organization, 203 National Human Genome Research Institute (NHCRI), 550–552 National Institute of Nursing Research (NINN), 67 National Institute of Nursing Research (NINN), 67 National Institute of Nursing Research (NINN), 67 National Institutes of Health (NIH), 571 National Labor Relations Board (NLRB), 399, 409 National League for Nursing (NLN), 191, 201–202 associate degree mursing, 151 Cooperative Research Project and, 199 diploma program accreditation, 199 standards and competencies for, 190 function of, 190 National League for Nursing Accrediting Commission (NLNAC), 155, 162 Purpose of, 202 National Library of Medicine, 241–242 National Universe Indied (NNU), 398b formation of, 401 sissues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Varsing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202 Poption Library of Medicine, 241–242 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202 Poption Library of Medicine, 241–242 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202 Poption Library (NOADN), 194,	* * * * * * * * * * * * * * * * * * * *	National Preparedness Goal, 607, 607b	NCLEX-RN examination review book,
examination National Council of State Boards of Nursing (NCSBN), 97, 309–310 APRN Consensus Work Group, 157–158 Nurse Licensure Compact, 451 Practice and Education Committee, 17–19 uniform core licensure requirements, 390–392 National Federation of Specialty Nursing Certifying Organization, 203 National Hand Genome Research Institute (NHCRI), 550–552 National Institute of Nursing Research (NINR), 667 (NINR), 571 National Institute of Nursing Research (NINR), 571 National Institute of Nursing Research (NINR), 571 National Labor Relations Act, 392 Associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 Nurses of America and, 190 Subcommittee on graduate education, 140 National Libarry of Medicine, 241–242 National Libarry of Medicine, 241–242 National Distance and Competency and the stanking and 1122 delegation and, 122 delegation and, 121 NCLEX-Ren xeamination 190 cost of, 107 instructor qualifications for, 107 instructor qualifications for, 107 instructor qualifications for, 108 location of, 109 location of, 109 location of, 109 location of, 109 location of, 108 location of, 109 location of, 108 location of, 109 location of, 109 location of, 108 location of, 109 location of,		key areas of, 607-608	109-112
National Council of State Boards of Nursing (NCSBN), 97, 309–310 APRN Consensus Work Group, 157–158 Nurse Licensure Compact, 451 Practice and Education Committee, 17–19 uniform core licensure requirements, 390–392 National Pederation of Specialty Nursing Certifying Organization, 203 National Indient Management System (NIMS), 607 National Institute of Nursing Research (NINS), 571 National Institute of Nursing Research (NINS), 571 National Institute of Palath (NIH), 571 National Institute of Palath (NIH), 571 National Labor Relations Act, 392 National Labor Relation Act, 392 National Labor Relations Act, 392 National Labor Relation Act, 392 National Labor Relations Act, 392 National Labor Relation Act, 392 National Labor Relations Act, 392 National Labor Relation Act, 392 National Labor Relation Act, 392 National Labor Relation Act, 392 National Labor Relations Act, 392 National Labor Relations Act, 392 National Labor Relation Act, 392 National Labor Relations Act, 392 National Labor Relation Act, 392 National Labor Relation Act, 392 National Labor Relation Act, 392 National Labo	-	National Response Framework, 611	NCLEX-RN examination review course,
Nursing (NCSIN), 97, 309–310 APRN Consensus Work Group, 157–158 Nurse Licensure Compact, 451 Practice and Education Committee, 17–19 uniform core licensure requirements, 309–392 National Pederation of Specialty Nursing Certifying Organization, 203 National Indient Management System (NIMS), 607 National Institute of Marsing Research (Institute (NHCRI), 550–552 National Institute of Nursing Research (INIR), 571 function of, 571 function of, 571 National Labor Relations Act, 392 National Labor Relations Page of, 190 function of, 190 Nurses of America and, 190 Nurses of		Stafford Act, 612f	106-109
APRN Consensus Work Group, 157–158 Nurse Licensure Compact, 451 National Medication Committee, 17–19 Nurse (RN), 157, 158f National Federation of Specialty Nursing Certifying Organization, 203 National Human Genome Research Institute (MFGR), 550–552 National Institute of Nursing Research (NINN), 571 National Institute of Nursing Research (NINN), 571 National Lador Relations Board (NLRB), 399, 409 National League for Nursing (NLN), 191, 201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 Subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Logue for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 pu		National Sample Survey, of registered	cost of, 107
Nurse Licensure Compact, 451 Practice and Education Committee, 17-19 uniform core licensure requirements, 390-392 National Federation of Specialty Nursing Certifying Organization, 203 National Federation of Specialty Nursing Certifying Organization (n. 203 National Human Genome Research Institute (NHGRI), 550-552 National Institute of Nursing Research (NINRS), 607 National Institute of Nursing Research (NINRS), 571 function of, 571 National Institutes of Health (NIH), 571 Ational Labor Relations Board (NLRB), 399, 499 National Labor Relations Board (NLRB), 399, 499 National Labor Relations Board (NLRB), 399, 499 National Labor Relations Board (NLRB), 399, 490 National Labor Relations Board (NLRB), 399, 490 National Labor Relations Board (NLRB), 399, 409 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 209 Questions on, 102, 113-117 Altional Nursing Research Relations Relations Relations for Associate Department objection, 402 clinic/career ladder, 402-403 shared governance, 402 staffing, 401 National Nursing Research Agenda, 571 National	APRN Consensus Work Group, 157–158	nurses (RN), 157, 158f	guarantee for, 108
miform core licensure requirements, 390–392 National Federation of Specialty Nursing Certifying Organization, 203 National Human Genome Research Institute (NHGRI), 550–552 National Incident Management System (NIMS), 607 National Institute of Nursing Research (NINR), 571 function of, 571 National Labor Relations Act, 392 National Labor Relations for, 130 National Labor Relations Act, 392 National Labor Relations	-	National Student Nurse's Association	instructional material in, 107
uniform core licensure requirements, 390–392 National Federation of Specialty Nursing Certifying Organization, 203 National Federation of Specialty Nursing Certifying Organization, 203 National Human Genome Research Institute (NHGRI), 550–552 National Incident Management System (NIMS), 607 National Institute of Nursing Research (NINR), 571 National Institute of Nursing Research (NINR), 571 National Labor Relations Act, 392 National Labor Relations Poard (NLRB), 399, 409 National Labor Relations Foard (NLRB), 399, 409 National League for Nursing (NLN), 191, 201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241–242 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Organization for Associate Degree Nursing (NOADN), 194, 202 profess of, 202 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202 profit of the extensions and, 121–122 position of, 98 NCLEX-RN Detailed Test Plan, 98–99, 4546, 547b category based of, 98t NCLEX-RN metailated Test Plan, 98–99, 409 NECLEX-RN metailated Test Plan, 98–99, 409 Necleastick Safety and Prev	Practice and Education Committee,	(NSNA), 191, 202	instructor qualifications for, 107
National Federation of Specialty Nursing Certifying Organization, 203 National Federation of Specialty Nursing Certifying Organization, 203 National Human Genome Research Institute (NHCRI), 550–552 National Incident Management System (NIMS), 607 National Incident Management System (NIMS), 607 National Institute of Nursing Research (NINR), 571 function of, 571 National Labor Relations Board (NLRB), 399, 409 National Labor Relations Board (NLRB), 399, 409 National Lague for Nursing (NLN), 191, 201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 Subcommittee on graduate education, 140 Subcommittee on graduate education, 140 Sustomal Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Labor Relations of, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Organization for Associate Degree Nursing (NOAN), 194, 202 Portification for, 192 National Organization for Associate Degree Nursing (NOAN), 194, 202 Portification for, 103 Discussion of page and the complex for subcomplex for subcomplex for for for subcomplex for for for subcomplex for	17–19	NCLEX client, NCLEX-RN examination	length of, 108
National Federation of Specialty Nursing Certifying Organization, 203 National Human Genome Research Institute (MHGRI), 550-552 National Institute of Nursing Research (NINS), 607 National Institute of Nursing Research (NINS), 607 National Institute of Nursing Research (NINS), 607 National Labor Relations Sociate Green ursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Nurses United (NNU), 398b formation of, 401 Signature for visual vis	uniform core licensure requirements,	questions and, 122	location of, 108
Certifying Organization, 203 National Human Genome Research Institute (NHGRI), 550–552 National Incident Management System (NIMS), 607 National Institute of Nursing Research (NINR), 671 function of, 571 National Institutes of Health (NIH), 571 National Labor Relations Act, 392 National Labor Relations Board (NLRB), 399, 409 National Labor Relations Board (NLRB), 399, 409 National Labor and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 Astional Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241–242 National Library of Medicine, 241–242 National Nurse United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Nursing Research Degree Nursing (NODN), 194, 202 Portication of, 202 Portication of, 203 National Nursing Research Agenda, 571 National Nursing Research Project and, 190 Subcommittee on graduate education, 140 Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241–242 National Nurse United (NNU), 398b formation of, 401 Issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 shared governance, 402 Staffing, 401 National Organization for Associate Degree Nursing (NOADN), 194, 202 Porticitation, 123  NCLEX client, 122 Positioning, 122 Positioning, 122 Positioning, 123  NCLEX client, 122 Positioning, 123  NCLEX hospital, 121–122 Positioning, 123  NCLEX hospital, 121–122 Positioning, 123  NCLEX hospital, 121–124 Positioning, 123  NESS executed for, 108–107  Needlestrick Injury, 663–464  definition of, 408  Negligento morincide, 449–450	-	NCLEX hospital, NCLEX-RN	passing rate for, 108
National Human Genome Research Institute (NHGRI), 550-552 category based of, 98t NCLEX-RN examination budget for, 104b sudget for, 104b online, 106-107 Needlestick Narising Research (NINS), 607 National Institute of Nursing Research (NINS), 571 diploma graduates and, 151 identification for, 103 diploma graduates and, 151 identification for, 103 diploma graduates and, 151 identification for, 103 source for, 104b normal Institutes of Health (NIH), 571 National Labor Relations Board (NLRB), 399, 409 passing score for, 102 paths leading to, 150 passing score for, 102 paths leading to, 150 passing score for, 102 paths leading to, 150 preparation for, 97 day before, 105-106 and program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 test-indication for, 401 issues faced by assignment objection, 402 clinic/career ladder, 402-403 shared governance, 402 staffing, 401 National Nursing Research Agenda, 571 National Nursing Research Agenda, 571 National Nursing Research Scarch Polect and, 572 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202 Prioritization, 123 Will, 202 Prioritization, 123 Will, 202 Prioritization, 123 Will, 202 Prioritization, 123 Will, 203 Will, 2	National Federation of Specialty Nursing	examination questions and, 121-122	selecting of, 110b-111b
National Human Genome Research Institute (NHGRI), 550-552 National Incident Management System (NIMS), 607 NAtional Incident Management System (NINR), 507 Altional Institute of Nursing Research (NINR), 571 function of, 571 National Labor Relations Act, 392 National Labor Relations Board (NLRB), 399, 409 National League for Nursing (NLN), 191, 201-202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accrediation, 139 standards and competencies for, 151 formation and purpose of, 190 nurction of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241-242 National Library of Medicine, 241-242 National Library of Medicine, 242-240 Satisfing, 401 National Nursing Research NCLEX Rexamination budget for, 108h NCLEX Rexamination budget for, 108h NCLEX Rexamination budget for, 108h NCLEX eximantation budget for, 108h NCLEX-RN examination budget for, 108h Needlestick injury, 584b Needlestick Safety and Prevention Act, 584 Needlestick Safety and Prevention Act, 46h definition of, 448b malpractice versus, 460-461 Negligence contributory, 463-464 definition of, 448b Negligence contributory, 463-464 definition of, 448b Negligence contributory, 463-464 definition of, 448b Nerve agents, 597-599 antidote for, 597-599 antidote for, 597-599 Networking, 84, 383-384 Nerve agents, 597-599 Networking, 84,		NCLEX-RN Detailed Test Plan, 98-99,	testing strategies in, 107
National Incident Management System (NIMS), 607  National Institute of Nursing Research (NINR), 571 function of, 571  National Labor Relations Act, 392  National Labor Relations Board (NLRB), 399, 409  National League for Nursing (NLN), 191, 201–202  associate degree nursing, 151  Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190  Nurses of America and, 190  Nurses of America and, 190  Nurses of America and, 190  Subcommittee on graduate education, 140  National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202  National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202  National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401  National Nursing Research Agenda, 571  NACLEX client, 122  National Institute of Nursing Research (NINH), 571  computer literacy for, 101 diploma graduates and, 151 diploma graduates and, 150 alternate item for, 97 passing score for, 102 purpose of, 97 questions on, 102, 113–117 alternate item format, 113–114 subcommittee on graduate education, 140  National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202  National Library of Medicine, 241–242  National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401  National Organization for Associate Degree Nursing (NOADN), 194, 202  Positioning, 122 prioritization, 123  NIMINESE  Needlestick Safety and Prevention Act, 584 Needlestick Safety and Prevention Act, 584 Needlestick Safety and Prevention Act, 584 Needlestick Safety and Prevention Act, 458 Negligence contributor, 463–464 definition of, 488 Negligence contributor, 648 Neg		546, 547b	time offered for, 108-109
(NIMS), 607 National Institute of Nursing Research (NINR), 571 (NINR), 571 (NINR), 571 (Inction of, 571 National Labor Relations Act, 392 National Labor Relations Board (NLRB), 399, 409 National League for Nursing (NLN), 191, 201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241–242 National Nurses United (NNU), 398b formation of volume and purpose of, 202 insignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Organization for Associate Degree Nursing (NOADN), 194, 202  budget for, 104b composition of, 98 Needlestick injury, 584b Negligent contribute, 463–464 definition of, 448b malpractice versus, 460–461 Negligent homicide, 449–450, 477–478 Negligent hom	Institute (NHGRI), 550-552		types of
National Institute of Nursing Research (NINR), 571 (NINR), 571 (National Institutes of Health (NIH), 571 National Institutes of Health (NIH), 571 National Labor Relations Act, 392 National Labor Relations Board (NLRB), 399, 409 National League for Nursing (NLN), 191, 201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma graduran accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Institute of Health (NIH), 571 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National District of Acceptance, 402 sasignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Organization for Associate Degree Nursing (NCADN), 194, 202  National Organization for Associate Degree Nursing (NCADN), 194, 202  Omputer literacy for, 101 dentification for, 103 identification for, 103 information technology on, 546, 584 Negellestick Safety and Prevention Act, 558 Negligence contributory, 463–464 definition of, 448b malpractice versus, 460–461 Negligent homicide, 449–450, 477–478 Negligent homicide, 449–450, 477–478 Negligent homicide, 449–450, 477–478 Negotiation, 384 Negrieral versus, 460–461 Negligent contributory, 463–464 definition of, 448b malpractice versus, 460–461 Negligent homicide, 449–450, 477–478 Negotiation, 384 Negrieral versus, 460–461 Negligent contributory, 463–464 definition of, 448b malpractice versus, 460–461 Negligent homicide, 449–450, 477–478 Negotiation, 384 Negrieral versus, 460–461 Negligent homicide, 449–450, 477–478 Negotiation, 384 Neuroal partice versus, 460–461 Negligent homicide, 449–450, 477–478 Negotiation, 384 Neuroal partice versus, 460–461 Negligence contributory, 463–464 definition of, 48b malpractice versus,	National Incident Management System	NCLEX-RN examination	live (face-to-face), 106
(NINR), 571 function of, 571 function of, 571 diploma graduates and, 151 definition of, 401 sisues faced by assign score for, 102 paths leading to, 150 passing score for, 102 paths leading to, 150 pass	(NIMS), 607	e e e e e e e e e e e e e e e e e e e	
function of, 571 National Labor Relations Act, 392 National Labor Relations Act, 392 National Labor Relations Board (NLRB), 399, 409 National League for Nursing (NLN), 191, 201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Diagnet of Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 Rational Nurses United (NNU), 398b formation of, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Nursing Research Agenda, 571 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202  diploma graduates and, 151 identification for, 103 identification for, 102 maliention for, 405 definition of, 448b malpractice versus, 460–461 Negligence contributory, 463–464 definition of, 448b malpractice versus, 460–461 Negligent homicide, definition of, 448b malpractice versus, 460–461 Negligent homicide, 449–450, 477–478 Negliance icontributory, 463–464 definition of, 448b malpractice versus, 460–461 Negligence contributory, 463–464 definition of, 448b malpractice versus, 460–461 Negligence contributory, 463–464 definition of, 448b malpractice versus, 460–461 Negligent homicide, definition of, 448b malpractice versus, 460–461 Negligent homicide, 449–450, 477–478 Negligence contributory, 463–464 definition of, 448b malpractice versus, 460–461 Negligent homicide, 449–450, 477–478 Negotian palpractice versus, 460–461 Networking alpractice versus, 460–461 Networking alpractice versus, 460–461 Networking alpractice versus, 460–40 Networking alpractice versus, 460–40 Networking alpractice vers	National Institute of Nursing Research	-	• •
National Institutes of Health (NIH), 571 National Labor Relations Act, 392 National Labor Relations Board (NLRB), 399, 409 National Lague for Nursing (NLN), 191, 201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Lague for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 staffing, 401 National Library of Medicine, 241–242 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402 staffing, 401 National Organization for Associate Degree Nursing (NOADN), 194, 202  identification of, 401 clinic/career ladder, 402 clinic/car	(NINR), 571	1	•
National Labor Relations Act, 392 National Labor Relations Act, 392 National Labor Relations Board (NLRB), 399, 409 National League for Nursing (NLN), 191, 201–202 passing score for, 102 paths leading to, 150 Regitigent homicide, 449–450, 477–478 Negotiation, 384 Negotiation, 384 Nerve agents, 597–599 day of, 106 day of, 106 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Organization for Associate Degree Nursing (NOADN), 194, 202  information technology on, 546, 547b definition of, 448 definition of, 448 definition of, 448 malpractice versus, 460–461 Negligent homicide, 449–450, 477–478 Negotiation, 384 Negotiation, 384 Negotiation, 384 Negotiation, 384 Negotiation, 384 Nerve agents, 597–599 dividence, 103–104 Networking, 84, 383–384 Neuman, Betty, 176t, 180–182 Neuman Systems Model of nursing theory, 176t, 180–182 Neuman Systems Model of nursing of 176t, 180–182 Neuman Systems Model of nursing of 176t, 180–182 Neuman Systems Model of n	function of, 571		
National Labor Relations Board (NLRB), 399, 409  National League for Nursing (NLN), 191, pashs leading to, 150  National League for Nursing (NLN), 191, paths leading to, 150  Negligent homicide, 449–450, 477–478  Negotation, 384  Negotation, 384  Negotation, 384  Negotation, 384  Negotation, 384  Nerve agents, 597–599  antidote for, 597–599  standards and competencies for, 151  formation and purpose of, 190  function of, 190  Nurses of America and, 190  subcommittee on graduate education, 140  National League for Nursing Accrediting  Commission (NLNAC), 155, 162  purpose of, 202  test anxiety and, 112–113  National Library of Medicine, 241–242  National Nurses United (NNU), 398b  formation of, 401  issues faced by  assignment objection, 402  clinic/career ladder, 402–403  shared governance, 402  staffing, 401  National Nursing Research Agenda, 571  National Nursing Research Agenda, 571  National Organization for Associate  Degree Nursing (NOADN), 194, 202  National Companization for Associate  Degree Nursing (NOADN), 194, 202  National Charles and the definition of, 406  nad parloration for, 97  Negotation, 384  Networal, 597–599  antidote for, 597–599  Alegotation, 384  Networal, 383–384  Networal, 597–599  Networking, 84, 383–384  Networal, 383–384  Networal, 383–384  Networal, 383–384  Networal, 381–384  Net	National Institutes of Health (NIH), 571		
399, 409 National League for Nursing (NLN), 191, 201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241–242 National Library of Medicine, 241–242 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Nursing Research Agenda, 571 National Nursing Research Agenda, 571 National Nursing Research Agenda, 571 National Nursing (NOADN), 194, 202  parson passing score for, 102 parson for, 102 parson for, 105 Negligent homicide, 449–450, 477–478 Negotiation, 384 Negotiation, 384 Negotiation, 384 Negotiation, 384 Neprotation, 384 Netroe antidote for, 597–599 antidote for, 597–599 Netroe antidote for, 597–599 Netrove agents, 597–599 Antidote for, 597–599 Netrove agents, 597–599 Netrove agents, 597–599 Netrove agents, 597–599 Netrove agents, 597–599 Antidote for, 597–599 Netrove agents, 597	National Labor Relations Act, 392	•	•
National League for Nursing (NLN), 191, 201–202 associate degree nursing, 151 day before, 105–106 Negligent homicide, 449–450, 477–478 Negotiation, 384 Nerve agents, 597–599 Antidotal Cooperative Research Project and, 139 day of, 106 antidote for, 597–599 Metiquette, 270b–271b Standards and competencies for, 151 formation and purpose of, 190 purpose of, 97 questions on, 102, 113–117 Nurses of America and, 190 alternate item format, 113–114 purpose of, 202 purpose of, 202 test amxiety and, 112–113 purpose of, 202 National Library of Medicine, 241–242 test-taking strategies for, 107 purpose of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202 Page size of the day of, 105 purpose of, 105 propagation for, 97 Negligent homicide, 449–450, 477–478 Negotiation, 384 Necrotage, 105 Networking, 84, 383–384 Nerve agents, 597–599 antidote, 597–599 diaty of, 106 antidote for, 597–599 day of, 106 antidote for, 597–599 Netiquette, 270b–271b Networking, 84, 383–384 Neuman, Setty, 176t, 180–182 Neuman Systems Model of nursing theory, 176t, 180–182 Neuman Systems Mode	National Labor Relations Board (NLRB),		•
201–202 associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241–242 National Library of Medicine, 241–242 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202  propose of, 202 project and, 139 day before, 105–106 Nerve agents, 597–599 antidote for, 597–599 Antioval Cheve agents, 597–599 antidote for, 597–599 Netiquette, 270b–271b Networking, 84, 383–384 Neuman, Betty, 176t, 180–182 Neuman, Jetu, 190 Networking, 40, 30, 40, 40	399, 409	- •	-
associate degree nursing, 151 Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241–242 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Organization for Associate Degree Nursing (NOADN), 194, 202  alay of, 106 antidote for, 597–599 Alay of, 106 Alay of, 106 antidote for, 597–599 Alay of, 106 Alay of, 106 antidote for, 597–599 Altiquette, 270b–271b Networking, 84, 383–384 Neuman, Betty, 176t, 180–182 Neuman, Setter, 196 Neuman, Betty, 176t, 180–182 Neuman, Setter, 196 Neuman, Setter, 180–182 Neuman, Setter, 180–182 Neuman, Seter, 180–182 Neuman, Setter, 180–182 Neuman, Setter, 180–182 Neuman, Setter, 180–182 Neuman, Setter, 196 Neuman, 180–182 Neuman, Setter, 196 Neum	National League for Nursing (NLN), 191,		
Cooperative Research Project and, 139 diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Nurses of Medicine, 241–242 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202  devastions on, 102, 113–117 two months before, 105 Netiquette, 270b–271b Netiquette, 270b–271b Netiquette, 270b–271b Nettiquette, 270b–271b Nettiquette, 270b–271b Nettworking, 84, 383–384 Networking, 84, 383–384 Neuman, Betty, 776t, 180–182 Neuman Systems Model of nursing theory, 176t, 180–			
diploma program accreditation, 139 standards and competencies for, 151 formation and purpose of, 190 function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402-403 shared governance, 402 staffing, 401 National Nursing Research Agenda, 571 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202  staffing Agena Cardelitation, 123  six months before, 103-104 two months before, 105 Networking, 84, 383-384 Netuman, Betty, 176t, 180-182 Neuman, Betty, 176t, 180-182 Neuman Systems Model of nursing theory, 176t, 180-182 Neuman Systems Model of nu	associate degree nursing, 151	•	
standards and competencies for, 151 formation and purpose of, 190 function of, 190 nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241–242 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Organization for Associate Degree Nursing (NOADN), 194, 202  westions on, 102, 113–117 nequestions on, 102, 113–117 nequestions on, 102, 113–117 nequestions on, 102, 113–117 nequestions on, 102, 113–114 neutral, 113–114 neutral, 113–114 neutral, 113–114 neuman Systems Model of nursing theory, 176t, 180–182 Neuman, Set model of nursing theory, 176t, 180–182 Neuman Systems Model of nursing theory, 176t, 180 Neuman Systems Model of nursing theory, 176t, 180–182 Neuman Systems Model of nursing theory, 176t, 180–182 Neuman Systems Model of nursing theory, 176t, 180 Neuman Systems Model of n	Cooperative Research Project and, 139	•	
formation and purpose of, 190 purpose of, 97 questions on, 102, 113–117 Neuman, Betty, 176t, 180–182  function of, 190 questions on, 102, 113–117 Neuman Systems Model of nursing theory, 140 purpose of, 97 questions on, 102, 113–117 Neuman Systems Model of nursing theory, 140 purpose of, 451 purpose of, 451 purpose of, 451 purpose of, 202 purpose of, 202 purpose of, 202 test anxiety and, 112–113 purpose of, 202 purpose of, 202 purpose of, 201 purpose of, 401 purpose of, 401 purpose of, 401 purpose of, 402 purpose of, 402 purpose of, 402 purpose of, 401 purpose of, 401 purpose of, 401 purpose of, 402 purpose of, 402 purpose of, 401 purpose of, 401 purpose of, 401 purpose of, 401 purpose of, 402 purpose of, 402 purpose of, 402 purpose of, 402 purpose of, 401 purpose of, 401 purpose of, 401 purpose of, 401 purpose of, 402			* .
function of, 190 Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241–242 National Library of Medicine, 241–242 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Organization for Associate Degree Nursing (NOADN), 194, 202  questions on, 102, 113–117 Altional Nurses on, 102, 113–117 nultiple-choice, 113f, 120–121 nultiple-choice, 13f, 120–121 nultiple-choice, 13f, 120–121 nultiple-choice, 13f, 1			•
Nurses of America and, 190 subcommittee on graduate education, 140 National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 National Library of Medicine, 241–242 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Organization for Associate Degree Nursing (NOADN), 194, 202  alternate item format, 113–114 nultiple-choice, 113f, 120–121 nultiple-choice, 113f, 120–121 nultiple-choice, 113f, 120–121 nultiple-choice, 113f, 120–121 Newman, Margaret, 176t Newspaper, for employer research, 76 NHGRI. See National Human Genome Research Institute (NHGRI) NIDSEC. See Nursing Information and Data Set Evaluation Center (NIDSEC) Nightingale, Florence, 130–133, 131f, 189 calling for assistance, 122 calling of, 174 conceptual model/theory of nursing, 175f, 176t as Lady with the Lamp, 138 mysticism and, 131b National Organization for Associate positioning, 122 Nightingale Pledge, 132–133, 133b NIH. See National Institutes of Health (NIH)			•
subcommittee on graduate education, 140  National League for Nursing Accrediting Commission (NLNAC), 155, 162  purpose of, 202  National Library of Medicine, 241–242  National Nurses United (NNU), 398b  formation of, 401  issues faced by  assignment objection, 402  clinic/career ladder, 402–403  shared governance, 402  staffing, 401  National Nursing Research Agenda, 571  National Organization for Associate  Degree Nursing (NOADN), 194, 202  multiple-choice, 113f, 120–121  Newman, Margaret, 176t  Newspaper, for employer research, 76  NHGRI. See National Human Genome  Research Institute (NHGRI)  NIDSEC. See Nursing Information and  NIDSEC. See Nursing Information and  Nild Research Institute (NHGRI)  NIDSEC. See Nursing Information and  Nild Research Institute (NHGRI)  NIDSEC. See Nursing Information and  National 12–113  Nightingale, Florence, 130–133, 131f,  189  calling for assistance, 122  calling of, 174  conceptual model/theory of nursing,  175f, 176t  as Lady with the Lamp, 138  mysticism and, 131b  NIDSEC. See Nursing Information and  National Nursing Research Agenda, 571  NCLEX hospital, 121–122  Nightingale Pledge, 132–133, 133b  NIH. See National Institutes of Health  Degree Nursing (NOADN), 194, 202  Newman, Margaret, 176t  NHGRI. See National Human Genome  Research Institute (NHGRI)  NIDSEC. See Nursing Information and  NIDSEC. See Nursing I		•	
140 requirements for, 451 Newspaper, for employer research, 76 National League for Nursing Accrediting Commission (NLNAC), 155, 162 scheduling of, 100–101, 100b Research Institute (NHGRI) purpose of, 202 test anxiety and, 112–113 NIDSEC. See Nursing Information and National Library of Medicine, 241–242 test-taking strategies for, 117–120 Data Set Evaluation Center (NIDSEC) National Nurses United (NNU), 398b testing centers for, 100 Nightingale, Florence, 130–133, 131f, formation of, 401 testing tips for calling for assistance, 122 calling of, 174 assignment objection, 402 delegation and, 122 conceptual model/theory of nursing, clinic/career ladder, 402–403 doctor's orders, 123 175f, 176t shared governance, 402 medical administration, 122 as Lady with the Lamp, 138 staffing, 401 NCLEX client, 122 mysticism and, 131b National Nursing Research Agenda, 571 NCLEX hospital, 121–122 Nightingale Pledge, 132–133, 133b National Organization for Associate positioning, 122 NIH. See National Institutes of Health Degree Nursing (NOADN), 194, 202 Prioritization, 123 (NIH)	· · ·		
National League for Nursing Accrediting Commission (NLNAC), 155, 162 purpose of, 202 Ntional Library of Medicine, 241–242 National Library of Medicine, 241–242 National Nurses United (NNU), 398b formation of, 401 issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202  NHGRI. See National Human Genome Research Institute (NHGRI) NIDSEC. See Nursing Information and NIDSEC. See Nursing Research Agenda, 112–1120 Data Set Evaluation Center (NIDSEC) Nightingale, Florence, 130–133, 131f, 189 calling of, 174 conceptual model/theory of nursing, 175f, 176t as Lady with the Lamp, 138 mysticism and, 131b NIDSEC. See Nursing Information and NIDSEC. See Nursing Inform	•	· .	
Commission (NLNAC), 155, 162 scheduling of, 100–101, 100b Research Institute (NHGRI) purpose of, 202 test anxiety and, 112–113 NIDSEC. See Nursing Information and National Library of Medicine, 241–242 test-taking strategies for, 117–120 Data Set Evaluation Center (NIDSEC) National Nurses United (NNU), 398b testing centers for, 100 Nightingale, Florence, 130–133, 131f, formation of, 401 testing tips for calling for assistance, 122 calling of, 174 conceptual model/theory of nursing, clinic/career ladder, 402–403 doctor's orders, 123 175f, 176t as Lady with the Lamp, 138 shared governance, 402 medical administration, 122 as Lady with the Lamp, 138 noclear distribution of Associate positioning, 122 Nightingale Pledge, 132–133, 133b National Organization for Associate positioning, 122 NIH. See National Institutes of Health Degree Nursing (NOADN), 194, 202		-	
purpose of, 202 test anxiety and, 112–113 NIDSEC. See Nursing Information and National Library of Medicine, 241–242 test-taking strategies for, 117–120 Data Set Evaluation Center (NIDSEC) National Nurses United (NNU), 398b testing centers for, 100 Nightingale, Florence, 130–133, 131f, formation of, 401 testing tips for 189 calling for assistance, 122 calling of, 174 conceptual model/theory of nursing, clinic/career ladder, 402–403 doctor's orders, 123 175f, 176t as Lady with the Lamp, 138 shared governance, 402 medical administration, 122 as Lady with the Lamp, 138 noclear staffing, 401 NCLEX client, 122 mysticism and, 131b National Nursing Research Agenda, 571 NCLEX hospital, 121–122 Nightingale Pledge, 132–133, 133b National Organization for Associate positioning, 122 NIH. See National Institutes of Health Degree Nursing (NOADN), 194, 202 Prioritization, 123 (NIH)	0 0	*	
National Library of Medicine, 241–242  National Library of Medicine, 241–242  National Nurses United (NNU), 398b  formation of, 401  issues faced by  assignment objection, 402  clinic/career ladder, 402–403  shared governance, 402  staffing, 401  National Nursing Research Agenda, 571  National Organization for Associate  Degree Nursing (NOADN), 194, 202  test-taking strategies for, 117–120  Nightingale, Florence, 130–133, 131f, 189  calling for assistance, 122  calling of, 174  conceptual model/theory of nursing, 175f, 176t  as Lady with the Lamp, 138  mysticism and, 131b  Nightingale Pledge, 132–133, 133b			
National Nurses United (NNU), 398b testing centers for, 100 Nightingale, Florence, 130–133, 131f, formation of, 401 testing tips for 189 calling for assistance, 122 calling of, 174 conceptual model/theory of nursing, clinic/career ladder, 402–403 doctor's orders, 123 175f, 176t shared governance, 402 medical administration, 122 as Lady with the Lamp, 138 staffing, 401 NCLEX client, 122 mysticism and, 131b National Nursing Research Agenda, 571 NCLEX hospital, 121–122 Nightingale Pledge, 132–133, 133b National Organization for Associate positioning, 122 NIH. See National Institutes of Health Degree Nursing (NOADN), 194, 202 prioritization, 123 (NIH)		•	· ·
formation of, 401 testing tips for calling for assistance, 122 calling of, 174 assignment objection, 402 delegation and, 122 conceptual model/theory of nursing, clinic/career ladder, 402–403 doctor's orders, 123 175f, 176t shared governance, 402 medical administration, 122 as Lady with the Lamp, 138 staffing, 401 NCLEX client, 122 mysticism and, 131b National Nursing Research Agenda, 571 NCLEX hospital, 121–122 Nightingale Pledge, 132–133, 133b National Organization for Associate positioning, 122 NIH. See National Institutes of Health Degree Nursing (NOADN), 194, 202 prioritization, 123 (NIH)			
issues faced by assignment objection, 402 clinic/career ladder, 402–403 shared governance, 402 staffing, 401 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202  staffing (assistance, 122 calling of, 174 conceptual model/theory of nursing, 175f, 176t as Lady with the Lamp, 138 medical administration, 122 mysticism and, 131b NIH. See National Pledge, 132–133, 133b NIH. See National Institutes of Health prioritization, 123 (NIH)			
assignment objection, 402 delegation and, 122 conceptual model/theory of nursing, clinic/career ladder, 402–403 doctor's orders, 123 175f, 176t as Lady with the Lamp, 138 shared governance, 402 medical administration, 122 as Lady with the Lamp, 138 NCLEX client, 122 mysticism and, 131b National Nursing Research Agenda, 571 NCLEX hospital, 121–122 Nightingale Pledge, 132–133, 133b National Organization for Associate positioning, 122 NIH. See National Institutes of Health Degree Nursing (NOADN), 194, 202 prioritization, 123 (NIH)		6 1	
clinic/career ladder, 402–403 doctor's orders, 123 175f, 176t shared governance, 402 medical administration, 122 as Lady with the Lamp, 138 staffing, 401 NCLEX client, 122 mysticism and, 131b National Nursing Research Agenda, 571 NCLEX hospital, 121–122 Nightingale Pledge, 132–133, 133b National Organization for Associate positioning, 122 NIH. See National Institutes of Health Degree Nursing (NOADN), 194, 202 prioritization, 123 (NIH)	•		· ·
shared governance, 402 medical administration, 122 as Lady with the Lamp, 138 staffing, 401 NCLEX client, 122 mysticism and, 131b  National Nursing Research Agenda, 571 NCLEX hospital, 121–122 Nightingale Pledge, 132–133, 133b  National Organization for Associate positioning, 122 NIH. See National Institutes of Health Degree Nursing (NOADN), 194, 202 prioritization, 123 (NIH)			7
staffing, 401 National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202 NCLEX client, 122 NCLEX hospital, 121–122 Nightingale Pledge, 132–133, 133b NIH. See National Institutes of Health (NIH) NIH. See National Institutes of Health			
National Nursing Research Agenda, 571 National Organization for Associate Degree Nursing (NOADN), 194, 202 NCLEX hospital, 121–122 Nightingale Pledge, 132–133, 133b NIH. See National Institutes of Health (NIH)			
National Organization for Associate positioning, 122 NIH. See National Institutes of Health Degree Nursing (NOADN), 194, 202 prioritization, 123 (NIH)			•
Degree Nursing (NOADN), 194, 202 prioritization, 123 (NIH)		•	
Degree runsing (rotter), 194, 202			
		1	• •

time/date change, 103

(NPSF), 515

System (NIMS)

NINR. See National Institute of Nursing Research (NINR)	Nurse (Continued) competence framework for, 391	Nurse licensure compact (NLC), 97–98 multistate licensure privilege, 391–392
NLN. See National League for Nursing (NLN)	multistate licensure privilege, 391–392	state enacting, 391, 392b requirements for, 390–392
No-strike policy, of ANA, 408–409	nurse licensure compacts (NLC),	Nurse-midwife
NOADN. See National Organization for	391	nurse anesthetist, 159t
Associate Degree Nursing (NOADN)	uniform core licensure	population of, 157
Nomenclature, 538–539	requirements, 390–392	Nurse navigator program, 330
of classification systems, 538–539	lobbying by	Nurse-patient ratio, 483
Nonmaleficence, 422	communicating with a senator/	Nurse practice act, 97, 456
Nonproductive time, 367	representative, 387	state regulations for, 451
Nontraditional collective bargaining	to educate, 387	as statutory law, 447–448
American Nurses Association (ANA)	versus LPNs, 310	violations of, 477–478
and, 400	management and leadership in,	Nurse practice committee, 212, 412
debate over, 412–414	206–236	Nurse practitioner (NP)
definition of, 398b	Medical Reserve Corps and, 610–611	nurse anesthetist, 159t
Nontraditional nursing pathways	nursing organizations, joining, 405	population of, 157
doctoral degree, 156	pandemic influenza planning by, 602	Nurse residency program, 49–65, 55b
master's degree, 156	personal notes, 465	Nurse-sensitive adverse event, cost of,
Nonverbal communication	practice, control of, 411	371b
effective use of, 267–268	professional duty of, 455–456	Nurse technician, 139
	- •	
types of, 267	prospective payment system and, 372	Nurse-to-patient ratio, 349 Nurses for a Healthier Tomorrow,
Norming, 271		190–191
Note taking, 267	in public health	
Novice, as nurse, 12	emergency, 611	Nurseing 311
NSNA. See National Student Nurse's	preparedness and, 597, 608–611	Nursing, 311
Association (NSNA)	prevention, 604	abortion and, 432–434
Nun, 128	receiving feedback by, 321	advanced degrees in, 75
Nuremberg Code, 431, 443b	retention of, 334–335, 351b	CAM and, 495–496
Nurse	magnet hospitals, 335–336	charges for care by, 365b, 367–368
American Nurses Association (ANA)	rights as, 280	and collective bargaining, 392–393
and, 312–314	risk management action by, 479	collective bargaining and, 400–403,
assertiveness in, 279–280	role of, 140–145, 141t	404b
burnout of, 37–38, 38b	as advocate, 142–143	evolution of, 399–400
chemical agents/weapon and, 597	as caregiver, 140–141	issues leading to, 398–399
code of ethics for, 196b, 428	as colleague, 144	during colonial times, 134
critics of, 428	as expert, 145	cultural diversity in, 492
conflict and, 288	as manager, 143–144	disaster, 604
criminal action against	as teacher, 141, 142f	dissatisfaction in, 413–414
theft misappropriation of property,	safe staffing and, 393–394	ethical issues confronting, 432–442
477	salary discrimination and, 393	functional, 342, 342f
cultural diversity, advocate for, 491	scheduling, 348b	hazing activity in, 581
definition of, 127	self-care for, 42–43	history of, 127–133
delegation and, 305b, 311, 312b, 319	shortage of, 334–336, 584–589	image of, 188–205, 190b
disciplinary action against, 453	staffing, minimum requirements for,	as negative, 191
effects of cost containment to, 416	348	perception of, 188
emergency department (ED), 599	statutory law, 447–448	as professionals, 189–198, 189b
triage and, 606	supervision confusion with, 305–306,	promoting positive, 15–16, 191
fraud and abuse claims of, 482	316	implications for, practice, 313b–314b
functional, 342, 342f	team, working as, 275–277, 276f,	knighthood and, 128–129
hospitals attracting, 585	312–314	legal issues affecting, 482–484
ICN code for, 429b	work assignments for, 348–350	malpractice, 454–472
image of, 198b	Nurse anesthetist	mandatory overtime in, 584–585,
as impaired, 452–453	education/role of, 159t	588–589
legal protection for, 406	population of, 157	legislation against, 588
licensure of	Nurse Doctorate (ND), 160	modern-day, dimensions of, 189

Nursing (Continued)	Nursing education (Continued)	Nursing organization (Continued)
overtime and, 350–352	diploma nursing, 139	National Student Nurse's
physician-assisted suicide (PAS) and, 437	graduate nursing, 140	Association (NSNA), 191, 202
politics and, 376–377	master's degree for, 157–158	Nursing personnel, effective
skills important to, 380–381, 391f	nontraditional pathways for	communication with, 258–259
primary, 343–344, 344f	doctoral degree, 156	Nursing practice
as profession, 194–198	master's degree, 156	change, unwillingness to, 515
conflict with, 404	online (web-based) program for, 155	classification systems for, 538
debates about, 412	pathways leading to, 150	
		errors in, 589b, 591–592, 593b
occupation versus, 403–404	pioneer of, 189	floating and, 589–591
quality of, 378, 378b	proprietary nursing school, 155	reporting, 591
revolts and, 129–130	RN distribution according to, 150,	implications for, 173b, 293b
scheduling patterns in, 350	151f	legal control over, 451
social media and social networking	student profile, changing, 163, 165f	nursing research, incorporating,
on, 442	Nursing Ethics (1900), 192	559–560, 568–569
spirituality and, 493	Nursing faculty, shortage of, 165–166	research article, analyzing, 562b
symbols of, 138	Nursing Implementation Project, National	research questions in, 566, 566f, 567t
as a team, 343, 343f	Commission on, 190	theory guiding, 172–173, 172f
during twentieth century	Nursing informatics, 531–558, 533f,	Nursing Practice Information
challenges and opportunities in, 135	543b. See also Informatics nurse (IN);	Infrastructure, Committee for, 539
timeline of event, 136t	Informatics nurse specialist (INS)	Nursing process, 224t
uniform core licensure requirements,	definition of, 533–534	change process versus, 230t
390–392	education/experience for, 534	problem solving versus, 224t
unionization of, 404	roles in, 532	research utilization versus, 565t
membership requirements for, 409	Nursing Information and Data Set	steps for, 182
during U.S. Civil War, 134	Evaluation Center (NIDSEC), 538	Nursing research, motivators and barriers,
during Victorian era	Nursing licensure	568–569, 568b
nurses versus wives during, 134-135	definition of, 161	Nursing research utilization, 559-564
reformers of, 135	on resume, 81	assessing step of, 560-562, 561f
violence in, 579-583	Nursing management. See Management	evaluating step of, 564
work assignments, 348-350	Nursing organization, 198-203, 200b. See	evidence-based practice versus,
Nursing Agenda for Health Care Reform,	also Professional organization	569
195	beginning of, 407	implementing step of, 564
Nursing assistive personnel, delegation	benefits of, 199b	nursing process, conducting research
to, 306f	as collective bargaining agents, 404	versus, 565–566, 565t
Nursing care delivery	importance of, 378	nursing theory versus, 566-567
effects of, 341–352	nurses joining, 405–406	planning step of, 562–564
evolving, 341f	role of, 199f	preutilization step of, 560
patient-focused care and, 344–345	types of, 200–203	consensus building phase of, 560
Nursing care model	American Association of Colleges of	exploratory phase of, 560
elements, 346	Nursing (AACN), 203	practice problem phase of, 560
most effective, 345-346, 345b	American Board of Nursing	steps for, 560–564
types of, 347t	Specialties (ABNS), 203	Nursing rounds, three P's of, 251f
Nursing collective, 377	American Nurse's Association	Nursing shortage, 69
Nursing education. See also Education	(ANA), 191, 200-201	Nursing skills, 14
accelerated program for, 155–156	American Nurses Foundation/	Nursing theorist, 176t
advancing of, 195	American Academy of Nursing,	Nursing theory, 185b
BSN/MSN completion program,	201	applications of, 172
154–156	American Red Cross, 203	definition of, 171–172
career ladder/bridge program, 153	International Council of Nurses	description and theorist for, 176t
external degree programs, 155	(ICN), 201	evidence-based practice, 173b
future trends in, 163–166	National League for Nursing (NLN),	by Florence Nightingale, 175f
graduate school for, 156–157	191, 201–202	future of, 185, 186b
history of, 139–140	National Organization for Associate	history of, 173–175
associate degree nursing, 139	Degree Nursing (NOADN), 194,	nursing research utilization <i>versus</i> ,
baccalaureate nursing, 140	202	566–567
Successful ful strig, 140	202	300 307

Palmer, Sophia, 142

NURSYS, 453	Pandemic, 602	Peck, M. Scott, 44
Nutrition, guidelines for withholding, 435	Paperwork, time management for, 29	Peer mentoring, 63b
	Paperwork and/electronic requests,	Peer mentoring program, 63
0	managing of, 29	Peer review, 478
Obamacare, 138-139	Parental care, conflict with, 288	Joint Commission, The (TJC) and, 478
Occupation	Pareto principle, 506	Pension program, 409-410
profession versus, 403-404	definition of, 511b	Peplau, Hildegard, 176t, 197
security in, 407–408	performance improvement and, 514	Perfection, myth of, 33
Occupational Safety and Health	Pareto's 80/20 Rule, 35-36	Performance improvement (PI)
Administration (OSHA), 584	Parish nursing, Granger Westberg model	definition of, 511b, 514
Omnibus Budget Reconciliation Act, 571	for, 143	Pareto principle and, 514
One-time-only written order, 242t	Parse, Rosemarie Rizzo, 176t	Performance weakness, 315-316
Online nursing program, 155	Participative decision-making, 402	delegation and, 316
Online search, for employer research, 76	Partnership	educational need and, 315
Openness phase, of change process, 233t	mentoring as, 55	employee expectations and, 315
Operating budget, 365–366	preceptorship as, 53	sources of, 315b
line items/variable costs in, 366	Passive/avoidant behavior, 278	Performing phase, of group, 271
Operational definitions	Passive euthanasia, 434	Periodic inspection, 305-306, 316
definition of, 511b	Paternalism, 428	Personal accountability, 307
for key performance indicator (KPI),	Paterson, Josephine, 176t	Personal contact, for employment, 78
523	Patient	Personal health record (PHR), 543
Opinion giver, 278b	Bill of Rights for, 428	Personal liability, 461
Opinion seeker, 278b	decision-making guidelines for, 426	Personal notes, 465, 465f
Opportunity, 66–95	fiscal responsibility to, 367–370	Personal protective equipment (PPE)
Order of Virgins, 128	interaction with, 191	in disaster response, 602-604, 605f
Oregon plan, 359-360	Patient-care assignments, 13	levels of, 603-604
Orem, Dorothea, 175-177, 176t,	Patient Care Partnership, 428, 430b	Personality conflict, 287
177f-178f	Patient-Centered Approach of nursing	Personnel budget, calculations for
Organization nurse, 9	theory, 176t	full-time equivalent (FTE), 367
Organizations. See Nursing organization;	Patient encounter screen, 542f	hours per patient day (HPPD), 367
Professional organization	Patient-focused care, 344-345	nonproductive time, 367
Organizing	Patient information screen, 541f	nursing care charges in, 365b, 367-368
before change-of-shift report, 249	Patient safety	productive time, 367
management and, 209	communication and, 238-243	Pest houses, 129
prioritizing care and, 249-250	verbal, 239-240	Pew Internet and American Life Project
work by patient, 250	written, 240-243	(Pew), 540b, 547
Organophosphate esters, 597-599	Five Million Lives Campaign, 339	Phosgene exposure, 599
CHEMPACK and, 610	health care quality and, 337-341	PHR. See Personal health record (PHR)
Orientor, 278b	Institute of Medicine report on, 337,	Physical environment, 27-29, 28f
Orlando, Ida Jean, 176t	337b	Physical response, to traumatic event, 613t
OSHA (Occupational Safety and Health	by The Joint Commission (TJC), 338	Physician, communication and, 247b
Administration ), 584	language services and, 240, 240b	Physician-assisted suicide (PAS), 435-438
Outcome	as professional duty, 468	futile care and, 435-438
definition of, 511b	Transforming Care at the Bedside	legislation barring, 436-437
delegation and, 316-319, 317b, 317t	(TCAB), 340	nursing and, 437
Outcome measures, for hospitals, 506-507	Patient safety goals	Physician liability, 461–462
Overfunctioner, 298b	definition of, 511b	Physician-patient privilege law, 473
Overtime, use of, 350-352, 351b	Joint Commission, The (TJC), 508	PICOT format, 566, 566f
	Patient Safety Program, Department of	Pin, 138
P	Defense, 238	Plague, as bioterrorism agent, 598t
Pacific Islander patient, cultural/spiritual	Patient Self-Determination Act, 476	Plaintiff
beliefs of, 494b-495b	Pattern Manifestation Knowing-	in civil action, 450
Pakistani patient, cultural/spiritual beliefs	Assessment, 177–179	definition of, 448b
of, 494b-495b	Pay equity, 393	Plan-do-study-act cycle (PDSA), 506
Palliative care, 435	Pay for performance (P4P), 333	definition of, 511b
Palmer, Sophia, 142	Pearson VUE, 99	DMAIC and, 519

Pl. I (PPG)	D (G ) 1	D 1
Plan-do-study-act cycle (PDSA)	Power (Continued)	Pressure ulcer, prevention of, 371b
(Continued)	information, 223	Preventing Medication Errors, 543–545
DMAIC and RCC, 522f	leadership, 223	Primary Care Team model, 347t
rapid cycle changes (RCC) within, 525t	legitimate, 222	Primary nursing, 343–344, 344f
Planning	referent, 223	Prioritization
delegation and, 306f	reward, 222	ABCD system for, 35–36, 35b
management and, 208–209	Power of attorney for health care, durable	NCLEX-RN examination questions
Plato, 432	definition, 420b	and, 123
Point-of-care documentation, 548	efficacy of, 476	Privacy
patient information, 544f Political action committee (PAC)	living will and, 435	HIPAA and, 473 invasion of, 447, 473–474
in American Nurses Association	Powerful <i>versus</i> powerless, 39b	
(ANA), 386–387	PPE. See Personal protective equipment	Private duty model, 341–342
effect on nursing, 387b	(PPE) Practice context	quality of care in, 341–342 Privilege
endorsement handbook, 386, 387b	definition of, 567–571	breach of, 473–474
importance of, 387–389		as defamation defense, 473
Political activities, nurse involvement in,	health care delivery setting characteristics and, 568	PRN written order, 242t
192, 195–196	patient population served,	Pro-choice, pro-life <i>versus</i> , 432
Politics	characteristics of, 568	Proactive language, 47b
coalition and, 384–389	Practice doctorate, 160	Problem-solving, 224t
definition of, 378–381	Practice doctorate in nursing (DNP), 160	brainstorming and, 224
election participation, 385–386	Practice model, 483	decision-making versus, 226–228, 227t
nursing and, 376–377, 389b	Practice outcome, 562–564	in management, 224–228
skills important to, 380–381, 391f	Practice problem, nursing research	nursing process versus, 224t
uniform core licensure	utilization and, 560	Problem statement, for DMAIC method,
requirements, 390–392	identification/evaluation of, 560–561	522
Safe Staffing Saves Lives campaign, 393	Practice theories, 171–172, 171b	Process flow chart, 523f–524f
Pollution control, disaster and, 616	Pralidoxime, as nerve agent antidote,	Procrastination
Population, aging, 166	597–599	consequences of, 31–32
Positioning, NCLEX-RN examination	Prayer, 44	effective, 33
questions and, 122	Precedent, 449	management of, 31
Postinterview process, 91–92	Preceptor	rewards and, 33
follow-up communication, 92–93	definition of, 50–51	Productive time, 367
Pot-shot artist, 294	mentor versus, 51f	Profession, 192–194
Power, 38–39, 222, 222b–223b	Preceptorship, 49–65	characteristics of, 193b
authority <i>versus</i> , 222	definition of, 51–52	dimensions of, 193–194
detracting from, 223	establishment of, 52	code of ethics, 196, 196b
empowerment and, 223	as partnership, 53	common identity/distinctive
five laws of	Preexisting condition, 361	subculture, 197–198, 198b
filling vacuum, 381	Preferred provider organization (PPO),	lifelong work commitment, 196
institutions, exercised through/	329	members controlling, 196–197
depending on, 382	Prepaid health care, utilization review	self motivation, elements of,
as personal, 382	(UR) and, 483	195–196
responsibility, 382	Preparedness	social values, 194-195
system of ideas/philosophy, 382	clinical, 597–604	theoretical framework for, 197
interpersonal skills and, 223	biological agents and, 597	training/education, 195
leaders and managers understanding, 223	chemical agents and, 597–599	of medical professional, 455
sources of, 382–383	individual/family, 613–614	nursing as, 194–198
coercive, 383	kit, 615b, 616f	occupation versus, 403–404
expert (or informational), 383	public health, 597, 607–611	security in, 407–408
legitimate, 383	clinical aspects of, 597	Professional
referent (or mentor), 383	epidemiological aspects of, 608–609,	definition of, 192
reward, 383	609b	image of, 198b
types of	Prescription drug	process of becoming, 191
coercive, 222	prescriptive authority and, 362	Professional Advancement Model of
expert, 222–223	rise in, trends affecting, 357–358	nursing theory, 176t
1 '	,	<i>p</i>

Professional duty breach of, 458 injury from, 458–459 patient safety as, 468	Quality improvement (QI) (Continued) define-measure-analyze-improve- control (DMAIC) for, 506–507 definition of, 510	Recovery phase mentoring relationship and, 62 of reality shock, 6t, 8b Recovery stage, in disaster, 604
Professional organization, 198–200. See also Nursing organization benefits of, 199b graduate involvement with, 8 professional standards for, 457	Edward Deming and, 506 focus of, 506 methods of, 516–517 monitoring, 511 plan-do-study-act-cycle (PDSA), 506	Recruitment materials, of organization, 79 Red Cross, 130, 203 Red hat, 274b Reemergence phase, of change process, 233t
on resume, 81 role of, 199f	provider credentialing for, 527–528 rapid cycle changes (RCC) for, 506–507	References, on resume, 82 Referent power, 223, 383
Profit (or margin), 364	and risk management, 478–481	Reflection, 44–45
Property, misappropriation of, 477	Quality indicator	Reformer, of Victorian era, 135
Proprietary nursing school, 155	definition of, 511b	Refreezing phase, of change process,
Prosecuting attorney, 449–450	purpose of, 511–512	230–231
Prospective payment system,	as risk management problem, 512	Registered nurse (RN)
328-329	Quality management	collective bargaining and, 399-400
nurses understanding, 372	Joseph Juran and, 506	distribution according to education,
Protestant Reformation, 129	Philip Crosby and, 506	150, 151f
Provider barrier, to cultural competence,	Quality of care	legal protection of, 406
490-491	conflict in, 288	National Sample Survey of, 157, 158f
Public health	enhancing of, 540b	nontraditional pathways for
preparedness of, 597, 607-611	Quantitative research design, 567t	doctoral degree, 156
clinical aspects of, 597	Questionnaire, conflict, 291b	master's degree, 156
epidemiological aspects of, 608-609,	Quickening, 432	shortage of, 164-165
609b		Registration, 161
threats to, 596-597	R	Rejection letter, 92
Public health nurse	Radioactive agents, 599-602	Rejection phase, mentoring relationship
an advanata 142	Radiological agents. See Radioactive	and, 61
as advocate, 143	Radiological agents. See Radioactive	and, or
as advocate, 145 as colleague, 144–145	agents	Relationship-based practice, 344
	agents Radiological dispersal device (RDD), 599	
as colleague, 144–145 Public health prevention primary, 604	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129
as colleague, 144–145 Public health prevention	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362	Relationship-based practice, 344 Relaxation, 42–43
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. <i>See also</i> Elected official addressing, 390b	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. <i>See also</i> Elected official addressing, 390b letter to, example of, 389b	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization,
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. <i>See also</i> Elected official addressing, 390b letter to, example of, 389b Public speaking, 264	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. <i>See also</i> Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460 Pursuer, 298b	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345 Reactive language, 47b	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t theory guiding, 172–173, 172f
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460 Pursuer, 298b "Put on play" malpractice defense, 464	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t theory guiding, 172–173, 172f Research article analyzing, 562b
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460 Pursuer, 298b "Put on play" malpractice defense, 464	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345 Reactive language, 47b Readiness phase, of change process, 233t	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t theory guiding, 172–173, 172f Research article analyzing, 562b reading, 563b
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460 Pursuer, 298b "Put on play" malpractice defense, 464  Q Qualitative research design, 567t Quality and Safety Education for Nurses	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345 Reactive language, 47b Readiness phase, of change process, 233t Reality shock, 6–10 definition of, 6 humor in, 8	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t theory guiding, 172–173, 172f Research article analyzing, 562b reading, 563b search for, 561–562
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460 Pursuer, 298b "Put on play" malpractice defense, 464  Q Qualitative research design, 567t Quality and Safety Education for Nurses (QSEN), 515	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345 Reactive language, 47b Readiness phase, of change process, 233t Reality shock, 6–10 definition of, 6 humor in, 8 inventory, 10b	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t theory guiding, 172–173, 172f Research article analyzing, 562b reading, 563b search for, 561–562 Research utilization, 564, 565t, 566b. See
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460 Pursuer, 298b "Put on play" malpractice defense, 464  Q Qualitative research design, 567t Quality and Safety Education for Nurses (QSEN), 515 Quality assurance (QA), 478	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345 Reactive language, 47b Readiness phase, of change process, 233t Reality shock, 6–10 definition of, 6 humor in, 8 inventory, 10b mentoring through, 60–62	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t theory guiding, 172–173, 172f Research article analyzing, 562b reading, 563b search for, 561–562 Research utilization, 564, 565t, 566b. See also Nursing research utilization
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460 Pursuer, 298b "Put on play" malpractice defense, 464  Q Qualitative research design, 567t Quality and Safety Education for Nurses (QSEN), 515 Quality assurance (QA), 478 definition of, 511b	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345 Reactive language, 47b Readiness phase, of change process, 233t Reality shock, 6–10 definition of, 6 humor in, 8 inventory, 10b mentoring through, 60–62 phases of, 6–10, 6t	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t theory guiding, 172–173, 172f Research article analyzing, 562b reading, 563b search for, 561–562 Research utilization, 564, 565t, 566b. See also Nursing research utilization Resentment, 297, 297b
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460 Pursuer, 298b "Put on play" malpractice defense, 464  Q Qualitative research design, 567t Quality and Safety Education for Nurses (QSEN), 515 Quality assurance (QA), 478 definition of, 511b risk management and, 479	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345 Reactive language, 47b Readiness phase, of change process, 233t Reality shock, 6–10 definition of, 6 humor in, 8 inventory, 10b mentoring through, 60–62 phases of, 6–10, 6t symptoms of, 9–10	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t theory guiding, 172–173, 172f Research article analyzing, 562b reading, 563b search for, 561–562 Research utilization, 564, 565t, 566b. See also Nursing research utilization Resentment, 297, 297b Resignation letter, 94f
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460 Pursuer, 298b "Put on play" malpractice defense, 464  Q Qualitative research design, 567t Quality and Safety Education for Nurses (QSEN), 515 Quality assurance (QA), 478 definition of, 511b risk management and, 479 Quality circle (QC), 511	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345 Reactive language, 47b Readiness phase, of change process, 233t Reality shock, 6–10 definition of, 6 humor in, 8 inventory, 10b mentoring through, 60–62 phases of, 6–10, 6t symptoms of, 9–10 Reasonable care, 448b	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t theory guiding, 172–173, 172f Research article analyzing, 562b reading, 563b search for, 561–562 Research utilization, 564, 565t, 566b. See also Nursing research utilization Resentment, 297, 297b Resignation letter, 94f Resignation phase, of change process, 233t
as colleague, 144–145 Public health prevention primary, 604 secondary, 604 tertiary, 604 Public interaction/speaking, 191–192 Public official. See also Elected official addressing, 390b letter to, example of, 389b Public speaking, 264 anxiety with, 264 rehearsal for, 264 Punitive damages, 459–460 Pursuer, 298b "Put on play" malpractice defense, 464  Q Qualitative research design, 567t Quality and Safety Education for Nurses (QSEN), 515 Quality assurance (QA), 478 definition of, 511b risk management and, 479	agents Radiological dispersal device (RDD), 599 Raise the Voice campaign, 190 Rand Health Insurance Experiment, 362 Rapid cycle changes (RCC), 506–507 definition of, 511b implementation of, 518 PDSA and, 522f, 525t Rationing of health care, 442 nursing care delivery and, 360 RDD. See Radiological dispersal device (RDD) Re-engineered Discharge (RED), 344–345 Reactive language, 47b Readiness phase, of change process, 233t Reality shock, 6–10 definition of, 6 humor in, 8 inventory, 10b mentoring through, 60–62 phases of, 6–10, 6t symptoms of, 9–10	Relationship-based practice, 344 Relaxation, 42–43 Renaissance, 129 Repetitive motion disorder (RMD), 579 Reporting duty in, 471 failure in, 471–472 of Medicare fraud, 471–472 Reputation of leadership, in organization, 79 Res ipsa loquitur, 456–457 Research conducting, research utilization versus, 565–567, 565t theory guiding, 172–173, 172f Research article analyzing, 562b reading, 563b search for, 561–562 Research utilization, 564, 565t, 566b. See also Nursing research utilization Resentment, 297, 297b Resignation letter, 94f

Resonancy, 179	Root cause analysis (RCA), 503–504	Sexual harassment (Continued)
Respondeat superior, 462, 480	Root cause factor chart, 505, 505f	grievance procedure for, 302
Resume, 66–95	Roy, Sister Callista, 176t, 179	in workplace, 300–302
components of, 80	Roy's Adaptation Model of nursing theory,	Shared governance, 400
demographic data, 80	176t, 179, 180f	concept of, 402
education, 81	Rules of the road, 17, 20f, 21	Shaw v. Plantation Management, 469
honors and awards, 82	S	Sherman tank, 292, 294f
licensure, 81		Shewhart, Walter, 518
personal objective, 81	Safe Medical Device Act, 469	Shift change, communication during,
professional experience, 81	Safe Staffing Saves Lives campaign, 393,	245–246
professional organizations, 81	401	Shift hours, 13
references, 82	Safety. See Patient safety	Shock and rejection phase, of reality
example of, 82f	Salary discrimination, 393	shock, 6t, 7b–8b, 8
guidelines for, 80b	SBAR communication, 243–244	Shock phase, mentoring relationship and,
on job-search websites, 84	Scarce resource allocation, 441	61
submission	Scheduling	Sigma Theta Tau International, 190–191
cover letter with, 82–83	of nurses, 348b	Sign-on bonus, 90
methods of, 83–84	patterns, 350	Signature, in e-mail, 270b–271b
record of, 84f	Schiavo, Terri, 476	Silence Kills, 338
writing an effective, 79–84	School-learned ideal, 16	Silent/veteran generation, 217, 217b
Retirement program, 409–411	Science of Unitary Human Beings, 176t,	Simple Triage and Rapid Treatment
Revenue, 364	177–179, 179f	system. See START system
Revolts, nursing and, 129–130	Scope-of-practice violation, 477	Situational leadership theory, 213–214
Reward, time management and, 33	Self-assessment, 70–74	Situational normative approach, 425–426
Reward power, 222, 383	of career goals, 73–74	advantages/disadvatages of, 425-426,
Right-brain dominant, 26, 26f	of clinical interests, 70	426t
"Right-to-die" argument, 434	of personal needs and interests, 71f, 73	Six Sigma engine, 522f
"Right-to-die" movement	questions for, 71	Six Sigma method, 506
opponents to, 437	Self-care, 43f	continuous quality improvement (CQI)
proponents of, 437	activities for, 43–44	and, 518
"Right-to-die" statute, 434	empowerment and, 38–47	definition of, 511b
Risk management	holistic self-assessment tool and, 41	goals of, 518
definition of, 478	for nurses, 42–43, 43b	history of, 518
incident report and, 479	strategies for, 36–47	methodology of, 518
insurance companies and, 479	for work stressors, 37	Six thinking hats, 273, 274b
lawsuit prevention and, 479	Self-Care Nursing Theory, 175–177, 176t,	Slander, 473
quality assurance and, 479	177f	Slang, 262
and quality improvement, 478–481	Self-determination, patient right to, 421	Slippery slope, 453
quality indicator as, 512	Self-esteem, 41	Smallpox, as bioterrorism agent, 598t
root cause analysis and, 503–504	Self-governance, 402	Smallpox vaccination, 129
RMD. See Repetitive motion disorder (RMD)	Self-medicating, barriers to, 362	Smartphone, 550, 550b
RN Super Union, 405–406	Self motivation, profession and, 195–196	communication application for, 549f
Robert Wood Johnson Foundation	Self-server personality, 272	alarm, 552f
(RWJF), 340, 516	Semmelweis, Ignaz Phillipp, 129	text messaging templates, 551f
Robertson v. Provident House, 472	Seniority rights, 408	in health care, 550
Roe v. Wade, 432	Sentinel event, 503	SME. See Subject matter expert (SME)
Rogers, Martha, 176t, 177–179	root cause of, 504f	Smith, Bill, 518
Roger's diffusion of innovation theory, 539	Service line	Sniper, 294, 295f
Role conflict, 287	example of, 511–512	SNS program. See Strategic National
Role model, mentor as, 59	quality circles and, 511	Stockpile (SNS) program
Role strain theory, 37	Seven Habits of Highly Effective People,	Social networking, for employer research,
Role transformation/transition, 10–19,	46-47	76–77
11b	Sex-based wage discrimination, 393	Social potential, 39
beginning of, 12–13	Sexual harassment, 474–475	Social values, profession relevance to,
from novice to expert, 12t	as conflict, 300	194–195
preparation for, 13–19, 14b	definition of, 301, 301f	Speaking, See Public speaking

Special damages, 459–460	Statute, 447–448	Systems theory
Specific plan, 564	whistleblower, 448b	elements of, 539
Speech-impaired, communication with,	Statutes of limitation, 463	of management, 211
471	definition of, 448b, 463	-
Spiritual assessment, 496-497	as malpractice defense, 463-464	Т
questions for, 498b-499b	Statutory law, 447–448	Tablet computer, 537
tools for, 497	nurse practice acts as, 447-448	Taft-Hartley Act, 200
Spiritual distress, 493–494	Stem cell research, fetal tissue and, 439	Task management, 31–33
Spiritual nursing care, 493–494	Stereotype, 262, 263b	ABCD system for, 35–36, 35b
Spiritual potential, 39	Storming phase, of group, 269-271	list for
Spiritual self, strategies to foster, 44–45	Storytelling, 55	creation of, 35
Spirituality	Strategic National Stockpile (SNS)	management of, 35–36
components of, 493–494, 494b	program, 609–610	rewards and, 33
cultural beliefs and, 494b–495b	CHEMPACK, 610	Taxonomy, 538–539
definition of, 493	Stress, emotional, coping with, 612	Teacher, nurse as, 141, 141t, 142f
Joint Commission, The (TJC) and,	Stressor	Team
496–497	lines of defense/resistance, 182, 182f	bonding within, 275–276, 278f
religious works online, 494b	prevention as intervention for,	collaboration and, 275
St. John, Hospital of, 128	180–181	components of, 343
Staff inconsistency, conflict with, 288	self-care for, 37	failure of, factors for, 276
Staff nursing position, 75	Strike, 408–409	formation of, 277
Staffing	Student liability, 463	leadership in, 277
concerns about, 589	Student profile, changing, 163, 165f	nurses working as, 275–277, 276f
crisis, 349b	Studying, time management for, 32	Team building, 275–277, 275b
family-leave policies and, 411	Subject matter expert (SME), 553	Team conference, 343
issues with, 401	Substance abuse, in nurse, 452	Team leader, 343
mandatory overtime in, 584–585,	Suicide, physician-assisted, 435–438	Team members, 312–314
588-589	Summarizer, 278b	Team nursing, 343, 343f
legislation against, 588	Sunrise Model, 184f, 185	communication and, 343
nurse-to-patient ratios in, 349	Supernurse syndrome, 308–309, 309f	TeamSTEPPS, 238b
nurses advocating for, 370	Supervision	Technician nurse, 139
quality of care and, 346–348	of care by others, 253–254	Technology
Safe Staffing Saves Lives campaign,	constructive feedback and, 253–254	communicating effectively using,
393	criteria for, 253	268–269
shortage in, 584–588	delegation and, 305b, 307, 307b,	education and, 166
standards for, by AACN, 339t	313b-314b	nursing care versus, 370f
work assignments for, 348	initial direction and, 319, 319b	use of, 545, 554b
work hours flexibility and, 411	management and, 209	Teleconference, 269
written plans for, 349	nurses confused about, 305–306,	Telehealth, 345
Stafford Act, 612f	316	Telemedical nursing care, 483
Stakeholder, 511b	performance weakness and, 315–316,	Telemedicine, 448b
Standard of care	315b	Teleological normative approach, 424–425
application of, 457–458 definition of, 448b	Supervisor, 144	advantages/disadvatages of, 426t
policies and procedure for, 457	communicating with, 257–258	Telephone call effective use of, 247
textbooks and journals, 457	Support 552	
Standards of Clinical Nursing Practice	Support, 552 Surrogate decision maker, 476	to elected officials, 387, 390b for employment, 93
(2003), 197	Surveillance, delegation and, 307	as interruption, 246
Standing order, 242t	Swain, M., 176t	with physician, 247b
Stare decisis, 449	Symbol, 240	postinterview, 93
START system, 606, 607b	•	-
START system, 600, 6076 STAT order, 242t	Do Not Use list, 241t Syndromic surveillance, 609	time management for, 29 Telephone contact, for employment,
State board, accountability by, 161	Systems barrier, to cultural competence,	77–78
State health department, staffing	490–491	Telephone nursing triage, 483
requirements by, 401	Systems Model of nursing theory, 176t,	Telephone order, 239
State v. Brown, 471	180–182, 182f	safety steps for, 239b
	,	·, ·,,

Terrorism	Time management (Continued)	Truth, as defamation defense, 473
biological agents in, 597, 598t	for studying, 32	Twelve-Bed Hospital model, 347t
chemical agents in, 597-599	for tasks, 31–33	Twitter, 76–77
community and, 596-597	for telephone calls, 29	
Test anxiety, 112–113	for texting, 29–30	U
Texas Nurse Association (TNA),	worksheets for, 30	UAN. See United American Nurses (UAN)
workplace advocacy and, 415b	Timelock, 24	UAP. See Unlicensed assistive personnel
Text messaging, 268	TJC. See Joint Commission, The (TJC)	(UAP)
Thao, Julie, 477–478	Tomlin, E., 176t	UHC/AACN nurse residency program, 54
Theft, 477	Tort, 454	Underfunctioner, 298b
Theoretical framework, profession and,	categories of, 454	Unfreezing phase, of change process, 230
197	civil action as, 454	Unintentional tort, 454
Theory	definition of, 448b	Union contract
definition of, 171	Tortuous interference with contract,	arbitration and, 408
grand, 171–172	474–475	collective bargaining and, 406–409
of leadership, 213–216	Total patient care model, 341–342	elements of, 410f
of management, 210–211	quality of care in, 341–342	membership, 409
middle-range, 171–172	Total quality management (TQM), 506	retirement, 409–411
practice, 171–172, 171b	definition of, 511b	family-leave policies in, 411
purpose of, 171	Trade-off, 384	grievance resolution and, 408
research and nursing practice, 172-173,	Traditional collective bargaining	job <i>versus</i> career security and, 407–408
172f	American Nurses Association (ANA)	nurse practice, control of, 411–412
Thinking hats, 273, 274b	and, 400	seniority rights and, 408
Third-party reimbursement, 482	debate over, 403–411	strikes and labor disputes, 408–409
Thomas, Supreme Court Justice Clarence,	definition of, 398b	wages and benefits, 407
300–301	risks and benefits of, 413-414	work hours flexibility, 411
TICC. See TIGER Informatics	Traditional model, of case management,	Union security provisions, 409
Competency Collaborative (TICC)	330	Unionization, of nursing, 404
TIGER Informatics Competency	Traditional theory, of management, 210	membership requirements for, 409
Collaborative (TICC), 553	Training, 81, 195	Unitary Human Beings, Science of, 176t,
TIGER Nursing Informatics Competencies	Transactional leadership theory, 214–215	177–179, 179f
Model, 553	Transcultural assessment model, 497f	United American Nurses (UAN), 200
Time management, 24–48, 34b, 517	Transformational leadership theory,	collective bargaining and, 400
ABCD system for, 35–36, 35b	214–215	formation of, 400
avoidance as strategy of, 251	characteristics of, 214	United States Department of Homeland
calendars for, 30–31, 31t	elements of, 214	Security, 617
in clinical setting, 248–250, 248b, 248f	Transforming Care at the Bedside	United States Pharmacopeia (USP)
organizing before shift report, 249	(TCAB), 340, 519	MEDMARX study by, 514
organizing work by patient, 250,	Transition, 3–6. See also Role	role of, 514
251f	transformation/transition	Unlicensed assistive personnel (UAP)
prioritizing care, 249–250,	definition and classification of, 3	definition of, 253b
249b-250b	factors influencing, 3–4, 4b	delegation to, 252
work organization sheet, 249f	in nursing, 4–6, 5b	risks with, 462
delegation and, 34, 251–253 for e-mail, 29–30	practice model for, 17–19, 18f preparation for, 13–19, 14b	U.S. Civil War, 134
	rules of the road for, 17, 20f, 21	U.S. Constitution, 449
for friends and fun, 42 interruptions as threat to, 246–247	Transitional Care Model (TCM), 344–345,	Utilization review (UR), 361 health care cost and, 483
list for	347t	nearth care cost and, 403
creation of, 35	Transplantation, ethical issues regarding,	V
management of, 35–36	438–439	Values, 421b
managing others and, 33–34, 34b,	Treatment, withdrawal of, 436	clarification of, 420–421
251–254	Treatment decision, conflict with, 288	definition of, 420b
for paperworks and/or electronic	Tri-Council of Nursing, 195	Values conflict, 287–288
requests, 29	Triage, 606–607, 606f	Variable cost, in operating budget, 366
in physical environment, 27–29	advance, 607	Variance record, 332
for social media, 29–30	START system of, 607b	Veracity, 423
101 30ciui meuiu, 27–30	5111K1 5y5tcm 01, 00/0	refucity, ±25

Verbal communication, patient safety and, 239–240
Verbal order, safety steps for, 239b
Veteran/silent generation, 217, 217b
Victorian Era
nurses versus wives during,
134–135
reformers of, 135
Vietnamese patient, cultural/spiritual
beliefs of, 494b-495b
Violation
of Food and Drugs Act,
478
of nursing practice, 477-478
Virgin, 127-128
Visiting nurse, 127–128
Voicemail, 269
Voluntary euthanasia, 434
Voluntary Mutual Patterning,
177–179
VX gas, as nerve agent, 597–599

## W

Wages, union contract and, 407 Watson, Jean, 176t, 183–184 Web-based nursing program, 155 Website. *See also* Internet evaluation of, 550–553, 550b–551b Well-being, empowerment and, 39 Whistleblower, 448b Whistleblower statute benefits of, 471-472 definition of, 448b White hat, 274b WHO. See World Health Organization (WHO) Widow, 127-128 Wieck, Lynn, 219-220 Women communication style of, 261 death of, 129 Work arounds, 517 Work organization sheet, 249f Work satisfaction, 17 Work stressor burnout from, 37-38 self-care for, 37 Working, graduate approach to, 8-9 Workplace. See also Employment advocacy in, 401b, 415b communication in, 257b cultural diversity in, 262-263 healthy environment in, 339b, 339t issues in, 574-595 needlestick and sharps safety in, 584, positive environment in, 350 reality of, 14, 16 safety in, 580f sexual harassment in, 300-302

Workplace Bullying Institute, 583 Workplace violence, 579-583, 580f bullying and harassment as, 580-583, 582b "code white" program for, 580 incidence of, 579 reporting of, 579 Workstation ergonomic design of, 578-579 as shared, 578 on wheels, 549 World Health Organization (WHO), 602, 603f Written communication components of effective, 263-264 guidelines for, 263, 263b patient safety and, 240-243 Written order transcription of, 242-243, 242b types of, 242t

## V

Yellow hat, 274b Y2K, 138 Young, D.A.B., 133

## Ζ

Zderad, Loretta, 176t Zero defects, 506